

Dateiauswertung

GLEICH**84-1.5.1.355/52798/sketch cut1.step**

Branch 1	main
Branch 2	current
Datei	84-1.5.1.355/52798/sketch cut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model'), '2;1');
4	FILE_NAME('Open CASCADE Shape Model', '2026-09-18T15:44:46', ('Author'), ('
5	'Open CASCADE'), 'Open CASCADE STEP processor 7.3', 'Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design', 2000, #2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4, #10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '', #5);
16	#5 = PRODUCT_DEFINITION('design', '', #6, #9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '', #7);
18	#7 = PRODUCT('Pottmanager 70', 'Pottmanager 70', '', (#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11, #15),
22	#76);
23	#11 = AXIS2_PLACEMENT_3D('', #12, #13, #14);
24	#12 = CARTESIAN_POINT('', (0., 0., 0.));
25	#13 = DIRECTION('', (0., 0., 1.));
26	#14 = DIRECTION('', (1., 0., -0.));
27	#15 = GEOMETRIC_CURVE_SET('', (#16, #24, #31, #39, #46, #54, #61, #69));
28	#16 = TRIMMED_CURVE('', #17, (#22, PARAMETER_VALUE(0.)), (#23,
29	PARAMETER_VALUE(2.181661564993)), .T., .PARAMETER.);
30	#17 = CIRCLE('', #18, 0.4);

31	#18 = AXIS2_PLACEMENT_3D(' ', #19, #20, #21);
32	#19 = CARTESIAN_POINT(' ', (-8.150079457175E-02, 4.930142876125E-02,
33	2.252469989299E-02));
34	#20 = DIRECTION(' ', (-0.205685984078, 0.104528463268, -0.973019566258));
35	#21 = DIRECTION(' ', (0.840548297997, 0.528061022009, -0.120955015478));
36	#22 = CARTESIAN_POINT(' ', (0.254718524627, 0.260525837565,
37	-2.585730629805E-02));
38	#23 = CARTESIAN_POINT(' ', (-0.110134349232, -0.34798764037,
39	-1.410199934029E-02));
40	#24 = TRIMMED_CURVE(' ', #25, (#29, PARAMETER_VALUE(0.)), (#30,
41	PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);
42	#25 = LINE(' ', #26, #27);
43	#26 = CARTESIAN_POINT(' ', (0.254718524627, 0.260525837565,
44	-2.585730629805E-02));
45	#27 = VECTOR(' ', #28, 1.);
46	#28 = DIRECTION(' ', (-0.5011704647, 0.842748691724, 0.196475972857));
47	#29 = CARTESIAN_POINT(' ', (0.254718524627, 0.260525837565,
48	-2.585730629805E-02));
49	#30 = CARTESIAN_POINT(' ', (-7.025893873908, 12.503319469625, 2.8283919058)
50	);
51	#31 = TRIMMED_CURVE(' ', #32, (#37, PARAMETER_VALUE(5.323254218583)), (#38,
52	PARAMETER_VALUE(6.28318530718)), .T., .PARAMETER.);
53	#32 = CIRCLE(' ', #33, 0.4);
54	#33 = AXIS2_PLACEMENT_3D(' ', #34, #35, #36);
55	#34 = CARTESIAN_POINT(' ', (-7.362113193107, 12.292095060821, 2.876773911991
56	));
57	#35 = DIRECTION(' ', (-0.205685984078, 0.104528463268, -0.973019566258));
58	#36 = DIRECTION(' ', (0.840548297997, 0.528061022009, -0.120955015478));
59	#37 = CARTESIAN_POINT(' ', (-7.333479638447, 12.689384129952, 2.913400611225
60	));
61	#38 = CARTESIAN_POINT(' ', (-7.025893873908, 12.503319469625, 2.8283919058)
62	);
63	#39 = TRIMMED_CURVE(' ', #40, (#44, PARAMETER_VALUE(0.)), (#45,
64	PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);
65	#40 = LINE(' ', #41, #42);
66	#41 = CARTESIAN_POINT(' ', (-7.333479638447, 12.689384129952, 2.913400611225
67	));
68	#42 = VECTOR(' ', #43, 1.);
69	#43 = DIRECTION(' ', (-0.975996425775, 5.08185256503E-02, 0.211774536536));
70	#44 = CARTESIAN_POINT(' ', (-7.333479638447, 12.689384129952, 2.913400611225
71	));
72	#45 = CARTESIAN_POINT(' ', (-21.51199209861, 13.427635910503, 5.989895386941
73	));
74	#46 = TRIMMED_CURVE(' ', #47, (#52, PARAMETER_VALUE(3.14159265359)), (#53,
75	PARAMETER_VALUE(5.323254218583)), .T., .PARAMETER.);
76	#47 = CIRCLE(' ', #48, 0.4);
77	#48 = AXIS2_PLACEMENT_3D(' ', #49, #50, #51);
78	#49 = CARTESIAN_POINT(' ', (-21.54062565327, 13.030346841372, 5.953268687708
79	));
80	#50 = DIRECTION(' ', (-0.205685984078, 0.104528463268, -0.973019566258));
81	#51 = DIRECTION(' ', (0.840548297997, 0.528061022009, -0.120955015478));

82	#52 = CARTESIAN_POINT(' ', (-21.87684497247, 12.819122432569, 6.001650693899
83	));
84	#53 = CARTESIAN_POINT(' ', (-21.51199209861, 13.427635910503, 5.989895386941
85	));
86	#54 = TRIMMED_CURVE(' ', #55, (#59, PARAMETER_VALUE(0.)), (#60,
87	PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);
88	#55 = LINE(' ', #56, #57);
89	#56 = CARTESIAN_POINT(' ', (-21.87684497247, 12.819122432569, 6.001650693899
90	));
91	#57 = VECTOR(' ', #58, 1.);
92	#58 = DIRECTION(' ', (0.5011704647, -0.842748691724, -0.196475972857));
93	#59 = CARTESIAN_POINT(' ', (-21.87684497247, 12.819122432569, 6.001650693899
94	));
95	#60 = CARTESIAN_POINT(' ', (-14.59623257394, 0.576328800509, 3.1474014818));
96	#61 = TRIMMED_CURVE(' ', #62, (#67, PARAMETER_VALUE(2.181661564993)), (#68,
97	PARAMETER_VALUE(3.14159265359)), .T., .PARAMETER.);
98	#62 = CIRCLE(' ', #63, 0.4);
99	#63 = AXIS2_PLACEMENT_3D(' ', #64, #65, #66);
100	#64 = CARTESIAN_POINT(' ', (-14.26001325474, 0.787553209313, 3.099019475609)
101	);
102	#65 = DIRECTION(' ', (-0.205685984078, 0.104528463268, -0.973019566258));
103	#66 = DIRECTION(' ', (0.840548297997, 0.528061022009, -0.120955015478));
104	#67 = CARTESIAN_POINT(' ', (-14.2886468094, 0.390264140182, 3.062392776376)
105	);
106	#68 = CARTESIAN_POINT(' ', (-14.59623257394, 0.576328800509, 3.1474014818));
107	#69 = TRIMMED_CURVE(' ', #70, (#74, PARAMETER_VALUE(0.)), (#75,
108	PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);
109	#70 = LINE(' ', #71, #72);
110	#71 = CARTESIAN_POINT(' ', (-14.2886468094, 0.390264140182, 3.062392776376)
111	);
112	#72 = VECTOR(' ', #73, 1.);
113	#73 = DIRECTION(' ', (0.975996425775, -5.08185256503E-02, -0.211774536536));
114	#74 = CARTESIAN_POINT(' ', (-14.2886468094, 0.390264140182, 3.062392776376)
115	);
116	#75 = CARTESIAN_POINT(' ', (-0.110134349232, -0.34798764037,
117	-1.410199934029E-02));
118	#76 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
119	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#80)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
120	(#77, #78, #79)) REPRESENTATION_CONTEXT('Context #1',
121	'3D Context with UNIT and UNCERTAINTY'));
122	#77 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI., .METRE.));
123	#78 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$, .RADIAN.));
124	#79 = (NAMED_UNIT(*) SI_UNIT(\$, .STERADIAN.) SOLID_ANGLE_UNIT());
125	#80 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07), #77,
126	'distance_accuracy_value', 'confusion accuracy');
127	#81 = PRODUCT_RELATED_PRODUCT_CATEGORY('part', \$, (#7));
128	#82 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION(' ', (#83),
129	#76);
130	#83 = STYLED_ITEM('color', (#84), #15);
131	#84 = PRESENTATION_STYLE_ASSIGNMENT((#85));
132	#85 = SURFACE_STYLE_USAGE(.BOTH., #86);

133	#86 = SURFACE_SIDE_STYLE(' ', (#87));
134	#87 = SURFACE_STYLE_FILL_AREA(#88);
135	#88 = FILL_AREA_STYLE(' ', (#89));
136	#89 = FILL_AREA_STYLE_COLOUR(' ', #90);
137	#90 = DRAUGHTING_PRE_DEFINED_COLOUR('green');
138	ENDSEC;
139	END-ISO-10303-21;