

Dateiauswertung

GLEICH

84-1.5.1.355/53630/sketch cut1.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.355/53630/sketch cut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model','2;1');
4	FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:44:51','Author'),(
5	'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design',2000,#2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '#5);
16	#5 = PRODUCT_DEFINITION('design', '#6,#9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '#7);
18	#7 = PRODUCT('Pottmanager 99','Pottmanager 99', '#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11,#15),
22	#76);
23	#11 = AXIS2_PLACEMENT_3D('', #12,#13,#14);
24	#12 = CARTESIAN_POINT('', (0.,0.,0.));
25	#13 = DIRECTION('', (0.,0.,1.));
26	#14 = DIRECTION('', (1.,0.,-0.));
27	#15 = GEOMETRIC_CURVE_SET('', (#16,#24,#31,#39,#46,#54,#61,#69));
28	#16 = TRIMMED_CURVE('', #17, (#22, PARAMETER_VALUE(0.)), (#23,
29	PARAMETER_VALUE(1.745329251994)), .T., .PARAMETER.);
30	#17 = CIRCLE('', #18,0.4);

31	#18 = AXIS2_PLACEMENT_3D(' ', #19, #20, #21);
32	#19 = CARTESIAN_POINT(' ', (0.101469534133, 0.102172268537,
33	2.146285661284E-02));
34	#20 = DIRECTION(' ', (0.103379886883, 0.10510124939, -0.989073468639));
35	#21 = DIRECTION(' ', (9.559819144442E-02, -0.990847787176,
36	-9.529768329478E-02));
37	#22 = CARTESIAN_POINT(' ', (0.139708810711, -0.294166846334,
38	-1.665621670508E-02));
39	#23 = CARTESIAN_POINT(' ', (-0.295169156248, 0.137629849227,
40	-1.622678737837E-02));
41	#24 = TRIMMED_CURVE(' ', #25, (#29, PARAMETER_VALUE(0.)), (#30,
42	PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);
43	#25 = LINE(' ', #26, #27);
44	#26 = CARTESIAN_POINT(' ', (0.139708810711, -0.294166846334,
45	-1.665621670508E-02));
46	#27 = VECTOR(' ', #28, 1.);
47	#28 = DIRECTION(' ', (0.990037163333, 8.470177108827E-02, 0.112481221517));
48	#29 = CARTESIAN_POINT(' ', (0.139708810711, -0.294166846334,
49	-1.665621670508E-02));
50	#30 = CARTESIAN_POINT(' ', (12.102898791322, 0.729333499665, 1.342519248715)
51	);
52	#31 = TRIMMED_CURVE(' ', #32, (#37, PARAMETER_VALUE(4.886921905584)), (#38,
53	PARAMETER_VALUE(6.28318530718)), .T., .PARAMETER.);
54	#32 = CIRCLE(' ', #33, 0.4);
55	#33 = AXIS2_PLACEMENT_3D(' ', #34, #35, #36);
56	#34 = CARTESIAN_POINT(' ', (12.064659514744, 1.125672614535, 1.380638322033)
57	);
58	#35 = DIRECTION(' ', (0.103379886883, 0.10510124939, -0.989073468639));
59	#36 = DIRECTION(' ', (9.559819144442E-02, -0.990847787176,
60	-9.529768329478E-02));
61	#37 = CARTESIAN_POINT(' ', (12.461298205125, 1.090215033845, 1.418327966025)
62	);
63	#38 = CARTESIAN_POINT(' ', (12.102898791322, 0.729333499665, 1.342519248715)
64	);
65	#39 = TRIMMED_CURVE(' ', #40, (#44, PARAMETER_VALUE(0.)), (#45,
66	PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);
67	#40 = LINE(' ', #41, #42);
68	#41 = CARTESIAN_POINT(' ', (12.461298205125, 1.090215033845, 1.418327966025)
69	);
70	#42 = VECTOR(' ', #43, 1.);
71	#43 = DIRECTION(' ', (7.777230912692E-02, 0.99050289106, 0.113382056491));
72	#44 = CARTESIAN_POINT(' ', (12.461298205125, 1.090215033845, 1.418327966025)
73	);
74	#45 = CARTESIAN_POINT(' ', (13.401065866153, 13.059032671161, 2.788388739932
75	));
76	#46 = TRIMMED_CURVE(' ', #47, (#52, PARAMETER_VALUE(3.14159265359)), (#53,
77	PARAMETER_VALUE(4.886921905584)), .T., .PARAMETER.);
78	#47 = CIRCLE(' ', #48, 0.4);
79	#48 = AXIS2_PLACEMENT_3D(' ', #49, #50, #51);
80	#49 = CARTESIAN_POINT(' ', (13.004427175772, 13.094490251852, 2.750699095941
81	));

82	#50 = DIRECTION('',(0.103379886883,0.10510124939,-0.989073468639));
83	#51 = DIRECTION('',(9.559819144442E-02,-0.990847787176,
84	-9.529768329478E-02));
85	#52 = CARTESIAN_POINT('',(12.966187899194,13.490829366722,2.788818169259
86	));
87	#53 = CARTESIAN_POINT('',(13.401065866153,13.059032671161,2.788388739932
88	));
89	#54 = TRIMMED_CURVE('',#55, (#59, PARAMETER_VALUE(0.)), (#60,
90	PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);
91	#55 = LINE('',#56,#57);
92	#56 = CARTESIAN_POINT('',(12.966187899194,13.490829366722,2.788818169259
93	));
94	#57 = VECTOR('',#58,1.);
95	#58 = DIRECTION('',(-0.990037163333,-8.470177108827E-02,-0.112481221517)
96	);
97	#59 = CARTESIAN_POINT('',(12.966187899194,13.490829366722,2.788818169259
98	));
99	#60 = CARTESIAN_POINT('',(1.002997918583,12.467329020723,1.429642703839)
100	);
101	#61 = TRIMMED_CURVE('',#62, (#67, PARAMETER_VALUE(1.745329251994)), (#68,
102	PARAMETER_VALUE(3.14159265359)), .T., .PARAMETER.);
103	#62 = CIRCLE('',#63,0.4);
104	#63 = AXIS2_PLACEMENT_3D('',#64,#65,#66);
105	#64 = CARTESIAN_POINT('',(1.041237195161,12.070989905853,1.391523630521)
106	);
107	#65 = DIRECTION('',(0.103379886883,0.10510124939,-0.989073468639));
108	#66 = DIRECTION('',(9.559819144442E-02,-0.990847787176,
109	-9.529768329478E-02));
110	#67 = CARTESIAN_POINT('',(0.64459850478,12.106447486544,1.353833986529)
111	);
112	#68 = CARTESIAN_POINT('',(1.002997918583,12.467329020723,1.429642703839)
113	);
114	#69 = TRIMMED_CURVE('',#70, (#74, PARAMETER_VALUE(0.)), (#75,
115	PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);
116	#70 = LINE('',#71,#72);
117	#71 = CARTESIAN_POINT('',(0.64459850478,12.106447486544,1.353833986529)
118	);
119	#72 = VECTOR('',#73,1.);
120	#73 = DIRECTION('',(-7.777230912692E-02,-0.99050289106,-0.113382056491)
121	);
122	#74 = CARTESIAN_POINT('',(0.64459850478,12.106447486544,1.353833986529)
123	);
124	#75 = CARTESIAN_POINT('',(-0.295169156248,0.137629849227,
125	-1.622678737837E-02));
126	#76 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
127	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#80)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
128	(#77,#78,#79)) REPRESENTATION_CONTEXT('Context #1',
129	'3D Context with UNIT and UNCERTAINTY'));
130	#77 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI.,.METRE.));
131	#78 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$,.RADIAN.));
132	#79 = (NAMED_UNIT(*) SI_UNIT(\$,.STERADIAN.) SOLID_ANGLE_UNIT());

133	#80 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07),#77,
134	'distance_accuracy_value','confusion accuracy');
135	#81 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$,(#7));
136	#82 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('',(#83),
137	#76);
138	#83 = STYLED_ITEM('color',(#84),#15);
139	#84 = PRESENTATION_STYLE_ASSIGNMENT((#85));
140	#85 = SURFACE_STYLE_USAGE(.BOTH.,#86);
141	#86 = SURFACE_SIDE_STYLE('',(#87));
142	#87 = SURFACE_STYLE_FILL_AREA(#88);
143	#88 = FILL_AREA_STYLE('',(#89));
144	#89 = FILL_AREA_STYLE_COLOUR('',#90);
145	#90 = DRAUGHTING_PRE_DEFINED_COLOUR('green');
146	ENDSEC;
147	END-ISO-10303-21;