

# Dateiauswertung

GLEICH

84-1.5.1.355/53746/shape nocut2.step

|                 |                                      |
|-----------------|--------------------------------------|
| <b>Branch 1</b> | main                                 |
| <b>Branch 2</b> | current                              |
| <b>Datei</b>    | 84-1.5.1.355/53746/shape nocut2.step |
| <b>Typ</b>      | STEP/STP                             |

## Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

## Dateiinhalt / Vergleich

|    |                                                                         |
|----|-------------------------------------------------------------------------|
| 1  | ISO-10303-21;                                                           |
| 2  | HEADER;                                                                 |
| 3  | FILE_DESCRIPTION(('Open CASCADE Model','2;1');                          |
| 4  | FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:44:55',('Author'),( |
| 5  | 'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'    |
| 6  | , 'Unknown');                                                           |
| 7  | FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));           |
| 8  | ENDSEC;                                                                 |
| 9  | DATA;                                                                   |
| 10 | #1 = APPLICATION_PROTOCOL_DEFINITION('international standard',          |
| 11 | 'automotive_design',2000,#2);                                           |
| 12 | #2 = APPLICATION_CONTEXT(                                               |
| 13 | 'core data for automotive mechanical design processes');                |
| 14 | #3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);                           |
| 15 | #4 = PRODUCT_DEFINITION_SHAPE('', '#5);                                 |
| 16 | #5 = PRODUCT_DEFINITION('design', '#6,#9);                              |
| 17 | #6 = PRODUCT_DEFINITION_FORMATION('', '#7);                             |
| 18 | #7 = PRODUCT('Pottmanager 104','Pottmanager 104','',(#8));              |
| 19 | #8 = PRODUCT_CONTEXT('', #2, 'mechanical');                             |
| 20 | #9 = PRODUCT_DEFINITION_CONTEXT('part definition',#2,'design');         |
| 21 | #10 = ADVANCED_BREP_SHAPE_REPRESENTATION('', (#11,#15),#93);            |
| 22 | #11 = AXIS2_PLACEMENT_3D('', #12, #13, #14);                            |
| 23 | #12 = CARTESIAN_POINT('', (0., 0., 0.));                                |
| 24 | #13 = DIRECTION('', (0., 0., 1.));                                      |
| 25 | #14 = DIRECTION('', (1., 0., -0.));                                     |
| 26 | #15 = MANIFOLD_SOLID_BREP('', #16);                                     |
| 27 | #16 = CLOSED_SHELL('', (#17, #34, #59, #84));                           |
| 28 | #17 = ADVANCED_FACE('', (#18), #29, .T.);                               |
| 29 | #18 = FACE_BOUND('', #19, .F.);                                         |
| 30 | #19 = EDGE_LOOP('', (#20));                                             |

|    |                                                                            |
|----|----------------------------------------------------------------------------|
| 31 | #20 = ORIENTED_EDGE(' ', *, *, #21, .F.);                                  |
| 32 | #21 = EDGE_CURVE(' ', #22, #22, #24, .T.);                                 |
| 33 | #22 = VERTEX_POINT(' ', #23);                                              |
| 34 | #23 = CARTESIAN_POINT(' ', (20., 40., -4.440892098501E-15));               |
| 35 | #24 = CIRCLE(' ', #25, 20.);                                               |
| 36 | #25 = AXIS2_PLACEMENT_3D(' ', #26, #27, #28);                              |
| 37 | #26 = CARTESIAN_POINT(' ', (0., 40., -4.440892098501E-15));                |
| 38 | #27 = DIRECTION(' ', (0., -1., 1.110223024625E-16));                       |
| 39 | #28 = DIRECTION(' ', (1., 0., 0.));                                        |
| 40 | #29 = PLANE(' ', #30);                                                     |
| 41 | #30 = AXIS2_PLACEMENT_3D(' ', #31, #32, #33);                              |
| 42 | #31 = CARTESIAN_POINT(' ', (0., 40., -4.440892098501E-15));                |
| 43 | #32 = DIRECTION(' ', (0., -1., 1.110223024625E-16));                       |
| 44 | #33 = DIRECTION(' ', (1., 0., 0.));                                        |
| 45 | #34 = ADVANCED_FACE(' ', (#35), #54, .T.);                                 |
| 46 | #35 = FACE_BOUND(' ', #36, .F.);                                           |
| 47 | #36 = EDGE_LOOP(' ', (#37, #38, #46, #53));                                |
| 48 | #37 = ORIENTED_EDGE(' ', *, *, #21, .T.);                                  |
| 49 | #38 = ORIENTED_EDGE(' ', *, *, #39, .T.);                                  |
| 50 | #39 = EDGE_CURVE(' ', #22, #40, #42, .T.);                                 |
| 51 | #40 = VERTEX_POINT(' ', #41);                                              |
| 52 | #41 = CARTESIAN_POINT(' ', (26., 53., -5.884182030513E-15));               |
| 53 | #42 = LINE(' ', #43, #44);                                                 |
| 54 | #43 = CARTESIAN_POINT(' ', (20., 40., -4.440892098501E-15));               |
| 55 | #44 = VECTOR(' ', #45, 1.);                                                |
| 56 | #45 = DIRECTION(' ', (0.419058177462, 0.9079593845, -1.008037414097E-16)); |
| 57 | #46 = ORIENTED_EDGE(' ', *, *, #47, .F.);                                  |
| 58 | #47 = EDGE_CURVE(' ', #40, #40, #48, .T.);                                 |
| 59 | #48 = CIRCLE(' ', #49, 26.);                                               |
| 60 | #49 = AXIS2_PLACEMENT_3D(' ', #50, #51, #52);                              |
| 61 | #50 = CARTESIAN_POINT(' ', (0., 53., -5.884182030513E-15));                |
| 62 | #51 = DIRECTION(' ', (0., -1., 1.110223024625E-16));                       |
| 63 | #52 = DIRECTION(' ', (1., 0., 0.));                                        |
| 64 | #53 = ORIENTED_EDGE(' ', *, *, #39, .F.);                                  |
| 65 | #54 = CONICAL_SURFACE(' ', #55, 20., 0.432407775571);                      |
| 66 | #55 = AXIS2_PLACEMENT_3D(' ', #56, #57, #58);                              |
| 67 | #56 = CARTESIAN_POINT(' ', (0., 40., -4.440892098501E-15));                |
| 68 | #57 = DIRECTION(' ', (-0., 1., -1.110223024625E-16));                      |
| 69 | #58 = DIRECTION(' ', (1., 0., 0.));                                        |
| 70 | #59 = ADVANCED_FACE(' ', (#60), #79, .T.);                                 |
| 71 | #60 = FACE_BOUND(' ', #61, .F.);                                           |
| 72 | #61 = EDGE_LOOP(' ', (#62, #63, #71, #78));                                |
| 73 | #62 = ORIENTED_EDGE(' ', *, *, #47, .T.);                                  |
| 74 | #63 = ORIENTED_EDGE(' ', *, *, #64, .T.);                                  |
| 75 | #64 = EDGE_CURVE(' ', #40, #65, #67, .T.);                                 |
| 76 | #65 = VERTEX_POINT(' ', #66);                                              |
| 77 | #66 = CARTESIAN_POINT(' ', (26., 77., -8.548717289614E-15));               |
| 78 | #67 = LINE(' ', #68, #69);                                                 |
| 79 | #68 = CARTESIAN_POINT(' ', (26., 53., -5.884182030513E-15));               |
| 80 | #69 = VECTOR(' ', #70, 1.);                                                |
| 81 | #70 = DIRECTION(' ', (0., 1., -1.110223024625E-16));                       |

|     |                                                                            |
|-----|----------------------------------------------------------------------------|
| 82  | #71 = ORIENTED_EDGE(' ', *, *, #72, .F.);                                  |
| 83  | #72 = EDGE_CURVE(' ', #65, #65, #73, .T.);                                 |
| 84  | #73 = CIRCLE(' ', #74, 26.);                                               |
| 85  | #74 = AXIS2_PLACEMENT_3D(' ', #75, #76, #77);                              |
| 86  | #75 = CARTESIAN_POINT(' ', (0., 77., -8.548717289614E-15));                |
| 87  | #76 = DIRECTION(' ', (0., -1., 1.110223024625E-16));                       |
| 88  | #77 = DIRECTION(' ', (1., 0., 0.));                                        |
| 89  | #78 = ORIENTED_EDGE(' ', *, *, #64, .F.);                                  |
| 90  | #79 = CYLINDRICAL_SURFACE(' ', #80, 26.);                                  |
| 91  | #80 = AXIS2_PLACEMENT_3D(' ', #81, #82, #83);                              |
| 92  | #81 = CARTESIAN_POINT(' ', (0., 53., -5.884182030513E-15));                |
| 93  | #82 = DIRECTION(' ', (-0., 1., -1.110223024625E-16));                      |
| 94  | #83 = DIRECTION(' ', (1., 0., 0.));                                        |
| 95  | #84 = ADVANCED_FACE(' ', (#85), #88, .F.);                                 |
| 96  | #85 = FACE_BOUND(' ', #86, .F.);                                           |
| 97  | #86 = EDGE_LOOP(' ', (#87));                                               |
| 98  | #87 = ORIENTED_EDGE(' ', *, *, #72, .T.);                                  |
| 99  | #88 = PLANE(' ', #89);                                                     |
| 100 | #89 = AXIS2_PLACEMENT_3D(' ', #90, #91, #92);                              |
| 101 | #90 = CARTESIAN_POINT(' ', (0., 77., -8.548717289614E-15));                |
| 102 | #91 = DIRECTION(' ', (0., -1., 1.110223024625E-16));                       |
| 103 | #92 = DIRECTION(' ', (1., 0., 0.));                                        |
| 104 | #93 = ( GEOMETRIC_REPRESENTATION_CONTEXT(3)                                |
| 105 | GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#97)) GLOBAL_UNIT_ASSIGNED_CONTEXT(   |
| 106 | (#94, #95, #96)) REPRESENTATION_CONTEXT('Context #1',                      |
| 107 | '3D Context with UNIT and UNCERTAINTY') );                                 |
| 108 | #94 = ( LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI., .METRE.) );           |
| 109 | #95 = ( NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$, .RADIAN.) );          |
| 110 | #96 = ( NAMED_UNIT(*) SI_UNIT(\$, .STERADIAN.) SOLID_ANGLE_UNIT() );       |
| 111 | #97 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07), #94,           |
| 112 | 'distance_accuracy_value', 'confusion accuracy');                          |
| 113 | #98 = PRODUCT_RELATED_PRODUCT_CATEGORY('part', \$, (#7));                  |
| 114 | #99 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION(' ', (#100), |
| 115 | #93);                                                                      |
| 116 | #100 = STYLED_ITEM('color', (#101), #15);                                  |
| 117 | #101 = PRESENTATION_STYLE_ASSIGNMENT((#102));                              |
| 118 | #102 = SURFACE_STYLE_USAGE(.BOTH., #103);                                  |
| 119 | #103 = SURFACE_SIDE_STYLE(' ', (#104));                                    |
| 120 | #104 = SURFACE_STYLE_FILL_AREA(#105);                                      |
| 121 | #105 = FILL_AREA_STYLE(' ', (#106));                                       |
| 122 | #106 = FILL_AREA_STYLE_COLOUR(' ', #107);                                  |
| 123 | #107 = COLOUR_RGB(' ', 0.588235318661, 0.588235318661, 0.588235318661);    |
| 124 | ENDSEC;                                                                    |
| 125 | END-ISO-10303-21;                                                          |