

Dateiauswertung

GLEICH

84-1.5.1.356/52706/sketch cut1.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.356/52706/sketch cut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model','2;1');
4	FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:45:42',('Author'),(
5	'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design',2000,#2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '#5);
16	#5 = PRODUCT_DEFINITION('design', '#6,#9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '#7);
18	#7 = PRODUCT('Pottmanager 63','Pottmanager 63', '#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11,#15),
22	#76);
23	#11 = AXIS2_PLACEMENT_3D('', #12,#13,#14);
24	#12 = CARTESIAN_POINT('', (0.,0.,0.));
25	#13 = DIRECTION('', (0.,0.,1.));
26	#14 = DIRECTION('', (1.,0.,-0.));
27	#15 = GEOMETRIC_CURVE_SET('', (#16,#24,#31,#39,#46,#54,#61,#69));
28	#16 = TRIMMED_CURVE('', #17, (#22,PARAMETER_VALUE(0.)), (#23,
29	PARAMETER_VALUE(2.181661564993)), .T., .PARAMETER.);
30	#17 = CIRCLE('', #18,0.4);

31	#18 = AXIS2_PLACEMENT_3D(' ', #19, #20, #21);
32	#19 = CARTESIAN_POINT(' ', (-8.150079457175E-02, 4.930142876125E-02,
33	-2.252469989299E-02));
34	#20 = DIRECTION(' ', (-0.205685984078, 0.104528463268, 0.973019566258));
35	#21 = DIRECTION(' ', (-7.15838866494E-02, -0.993222672827,
36	9.156674808321E-02));
37	#22 = CARTESIAN_POINT(' ', (-0.110134349232, -0.34798764037,
38	1.410199934029E-02));
39	#23 = CARTESIAN_POINT(' ', (0.254718524627, 0.260525837565,
40	2.585730629805E-02));
41	#24 = TRIMMED_CURVE(' ', #25, (#29, PARAMETER_VALUE(0.)), (#30,
42	PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);
43	#25 = LINE(' ', #26, #27);
44	#26 = CARTESIAN_POINT(' ', (-0.110134349232, -0.34798764037,
45	1.410199934029E-02));
46	#27 = VECTOR(' ', #28, 1.);
47	#28 = DIRECTION(' ', (-0.975996425775, 5.08185256503E-02, -0.211774536536));
48	#29 = CARTESIAN_POINT(' ', (-0.110134349232, -0.34798764037,
49	1.410199934029E-02));
50	#30 = CARTESIAN_POINT(' ', (-14.2886468094, 0.390264140182, -3.062392776376)
51	);
52	#31 = TRIMMED_CURVE(' ', #32, (#37, PARAMETER_VALUE(5.323254218583)), (#38,
53	PARAMETER_VALUE(6.28318530718)), .T., .PARAMETER.);
54	#32 = CIRCLE(' ', #33, 0.4);
55	#33 = AXIS2_PLACEMENT_3D(' ', #34, #35, #36);
56	#34 = CARTESIAN_POINT(' ', (-14.26001325474, 0.787553209313, -3.099019475609
57	));
58	#35 = DIRECTION(' ', (-0.205685984078, 0.104528463268, 0.973019566258));
59	#36 = DIRECTION(' ', (-7.15838866494E-02, -0.993222672827,
60	9.156674808321E-02));
61	#37 = CARTESIAN_POINT(' ', (-14.59623257394, 0.576328800509, -3.1474014818)
62	);
63	#38 = CARTESIAN_POINT(' ', (-14.2886468094, 0.390264140182, -3.062392776376)
64	);
65	#39 = TRIMMED_CURVE(' ', #40, (#44, PARAMETER_VALUE(0.)), (#45,
66	PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);
67	#40 = LINE(' ', #41, #42);
68	#41 = CARTESIAN_POINT(' ', (-14.59623257394, 0.576328800509, -3.1474014818)
69	);
70	#42 = VECTOR(' ', #43, 1.);
71	#43 = DIRECTION(' ', (-0.5011704647, 0.842748691724, -0.196475972857));
72	#44 = CARTESIAN_POINT(' ', (-14.59623257394, 0.576328800509, -3.1474014818)
73	);
74	#45 = CARTESIAN_POINT(' ', (-21.87684497247, 12.819122432569,
75	-6.001650693899));
76	#46 = TRIMMED_CURVE(' ', #47, (#52, PARAMETER_VALUE(3.14159265359)), (#53,
77	PARAMETER_VALUE(5.323254218583)), .T., .PARAMETER.);
78	#47 = CIRCLE(' ', #48, 0.4);
79	#48 = AXIS2_PLACEMENT_3D(' ', #49, #50, #51);
80	#49 = CARTESIAN_POINT(' ', (-21.54062565327, 13.030346841372,
81	-5.953268687708));

82	#50 = DIRECTION(' ', (-0.205685984078,0.104528463268,0.973019566258));
83	#51 = DIRECTION(' ', (-7.15838866494E-02, -0.993222672827,
84	9.156674808321E-02));
85	#52 = CARTESIAN_POINT(' ', (-21.51199209861, 13.427635910503,
86	-5.989895386941));
87	#53 = CARTESIAN_POINT(' ', (-21.87684497247, 12.819122432569,
88	-6.001650693899));
89	#54 = TRIMMED_CURVE(' ', #55, (#59, PARAMETER_VALUE(0.)), (#60,
90	PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);
91	#55 = LINE(' ', #56, #57);
92	#56 = CARTESIAN_POINT(' ', (-21.51199209861, 13.427635910503,
93	-5.989895386941));
94	#57 = VECTOR(' ', #58, 1.);
95	#58 = DIRECTION(' ', (0.975996425775, -5.08185256503E-02, 0.211774536536));
96	#59 = CARTESIAN_POINT(' ', (-21.51199209861, 13.427635910503,
97	-5.989895386941));
98	#60 = CARTESIAN_POINT(' ', (-7.333479638447, 12.689384129952,
99	-2.913400611225));
100	#61 = TRIMMED_CURVE(' ', #62, (#67, PARAMETER_VALUE(2.181661564993)), (#68,
101	PARAMETER_VALUE(3.14159265359)), .T., .PARAMETER.);
102	#62 = CIRCLE(' ', #63, 0.4);
103	#63 = AXIS2_PLACEMENT_3D(' ', #64, #65, #66);
104	#64 = CARTESIAN_POINT(' ', (-7.362113193107, 12.292095060821,
105	-2.876773911991));
106	#65 = DIRECTION(' ', (-0.205685984078,0.104528463268,0.973019566258));
107	#66 = DIRECTION(' ', (-7.15838866494E-02, -0.993222672827,
108	9.156674808321E-02));
109	#67 = CARTESIAN_POINT(' ', (-7.025893873908, 12.503319469625, -2.8283919058)
110	);
111	#68 = CARTESIAN_POINT(' ', (-7.333479638447, 12.689384129952,
112	-2.913400611225));
113	#69 = TRIMMED_CURVE(' ', #70, (#74, PARAMETER_VALUE(0.)), (#75,
114	PARAMETER_VALUE(14.527217606261)), .T., .PARAMETER.);
115	#70 = LINE(' ', #71, #72);
116	#71 = CARTESIAN_POINT(' ', (-7.025893873908, 12.503319469625, -2.8283919058)
117	);
118	#72 = VECTOR(' ', #73, 1.);
119	#73 = DIRECTION(' ', (0.5011704647, -0.842748691724, 0.196475972857));
120	#74 = CARTESIAN_POINT(' ', (-7.025893873908, 12.503319469625, -2.8283919058)
121	);
122	#75 = CARTESIAN_POINT(' ', (0.254718524627, 0.260525837565,
123	2.585730629805E-02));
124	#76 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
125	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#80)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
126	(#77, #78, #79)) REPRESENTATION_CONTEXT('Context #1',
127	'3D Context with UNIT and UNCERTAINTY'));
128	#77 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI., .METRE.));
129	#78 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$, .RADIAN.));
130	#79 = (NAMED_UNIT(*) SI_UNIT(\$, .STERADIAN.) SOLID_ANGLE_UNIT());
131	#80 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07), #77,
132	'distance_accuracy_value', 'confusion accuracy');

133	#81 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$, (#7));
134	#82 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION(' ', (#83),
135	#76);
136	#83 = STYLED_ITEM('color', (#84), #15);
137	#84 = PRESENTATION_STYLE_ASSIGNMENT((#85));
138	#85 = SURFACE_STYLE_USAGE(. BOTH., #86);
139	#86 = SURFACE_SIDE_STYLE(' ', (#87));
140	#87 = SURFACE_STYLE_FILL_AREA(#88);
141	#88 = FILL_AREA_STYLE(' ', (#89));
142	#89 = FILL_AREA_STYLE_COLOUR(' ', #90);
143	#90 = DRAUGHTING_PRE_DEFINED_COLOUR('green');
144	ENDSEC;
145	END-ISO-10303-21;