

Dateiauswertung

GLEICH**84-1.5.1.356/53619/sketch cut1.step**

Branch 1	main
Branch 2	current
Datei	84-1.5.1.356/53619/sketch cut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model', '2;1');
4	FILE_NAME('Open CASCADE Shape Model', '2026-09-18T15:45:40', ('Author'), (
5	'Open CASCADE'), 'Open CASCADE STEP processor 7.3', 'Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design', 2000, #2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4, #10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '', #5);
16	#5 = PRODUCT_DEFINITION('design', '', #6, #9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '', #7);
18	#7 = PRODUCT('Pottmanager 47', 'Pottmanager 47', '', (#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11, #15),
22	#76);
23	#11 = AXIS2_PLACEMENT_3D('', #12, #13, #14);
24	#12 = CARTESIAN_POINT('', (0., 0., 0.));
25	#13 = DIRECTION('', (0., 0., 1.));
26	#14 = DIRECTION('', (1., 0., -0.));
27	#15 = GEOMETRIC_CURVE_SET('', (#16, #24, #31, #39, #46, #54, #61, #69));
28	#16 = TRIMMED_CURVE('', #17, (#22, PARAMETER_VALUE(0.)), (#23,
29	PARAMETER_VALUE(2.530727415392)), .T., .PARAMETER.);
30	#17 = CIRCLE('', #18, 0.2);

31	#18 = AXIS2_PLACEMENT_3D(' ', #19, #20, #21);
32	#19 = CARTESIAN_POINT(' ', (1.178012274934E-02, 2.843973210789E-02,
33	-4.600093501892E-18));
34	#20 = DIRECTION(' ', (1.224646799147E-16, 1.110223024625E-16, 1.));
35	#21 = DIRECTION(' ', (-0.996194698092, 8.715574274766E-02,
36	1.123224336019E-16));
37	#22 = CARTESIAN_POINT(' ', (-0.187458816869, 4.587088065742E-02,
38	1.786439321848E-17));
39	#23 = CARTESIAN_POINT(' ', (0.164989011373, -0.100117789829,
40	-9.090018922943E-18));
41	#24 = TRIMMED_CURVE(' ', #25, (#29, PARAMETER_VALUE(0.)), (#30,
42	PARAMETER_VALUE(15.908951312664)), .T., .PARAMETER.);
43	#25 = LINE(' ', #26, #27);
44	#26 = CARTESIAN_POINT(' ', (-0.187458816869, 4.587088065742E-02,
45	1.786439321848E-17));
46	#27 = VECTOR(' ', #28, 1.);
47	#28 = DIRECTION(' ', (8.715574274766E-02, 0.996194698092,
48	-1.212733292214E-16));
49	#29 = CARTESIAN_POINT(' ', (-0.187458816869, 4.587088065742E-02,
50	1.786439321848E-17));
51	#30 = CARTESIAN_POINT(' ', (1.199097651123, 15.894283830533,
52	-1.91146709689E-15));
53	#31 = TRIMMED_CURVE(' ', #32, (#37, PARAMETER_VALUE(5.672320068982)), (#38,
54	PARAMETER_VALUE(6.28318530718)), .T., .PARAMETER.);
55	#32 = CIRCLE(' ', #33, 0.2);
56	#33 = AXIS2_PLACEMENT_3D(' ', #34, #35, #36);
57	#34 = CARTESIAN_POINT(' ', (1.398336590741, 15.876852681983,
58	-1.93393158361E-15));
59	#35 = DIRECTION(' ', (1.224646799147E-16, 1.110223024625E-16, 1.));
60	#36 = DIRECTION(' ', (-0.996194698092, 8.715574274766E-02,
61	1.123224336019E-16));
62	#37 = CARTESIAN_POINT(' ', (1.245127702117, 16.005410203921,
63	-1.929441658189E-15));
64	#38 = CARTESIAN_POINT(' ', (1.199097651123, 15.894283830533,
65	-1.91146709689E-15));
66	#39 = TRIMMED_CURVE(' ', #40, (#44, PARAMETER_VALUE(0.)), (#45,
67	PARAMETER_VALUE(15.908951312664)), .T., .PARAMETER.);
68	#40 = LINE(' ', #41, #42);
69	#41 = CARTESIAN_POINT(' ', (1.245127702117, 16.005410203921,
70	-1.929441658189E-15));
71	#42 = VECTOR(' ', #43, 1.);
72	#43 = DIRECTION(' ', (0.642787609687, 0.766044443119, -1.637667967371E-16));
73	#44 = CARTESIAN_POINT(' ', (1.245127702117, 16.005410203921,
74	-1.929441658189E-15));
75	#45 = CARTESIAN_POINT(' ', (11.471204489004, 28.192373952837,
76	-4.534799654111E-15));
77	#46 = TRIMMED_CURVE(' ', #47, (#52, PARAMETER_VALUE(3.14159265359)), (#53,
78	PARAMETER_VALUE(5.672320068982)), .T., .PARAMETER.);
79	#47 = CIRCLE(' ', #48, 0.2);
80	#48 = AXIS2_PLACEMENT_3D(' ', #49, #50, #51);
81	#49 = CARTESIAN_POINT(' ', (11.624413377628, 28.0638164309,

82	-4.539289579532E-15));
83	#50 = DIRECTION('',(1.224646799147E-16,1.110223024625E-16,1.));
84	#51 = DIRECTION('',(-0.996194698092,8.715574274766E-02,
85	1.123224336019E-16));
86	#52 = CARTESIAN_POINT('',(11.823652317246,28.04638528235,
87	-4.561754066252E-15));
88	#53 = CARTESIAN_POINT('',(11.471204489004,28.192373952837,
89	-4.534799654111E-15));
90	#54 = TRIMMED_CURVE('',#55,(#59,PARAMETER_VALUE(0.)),(#60,
91	PARAMETER_VALUE(15.908951312664)),.T.,.PARAMETER.);
92	#55 = LINE('',#56,#57);
93	#56 = CARTESIAN_POINT('',(11.823652317246,28.04638528235,
94	-4.561754066252E-15));
95	#57 = VECTOR('',#58,1.);
96	#58 = DIRECTION('',(-8.715574274766E-02,-0.996194698092,
97	1.212733292214E-16));
98	#59 = CARTESIAN_POINT('',(11.823652317246,28.04638528235,
99	-4.561754066252E-15));
100	#60 = CARTESIAN_POINT('',(10.437095849254,12.197972332475,
101	-2.632422576144E-15));
102	#61 = TRIMMED_CURVE('',#62,(#67,PARAMETER_VALUE(2.530727415392)),(#68,
103	PARAMETER_VALUE(3.14159265359)),.T.,.PARAMETER.);
104	#62 = CIRCLE('',#63,0.2);
105	#63 = AXIS2_PLACEMENT_3D('',#64,#65,#66);
106	#64 = CARTESIAN_POINT('',(10.237856909636,12.215403481024,
107	-2.609958089423E-15));
108	#65 = DIRECTION('',(1.224646799147E-16,1.110223024625E-16,1.));
109	#66 = DIRECTION('',(-0.996194698092,8.715574274766E-02,
110	1.123224336019E-16));
111	#67 = CARTESIAN_POINT('',(10.39106579826,12.086845959087,
112	-2.614448014844E-15));
113	#68 = CARTESIAN_POINT('',(10.437095849254,12.197972332475,
114	-2.632422576144E-15));
115	#69 = TRIMMED_CURVE('',#70,(#74,PARAMETER_VALUE(0.)),(#75,
116	PARAMETER_VALUE(15.908951312664)),.T.,.PARAMETER.);
117	#70 = LINE('',#71,#72);
118	#71 = CARTESIAN_POINT('',(10.39106579826,12.086845959087,
119	-2.614448014844E-15));
120	#72 = VECTOR('',#73,1.);
121	#73 = DIRECTION('',(-0.642787609687,-0.766044443119,1.637667967371E-16)
122	);
123	#74 = CARTESIAN_POINT('',(10.39106579826,12.086845959087,
124	-2.614448014844E-15));
125	#75 = CARTESIAN_POINT('',(0.164989011373,-0.100117789829,
126	-9.090018922943E-18));
127	#76 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
128	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#80)) GLOBAL_UNIT_ASSIGNED_CONTEXT(
129	(#77,#78,#79)) REPRESENTATION_CONTEXT('Context #1',
130	'3D Context with UNIT and UNCERTAINTY'));
131	#77 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI.,.METRE.));
132	#78 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$,.RADIAN.));

133	#79 = (NAMED_UNIT(*) SI_UNIT(\$,.STERADIAN.) SOLID_ANGLE_UNIT());
134	#80 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07),#77,
135	'distance_accuracy_value','confusion accuracy');
136	#81 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$,(#7));
137	#82 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('',(#83),
138	#76);
139	#83 = STYLED_ITEM('color',(#84),#15);
140	#84 = PRESENTATION_STYLE_ASSIGNMENT((#85));
141	#85 = SURFACE_STYLE_USAGE(.BOTH.,#86);
142	#86 = SURFACE_SIDE_STYLE('',(#87));
143	#87 = SURFACE_STYLE_FILL_AREA(#88);
144	#88 = FILL_AREA_STYLE('',(#89));
145	#89 = FILL_AREA_STYLE_COLOUR('',(#90));
146	#90 = DRAUGHTING_PRE_DEFINED_COLOUR('green');
147	ENDSEC;
148	END-ISO-10303-21;