

# Dateiauswertung

GLEICH

84-1.5.1.356/53630/sketch cut1.step

|                 |                                     |
|-----------------|-------------------------------------|
| <b>Branch 1</b> | main                                |
| <b>Branch 2</b> | current                             |
| <b>Datei</b>    | 84-1.5.1.356/53630/sketch cut1.step |
| <b>Typ</b>      | STEP/STP                            |

## Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

## Dateiinhalt / Vergleich

|    |                                                                           |
|----|---------------------------------------------------------------------------|
| 1  | ISO-10303-21;                                                             |
| 2  | HEADER;                                                                   |
| 3  | FILE_DESCRIPTION(('Open CASCADE Model','2;1');                            |
| 4  | FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:45:48','Author'),(    |
| 5  | 'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'      |
| 6  | , 'Unknown');                                                             |
| 7  | FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));             |
| 8  | ENDSEC;                                                                   |
| 9  | DATA;                                                                     |
| 10 | #1 = APPLICATION_PROTOCOL_DEFINITION('international standard',            |
| 11 | 'automotive_design',2000,#2);                                             |
| 12 | #2 = APPLICATION_CONTEXT(                                                 |
| 13 | 'core data for automotive mechanical design processes');                  |
| 14 | #3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);                             |
| 15 | #4 = PRODUCT_DEFINITION_SHAPE('', '#5);                                   |
| 16 | #5 = PRODUCT_DEFINITION('design', '#6,#9);                                |
| 17 | #6 = PRODUCT_DEFINITION_FORMATION('', '#7);                               |
| 18 | #7 = PRODUCT('Pottmanager 99','Pottmanager 99', '#8));                    |
| 19 | #8 = PRODUCT_CONTEXT('', #2, 'mechanical');                               |
| 20 | #9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');         |
| 21 | #10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11,#15), |
| 22 | #76);                                                                     |
| 23 | #11 = AXIS2_PLACEMENT_3D('', #12,#13,#14);                                |
| 24 | #12 = CARTESIAN_POINT('', (0.,0.,0.));                                    |
| 25 | #13 = DIRECTION('', (0.,0.,1.));                                          |
| 26 | #14 = DIRECTION('', (1.,0.,-0.));                                         |
| 27 | #15 = GEOMETRIC_CURVE_SET('', (#16,#24,#31,#39,#46,#54,#61,#69));         |
| 28 | #16 = TRIMMED_CURVE('', #17, (#22, PARAMETER_VALUE(0.)), (#23,            |
| 29 | PARAMETER_VALUE(1.745329251994)), .T., .PARAMETER.);                      |
| 30 | #17 = CIRCLE('', #18,0.4);                                                |

|    |                                                                           |
|----|---------------------------------------------------------------------------|
| 31 | #18 = AXIS2_PLACEMENT_3D(' ',#19,#20,#21);                                |
| 32 | #19 = CARTESIAN_POINT(' ',(0.101469534133,0.102172268537,                 |
| 33 | 2.146285661284E-02));                                                     |
| 34 | #20 = DIRECTION(' ',(0.103379886883,0.10510124939,-0.989073468639));      |
| 35 | #21 = DIRECTION(' ',(9.559819144442E-02,-0.990847787176,                  |
| 36 | -9.529768329478E-02));                                                    |
| 37 | #22 = CARTESIAN_POINT(' ',(0.139708810711,-0.294166846334,                |
| 38 | -1.665621670508E-02));                                                    |
| 39 | #23 = CARTESIAN_POINT(' ',(-0.295169156248,0.137629849227,                |
| 40 | -1.622678737837E-02));                                                    |
| 41 | #24 = TRIMMED_CURVE(' ',#25,(#29,PARAMETER_VALUE(0.)),(#30,               |
| 42 | PARAMETER_VALUE(12.08357668144)),.T.,.PARAMETER.);                        |
| 43 | #25 = LINE(' ',#26,#27);                                                  |
| 44 | #26 = CARTESIAN_POINT(' ',(0.139708810711,-0.294166846334,                |
| 45 | -1.665621670508E-02));                                                    |
| 46 | #27 = VECTOR(' ',#28,1.);                                                 |
| 47 | #28 = DIRECTION(' ',(0.990037163333,8.470177108827E-02,0.112481221517));  |
| 48 | #29 = CARTESIAN_POINT(' ',(0.139708810711,-0.294166846334,                |
| 49 | -1.665621670508E-02));                                                    |
| 50 | #30 = CARTESIAN_POINT(' ',(12.102898791322,0.729333499665,1.342519248715) |
| 51 | );                                                                        |
| 52 | #31 = TRIMMED_CURVE(' ',#32,(#37,PARAMETER_VALUE(4.886921905584)),(#38,   |
| 53 | PARAMETER_VALUE(6.28318530718)),.T.,.PARAMETER.);                         |
| 54 | #32 = CIRCLE(' ',#33,0.4);                                                |
| 55 | #33 = AXIS2_PLACEMENT_3D(' ',#34,#35,#36);                                |
| 56 | #34 = CARTESIAN_POINT(' ',(12.064659514744,1.125672614535,1.380638322033) |
| 57 | );                                                                        |
| 58 | #35 = DIRECTION(' ',(0.103379886883,0.10510124939,-0.989073468639));      |
| 59 | #36 = DIRECTION(' ',(9.559819144442E-02,-0.990847787176,                  |
| 60 | -9.529768329478E-02));                                                    |
| 61 | #37 = CARTESIAN_POINT(' ',(12.461298205125,1.090215033845,1.418327966025) |
| 62 | );                                                                        |
| 63 | #38 = CARTESIAN_POINT(' ',(12.102898791322,0.729333499665,1.342519248715) |
| 64 | );                                                                        |
| 65 | #39 = TRIMMED_CURVE(' ',#40,(#44,PARAMETER_VALUE(0.)),(#45,               |
| 66 | PARAMETER_VALUE(12.08357668144)),.T.,.PARAMETER.);                        |
| 67 | #40 = LINE(' ',#41,#42);                                                  |
| 68 | #41 = CARTESIAN_POINT(' ',(12.461298205125,1.090215033845,1.418327966025) |
| 69 | );                                                                        |
| 70 | #42 = VECTOR(' ',#43,1.);                                                 |
| 71 | #43 = DIRECTION(' ',(7.77230912692E-02,0.99050289106,0.113382056491));    |
| 72 | #44 = CARTESIAN_POINT(' ',(12.461298205125,1.090215033845,1.418327966025) |
| 73 | );                                                                        |
| 74 | #45 = CARTESIAN_POINT(' ',(13.401065866153,13.059032671161,2.788388739932 |
| 75 | ));                                                                       |
| 76 | #46 = TRIMMED_CURVE(' ',#47,(#52,PARAMETER_VALUE(3.14159265359)),(#53,    |
| 77 | PARAMETER_VALUE(4.886921905584)),.T.,.PARAMETER.);                        |
| 78 | #47 = CIRCLE(' ',#48,0.4);                                                |
| 79 | #48 = AXIS2_PLACEMENT_3D(' ',#49,#50,#51);                                |
| 80 | #49 = CARTESIAN_POINT(' ',(13.004427175772,13.094490251852,2.750699095941 |
| 81 | ));                                                                       |

|     |                                                                           |
|-----|---------------------------------------------------------------------------|
| 82  | #50 = DIRECTION('',(0.103379886883,0.10510124939,-0.989073468639));       |
| 83  | #51 = DIRECTION('',(9.559819144442E-02,-0.990847787176,                   |
| 84  | -9.529768329478E-02));                                                    |
| 85  | #52 = CARTESIAN_POINT('',(12.966187899194,13.490829366722,2.788818169259  |
| 86  | ));                                                                       |
| 87  | #53 = CARTESIAN_POINT('',(13.401065866153,13.059032671161,2.788388739932  |
| 88  | ));                                                                       |
| 89  | #54 = TRIMMED_CURVE('',#55, (#59, PARAMETER_VALUE(0.)), (#60,             |
| 90  | PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);                      |
| 91  | #55 = LINE('',#56,#57);                                                   |
| 92  | #56 = CARTESIAN_POINT('',(12.966187899194,13.490829366722,2.788818169259  |
| 93  | ));                                                                       |
| 94  | #57 = VECTOR('',#58,1.);                                                  |
| 95  | #58 = DIRECTION('',(-0.990037163333,-8.470177108827E-02,-0.112481221517)  |
| 96  | );                                                                        |
| 97  | #59 = CARTESIAN_POINT('',(12.966187899194,13.490829366722,2.788818169259  |
| 98  | ));                                                                       |
| 99  | #60 = CARTESIAN_POINT('',(1.002997918583,12.467329020723,1.429642703839)  |
| 100 | );                                                                        |
| 101 | #61 = TRIMMED_CURVE('',#62, (#67, PARAMETER_VALUE(1.745329251994)), (#68, |
| 102 | PARAMETER_VALUE(3.14159265359)), .T., .PARAMETER.);                       |
| 103 | #62 = CIRCLE('',#63,0.4);                                                 |
| 104 | #63 = AXIS2_PLACEMENT_3D('',#64,#65,#66);                                 |
| 105 | #64 = CARTESIAN_POINT('',(1.041237195161,12.070989905853,1.391523630521)  |
| 106 | );                                                                        |
| 107 | #65 = DIRECTION('',(0.103379886883,0.10510124939,-0.989073468639));       |
| 108 | #66 = DIRECTION('',(9.559819144442E-02,-0.990847787176,                   |
| 109 | -9.529768329478E-02));                                                    |
| 110 | #67 = CARTESIAN_POINT('',(0.64459850478,12.106447486544,1.353833986529)   |
| 111 | );                                                                        |
| 112 | #68 = CARTESIAN_POINT('',(1.002997918583,12.467329020723,1.429642703839)  |
| 113 | );                                                                        |
| 114 | #69 = TRIMMED_CURVE('',#70, (#74, PARAMETER_VALUE(0.)), (#75,             |
| 115 | PARAMETER_VALUE(12.08357668144)), .T., .PARAMETER.);                      |
| 116 | #70 = LINE('',#71,#72);                                                   |
| 117 | #71 = CARTESIAN_POINT('',(0.64459850478,12.106447486544,1.353833986529)   |
| 118 | );                                                                        |
| 119 | #72 = VECTOR('',#73,1.);                                                  |
| 120 | #73 = DIRECTION('',(-7.777230912692E-02,-0.99050289106,-0.113382056491)   |
| 121 | );                                                                        |
| 122 | #74 = CARTESIAN_POINT('',(0.64459850478,12.106447486544,1.353833986529)   |
| 123 | );                                                                        |
| 124 | #75 = CARTESIAN_POINT('',(-0.295169156248,0.137629849227,                 |
| 125 | -1.622678737837E-02));                                                    |
| 126 | #76 = ( GEOMETRIC_REPRESENTATION_CONTEXT(3)                               |
| 127 | GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#80)) GLOBAL_UNIT_ASSIGNED_CONTEXT(  |
| 128 | (#77,#78,#79)) REPRESENTATION_CONTEXT('Context #1',                       |
| 129 | '3D Context with UNIT and UNCERTAINTY') );                                |
| 130 | #77 = ( LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI.,.METRE.) );           |
| 131 | #78 = ( NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$,.RADIAN.) );          |
| 132 | #79 = ( NAMED_UNIT(*) SI_UNIT(\$,.STERADIAN.) SOLID_ANGLE_UNIT() );       |

|     |                                                                         |
|-----|-------------------------------------------------------------------------|
| 133 | #80 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(1.E-07),#77,         |
| 134 | 'distance_accuracy_value','confusion accuracy');                        |
| 135 | #81 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$,(#7));                 |
| 136 | #82 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('',(#83), |
| 137 | #76);                                                                   |
| 138 | #83 = STYLED_ITEM('color',(#84),#15);                                   |
| 139 | #84 = PRESENTATION_STYLE_ASSIGNMENT((#85));                             |
| 140 | #85 = SURFACE_STYLE_USAGE(.BOTH.,#86);                                  |
| 141 | #86 = SURFACE_SIDE_STYLE('',(#87));                                     |
| 142 | #87 = SURFACE_STYLE_FILL_AREA(#88);                                     |
| 143 | #88 = FILL_AREA_STYLE('',(#89));                                        |
| 144 | #89 = FILL_AREA_STYLE_COLOUR('',#90);                                   |
| 145 | #90 = DRAUGHTING_PRE_DEFINED_COLOUR('green');                           |
| 146 | ENDSEC;                                                                 |
| 147 | END-ISO-10303-21;                                                       |