

Dateiauswertung

GLEICH

84-1.5.1.356/53746/sketch nocut1.step

Branch 1	main
Branch 2	current
Datei	84-1.5.1.356/53746/sketch nocut1.step
Typ	STEP/STP

Bewertung

STEP-Inhalt und EOF-Zeilenende identisch.

Dateiinhalt / Vergleich

1	ISO-10303-21;
2	HEADER;
3	FILE_DESCRIPTION(('Open CASCADE Model','2;1');
4	FILE_NAME('Open CASCADE Shape Model','2026-09-18T15:53:13','Author'),(
5	'Open CASCADE'),'Open CASCADE STEP processor 7.3','Open CASCADE 7.3'
6	, 'Unknown');
7	FILE_SCHEMA(('AUTOMOTIVE_DESIGN { 1 0 10303 214 1 1 1 1 }'));
8	ENDSEC;
9	DATA;
10	#1 = APPLICATION_PROTOCOL_DEFINITION('international standard',
11	'automotive_design',2000,#2);
12	#2 = APPLICATION_CONTEXT(
13	'core data for automotive mechanical design processes');
14	#3 = SHAPE_DEFINITION_REPRESENTATION(#4,#10);
15	#4 = PRODUCT_DEFINITION_SHAPE('', '#5);
16	#5 = PRODUCT_DEFINITION('design', '#6,#9);
17	#6 = PRODUCT_DEFINITION_FORMATION('', '#7);
18	#7 = PRODUCT('Pottmanager 105','Pottmanager 105','',(#8));
19	#8 = PRODUCT_CONTEXT('', #2, 'mechanical');
20	#9 = PRODUCT_DEFINITION_CONTEXT('part definition', #2, 'design');
21	#10 = GEOMETRICALLY_BOUNDED_WIREFRAME_SHAPE_REPRESENTATION('', (#11,#15),
22	#121);
23	#11 = AXIS2_PLACEMENT_3D('', #12,#13,#14);
24	#12 = CARTESIAN_POINT('', (0.,0.,0.));
25	#13 = DIRECTION('', (0.,0.,1.));
26	#14 = DIRECTION('', (1.,0.,-0.));
27	#15 = GEOMETRIC_CURVE_SET('', (#16,#23,#30,#37,#44,#51,#58,#65,#72,#79,
28	#86,#93,#100,#107,#114));
29	#16 = TRIMMED_CURVE('', #17, (#21, PARAMETER_VALUE(0.)), (#22,
30	PARAMETER_VALUE(20.)), .T., .PARAMETER.);

31	#17 = LINE(' ', #18, #19);
32	#18 = CARTESIAN_POINT(' ', (0., 40., -4.440892098501E-15));
33	#19 = VECTOR(' ', #20, 1.);
34	#20 = DIRECTION(' ', (1., 0., 0.));
35	#21 = CARTESIAN_POINT(' ', (0., 40., -4.440892098501E-15));
36	#22 = CARTESIAN_POINT(' ', (20., 40., -4.440892098501E-15));
37	#23 = TRIMMED_CURVE(' ', #24, (#28, PARAMETER_VALUE(0.)), (#29,
38	PARAMETER_VALUE(14.317821063276)), .T., .PARAMETER.);
39	#24 = LINE(' ', #25, #26);
40	#25 = CARTESIAN_POINT(' ', (20., 40., -4.440892098501E-15));
41	#26 = VECTOR(' ', #27, 1.);
42	#27 = DIRECTION(' ', (0.419058177462, 0.9079593845, -1.008037414097E-16));
43	#28 = CARTESIAN_POINT(' ', (20., 40., -4.440892098501E-15));
44	#29 = CARTESIAN_POINT(' ', (26., 53., -5.884182030513E-15));
45	#30 = TRIMMED_CURVE(' ', #31, (#35, PARAMETER_VALUE(0.)), (#36,
46	PARAMETER_VALUE(24.)), .T., .PARAMETER.);
47	#31 = LINE(' ', #32, #33);
48	#32 = CARTESIAN_POINT(' ', (26., 53., -5.884182030513E-15));
49	#33 = VECTOR(' ', #34, 1.);
50	#34 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
51	#35 = CARTESIAN_POINT(' ', (26., 53., -5.884182030513E-15));
52	#36 = CARTESIAN_POINT(' ', (26., 77., -8.548717289614E-15));
53	#37 = TRIMMED_CURVE(' ', #38, (#42, PARAMETER_VALUE(0.)), (#43,
54	PARAMETER_VALUE(24.)), .T., .PARAMETER.);
55	#38 = LINE(' ', #39, #40);
56	#39 = CARTESIAN_POINT(' ', (26., 77., -8.548717289614E-15));
57	#40 = VECTOR(' ', #41, 1.);
58	#41 = DIRECTION(' ', (1., 0., 0.));
59	#42 = CARTESIAN_POINT(' ', (26., 77., -8.548717289614E-15));
60	#43 = CARTESIAN_POINT(' ', (50., 77., -8.548717289614E-15));
61	#44 = TRIMMED_CURVE(' ', #45, (#49, PARAMETER_VALUE(0.)), (#50,
62	PARAMETER_VALUE(4.65)), .T., .PARAMETER.);
63	#45 = LINE(' ', #46, #47);
64	#46 = CARTESIAN_POINT(' ', (50., 77., -8.548717289614E-15));
65	#47 = VECTOR(' ', #48, 1.);
66	#48 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
67	#49 = CARTESIAN_POINT(' ', (50., 77., -8.548717289614E-15));
68	#50 = CARTESIAN_POINT(' ', (50., 81.65, -9.064970996064E-15));
69	#51 = TRIMMED_CURVE(' ', #52, (#56, PARAMETER_VALUE(0.)), (#57,
70	PARAMETER_VALUE(2.915475947423)), .T., .PARAMETER.);
71	#52 = LINE(' ', #53, #54);
72	#53 = CARTESIAN_POINT(' ', (50., 81.65, -9.064970996064E-15));
73	#54 = VECTOR(' ', #55, 1.);
74	#55 = DIRECTION(' ', (-0.857492925713, 0.514495755428, -5.712050337476E-17)
75	);
76	#56 = CARTESIAN_POINT(' ', (50., 81.65, -9.064970996064E-15));
77	#57 = CARTESIAN_POINT(' ', (47.5, 83.15, -9.231504449758E-15));
78	#58 = TRIMMED_CURVE(' ', #59, (#63, PARAMETER_VALUE(0.)), (#64,
79	PARAMETER_VALUE(1.5)), .T., .PARAMETER.);
80	#59 = LINE(' ', #60, #61);
81	#60 = CARTESIAN_POINT(' ', (47.5, 83.15, -9.231504449758E-15));

82	#61 = VECTOR(' ', #62, 1.);
83	#62 = DIRECTION(' ', (-1., 0., 0.));
84	#63 = CARTESIAN_POINT(' ', (47.5, 83.15, -9.231504449758E-15));
85	#64 = CARTESIAN_POINT(' ', (46., 83.15, -9.231504449758E-15));
86	#65 = TRIMMED_CURVE(' ', #66, (#70, PARAMETER_VALUE(0.)), (#71,
87	PARAMETER_VALUE(3.75)), .T., .PARAMETER.);
88	#66 = LINE(' ', #67, #68);
89	#67 = CARTESIAN_POINT(' ', (46., 83.15, -9.231504449758E-15));
90	#68 = VECTOR(' ', #69, 1.);
91	#69 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
92	#70 = CARTESIAN_POINT(' ', (46., 83.15, -9.231504449758E-15));
93	#71 = CARTESIAN_POINT(' ', (46., 86.9, -9.647838083993E-15));
94	#72 = TRIMMED_CURVE(' ', #73, (#77, PARAMETER_VALUE(0.)), (#78,
95	PARAMETER_VALUE(1.5)), .T., .PARAMETER.);
96	#73 = LINE(' ', #74, #75);
97	#74 = CARTESIAN_POINT(' ', (46., 86.9, -9.647838083993E-15));
98	#75 = VECTOR(' ', #76, 1.);
99	#76 = DIRECTION(' ', (1., 0., 0.));
100	#77 = CARTESIAN_POINT(' ', (46., 86.9, -9.647838083993E-15));
101	#78 = CARTESIAN_POINT(' ', (47.5, 86.9, -9.647838083993E-15));
102	#79 = TRIMMED_CURVE(' ', #80, (#84, PARAMETER_VALUE(0.)), (#85,
103	PARAMETER_VALUE(2.915475947423)), .T., .PARAMETER.);
104	#80 = LINE(' ', #81, #82);
105	#81 = CARTESIAN_POINT(' ', (47.5, 86.9, -9.647838083993E-15));
106	#82 = VECTOR(' ', #83, 1.);
107	#83 = DIRECTION(' ', (0.857492925713, 0.514495755428, -5.712050337476E-17));
108	#84 = CARTESIAN_POINT(' ', (47.5, 86.9, -9.647838083993E-15));
109	#85 = CARTESIAN_POINT(' ', (50., 88.4, -9.814371537686E-15));
110	#86 = TRIMMED_CURVE(' ', #87, (#91, PARAMETER_VALUE(0.)), (#92,
111	PARAMETER_VALUE(14.6)), .T., .PARAMETER.);
112	#87 = LINE(' ', #88, #89);
113	#88 = CARTESIAN_POINT(' ', (50., 88.4, -9.814371537686E-15));
114	#89 = VECTOR(' ', #90, 1.);
115	#90 = DIRECTION(' ', (0., 1., -1.110223024625E-16));
116	#91 = CARTESIAN_POINT(' ', (50., 88.4, -9.814371537686E-15));
117	#92 = CARTESIAN_POINT(' ', (50., 103., -1.143529715364E-14));
118	#93 = TRIMMED_CURVE(' ', #94, (#98, PARAMETER_VALUE(0.)), (#99,
119	PARAMETER_VALUE(5.)), .T., .PARAMETER.);
120	#94 = LINE(' ', #95, #96);
121	#95 = CARTESIAN_POINT(' ', (50., 103., -1.143529715364E-14));
122	#96 = VECTOR(' ', #97, 1.);
123	#97 = DIRECTION(' ', (-1., 0., 0.));
124	#98 = CARTESIAN_POINT(' ', (50., 103., -1.143529715364E-14));
125	#99 = CARTESIAN_POINT(' ', (45., 103., -1.143529715364E-14));
126	#100 = TRIMMED_CURVE(' ', #101, (#105, PARAMETER_VALUE(0.)), (#106,
127	PARAMETER_VALUE(3.162277660168)), .T., .PARAMETER.);
128	#101 = LINE(' ', #102, #103);
129	#102 = CARTESIAN_POINT(' ', (45., 103., -1.143529715364E-14));
130	#103 = VECTOR(' ', #104, 1.);
131	#104 = DIRECTION(' ', (-0.316227766017, 0.948683298051, -1.053250040573E-16)
132	);

133	#105 = CARTESIAN_POINT('',(45.,103.,-1.143529715364E-14));
134	#106 = CARTESIAN_POINT('',(44.,106.,-1.176836406103E-14));
135	#107 = TRIMMED_CURVE('',#108,(#112,PARAMETER_VALUE(0.)),(#113,
136	PARAMETER_VALUE(44.)),.T.,.PARAMETER.);
137	#108 = LINE('',#109,#110);
138	#109 = CARTESIAN_POINT('',(44.,106.,-1.176836406103E-14));
139	#110 = VECTOR('',#111,1.);
140	#111 = DIRECTION('',(-1.,0.,0.));
141	#112 = CARTESIAN_POINT('',(44.,106.,-1.176836406103E-14));
142	#113 = CARTESIAN_POINT('',(0.,106.,-1.176836406103E-14));
143	#114 = TRIMMED_CURVE('',#115,(#119,PARAMETER_VALUE(0.)),(#120,
144	PARAMETER_VALUE(66.)),.T.,.PARAMETER.);
145	#115 = LINE('',#116,#117);
146	#116 = CARTESIAN_POINT('',(0.,106.,-1.176836406103E-14));
147	#117 = VECTOR('',#118,1.);
148	#118 = DIRECTION('',(0.,-1.,1.110223024625E-16));
149	#119 = CARTESIAN_POINT('',(0.,106.,-1.176836406103E-14));
150	#120 = CARTESIAN_POINT('',(0.,40.,-4.440892098501E-15));
151	#121 = (GEOMETRIC_REPRESENTATION_CONTEXT(3)
152	GLOBAL_UNCERTAINTY_ASSIGNED_CONTEXT((#125)) GLOBAL_UNIT_ASSIGNED_CONTEXT
153	((#122,#123,#124)) REPRESENTATION_CONTEXT('Context #1',
154	'3D Context with UNIT and UNCERTAINTY'));
155	#122 = (LENGTH_UNIT() NAMED_UNIT(*) SI_UNIT(.MILLI.,.METRE.));
156	#123 = (NAMED_UNIT(*) PLANE_ANGLE_UNIT() SI_UNIT(\$,.RADIAN.));
157	#124 = (NAMED_UNIT(*) SI_UNIT(\$,.STERADIAN.) SOLID_ANGLE_UNIT());
158	#125 = UNCERTAINTY_MEASURE_WITH_UNIT(LENGTH_MEASURE(10.),#122,
159	'distance_accuracy_value','confusion accuracy');
160	#126 = PRODUCT_RELATED_PRODUCT_CATEGORY('part',\$,(#7));
161	#127 = MECHANICAL_DESIGN_GEOMETRIC_PRESENTATION_REPRESENTATION('',(#128)
162	,#121);
163	#128 = STYLED_ITEM('color',(#129),#15);
164	#129 = PRESENTATION_STYLE_ASSIGNMENT((#130));
165	#130 = SURFACE_STYLE_USAGE(.BOTH.,#131);
166	#131 = SURFACE_SIDE_STYLE('',(#132));
167	#132 = SURFACE_STYLE_FILL_AREA(#133);
168	#133 = FILL_AREA_STYLE('',(#134));
169	#134 = FILL_AREA_STYLE_COLOUR('',#135);
170	#135 = COLOUR_RGB('',0.588235318661,0.588235318661,0.588235318661);
171	ENDSEC;
172	END-ISO-10303-21;