

Unofficial Nord Stage 2 and 3 Program File Documentation

christian.florentz@gmail.com

Let's get started

This file documents the Nord Stage program file structure. It is handmade by [NUF](#) users and is not officially supported by Nord Keyboards / Clavia DMI AB. While we certainly hope this document is useful, none of the authors or contributors place any guarantees as to the accuracy of the data.

We contacted Nord Keyboards / Clavia DMI AB support about this project, and the answer was that they are fine with this project, and it can be published :)

<https://ns3-program-viewer.herokuapp.com> web application is the project behind this initiative. Source is located here: <https://github.com/Chris55/ns3-program-viewer>

Summary

- [Disclaimer](#)
- [Contributors](#)
- [License](#)
- [Revision](#)
- [Nord Stage 3 File Structure](#)
- [Nord Stage 2 File Structure](#)

Disclaimer

We are not affiliated, associated, endorsed by, or in any way officially connected with Nord Keyboards / Clavia DMI AB, or any of its subsidiaries or its affiliates. The official Nord Keyboards website can be found at <https://www.nordkeyboards.com> The names Nord and Clavia as well as related names, marks, emblems and images are registered trademarks of their respective owners.

Contributors

- [Christian Florentz](#) (@florence)
- [Andreas Gallenmueller](#) (@gaaal)
- Thanks to other NUF members: @cookie, @gordon, @rpossemo, @hobster

Revision

rev	date	description
0.1	23-Sep-2020	Draft version
0.2	26-Sep-2020	Added Delay section
1.0	27-Sep-2020	Added Amp Sim / Eq section and bumped to v1.0
1.1	xx-xx-2020	Fixed NS3 Organ mapping (0x00DB was missing) Added NS3 missing Organ Preset II options Simplified NS3 Morph implementation Added NS3 Synth Preset Fixed typo in offsets 0x011B, 0x011D, 0x011F, and 0x119 Fixed NS3 panel starting offset Draft added Stage 2

License

This mapping is provided as-is under the MIT license.

Copyright (c) 2020 Christian Florentz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Nord Stage 3 File Structure

This mapping corresponds to the Nord Stage 3 program file (file extension ns3f).

The file version used is 3.04 (generated with OS v2.54), and the file length is 592 bytes. Some older versions have a length of 574 bytes and a smaller header.

Offset 0x04 defines the file format.

Each memory offset corresponds to an 8-bit value.

0x01 (hex) = 00000001 -> bit 0 is '1'

0x84 (hex) = 10000100 -> bit 7 and 2 are '1'

In the documentation --xxxxxx (b5-0) means Bit5 to Bit0.

offset	bits	description
0x0000	cccccccc	ascii C - 0x43, 4-byte Clavia ID
0x0001	cccccccc	ascii B - 0x42
0x0002	cccccccc	ascii I - 0x49
0x0003	cccccccc	ascii N - 0x4E
0x0004	ffffffff	(f) file format
0x0005	-----	0
0x0006	-----	0
0x0007	-----	0
0x0008	cccccccc	ascii n - 0x6E, 4-byte NS3 Program file ID
0x0009	cccccccc	ascii s - 0x73,
0x000A	cccccccc	ascii 3 - 0x33,
0x000B	cccccccc	ascii f - 0x66,
0x000C	bbbbbbbb	(b) bank lsb (0 = A, 1 = B . . .)
0x000D	-----	0
0x000E	11111111	(l) location lsb (0 = 11, 1 = 12 . . .)
0x000F	-----	0
0x0010	cccccccc	(c) program category
0x0011	-----	
0x0012	-----	
0x0013	-----	
0x0014	iiiiiii	(i) file version (16-bit)
0x0015	iiiiiii	
0x0016	-----	
0x0017	-----	
0x0018	cccccccc	(c) CRC1 (32-bit)
0x0019	cccccccc	
0x001A	cccccccc	
0x001B	cccccccc	
0x001C	-----	
0x001D	-----	
0x001E	-----	
0x001F	-----	
0x0020	-----	
0x0021	-----	
0x0022	-----	
0x0023	-----	
0x0024	-----	
0x0025	-----	
0x0026	-----	
0x0027	-----	
0x0028	-----	
0x0029	-----	
0x002A	-----	
0x002B	-----	
0x002C	-----	0
0x002D	-----	0

offset	bits	description
0x002E	vvvvvvvv	version 16-bit integer value in Big Endian format
0x002F	vvvvvvvv	
0x0030	-----	11
0x0031	pppsssss	(p) panel, (s) split
0x0032	ssssssss	
0x0033	ssssssss	
0x0034	sddpvvvr	(d) piano layer detune, (p) organ pitch stick, (v) organ vibrato mode, (r) rotary speaker speed
0x0035	mwwaaap	(m) rotary speaker stop mode, (w) rotary speaker speed morph wheel, (a) rotary speaker speed morph after touch, (p) rotary speaker speed morph control pedal
0x0036	pp-----	
0x0037	-----	
0x0038	tttttccc	(t) transpose, (c) master clock rate
0x0039	ccccddd	(d) rotary speaker drive
0x003A	dddk-ss	(k) dual keyboard, (s) dual keyboard style
0x003B	rrrr----	(r) synth pitch stick range
0x003C	-----	
0x003D	-----	
0x003E	-----	
0x003F	-----	
0x0040	-----	
0x0041	-----	
0x0042	-----	
0x0043	ozzzzvzv	(o) piano on, (z) piano kb zone, (v) piano volume
0x0044	vvvvwww	(w) piano volume morph wheel
0x0045	wwwaaaa	(a) piano volume morph after touch
0x0046	aaaapppp	(p) piano volume morph control pedal
0x0047	ppppoooo	(o) piano octave shift
0x0048	pssttmmm	(p) piano pitch stick, (s) piano sustain pedal, (t) piano type, (m) piano model
0x0049	mmvviiii	(v) clavinet model, (i) piano sample name
0x004A	iiiiiiii	
0x004B	iiiiiiii	
0x004C	iiiiiiii	
0x004D	iiisrpk	(s) piano soft release, (r) piano string resonance, (p) piano pedal noise, (k) piano kb touch
0x004E	k-ttt---	(t) piano timbre
0x004F	-----	
0x0050	-----	
0x0051	-----	
0x0052	ozzzzvzv	(o) synth on, (z) synth kb zone, (v) synth volume
0x0053	vvvvwww	(w) synth volume morph wheel
0x0054	wwwaaaa	(a) synth volume morph after touch
0x0055	aaaapppp	(p) synth volume morph control pedal
0x0056	ppppoooo	(o) synth octave shift
0x0057	psiiiiii	(p) synth pitch stick, (s) synth sustain pedal, (i) synth preset location
0x0058	iiicccc	(c) synth preset name
0x0059	cccccccc	
0x005A	cccccccc	
0x005B	cccccccc	
0x005C	cccccccc	
0x005D	cccccccc	
0x005E	cccccccc	
0x005F	cccccccc	
0x0060	cccccccc	
0x0061	cccccccc	
0x0062	cccccccc	
0x0063	cccccccc	
0x0064	cccccccc	
0x0065	cccccccc	

offset	bits	description
0x0066	cccccccc	
0x0067	cccccccc	
0x0068	cccccccc	
0x0069	cccccccc	
0x006A	cccccccc	
0x006B	cccccccc	
0x006C	cccccccc	
0x006D	cccccccc	
0x006E	cccc----	
0x006F	-----	
0x0070	-----	
0x0071	-----	
0x0072	-----	
0x0073	-----	
0x0074	-----	
0x0075	-----	
0x0076	-----	
0x0077	-----	
0x0078	----cccc	(c) CRC2 (32-bit)
0x0079	cccccccc	
0x007A	cccccccc	
0x007B	cccccccc	
0x007C	cccc----	
0x007D	-----	
0x007E	-----	
0x007F	-----	
0x0080	hosrrppc	(h) synth kh hold, (o) synth arp on, (o) synth arp kb sync, (r) synth arp range, (p) synth arp pattern, (c) synth arp master clock
0x0081	rrrrrrrw	(r) synth arp rate, (w) synth arp rate morph wheel
0x0082	wwwwwwa	(a) synth arp rate morph after touch
0x0083	aaaaaaap	(p) synth arp rate morph control pedal
0x0084	pppppppv	(v) synth voice
0x0085	vggggggg	(g) synth glide
0x0086	uuvvvlll	(g) synth unison, (v) synth vibrato, (l) synth lfo wave
0x0087	rrrrrrrr	(m) synth lfo master clock, (r) synth lfo rate
0x0088	wwwwwww	(w) synth lfo rate morph wheel
0x0089	aaaaaaa	(a) synth lfo rate morph after touch
0x008A	pppppppp	(r) synth lfo rate control pedal
0x008B	aaaaaad	(a) synth mod env attack, (d) synth mod env decay
0x008C	ddddddrr	(a) synth mod env release
0x008D	rrrrrvtt	(v) synth mod env velocity, (t) synth oscillator type
0x008E	twwwwww	(w) synth oscillator 1 wave form
0x008F	ww-ccccp	(c) synth oscillator config, (p) synth pitch
0x0090	ppppplll	(l) synth oscillator control
0x0091	llllwww	(w) synth oscillator control morph wheel
0x0092	wwwwaaa	(a) synth oscillator control morph after touch
0x0093	aaaapppp	(p) synth oscillator control morph control pedal
0x0094	pppllll	(l) synth oscillator mod
0x0095	lllwww	(w) synth oscillator mod morph wheel
0x0096	wwwwaaa	(a) synth oscillator mod morph after touch
0x0097	aaappppp	(p) synth oscillator mod morph control pedal
0x0098	ppptttff	(t) synth filter type, (f) synth filter freq
0x0099	fffffww	(w) synth filter freq morph wheel
0x009A	wwwwaaa	(a) synth filter freq morph after touch
0x009B	aaaaappp	(p) synth filter freq morph control pedal
0x009C	ppppphhh	(h) synth filter hp freq res
0x009D	hhhhwww	(w) synth filter hp freq res morph wheel
0x009E	wwwwaaa	(a) synth filter hp freq res morph after touch
0x009F	aaaapppp	(p) synth filter hp freq res morph control pedal

offset	bits	description
0x00A0	pppp1111	(l) synth filter lfo amount
0x00A1	111wwwww	(w) synth filter lfo amount morph wheel
0x00A2	wwaaaaaa	(a) synth filter lfo amount morph after touch
0x00A3	aaappppp	(p) synth filter lfo amount morph control pedal
0x00A4	pppmmmmm	(m) synth filter vel mod env amount
0x00A5	mmttddaa	(t) synth filter kb track, (d) synth filter drive, (a) synth amp env attack
0x00A6	aaaaaddd	(d) synth amp env decay
0x00A7	dddrrrrr	(r) synth amp env release
0x00A8	rrrvvsss	(r) synth amp env velocity, (s) synth sample id
0x00A9	ssssssss	
0x00AA	ssssssss	
0x00AB	ssssssss	
0x00AC	sssssf--	(f) synth fast attack
0x00AD	-----	0
0x00AE	-----	0
0x00AF	-----	0
0x00B0	-----	0
0x00B1	-----	0
0x00B2	-----	0
0x00B3	-----	0
0x00B4	-----	0
0x00B5	-----	07
0x00B6	ozzzzvzv	(o) organ on, (z) organ kb zone, (v) organ volume
0x00B7	vvvvwwww	(w) organ volume morph wheel
0x00B8	wwwaaaaa	(a) organ volume morph after touch
0x00B9	aaaapppp	(p) organ volume morph control pedal
0x00BA	ppppoooo	(o) organ octave shift
0x00BB	sttllp--	(s) organ sustain-pedal, (t) organ type, (l) organ live mode, (p) organ preset 2 on
0x00BC	-----	0
0x00BD	-----	1A
0x00BE	1111wwww	organ preset 1 drawbar (1), (w) organ preset 1 drawbar 1 morph wheel
0x00BF	waaaaapp	(a) organ preset 1 drawbar 1 morph after touch, (p) organ preset 1 drawbar 2 morph control pedal
0x00C0	ppp2222w	organ preset 1 drawbar (2), (w) organ preset 1 drawbar 2 morph wheel
0x00C1	wwwaaaaa	(a) organ preset 1 drawbar 2 morph after touch
0x00C2	appppp33	(p) organ preset 1 drawbar 2 morph control pedal, organ preset 1 drawbar (3),
0x00C3	33wwwwwa	(w) organ preset 1 drawbar 3 morph wheel, (a) organ preset 1 drawbar 3 morph after touch
0x00C4	aaaapppp	(p) organ preset 1 drawbar 3 morph control pedal
0x00C5	p4444www	organ preset 1 drawbar (4), (w) organ preset 1 drawbar 4 morph wheel
0x00C6	waaaaaap	(a) organ preset 1 drawbar 4 morph after touch, (p) organ preset 1 drawbar 4 morph control pedal,
0x00C7	pppp5555	organ preset 1 drawbar (5),
0x00C8	wwwwwaaa	(w) organ preset 1 drawbar 5 morph wheel, (a) organ preset 1 drawbar 5 morph after touch
0x00C9	aappppp6	(p) organ preset 1 drawbar 5 morph control pedal, organ preset 1 drawbar (6),
0x00CA	666wwwww	(w) organ preset 1 drawbar 6 morph wheel
0x00CB	aaaaappp	(a) organ preset 1 drawbar 6 morph after touch, (p) organ preset 1 drawbar 6 morph control pedal
0x00CC	pp7777ww	organ preset 1 drawbar (7), (w) organ preset 1 drawbar 7 morph wheel
0x00CD	wwaaaaaa	(a) organ preset 1 drawbar 7 morph after touch
0x00CE	ppppp888	(p) organ preset 1 drawbar 7 morph control pedal, organ preset 1 drawbar (8),
0x00CF	8wwwwwa	(w) organ preset 1 drawbar 8 morph wheel, (a) organ preset 1 drawbar 8 morph after touch
0x00D0	aaappppp	(p) organ preset 1 drawbar 8 morph control pedal
0x00D1	9999wwww	organ preset 1 drawbar (9), (w) organ preset 1 drawbar 9 morph wheel
0x00D2	waaaaacc	(a) organ preset 1 drawbar 9 morph after touch, (c) organ preset 1 drawbar 9 morph control pedal

offset	bits	description
0x00D3	cccvphds	(v) organ vibrato on, (p) organ percussion on, (h) organ percussion harmonic third, (d) organ percussion decay fast, (s) organ percussion volume soft
0x00D4	-----	0
0x00D5	-----	0
0x00D6	-----	0
0x00D7	-----	0
0x00D8	-----	1A
0x00D9	1111www	organ preset 2 drawbar (1), (w) organ preset 2 drawbar 1 morph wheel
0x00DA	waaaaapp	(a) organ preset 2 drawbar 1 morph after touch, (p) organ preset 2 drawbar 2 morph control pedal
0x00DB	ppp2222w	organ preset 2 drawbar (2), (w) organ preset 2 drawbar 2 morph wheel
0x00DC	wwwaaaa	(a) organ preset 2 drawbar 2 morph after touch
0x00DD	appppp33	(p) organ preset 2 drawbar 2 morph control pedal, organ preset 2 drawbar (3),
0x00DE	33wwwwa	(w) organ preset 2 drawbar 3 morph wheel, (a) organ preset 2 drawbar 3 morph after touch
0x00DF	aaaapppp	(p) organ preset 2 drawbar 3 morph control pedal
0x00E0	p4444www	organ preset 2 drawbar (4), (w) organ preset 2 drawbar 4 morph wheel
0x00E1	waaaaap	(a) organ preset 2 drawbar 4 morph after touch, (p) organ preset 2 drawbar 4 morph control pedal,
0x00E2	pppp5555	organ preset 2 drawbar (5),
0x00E3	wwwwa	(w) organ preset 2 drawbar 5 morph wheel, (a) organ preset 2 drawbar 5 morph after touch
0x00E4	aappppp6	(p) organ preset 2 drawbar 5 morph control pedal, organ preset 2 drawbar (6),
0x00E5	666www	(w) organ preset 2 drawbar 6 morph wheel
0x00E6	aaaaapp	(a) organ preset 2 drawbar 6 morph after touch, (p) organ preset 2 drawbar 6 morph control pedal
0x00E7	pp7777w	organ preset 2 drawbar (7), (w) organ preset 2 drawbar 7 morph wheel
0x00E8	wwaaaaa	(a) organ preset 2 drawbar 7 morph after touch
0x00E9	pppp888	(p) organ preset 2 drawbar 7 morph control pedal, organ preset 2 drawbar (8),
0x00EA	8wwwwa	(w) organ preset 2 drawbar 8 morph wheel, (a) organ preset 2 drawbar 8 morph after touch
0x00EB	aaappppp	(p) organ preset 2 drawbar 8 morph control pedal
0x00EC	9999www	organ preset 2 drawbar (9), (w) organ preset 2 drawbar 9 morph wheel
0x00ED	waaaaacc	(a) organ preset 2 drawbar 9 morph after touch, (c) organ preset 2 drawbar 9 morph control pedal
0x00EE	cccvphds	(v) organ preset 2 vibrato on, (p) organ preset 2 percussion on, (v) organ preset 2 percussion harmonic third, (v) organ preset 2 percussion decay fast, (v) organ preset 2 percussion volume soft
0x00EF	-----	
0x00F0	-----	
0x00F1	-----	
0x00F2	-----	
0x00F3	-----	
0x00F4	ozzz--ss	(o) extern on, (z) extern kb zone, (s) extern octave shift
0x00F5	s-----	
0x00F6	ps----mm	(p) extern pitch stick, (s) extern sustain pedal, (m) extern midi control
0x00F7	-----v	(v) extern midi cc
0x00F8	vvvvvvw	(w) extern midi cc morph wheel
0x00F9	wwwwwa	(a) extern midi cc morph after touch
0x00FA	aaaaapp	(p) extern midi cc morph control pedal
0x00FB	pppppp--	
0x00FC	-----	
0x00FD	-----v	(v) extern midi program
0x00FE	wwwwwa	(a) extern midi program after touch
0x00FF	aaaaapp	(p) extern midi program control pedal
0x0100	pppppp--	
0x0101	-----v	(v) extern volume
0x0102	vvvvvvw	(w) extern volume morph wheel
0x0103	wwwwwa	(a) extern volume morph after touch

offset	bits	description
0x0104	aaaaaapp	(p) extern volume morph control pedal
0x0105	pppppp--	
0x0106	-----	
0x0107	-----	
0x0108	-----	
0x0109	-----	
0x010A	-----	
0x010B	ossnrtrt	(o) rotary speaker on, (s) rotary speaker source, (n) effect 1 on, (r) effect-1-source, (t) effect 1 type
0x010C	tcrrrrrr	(c) effect 1 master clock, (r) effect 1 rate
0x010D	rwwwwwww	(w) effect 1 rate morph wheel
0x010E	waaaaaaa	(a) effect 1 rate morph after touch
0x010F	appppppp	(p) effect 1 rate morph control pedal
0x0110	paaaaaaa	(a) effect 1 amount
0x0111	wwwwwww	(w) effect 1 amount morph wheel
0x0112	aaaaaaa	(a) effect 1 amount morph after touch
0x0113	pppppppp	(p) effect 1 amount morph control pedal
0x0114	osstttrr	(o) effect 2 on, (s) effect 2 source, (t) effect 2 type, (r) effect 2 rate
0x0115	rrrrraaa	(a) effect 2 amount
0x0116	aaaawwww	(w) effect 2 amount morph wheel
0x0117	wwwaaaa	(a) effect 2 amount morph after touch
0x0118	aaaapppp	(p) effect 2 amount morph control pedal
0x0119	ppppossm	(o) delay on, (s) delay source, (m) delay master clock
0x011A	tttttttx	(t) delay tempo, (x) delay tempo lsw
0x011B	xxxxxxww	(w) delay tempo morph wheel
0x011C	wwwwwwwx	(x) delay tempo morph wheel lsw
0x011D	xxxxxaaa	(a) delay tempo morph after touch
0x011E	aaaaaxxx	(x) delay tempo morph after touch lsw
0x011F	xxxxcccc	(c) delay tempo morph control pedal
0x0120	ccccxxxx	(x) delay tempo morph control pedal lsw
0x0121	xxxxmmmm	(t) delay mix
0x0122	mmwwwww	(w) delay mix morph wheel
0x0123	wwaaaaaa	(a) delay mix morph after touch
0x0124	aapppppp	(p) delay mix morph control pedal
0x0125	ppoffbbb	(o) delay ping pong, (f) delay filter, (b) delay feedback
0x0126	bbbwww	(w) delay feedback morph wheel
0x0127	wwwwaaaa	(a) delay feedback morph after touch
0x0128	aaaapppp	(p) delay feedback morph control pedal
0x0129	ppppaoss	(a) delay analog mode, (o) amp sim eq on, (s) amp sim eq source
0x012A	aaattttt	(a) amp sim eq amp type, (a) amp sim eq treble
0x012B	ttmmmmmm	(m) amp sim eq mid res
0x012C	mbbbbbbb	(m) amp sim eq bass dry wet
0x012D	fffffffw	(f) amp sim eq mid flt freq
0x012E	wwwwwwa	(f) amp sim eq mid flt freq morph wheel
0x012F	aaaaaaap	(f) amp sim eq mid flt freq morph after touch
0x0130	pppppppd	(f) amp sim eq mid flt freq morph control pedal, (d) amp sim eq drive
0x0131	dddddddw	(w) amp sim eq drive morph wheel
0x0132	wwwwwwaa	(a) amp sim eq drive morph after touch
0x0133	aaaaaapp	(p) amp sim eq drive morph control pedal
0x0134	ppppppot	(o) reverb on, (t) reverb type
0x0135	ttbrrrrr	(o) reverb bright, (r) reverb amount
0x0136	rrwwwww	(w) reverb amount morph wheel
0x0137	wwaaaaaa	(a) reverb amount morph after touch
0x0138	aapppppp	(p) reverb amount morph control pedal
0x0139	ppoccccc	(o) compressor on, (c) compressor amount
0x013A	ccf-----	(f) compressor fast
0x013B	-----	
0x013C	-----	
0x013C	-----	

offset	bits	description
0x013E	-----	
0x013F	-----	
0x0140	-----	
0x0141	-----	
0x0142	-----	
0x0143	-----	
0x0144	-----	
0x0145	-----	
0x0146	-----	
0x0147	-----	
0x0148	-----	
0x0149	-----	
0x014A	-----	Panel B, same as offset 0x43, offset from Panel A is 0x107 (263 bytes)
...		
0x0240	-----	
0x0241	-----	end of Panel B
0x0242	-----	0
0x0243	-----	0
0x0244	-----	0
0x0245	-----	0
0x0246	-----	0
0x0247	-----	0
0x0248	-----	0
0x0249	-----	0
0x024A	-----	5
0x024B	-----	0
0x024C	-----	0
0x024D	-----	0
0x024E	-----	0
0x024F	-----	0

Nord Stage 2 File Structure

offset	bits	description
0x0000	cccccccc	ascii C - 0x43, 4-byte Clavia ID
0x0001	cccccccc	ascii B - 0x42
0x0002	cccccccc	ascii I - 0x49
0x0003	cccccccc	ascii N - 0x4E
0x0004	ffffffff	(f) file format
0x0005	-----	0
0x0006	-----	0
0x0007	-----	0
0x0008	cccccccc	ascii n - 0x6E, 4-byte NS2 Program file ID
0x0009	cccccccc	ascii s - 0x73,
0x000A	cccccccc	ascii 2 - 0x32,
0x000B	cccccccc	ascii p - 0x70,
0x000C	-----bb	(b) bank (0 = A, 1 = B . . .)
0x000D	-----	0
0x000E	--111111	(l) location lsb (0 = 01:1, 1 = 01:2 . . .)
0x000F	-----	0
0x0010	cccccccc	(c) program category
0x0011	-----	
0x0012	-----	
0x0013	-----	
0x0014	iiiiiii	(i) file version (16-bit)
0x0015	iiiiiii	
0x0016	-----	
0x0017	-----	
0x0018	cccccccc	CRC1 (32-bit)
0x0019	cccccccc	
0x001A	cccccccc	
0x001B	cccccccc	
0x001C	-----	
0x001D	-----	
0x001E	-----	
0x001F	-----	
0x0020	-----	
0x0021	-----	
0x0022	-----	
0x0023	-----	
0x0024	-----	
0x0025	-----	
0x0026	-----	
0x0027	-----	
0x0028	-----	
0x0029	-----	
0x002A	-----	
0x002B	-----	
0x002C	-----	
0x002D	-----	
0x002E	ssk-1111	(p) slot selection, (k) dual keyboard, (k) split point low,
0x002F	hhhhtw--	(h) split point high, (t) three split zones, (w) two split zones
0x0030	-pttttt-	(p) organ pitch stick, (t) transpose
0x0031	---mmmm	(m) master clock rate
0x0032	mmm-----	
0x0033	-----	
0x0034	mm-----	(m) organ model
0x0035	vvvhds--	(v) organ b3 vibrato mode, (h) organ b3 harmonic third, (d) organ b3 decay fast, (s) organ b3 volume soft
0x0036	-----	
0x0037	-vvo----	(v) organ vox vibrato mode, (o) organ vox vibrato on

offset	bits	description
0x0038	-----	
0x0039	-vvo----	(v) organ farfisa vibrato mode, (o) organ farfisa vibrato on
0x003A	-----	
0x003B	ddd-----	(o) piano slot detune
0x003C	-----	
0x003D	ottrrrrr	(o) reverb on, (t) reverb type, (r) reverb amount
0x003E	rrrocccc	(o) compressor on, (c) compressor amount
0x003F	cccoossdd	(o) rotary speaker on, (s) rotary speaker source, (d) rotary speaker drive
0x0040	dddddmrw	(m) rotary speaker stop mode, (r) rotary speaker speed, (w) rotary speaker speed morph wheel
0x0041	ac-----	(a) rotary speaker speed morph after touch, (c) rotary speaker speed morph control pedal
0x0042	-----	
0x0043	owwwwww	(o) organ on, (w) organ volume morph wheel
0x0044	waaaaaaa	(a) organ volume morph after touch
0x0045	accccccc	(c) organ volume morph control pedal
0x0046	cvvvvvvv	(v) organ volume
0x0047	zzzooos	(z) organ kb zone, (o) organ octave shift, (s) organ sustain pedal
0x0048	owwwwww	(o) piano on, (w) piano volume morph wheel
0x0049	waaaaaaa	(a) piano volume morph after touch
0x004A	accccccc	(c) piano volume morph control pedal
0x004B	cvvvvvvv	(v) piano volume
0x004C	zzzoooop	(z) piano split zones, (o) piano octave shift, (p) piano pitch stick
0x004D	sowwwwww	(s) piano sustain pedal, (o) synth on, (w) synth volume morph wheel
0x004E	wwaaaaaa	(a) synth volume morph after touch
0x004F	aaccccc	(c) synth volume morph control pedal
0x0050	ccvvvvvv	(v) synth volume
0x0051	vzzzoooo	(z) synth kb zone, (o) synth octave shift
0x0052	ps-----	(p) synth pitch stick, (s) synth sustain pedal
0x0053	-----	
0x0054	-----	
0x0055	-----	
0x0056	-----	
0x0057	-----	
0x0058	-----	
0x0059	-----lg	(l) organ latch pedal, (g) organ kb gate
0x005A	lgtk----	(l) piano latch pedal, (g) piano kb gate, (t) synth latch pedal, (k) synth kb gate
0x005B	-----	
0x005C	b-----	(b) organ b3 preset II
0x005D	b-----	(b) organ vox vox II
0x005E	b-----	(b) organ farfisa preset II
0x005F	wwwwaaa	(w) organ b3 preset I drawbar 1 morph wheel, (a) organ b3 preset I drawbar 1 morph after touch
0x0060	aappppp1	(p) organ b3 preset I drawbar 1 morph control pedal, (1) organ b3 preset I drawbar 1
0x0061	111wwwww	(w) organ b3 preset I drawbar 2 morph wheel
0x0062	aaaaapp	(a) organ b3 preset I drawbar 2 morph after touch, (p) organ b3 preset I drawbar 2 morph control pedal
0x0063	pp2222ww	(2) organ b3 preset I drawbar 2, (w) organ b3 preset I drawbar 3 morph wheel
0x0064	wwaaaaaa	(a) organ b3 preset I drawbar 3 morph after touch
0x0065	ppppp333	(p) organ b3 preset I drawbar 3 morph control pedal, (3) organ b3 preset I drawbar 3,
0x0066	3wwwwaa	(w) organ b3 preset I drawbar 4 morph wheel, (a) organ b3 preset I drawbar 4 morph after touch
0x0067	aaappppp	(p) organ b3 preset I drawbar 4 morph control pedal
0x0068	4444www	(4) organ b3 preset I drawbar 4, (w) organ b3 preset I drawbar 5 morph wheel
0x0069	waaaaapp	(a) organ b3 preset I drawbar 5 morph after touch, (p) organ b3 preset I drawbar 5 morph control pedal
0x006A	ppp5555w	(5) organ b3 preset I drawbar 5, (w) organ b3 preset I drawbar 6 morph wheel
0x006B	wwwwaaaa	(a) organ b3 preset I drawbar 6 morph after touch

offset	bits	description
0x006C	appppp66	(p) organ b3 preset I drawbar 6 morph control pedal, (6) organ b3 preset I drawbar 6
0x006D	66wwwwa	(w) organ b3 preset I drawbar 7 morph wheel, (a) organ b3 preset I drawbar 7 morph after touch
0x006E	aaaapppp	(p) organ b3 preset I drawbar 7 morph control pedal
0x006F	p7777ww	(7) organ b3 preset I drawbar 7, (w) organ b3 preset I drawbar 8 morph wheel
0x0070	wwaaaaap	(a) organ b3 preset I drawbar 8 morph after touch, (p) organ b3 preset I drawbar 8 morph control pedal
0x0071	pppp8888	(8) organ b3 preset I drawbar 8
0x0072	wwwwaaa	(w) organ b3 preset I drawbar 9 morph wheel, (a) organ b3 preset I drawbar 9 morph after touch
0x0073	aappppp9	(p) organ b3 preset I drawbar 9 morph control pedal, (9) organ b3 preset I drawbar 9
0x0074	999vp---	(v) organ b3 preset I vibrato chorus, (p) organ b3 preset I percussion
0x0075	-----	
0x0076	wwwwaaa	(w) organ vox preset I drawbar 1 morph wheel, (a) organ vox preset I drawbar 1 morph after touch
0x0077	aappppp1	(p) organ vox preset I drawbar 1 morph control pedal, (1) organ vox preset I drawbar 1
0x0078	111wwww	(w) organ vox preset I drawbar 2 morph wheel
0x0079	aaaaappp	(a) organ vox preset I drawbar 2 morph after touch, (p) organ vox preset I drawbar 2 morph control pedal
0x007A	pp222ww	(2) organ vox preset I drawbar 2, (w) organ vox preset I drawbar 3 morph wheel
0x007B	wwaaaaa	(a) organ vox preset I drawbar 3 morph after touch
0x007C	ppppp333	(p) organ vox preset I drawbar 3 morph control pedal, (3) organ vox preset I drawbar 3,
0x007D	3wwwwaa	(w) organ vox preset I drawbar 4 morph wheel, (a) organ vox preset I drawbar 4 morph after touch
0x007E	aaappppp	(p) organ vox preset I drawbar 4 morph control pedal
0x007F	4444wwww	(4) organ vox preset I drawbar 4, (w) organ vox preset I drawbar 5 morph wheel
0x0080	waaaaapp	(a) organ vox preset I drawbar 5 morph after touch, (p) organ vox preset I drawbar 5 morph control pedal
0x0081	ppp555w	(5) organ vox preset I drawbar 5, (w) organ vox preset I drawbar 6 morph wheel
0x0082	wwwwaaa	(a) organ vox preset I drawbar 6 morph after touch
0x0083	appppp66	(p) organ vox preset I drawbar 6 morph control pedal, (6) organ vox preset I drawbar 6
0x0084	66wwwwa	(w) organ vox preset I drawbar 7 morph wheel, (a) organ vox preset I drawbar 7 morph after touch
0x0085	aaaapppp	(p) organ vox preset I drawbar 7 morph control pedal
0x0086	p7777ww	(7) organ vox preset I drawbar 7, (w) organ vox preset I drawbar 8 morph wheel
0x0087	wwaaaaap	(a) organ vox preset I drawbar 8 morph after touch, (p) organ vox preset I drawbar 8 morph control pedal
0x0088	pppp8888	(8) organ vox preset I drawbar 8
0x0089	wwwwaaa	(w) organ vox preset I drawbar 9 morph wheel, (a) organ vox preset I drawbar 9 morph after touch
0x008A	aappppp9	(p) organ vox preset I drawbar 9 morph control pedal, (9) organ vox preset I drawbar 9
0x008B	999-----	
0x008C	-----	
0x008D	wwaapp1h	(w,a,p,1) organ farfisa preset I drawbar 1, (h,a,p,2) organ farfisa preset I drawbar 2
0x008E	haapp2ww	(w,a,p,3) organ farfisa preset I drawbar 3
0x008F	aapp3wwa	(w,a,p,4) organ farfisa preset I drawbar 4, (w,a,p,3) organ farfisa preset I drawbar 4
0x0090	app4wwaa	(w,a,p,5) organ farfisa preset I drawbar 5
0x0091	pp5wwaad	(w,a,d,6) organ farfisa preset I drawbar 6
0x0092	d6wwaapp	(w,a,p,7) organ farfisa preset I drawbar 7
0x0093	7wwaapp8	(w,a,p,8) organ farfisa preset I drawbar 8
0x0094	wwaapp9-	(w,a,p,9) organ farfisa preset I drawbar 9
0x0095	-----	
0x0096	wwwwaaa	(w) organ b3 preset II drawbar 1 morph wheel, (a) organ b3 preset II drawbar 1 morph after touch

offset	bits	description
0x0097	aappppp1	(p) organ b3 preset II drawbar 1 morph control pedal, (1) organ b3 preset II drawbar 1
0x0098	111wwwww	(w) organ b3 preset II drawbar 2 morph wheel
0x0099	aaaaaapp	(a) organ b3 preset II drawbar 2 morph after touch, (p) organ b3 preset II drawbar 2 morph control pedal
0x009A	pp2222ww	(2) organ b3 preset II drawbar 2, (w) organ b3 preset II drawbar 3 morph wheel
0x009B	wwwwaaaa	(a) organ b3 preset II drawbar 3 morph after touch
0x009C	ppppp333	(p) organ b3 preset II drawbar 3 morph control pedal, (3) organ b3 preset II drawbar 3,
0x009D	3wwwwwaa	(w) organ b3 preset II drawbar 4 morph wheel, (a) organ b3 preset II drawbar 4 morph after touch
0x009E	aaappppp	(p) organ b3 preset II drawbar 4 morph control pedal
0x009F	4444wwww	(4) organ b3 preset II drawbar 4, (w) organ b3 preset II drawbar 5 morph wheel
0x00A0	waaaaaap	(a) organ b3 preset II drawbar 5 morph after touch, (p) organ b3 preset II drawbar 5 morph control pedal
0x00A1	ppp5555w	(5) organ b3 preset II drawbar 5, (w) organ b3 preset II drawbar 6 morph wheel
0x00A2	wwwwaaaa	(a) organ b3 preset II drawbar 6 morph after touch
0x00A3	appppp66	(p) organ b3 preset II drawbar 6 morph control pedal, (6) organ b3 preset II drawbar 6
0x00A4	66wwwwwa	(w) organ b3 preset II drawbar 7 morph wheel, (a) organ b3 preset II drawbar 7 morph after touch
0x00A5	aaaapppp	(p) organ b3 preset II drawbar 7 morph control pedal
0x00A6	p7777www	(7) organ b3 preset II drawbar 7, (w) organ b3 preset II drawbar 8 morph wheel
0x00A7	wwaaaaap	(a) organ b3 preset II drawbar 8 morph after touch, (p) organ b3 preset II drawbar 8 morph control pedal
0x00A8	pppp8888	(8) organ b3 preset II drawbar 8
0x00A9	wwwwwaaa	(w) organ b3 preset II drawbar 9 morph wheel, (a) organ b3 preset II drawbar 9 morph after touch
0x00AA	aappppp9	(p) organ b3 preset II drawbar 9 morph control pedal, (9) organ b3 preset II drawbar 9
0x00AB	999vp---	(v) organ b3 preset II vibrato chorus, (p) organ b3 preset II percussion
0x00AC	-----	
0x00AD	wwwwwaaa	(w) organ vox preset II drawbar 1 morph wheel, (a) organ vox preset II drawbar 1 morph after touch
0x00AE	aappppp1	(p) organ vox preset II drawbar 1 morph control pedal, (1) organ vox preset II drawbar 1
0x00AF	111wwwww	(w) organ vox preset II drawbar 2 morph wheel
0x00B0	aaaaaapp	(a) organ vox preset II drawbar 2 morph after touch, (p) organ vox preset II drawbar 2 morph control pedal
0x00B1	pp2222ww	(2) organ vox preset II drawbar 2, (w) organ vox preset II drawbar 3 morph wheel
0x00B2	wwwwaaaa	(a) organ vox preset II drawbar 3 morph after touch
0x00B3	ppppp333	(p) organ vox preset II drawbar 3 morph control pedal, (3) organ vox preset II drawbar 3,
0x00B4	3wwwwwaa	(w) organ vox preset II drawbar 4 morph wheel, (a) organ vox preset II drawbar 4 morph after touch
0x00B5	aaappppp	(p) organ vox preset II drawbar 4 morph control pedal
0x00B6	4444wwww	(4) organ vox preset II drawbar 4, (w) organ vox preset II drawbar 5 morph wheel
0x00B7	waaaaaap	(a) organ vox preset II drawbar 5 morph after touch, (p) organ vox preset II drawbar 5 morph control pedal
0x00B8	ppp5555w	(5) organ vox preset II drawbar 5, (w) organ vox preset II drawbar 6 morph wheel
0x00B9	wwwwaaaa	(a) organ vox preset II drawbar 6 morph after touch
0x00BA	appppp66	(p) organ vox preset II drawbar 6 morph control pedal, (6) organ vox preset II drawbar 6
0x00BB	66wwwwwa	(w) organ vox preset II drawbar 7 morph wheel, (a) organ vox preset II drawbar 7 morph after touch
0x00BC	aaaapppp	(p) organ vox preset II drawbar 7 morph control pedal
0x00BD	p7777www	(7) organ vox preset II drawbar 7, (w) organ vox preset II drawbar 8 morph wheel
0x00BE	wwaaaaap	(a) organ vox preset II drawbar 8 morph after touch, (p) organ vox preset II drawbar 8 morph control pedal

offset	bits	description
0x00BF	pppp8888	(8) organ vox preset II drawbar 8
0x00C0	wwwwwaaa	(w) organ vox preset II drawbar 9 morph wheel, (a) organ vox preset II drawbar 9 morph after touch
0x00C1	aappppp9	(p) organ vox preset II drawbar 9 morph control pedal, (9) organ vox preset II drawbar 9
0x00C2	999-----	
0x00C3	-----	
0x00C4	wwaapp1h	(w,a,p,1) organ farfisa preset II drawbar 1, (h,a,p,2) organ farfisa preset II drawbar 2
0x00C5	haapp2ww	(w,a,p,3) organ farfisa preset II drawbar 3
0x00C6	aapp3wwa	(w,a,p,4) organ farfisa preset II drawbar 4, (w,a,p,3) organ farfisa preset II drawbar 4
0x00C7	app4wwaa	(w,a,p,5) organ farfisa preset II drawbar 5
0x00C8	pp5wwaad	(w,a,d,6) organ farfisa preset II drawbar 6
0x00C9	d6wwaapp	(w,a,p,7) organ farfisa preset II drawbar 7
0x00CA	7wwaapp8	(w,a,p,8) organ farfisa preset II drawbar 8
0x00CB	wwaapp9-	(w,a,p,9) organ farfisa preset II drawbar 9
0x00CC	-----	
0x00CD	ttt-----	(t) piano type
0x00CE	-----c	(c) piano clavinet model
0x00CF	clsnddhh	(l) piano long release, (s) piano string resonance, (n) piano pedal noise, (d) piano dynamics, (h) piano clav eq hi
0x00D0	eeiiiiii	(e) piano clav eq, (s) piano sample id
0x00D1	iiiiiiii	
0x00D2	iiiiiiii	
0x00D3	iiiiiiii	
0x00D4	ii-----	
0x00D5	-----	
0x00D6	-----	
0x00D7	-----	
0x00D8	-----	
0x00D9	-----o	(o) synth arp on
0x00DA	mddd-rr	(m) synth arp master clock, (d) synth arp master clock divisor, (r) synth arp rate
0x00DB	rrrrrppn	(p) synth arp pattern, (n) synth arp master range
0x00DC	nvrrrrh-	(v) synth lfo master clock, (r) synth lfo rate clock divisor, (h) synth kb-hold
0x00DD	-----	
0x00DE	-----	
0x00DF	aaaaaad	(a) synth mod env attack, (d) synth mod env decay
0x00E0	ddddddrr	(r) synth mod env release
0x00E1	rrrrrvmm	(v) synth mod env velocity, (m) synth osc mode
0x00E2	mfffffff	(f) synth osc waveform
0x00E3	fffwwww	(w) synth shape morph wheel
0x00E4	wwwwaaaa	(a) synth shape morph after touch
0x00E5	aaaccccc	(c) synth shape morph control pedal
0x00E6	ccccssss	(s) synth shape
0x00E7	ssmmmmmm	(m) synth shape mod
0x00E8	m-----	
0x00E9	-----	
0x00EA	-----	
0x00EB	-----	
0x00EC	-----sw	(s) synth skip sample attack, (w) synth filter freq morph wheel
0x00ED	wwwwwwa	(a) synth filter freq morph after touch
0x00EE	aaaaaac	(c) synth filter freq morph control pedal
0x00EF	cccccccf	(f) synth filter freq
0x00F0	ffffffrr	(r) synth filter resonance
0x00F1	rrrrr222	(m) synth filter mod 2
0x00F2	22221111	(l) synth filter mod 1
0x00F3	111kttta	(t) synth filter kb track, (t) synth filter type, (a) synth amp env attack
0x00F4	aaaaaad	(d) synth amp env decay
0x00F5	ddddddrr	(r) synth amp env release
0x00F6	rrrrvttt	(v) synth amp env velocity, (t) synth lfo rate

offset	bits	description
0x00F7	ttttwwii	(w) synth lfo waveform, (i) synth sample id
0x00F8	iiiiiii	
0x00F9	iiiiiii	
0x00FA	iiiiiii	
0x00FB	iiiiirr	(r) synth glide rate
0x00FC	rrrrmmu	(m) synth glide-voice-mode, (u) synth unison
0x00FD	uuvvv---	(v) synth vibrato
0x00FE	-----	
0x00FF	-----	
0x0100	-----	
0x0101	-----	
0x0102	-----	
0x0103	-----	
0x0104	-----	
0x0105	-----	
0x0106	-----	
0x0107	-----	
0x0108	-----	
0x0109	-----	
0x010A	-----	
0x010B	-----	
0x010C	-----	
0x010D	-----	
0x010E	-----	
0x010F	-----	
0x0110	-----	
0x0111	-----	
0x0112	-----	
0x0113	-----	
0x0114	-----	
0x0115	-----	
0x0116	-----	
0x0117	-----	
0x0118	-----	
0x0119	-----	
0x011A	-----	
0x011B	-----	
0x011C	-----	
0x011D	-----	
0x011E	-----	
0x011F	-----	
0x0120	-----	
0x0121	-----	
0x0122	-----	
0x0123	-----	
0x0124	-----	
0x0125	-----	
0x0126	-----	
0x0127	-----	
0x0128	-----	
0x0129	-----	Piano Slot B, same as offset 0x30, offset from Slot A is 0xf9 (249 bytes)
0x012A	-----	
0x012B	-----	
0x012C	-----	
0x012D	-----	
0x012E	-----	
0x012F	-----	
0x0130	-----	
0x0131	-----	

offset	bits	description
0x0132	-----	
0x0133	-----	
0x0134	-----	
0x0135	-----	
0x0136	-----	
0x0137	-----	
0x0138	-----	
0x0139	-----	
0x013A	-----	
0x013B	-----	
0x013C	-----	
...		
0x0220	-----	
0x0221	-----	
0x0222	-----	
0x0223	-----	
0x0224	-----	
0x0225	-----	
0x0226	-----	
0x0227	-----	
0x0228	-----	
0x0229	-----	
0x022A	-----	
0x022B	-----	
0x022C	-----	
0x022D	-----	
0x022E	-----	
0x022F	-----	
0x0230	-----	
0x0231	-----	
0x0232	-----	
0x0233	-----	
0x0234	-----	

NS3 Extern On

Offset in file: 0xF4 (b7)

0 = off, 1 = on

NS3 Extern Kb Zone

Offset in file: 0xF4 (b6-3)

See: [Organ Kb Zone](#) for detailed explanation.

NS3 Extern Octave Shift

Offset in file: 0xF4 (b1-0) and 0xF5 (b7)

Octave Shift = value - 6

NS3 Extern Pitch Stick

Offset in file: 0xF6 (b7)

0 = off, 1 = on

NS3 Extern Sustain Pedal

Offset in file: 0xF6 (b6)

0 = off, 1 = on

NS3 Extern Midi Control

Offset in file: 0xF6 (b1-0)

0 = Midi CC

1 = Program

2 = Volume

NS3 Extern Midi CC

Offset in file: 0xF7 (b0) and 0xF8 (b7-2)

07-bit value = 0/127

NS3 Extern Midi Program

Offset in file: 0xFD (b0) and 0xFE (b7-2)

07-bit value = 0/127

NS3 Extern Volume

Offset in file: 0x101 (b0) and 0x102 (b7-2)

07-bit value = 0/127

NS3 Amp Sim Eq On

Offset in file: 0x129 (b2)

0 = off, 1 = on

NS3 Amp Sim Eq Source

Offset in file: 0x10B (b3-2)

0 = Organ, 1, Piano, 2 = Synth

NS3 Amp Sim Eq Amp Type

Offset in file: 0x12A (b7-5)

0 = Clean
1 = Twin
2 = JC
3 = Small
4 = LP24
5 = HP24

NS3 Amp Sim Eq Treble

Offset in file: 0x12A (b4-0) and 0x12B (b7-6)

treble (fixed 4 kHz) frequency boost/cut table:

0 = -15.0 dB
1 = -14.8 dB
2 = -14.5 dB
3 = -14.2 dB
4 = -14.0 dB
5 = -13.8 dB
6 = -13.5 dB
7 = -13.2 dB
8 = -13.0 dB
9 = -12.8 dB
10 = -12.5 dB
11 = -12.2 dB
12 = -12.0 dB
13 = -11.8 dB
14 = -11.5 dB
15 = -11.2 dB
16 = -11.0 dB
17 = -10.8 dB
18 = -10.5 dB
19 = -10.2 dB
20 = -10.0 dB
21 = -9.8 dB
22 = -9.5 dB
23 = -9.2 dB
24 = -9.0 dB
25 = -8.8 dB
26 = -8.5 dB
27 = -8.2 dB
28 = -8.0 dB
29 = -7.8 dB
30 = -7.5 dB
31 = -7.2 dB
32 = -7.0 dB
33 = -6.8 dB
34 = -6.5 dB
35 = -6.2 dB
36 = -6.0 dB

37 = -5.8 dB
38 = -5.5 dB
39 = -5.2 dB
40 = -5.0 dB
41 = -4.8 dB
42 = -4.5 dB
43 = -4.2 dB
44 = -4.0 dB
45 = -3.8 dB
46 = -3.5 dB
47 = -3.2 dB
48 = -3.0 dB
49 = -2.8 dB
50 = -2.5 dB
51 = -2.2 dB
52 = -2.0 dB
53 = -1.8 dB
54 = -1.5 dB
55 = -1.2 dB
56 = -1.0 dB
57 = -0.8 dB
58 = -0.5 dB
59 = -0.2 dB
60 = 0.0 dB
61 = +0.2 dB
62 = +0.5 dB
63 = +0.8 dB
64 = +1.0 dB
65 = +1.2 dB
66 = +1.5 dB
67 = +1.8 dB
68 = +2.0 dB
69 = +2.2 dB
70 = +2.5 dB
71 = +2.8 dB
72 = +3.0 dB
73 = +3.2 dB
74 = +3.5 dB
75 = +3.8 dB
76 = +4.0 dB
77 = +4.2 dB
78 = +4.5 dB
79 = +4.8 dB
80 = +5.0 dB
81 = +5.2 dB
82 = +5.5 dB
83 = +5.8 dB
84 = +6.0 dB
85 = +6.2 dB
86 = +6.5 dB
87 = +6.8 dB
88 = +7.0 dB
89 = +7.2 dB
90 = +7.5 dB
91 = +7.8 dB
92 = +8.0 dB
93 = +8.2 dB
94 = +8.5 dB
95 = +8.8 dB
96 = +9.0 dB
97 = +9.2 dB

```
98 = +9.5 dB
99 = +9.8 dB
100 = +10.0 dB
101 = +10.2 dB
102 = +10.5 dB
103 = +10.8 dB
104 = +11.0 dB
105 = +11.2 dB
106 = +11.5 dB
107 = +11.8 dB
108 = +12.0 dB
109 = +12.2 dB
110 = +12.5 dB
111 = +12.8 dB
112 = +13.0 dB
113 = +13.2 dB
114 = +13.5 dB
115 = +13.8 dB
116 = +14.0 dB
117 = +14.2 dB
118 = +14.5 dB
119 = +14.8 dB
120 = +15.0 dB
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF
```

NS3 Amp Sim Eq Mid Res

Offset in file: 0x12B (b5-0) and 0x12C (b7)

```
if Amp Type is LP24 or HP24 filter resonance = 0 to 10
else middle frequency boost/cut table:
```

```
0 = -15.0 dB
1 = -14.8 dB
2 = -14.5 dB
3 = -14.2 dB
4 = -14.0 dB
5 = -13.8 dB
6 = -13.5 dB
7 = -13.2 dB
8 = -13.0 dB
9 = -12.8 dB
10 = -12.5 dB
11 = -12.2 dB
12 = -12.0 dB
13 = -11.8 dB
14 = -11.5 dB
15 = -11.2 dB
16 = -11.0 dB
17 = -10.8 dB
18 = -10.5 dB
19 = -10.2 dB
20 = -10.0 dB
21 = -9.8 dB
22 = -9.5 dB
23 = -9.2 dB
```

24 = -9.0 dB
25 = -8.8 dB
26 = -8.5 dB
27 = -8.2 dB
28 = -8.0 dB
29 = -7.8 dB
30 = -7.5 dB
31 = -7.2 dB
32 = -7.0 dB
33 = -6.8 dB
34 = -6.5 dB
35 = -6.2 dB
36 = -6.0 dB
37 = -5.8 dB
38 = -5.5 dB
39 = -5.2 dB
40 = -5.0 dB
41 = -4.8 dB
42 = -4.5 dB
43 = -4.2 dB
44 = -4.0 dB
45 = -3.8 dB
46 = -3.5 dB
47 = -3.2 dB
48 = -3.0 dB
49 = -2.8 dB
50 = -2.5 dB
51 = -2.2 dB
52 = -2.0 dB
53 = -1.8 dB
54 = -1.5 dB
55 = -1.2 dB
56 = -1.0 dB
57 = -0.8 dB
58 = -0.5 dB
59 = -0.2 dB
60 = 0.0 dB
61 = +0.2 dB
62 = +0.5 dB
63 = +0.8 dB
64 = +1.0 dB
65 = +1.2 dB
66 = +1.5 dB
67 = +1.8 dB
68 = +2.0 dB
69 = +2.2 dB
70 = +2.5 dB
71 = +2.8 dB
72 = +3.0 dB
73 = +3.2 dB
74 = +3.5 dB
75 = +3.8 dB
76 = +4.0 dB
77 = +4.2 dB
78 = +4.5 dB
79 = +4.8 dB
80 = +5.0 dB
81 = +5.2 dB
82 = +5.5 dB
83 = +5.8 dB
84 = +6.0 dB

85 = +6.2 dB
86 = +6.5 dB
87 = +6.8 dB
88 = +7.0 dB
89 = +7.2 dB
90 = +7.5 dB
91 = +7.8 dB
92 = +8.0 dB
93 = +8.2 dB
94 = +8.5 dB
95 = +8.8 dB
96 = +9.0 dB
97 = +9.2 dB
98 = +9.5 dB
99 = +9.8 dB
100 = +10.0 dB
101 = +10.2 dB
102 = +10.5 dB
103 = +10.8 dB
104 = +11.0 dB
105 = +11.2 dB
106 = +11.5 dB
107 = +11.8 dB
108 = +12.0 dB
109 = +12.2 dB
110 = +12.5 dB
111 = +12.8 dB
112 = +13.0 dB
113 = +13.2 dB
114 = +13.5 dB
115 = +13.8 dB
116 = +14.0 dB
117 = +14.2 dB
118 = +14.5 dB
119 = +14.8 dB
120 = +15.0 dB
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF

NS3 Amp Sim Eq Bass Dry Wet

Offset in file: 0x12C (b6-0)

if Amp Type is LP24 or HP24 filter dry / wet = 0 to 10
else bass (fixed 100 Hz) frequency boost/cut table:
0 = -15.0 dB
1 = -14.8 dB
2 = -14.5 dB
3 = -14.2 dB
4 = -14.0 dB
5 = -13.8 dB
6 = -13.5 dB
7 = -13.2 dB
8 = -13.0 dB
9 = -12.8 dB
10 = -12.5 dB

11 = -12.2 dB
12 = -12.0 dB
13 = -11.8 dB
14 = -11.5 dB
15 = -11.2 dB
16 = -11.0 dB
17 = -10.8 dB
18 = -10.5 dB
19 = -10.2 dB
20 = -10.0 dB
21 = -9.8 dB
22 = -9.5 dB
23 = -9.2 dB
24 = -9.0 dB
25 = -8.8 dB
26 = -8.5 dB
27 = -8.2 dB
28 = -8.0 dB
29 = -7.8 dB
30 = -7.5 dB
31 = -7.2 dB
32 = -7.0 dB
33 = -6.8 dB
34 = -6.5 dB
35 = -6.2 dB
36 = -6.0 dB
37 = -5.8 dB
38 = -5.5 dB
39 = -5.2 dB
40 = -5.0 dB
41 = -4.8 dB
42 = -4.5 dB
43 = -4.2 dB
44 = -4.0 dB
45 = -3.8 dB
46 = -3.5 dB
47 = -3.2 dB
48 = -3.0 dB
49 = -2.8 dB
50 = -2.5 dB
51 = -2.2 dB
52 = -2.0 dB
53 = -1.8 dB
54 = -1.5 dB
55 = -1.2 dB
56 = -1.0 dB
57 = -0.8 dB
58 = -0.5 dB
59 = -0.2 dB
60 = 0.0 dB
61 = +0.2 dB
62 = +0.5 dB
63 = +0.8 dB
64 = +1.0 dB
65 = +1.2 dB
66 = +1.5 dB
67 = +1.8 dB
68 = +2.0 dB
69 = +2.2 dB
70 = +2.5 dB
71 = +2.8 dB

72 = +3.0 dB
73 = +3.2 dB
74 = +3.5 dB
75 = +3.8 dB
76 = +4.0 dB
77 = +4.2 dB
78 = +4.5 dB
79 = +4.8 dB
80 = +5.0 dB
81 = +5.2 dB
82 = +5.5 dB
83 = +5.8 dB
84 = +6.0 dB
85 = +6.2 dB
86 = +6.5 dB
87 = +6.8 dB
88 = +7.0 dB
89 = +7.2 dB
90 = +7.5 dB
91 = +7.8 dB
92 = +8.0 dB
93 = +8.2 dB
94 = +8.5 dB
95 = +8.8 dB
96 = +9.0 dB
97 = +9.2 dB
98 = +9.5 dB
99 = +9.8 dB
100 = +10.0 dB
101 = +10.2 dB
102 = +10.5 dB
103 = +10.8 dB
104 = +11.0 dB
105 = +11.2 dB
106 = +11.5 dB
107 = +11.8 dB
108 = +12.0 dB
109 = +12.2 dB
110 = +12.5 dB
111 = +12.8 dB
112 = +13.0 dB
113 = +13.2 dB
114 = +13.5 dB
115 = +13.8 dB
116 = +14.0 dB
117 = +14.2 dB
118 = +14.5 dB
119 = +14.8 dB
120 = +15.0 dB
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF

NS3 Amp Sim Eq Mid Flt Freq

Offset in file: 0x12D (b7-1)

See: [Organ Volume](#) for detailed Morph explanation.

7-bit value 0/127 = 200 Hz to 8.0 kHz

0	=	200	Hz
1	=	205	Hz
2	=	210	Hz
3	=	215	Hz
4	=	221	Hz
5	=	226	Hz
6	=	232	Hz
7	=	238	Hz
8	=	244	Hz
9	=	250	Hz
10	=	257	Hz
11	=	263	Hz
12	=	270	Hz
13	=	277	Hz
14	=	284	Hz
15	=	291	Hz
16	=	299	Hz
17	=	306	Hz
18	=	314	Hz
19	=	322	Hz
20	=	330	Hz
21	=	339	Hz
22	=	347	Hz
23	=	356	Hz
24	=	365	Hz
25	=	375	Hz
26	=	384	Hz
27	=	394	Hz
28	=	404	Hz
29	=	414	Hz
30	=	425	Hz
31	=	436	Hz
32	=	447	Hz
33	=	458	Hz
34	=	470	Hz
35	=	482	Hz
36	=	494	Hz
37	=	507	Hz
38	=	520	Hz
39	=	533	Hz
40	=	546	Hz
41	=	560	Hz
42	=	575	Hz
43	=	589	Hz
44	=	604	Hz
45	=	620	Hz
46	=	635	Hz
47	=	652	Hz
48	=	668	Hz
49	=	685	Hz
50	=	703	Hz
51	=	721	Hz
52	=	739	Hz
53	=	758	Hz
54	=	777	Hz
55	=	797	Hz
56	=	817	Hz

57 = 838 Hz
58 = 859 Hz
59 = 881 Hz
60 = 904 Hz
61 = 927 Hz
62 = 950 Hz
63 = 975 Hz
64 = 999 Hz
65 = 1.0 kHz
66 = 1.1 kHz
67 = 1.1 kHz
68 = 1.1 kHz
69 = 1.2 kHz
70 = 1.2 kHz
71 = 1.3 kHz
72 = 1.3 kHz
73 = 1.3 kHz
74 = 1.4 kHz
75 = 1.4 kHz
76 = 1.5 kHz
77 = 1.5 kHz
78 = 1.6 kHz
79 = 1.6 kHz
80 = 1.7 kHz
81 = 1.8 kHz
82 = 1.8 kHz
83 = 1.9 kHz
84 = 1.9 kHz
85 = 2.0 kHz
86 = 2.1 kHz
87 = 2.1 kHz
88 = 2.2 kHz
89 = 2.3 kHz
90 = 2.4 kHz
91 = 2.4 kHz
92 = 2.5 kHz
93 = 2.6 kHz
94 = 2.7 kHz
95 = 2.8 kHz
96 = 2.9 kHz
97 = 3.0 kHz
98 = 3.1 kHz
99 = 3.2 kHz
100 = 3.3 kHz
101 = 3.4 kHz
102 = 3.5 kHz
103 = 3.6 kHz
104 = 3.7 kHz
105 = 3.9 kHz
106 = 4.0 kHz
107 = 4.1 kHz
108 = 4.3 kHz
109 = 4.4 kHz
110 = 4.6 kHz
111 = 4.7 kHz
112 = 4.9 kHz
113 = 5.0 kHz
114 = 5.2 kHz
115 = 5.4 kHz
116 = 5.6 kHz
117 = 5.8 kHz

118 = 5.9 kHz
119 = 6.1 kHz
120 = 6.3 kHz
121 = 6.6 kHz
122 = 6.8 kHz
123 = 7.0 kHz
124 = 7.2 kHz
125 = 7.5 kHz
126 = 7.7 kHz
127 = 8.0 kHz

Morph Wheel:

0x12D (b0), 0x12E (b7-b1): 8-bit raw value

Morph After Touch:

0x12E (b0), 0x12F (b7-b1): 8-bit raw value

Morph Control Pedal:

0x12F (b0), 0x130 (b7-b1): 8-bit raw value

NS3 Amp Sim Eq Drive

Offset in file: 0x130 (b0) and 0x131 (b7-2)

See: [Organ Volume](#) for detailed Morph explanation.

7-bit value 0/127 = 0 to 10.0

Morph Wheel:

0x131 (b1-0) and 0x132 (b7-2): 8-bit raw value

Morph After Touch:

0x132 (b1-0) and 0x133 (b7-2): 8-bit raw value

Morph Control Pedal:

0x133 (b1-0) and 0x134 (b7-2): 8-bit raw value

NS3 Compressor On

Offset in file: 0x139 (b5)

0 = off, 1 = on

NS3 Compressor Amount

Offset in file: 0x139 (b4-0) and 0x13A (b7-6)

7-bit value 0/127 = 0/10

NS3 Compressor Fast

Offset in file: 0x13A (b5)

0 = off, 1 = on

NS3 Delay On

Offset in file: 0x119 (b3)

0 = off, 1 = on

NS3 Delay Source

Offset in file: 0x119 (b2-1)

0 = Organ, 1, Piano, 2 = Synth

NS3 Delay Master Clock

Offset in file: 0x119 (b0)

0 = off, 1 = on

NS3 Delay Tempo

Offset in file:

tempo is using 14-bit

MSW 0x11A (b7-1): 7-bit value

0/127 = 1.5 s to 20 ms (same as MIDI #CC 94, see table below)

LSW 0x11A (b0) and 0x11B (b7-2): 7-bit value

LSW used for fine tempo value (only used with Tag Tempo)

When Tempo knob is used, LSW is always 0, possible MSW value:

0	=	1500,1.5 s	40 bpm	(1/4)
1	=	1420,1.42 s	42 bpm	(1/4)
2	=	1360,1.36 s	44 bpm	(1/4)
3	=	1300,1.30 s	46 bpm	(1/4)
4	=	1250,1.25 s	48 bpm	(1/4)
5	=	1200,1.20 s	50 bpm	(1/4)
6	=	1150,1.15 s	52 bpm	(1/4)
7	=	1100,1.11 s	54 bpm	(1/4)
8	=	1070,1.07 s	56 bpm	(1/4)
9	=	1030,1.03 s	58 bpm	(1/4)
10	=	1000,1.00 s	60 bpm	(1/4)
11	=	952,952 ms	63 bpm	(1/4)
12	=	909,909 ms	66 bpm	(1/4)
13	=	870,870 ms	69 bpm	(1/4)
14	=	833,833 ms	72 bpm	(1/4)
15	=	789,789 ms	76 bpm	(1/4)
16	=	750,750 ms	80 bpm	(1/4)
17	=	732,732 ms	82 bpm	(1/4)
18	=	714,714 ms	84 bpm	(1/4)
20	=	682,682 ms	88 bpm	(1/4)
21	=	667,667 ms	90 bpm	(1/4)
22	=	652,652 ms	92 bpm	(1/4)
19	=	698,698 ms	86 bpm	(1/4)
23	=	638,638 ms	94 bpm	(1/4)
24	=	625,625 ms	96 bpm	(1/4)
25	=	612,612 ms	98 bpm	(1/4)
26	=	600,600 ms	100 bpm	(1/4)
27	=	588,588 ms	102 bpm	(1/4)
28	=	577,577 ms	104 bpm	(1/4)
29	=	566,566 ms	106 bpm	(1/4)

30 = 556,556 ms 108 bpm (1/4)
31 = 545,545 ms 110 bpm (1/4)
32 = 541,541 ms 111 bpm (1/4)
33 = 536,536 ms 112 bpm (1/4)
34 = 531,531 ms 113 bpm (1/4)
35 = 526,526 ms 114 bpm (1/4)
36 = 522,522 ms 115 bpm (1/4)
37 = 517,517 ms 116 bpm (1/4)
38 = 513,513 ms 117 bpm (1/4)
39 = 508,508 ms 118 bpm (1/4)
40 = 504,504 ms 119 bpm (1/4)
41 = 500,500 ms 120 bpm (1/4)
42 = 496,496 ms 121 bpm (1/4)
43 = 492,492 ms 122 bpm (1/4)
44 = 488,488 ms 123 bpm (1/4)
45 = 484,484 ms 124 bpm (1/4)
46 = 480,480 ms 125 bpm (1/4)
47 = 476,476 ms 126 bpm (1/4)
48 = 472,472 ms 127 bpm (1/4)
49 = 469,469 ms 128 bpm (1/4)
50 = 465,465 ms 129 bpm (1/4)
51 = 462,462 ms 130 bpm (1/4)
52 = 458,458 ms 131 bpm (1/4)
53 = 455,455 ms 132 bpm (1/4)
54 = 451,451 ms 133 bpm (1/4)
55 = 448,448 ms 134 bpm (1/4)
56 = 444,444 ms 135 bpm (1/4)
57 = 441,441 ms 136 bpm (1/4)
58 = 438,438 ms 137 bpm (1/4)
59 = 435,435 ms 138 bpm (1/4)
60 = 432,432 ms 139 bpm (1/4)
61 = 429,429 ms 140 bpm (1/4)
62 = 423,423 ms 142 bpm (1/4)
63 = 417,417 ms 144 bpm (1/4)
64 = 411,411 ms 146 bpm (1/4)
65 = 405,405 ms 148 bpm (1/4)
66 = 400,400 ms 150 bpm (1/4)
67 = 395,395 ms 152 bpm (1/4)
68 = 390,390 ms 154 bpm (1/4)
69 = 385,385 ms 156 bpm (1/4)
70 = 380,380 ms 158 bpm (1/4)
71 = 375,375 ms 80 bpm (1/8)
72 = 366,366 ms 82 bpm (1/8)
73 = 357,357 ms 84 bpm (1/8)
74 = 349,349 ms 86 bpm (1/8)
75 = 341,341 ms 88 bpm (1/8)
76 = 333,333 ms 90 bpm (1/8)
77 = 326,326 ms 92 bpm (1/8)
78 = 319,319 ms 94 bpm (1/8)
79 = 313,313 ms 96 bpm (1/8)
80 = 306,306 ms 98 bpm (1/8)
81 = 300,300 ms 100 bpm (1/8)
82 = 288,288 ms 104 bpm (1/8)
83 = 278,278 ms 108 bpm (1/8)
84 = 268,268 ms 112 bpm (1/8)
85 = 259,259 ms 116 bpm (1/8)
86 = 250,250 ms 120 bpm (1/8)
87 = 238,238 ms 126 bpm (1/8)
88 = 227,227 ms 132 bpm (1/8)
89 = 217,217 ms 138 bpm (1/8)
90 = 197,197 ms 152 bpm (1/8)

91 = 188,188 ms 80 bpm (1/16)
 92 = 179,179 ms 84 bpm (1/16)
 93 = 170,170 ms 88 bpm (1/16)
 94 = 163,163 ms 92 bpm (1/16)
 95 = 156,156 ms 96 bpm (1/16)
 96 = 150,150 ms 100 bpm (1/16)
 97 = 144,144 ms 104 bpm (1/16)
 98 = 139,139 ms 108 bpm (1/16)
 99 = 134,134 ms 112 bpm (1/16)
 100 = 129,129 ms 116 bpm (1/16)
 101 = 125,125 ms 120 bpm (1/16)
 102 = 119,119 ms 126 bpm (1/16)
 103 = 114,114 ms 132 bpm (1/16)
 104 = 109,109 ms 138 bpm (1/16)
 105 = 104,104 ms 144 bpm (1/16)
 106 = 99,99 ms 152 bpm (1/16)
 107 = 94,94 ms 160 bpm (1/16)
 108 = 83,83 ms 180 bpm (1/16)
 109 = 75,75 ms 200 bpm (1/16)
 110 = 68,68 ms 220 bpm (1/16)
 111 = 63,63 ms 240 bpm (1/16)
 112 = 58,58 ms 260 bpm (1/16)
 113 = 54,54 ms 280 bpm (1/16)
 114 = 50,50 ms 300 bpm (1/16)
 115 = 47,47 ms 320 bpm (1/16)
 116 = 44,44 ms 340 bpm (1/16)
 117 = 42,42 ms 360 bpm (1/16)
 118 = 39,39 ms 380 bpm (1/16)
 119 = 38,38 ms 400 bpm (1/16)
 120 = 34,34 ms 440 bpm (1/16)
 121 = 31,31 ms 480 bpm (1/16)
 122 = 30,30 ms 500 bpm (1/16)
 123 = 28,28 ms 540 bpm (1/16)
 124 = 26,26 ms 580 bpm (1/16)
 125 = 24,24 ms 620 bpm (1/16)
 126 = 22,22 ms 680 bpm (1/16)
 127 = 20,20 ms 750 bpm (1/16)

Note: When Tap Tempo is used, LSW is different from 0.

A linear interpolation is done to define the fine tempo value.

if 'Delay Master Clock' is enabled 7-bit value 0/127 = 1/2 to 1/64

0 = 1/2
 1 = 1/2
 2 = 1/2
 3 = 1/2
 4 = 1/2
 5 = 1/2
 6 = 1/2
 7 = 1/2
 8 = 1/4D
 9 = 1/4D
 10 = 1/4D
 11 = 1/4D
 12 = 1/4D
 13 = 1/4D
 14 = 1/4D
 15 = 1/4D
 16 = 1/2T
 17 = 1/2T

18 = 1/2T
19 = 1/2T
20 = 1/2T
21 = 1/2T
22 = 1/2T
23 = 1/4S
24 = 1/4S
25 = 1/4S
26 = 1/4S
27 = 1/4S
28 = 1/4S
29 = 1/4S
30 = 1/4S
31 = 1/4
32 = 1/4
33 = 1/4
34 = 1/4
35 = 1/4
36 = 1/4
37 = 1/4
38 = 1/8D
39 = 1/8D
40 = 1/8D
41 = 1/8D
42 = 1/8D
43 = 1/8D
44 = 1/8D
45 = 1/8D
46 = 1/4T
47 = 1/4T
48 = 1/4T
49 = 1/4T
50 = 1/4T
51 = 1/4T
52 = 1/4T
53 = 1/8S
54 = 1/8S
55 = 1/8S
56 = 1/8S
57 = 1/8S
58 = 1/8S
59 = 1/8S
60 = 1/8S
61 = 1/8
62 = 1/8
63 = 1/8
64 = 1/8
65 = 1/8
66 = 1/8
67 = 1/8
68 = 1/16D
69 = 1/16D
70 = 1/16D
71 = 1/16D
72 = 1/16D
73 = 1/16D
74 = 1/16D
75 = 1/16D
76 = 1/8T
77 = 1/8T
78 = 1/8T

79 = 1/8T
80 = 1/8T
81 = 1/8T
82 = 1/8T
83 = 1/16S
84 = 1/16S
85 = 1/16S
86 = 1/16S
87 = 1/16S
88 = 1/16S
89 = 1/16S
90 = 1/16S
91 = 1/16
92 = 1/16
93 = 1/16
94 = 1/16
95 = 1/16
96 = 1/16
97 = 1/16
98 = 1/16T
99 = 1/16T
100 = 1/16T
101 = 1/16T
102 = 1/16T
103 = 1/16T
104 = 1/16T
105 = 1/16T
106 = 1/32
107 = 1/32
108 = 1/32
109 = 1/32
110 = 1/32
111 = 1/32
112 = 1/32
113 = 1/32T
114 = 1/32T
115 = 1/32T
116 = 1/32T
117 = 1/32T
118 = 1/32T
119 = 1/32T
120 = 1/32T
121 = 1/64
122 = 1/64
123 = 1/64
124 = 1/64
125 = 1/64
126 = 1/64
127 = 1/64

Morph Wheel:

0x11B (b1-0), 0x11C (b7-0), and 0x11D (b7-3): 15-bit raw value

Morph After Touch:

0x11D (b2-0), 0x11E (b7-0), and 0x11F (b7-4): 15-bit raw value

Morph Control Pedal:

0x11F (b3-0), 0x120 (b7-0), and 0x121 (b7-5): 15-bit raw value

NS3 Delay Ping Pong

Offset in file: 0x125 (b5)

0 = off, 1 = on

NS3 Delay Filter

Offset in file: 0x125 (b4-3)

0 = Bypass
1 = LP
2 = HP
3 = BP

NS3 Delay Analog Mode

Offset in file: 0x129 (b3)

0 = off, 1 = on

NS3 Delay Feedback

Offset in file: 0x125 (b2-0) and 0x126 (b7-4)

See: [Organ Volume](#) for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:

0x126 (b3-b0) and 0x127 (b7-4): 8-bit raw value

Morph After Touch:

0x127 (b3-b0) and 0x128 (b7-4): 8-bit raw value

Morph Control Pedal:

0x128 (b3-b0) and 0x129 (b7-4): 8-bit raw value

NS3 Delay Mix

Offset in file: 0x121 (b4-0) and 0x122 (b7-6)

See: [Organ Volume](#) for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:

0x122 (b5-b0) and 0x123 (b7-6): 8-bit raw value

Morph After Touch:

0x123 (b5-b0) and 0x124 (b7-6): 8-bit raw value

Morph Control Pedal:

0x124 (b5-b0) and 0x125 (b7-6): 8-bit raw value

NS3 Effect 1 On

Offset in file: 0x10B (b4)

0 = off, 1 = on

NS3 Effect 1 Source

Offset in file: 0x10B (b3-2)

0 = Organ, 1, Piano, 2 = Synth

NS3 Effect 1 Type

Offset in file: 0x10B (b1-0) and 0x10C (b7)

0 = A-Pan

1 = Trem

2 = RM

3 = WA-WA

4 = A-WA1

5 = A-WA2

NS3 Effect 1 Amount

Offset in file: 0x110 (b6-0)

See: [Organ Volume](#) for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:

0x111 (b7-b0): 8-bit raw value

Morph After Touch:

0x112 (b7-b0): 8-bit raw value

Morph Control Pedal:

0x113 (b7-b0): 8-bit raw value

NS3 Effect 1 Rate

Offset in file: 0x10C (b5-0) and 0x10D (b7)

See: [Organ Volume](#) for detailed Morph explanation.

7-bit value 0/127 = 0/10

if 'Effect 1 Master Clock' is enabled 7-bit value 0/127 = 4/1 to 1/32

0 = 4/1

1 = 4/1

2 = 4/1

3 = 4/1

4 = 4/1

5 = 4/1

6 = 4/1

7 = 4/1

8 = 4/1

9 = 4/1T

10 = 4/1T

11 = 4/1T

12 = 4/1T

13 = 4/1T
14 = 4/1T
15 = 4/1T
16 = 4/1T
17 = 4/1T
18 = 2/1
19 = 2/1
20 = 2/1
21 = 2/1
22 = 2/1
23 = 2/1
24 = 2/1
25 = 2/1
26 = 2/1T
27 = 2/1T
28 = 2/1T
29 = 2/1T
30 = 2/1T
31 = 2/1T
32 = 2/1T
33 = 2/1T
34 = 2/1T
35 = 1/1
36 = 1/1
37 = 1/1
38 = 1/1
39 = 1/1
40 = 1/1
41 = 1/1
42 = 1/1
43 = 1/1T
44 = 1/1T
45 = 1/1T
46 = 1/1T
47 = 1/1T
48 = 1/1T
49 = 1/1T
50 = 1/1T
51 = 1/1T
52 = 1/2
53 = 1/2
54 = 1/2
55 = 1/2
56 = 1/2
57 = 1/2
58 = 1/2
59 = 1/2
60 = 1/2T
61 = 1/2T
62 = 1/2T
63 = 1/2T
64 = 1/2T
65 = 1/2T
66 = 1/2T
67 = 1/2T
68 = 1/2T
69 = 1/4
70 = 1/4
71 = 1/4
72 = 1/4
73 = 1/4

74 = 1/4
75 = 1/4
76 = 1/4
77 = 1/4T
78 = 1/4T
79 = 1/4T
80 = 1/4T
81 = 1/4T
82 = 1/4T
83 = 1/4T
84 = 1/4T
85 = 1/4T
86 = 1/8
87 = 1/8
88 = 1/8
89 = 1/8
90 = 1/8
91 = 1/8
92 = 1/8
93 = 1/8
94 = 1/8T
95 = 1/8T
96 = 1/8T
97 = 1/8T
98 = 1/8T
99 = 1/8T
100 = 1/8T
101 = 1/8T
102 = 1/8T
103 = 1/16
104 = 1/16
105 = 1/16
106 = 1/16
107 = 1/16
108 = 1/16
109 = 1/16
110 = 1/16
111 = 1/16T
112 = 1/16T
113 = 1/16T
114 = 1/16T
115 = 1/16T
116 = 1/16T
117 = 1/16T
118 = 1/16T
119 = 1/16T
120 = 1/32
121 = 1/32
122 = 1/32
123 = 1/32
124 = 1/32
125 = 1/32
126 = 1/32
127 = 1/32

Morph Wheel:

0x10D (b6-b0) and 0x10E (b7): 8-bit raw value

Morph After Touch:

0x10E (b6-b0) and 0x10F (b7): 8-bit raw value

Morph Control Pedal:

0x10F (b6-b0) and 0x110 (b7): 8-bit raw value

NS3 Effect 1 Master Clock

Offset in file: 0x10C (b6)

0 = off, 1 = on

NS3 Effect 2 On

Offset in file: 0x114 (b7)

0 = off, 1 = on

NS3 Effect 2 Source

Offset in file: 0x114 (b6-5)

0 = Organ, 1, Piano, 2 = Synth

NS3 Effect 2 Type

Offset in file: 0x114 (b4-2)

0 = PHAS1

1 = PHAS2

2 = FLANG

3 = VIBE

4 = CHOR1

5 = CHOR2

NS3 Effect 2 Amount

Offset in file: 0x115 (b2-0) and 0x116 (b7-4)

See: [Organ Volume](#) for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:

0x116 (b3-b0) and 0x117 (b7-4): 8-bit raw value

Morph After Touch:

0x117 (b3-b0) and 0x118 (b7-4): 8-bit raw value

Morph Control Pedal:

0x118 (b3-b0) and 0x119 (b7-4): 8-bit raw value

NS3 Effect 2 Rate

Offset in file: 0x114 (b1-0) &nd 0x115 (b7-3)

7-bit value 0/127 = 0/10

NS3 Reverb On

Offset in file: 0x114 (b7)

0 = off, 1 = on

NS3 Reverb Type

Offset in file: 0x134 (b0) and 0x135 (b7-6)

0 = Room 1

1 = Room 2

2 = Stage 1

3 = Stage 2

4 = Hall 1

5 = Hall 2

NS3 Reverb Amount

Offset in file: 0x135 (b4-0) and 0x136 (b7-6)

See: [Organ Volume](#) for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:

0x136 (b5-b0) and 0x137 (b7-6): 8-bit raw value

Morph After Touch:

0x137 (b5-b0) and 0x138 (b7-6): 8-bit raw value

Morph Control Pedal:

0x138 (b5-b0) and 0x139 (b7-6): 8-bit raw value

NS3 Reverb Bright

Offset in file: 0x135 (b5)

0 = off, 1 = on

NS3 Rotary Speaker On

Offset in file: 0x10b (bit7)

0 = off, 1 = on

NS3 Rotary Speaker Source

Offset in file: 0x10b (b6 and b5)

0 = Organ, 1, Piano, 2 = Synth

NS3 Rotary Speaker Drive

Offset in file: 0x39 (b2 to b0) and 0x3a (b7 to b4)

7-bit value 0/127 converted to 0/10

Note: Same value is used for both panel A & B

NS3 Rotary Speaker Stop Mode

Offset in file: 0x35 (bit7)

0 = enabled (Speed Stop), 1 = disabled (Speed Slow)

Note: Same value is used for both panel A & B

NS3 Rotary Speaker Speed

Offset in file: 0x34 (bit0)

0 = Slow/Stop, 1 = Fast

Morph Wheel: 0x35 (b6-4)

Morph After Touch: 0x35 (b3-1)

Morph Control Pedal: 0x35 (b0) and 0x36 (b7-6)

011 = 0x03 = morph off

100 = 0x04 = morph on

Note: Same value is used for both panel A & B

NS3 Organ On

Offset in file: 0xB6 (b7)

0 = off, 1 = on

NS3 Organ Kb Zone

Offset in file: 0xB6 (b6-3)

0 = "o---"

1 = "-o--"

2 = "--o-"

3 = "---o"

4 = "oo--"

5 = "-oo-"

6 = "--oo"

7 = "ooo-"

8 = "-ooo"

9 = "oooo"

NS3 Organ Volume

Offset in file:

Volume:

0xB6 (b2-b0), 0xB7 (b7-4): 7-bit = 0/127 range

0 = Off

1 = -84.2 dB

2 = -72.1 dB

3 = -65.1 dB

4 = -60.1 dB

5 = -56.2 dB

6 = -53.0 dB

7 = -50.3 dB

8 = -48.0 dB

9 = -46.0 dB

10 = -44.2 dB

11 = -42.5 dB

12 = -41.0 dB

13 = -39.6 dB

14 = -38.3 dB
15 = -37.1 dB
16 = -36.0 dB
17 = -34.9 dB
18 = -33.9 dB
19 = -33.0 dB
20 = -32.1 dB
21 = -31.1 dB
22 = -30.5 dB
23 = -29.7 dB
24 = -28.9 dB
25 = -28.2 dB
26 = -27.6 dB
27 = -26.9 dB
28 = -26.3 dB
29 = -25.7 dB
30 = -25.1 dB
31 = -24.5 dB
32 = -23.9 dB
33 = -23.4 dB
34 = -22.9 dB
35 = -22.4 dB
36 = -21.9 dB
37 = -21.4 dB
38 = -21.0 dB
39 = -20.5 dB
40 = -20.1 dB
41 = -19.6 dB
42 = -19.2 dB
43 = -18.8 dB
44 = -18.4 dB
45 = -18.0 dB
46 = -17.6 dB
47 = -17.3 dB
48 = -16.9 dB
49 = -16.5 dB
50 = -16.2 dB
51 = -15.8 dB
52 = -15.5 dB
53 = -15.2 dB
54 = -14.9 dB
55 = -14.5 dB
56 = -14.2 dB
57 = -13.9 dB
58 = -13.6 dB
59 = -13.3 dB
60 = -13.0 dB
61 = -12.7 dB
62 = -12.5 dB
63 = -12.2 dB
64 = -11.9 dB
65 = -11.6 dB
66 = -11.4 dB
67 = -11.1 dB
68 = -10.9 dB
69 = -10.6 dB
70 = -10.3 dB
71 = -10.1 dB
72 = -9.9 dB
73 = -9.6 dB
74 = -9.4 dB

75 = -9.1 dB
76 = -8.9 dB
77 = -8.7 dB
78 = -8.5 dB
79 = -8.2 dB
80 = -8.0 dB
81 = -7.8 dB
82 = -7.6 dB
83 = -7.4 dB
84 = -7.2 dB
85 = -7.0 dB
86 = -6.8 dB
87 = -6.6 dB
88 = -6.4 dB
89 = -6.2 dB
90 = -6.0 dB
91 = -5.8 dB
92 = -5.6 dB
93 = -5.4 dB
94 = -5.2 dB
95 = -5.0 dB
96 = -4.9 dB
97 = -4.7 dB
98 = -4.5 dB
99 = -4.3 dB
100 = -4.2 dB
101 = -4.0 dB
102 = -3.8 dB
103 = -3.6 dB
104 = -3.5 dB
105 = -3.3 dB
106 = -3.1 dB
107 = -3.0 dB
108 = -2.8 dB
109 = -2.7 dB
110 = -2.5 dB
111 = -2.3 dB
112 = -2.2 dB
113 = -2.0 dB
114 = -1.9 dB
115 = -1.7 dB
116 = -1.6 dB
117 = -1.4 dB
118 = -1.3 dB
119 = -1.1 dB
120 = -1.0 dB
121 = -0.8 dB
122 = -0.7 dB
123 = -0.6 dB
124 = -0.4 dB
125 = -0.3 dB
126 = -0.1 dB
127 = 0.0 dB

Morph Wheel:

0xB7 (b3-b0), 0xB8 (b7-b4): 8-bit raw value

Morph After Touch:

0xB8 (b3-b0), 0xB9 (b7-b4): 8-bit raw value

Morph Control Pedal:

0xB9 (b3-b0), 0xBA (b7-b4): 8-bit raw value

Morph Algorithm:

```
$d = $v == 127 ? 'none' : ($v + $o - 127) & 127;
```

where

\$v is the 8-bit morph value

\$o is the original 'From' value

\$d is the final 'To' Morph value

NS3 Organ Octave Shift

Offset in file: 0xBA (b3-0)

Octave Shift = value - 6

NS3 Organ Pitch Stick

Offset in file: 0x34 (b4)

0 = off, 1 = on

Note: Same value is used for both panel A & B

NS3 Organ Sustain Pedal

Offset in file: 0xBB (b7)

0 = off, 1 = on

NS3 Organ Type

Offset in file: 0xBB (b6-4)

0 = B3

1 = Vox

2 = Farfisa

3 = Pipe1

4 = Pipe2

NS3 Organ Drawbars Preset 1

Offset in file: 0xBE

Drawbar value range is 0/8.

For Vox Organ each value is converted to 0/1: 0 (if value < 4) else 1

For Farfisa Organ drawbar 8 is not used and forced to 0

Drawbar 1: 0xBE (b7-4)

Morph Wheel: 0xBE (b3-0) and 0xBF (b7)

Morph After Touch: 0xBF (b6-2)

Morph Control Pedal: 0xBF (b1-0) and 0xC0 (b7-5)

Drawbar 2: 0xC0 (b4-1)

Morph Wheel: 0xC0 (b0) and 0xC1 (b7-4)

Morph After Touch: 0xC1 (b3-0) and 0xC2 (b7)

Morph Control Pedal: 0xC2 (b6-2)

Drawbar 3: 0xC2 (b1-0) and 0xC3 (b7-6)

Morph Wheel: 0xC3 (b5-1)

Morph After Touch: 0xC3 (b0) and 0xC4 (b7-4)

Morph Control Pedal: 0xC4 (b3-0) and 0xC5 (b7)

Drawbar 4: 0xC5 (b6-3)

Morph Wheel: 0xC5 (b2-0) and 0xC6 (b7-6)
 Morph After Touch: 0xC6 (b5-b1)
 Morph Control Pedal: 0xC6 (b0) and 0xC7 (b7-4)

Drawbar 5: 0xC7 (b3-0)

Morph Wheel: 0xC8 (b7-3)
 Morph After Touch: 0xC8 (b2-0) and 0xC9 (b7-6)
 Morph Control Pedal: 0xC9 (b5-1)

Drawbar 6: 0xC9 (b0) and 0xCA (b7-5)

Morph Wheel: 0xCA (b4-0)
 Morph After Touch: 0xCB (b7-3)
 Morph Control Pedal: 0xCB (b2-0) and 0xCC (b7-6)

Drawbar 7: 0xCC (b5-2)

Morph Wheel: 0xCC (b1-0) and 0xCD (b7-5)
 Morph After Touch: 0xCD (b4-0)
 Morph Control Pedal: 0xCE (b7-3)

Drawbar 8: 0xCE (b2-0) and 0xCF (b7)

Morph Wheel: 0xCF (b6-2)
 Morph After Touch: 0xCF (b1-0) and 0xD0 (b7-5)
 Morph Control Pedal: 0xD0 (b4-0)

Drawbar 9: 0xD1 (b7-4)

Morph Wheel: 0xD1 (b3-0) and 0xBF (b7)
 Morph After Touch: 0xD2 (b6-2)
 Morph Control Pedal: 0xD2 (b1-0) and 0xD3 (b7-5)

Morph Algorithm:

```
$d = $v == 8 ? '-' : $v == 16 ? 8 : abs($v + $o - 8);
```

where

\$v is the 5-bit morph value

\$o is the original 'From' value

\$d is the final 'To' Morph value

NS3 Organ Vibrato On

Offset in file: 0xD3 (b4)

0 = off, 1 = on

NS3 Organ Vibrato Mode

Offset in file: 0x34 (b3-1)

0 = V1

1 = C1

2 = V2

3 = C2

4 = V3

5 = C3

if Organ type is Pipe1 or Pipe2, only C1 is allowed

if Organ type is Farfisa, mode C1/V3 are not available

if Organ type is Vox, mode C1/C2/C3 are not available

if Organ type is B3, all mode are available

NS3 Organ Percussion On

Offset in file: 0xD3 (b3)

0 = off, 1 = on

only if Organ type is B3

NS3 Organ Percussion Volume Soft

Offset in file: 0xD3 (b0)

0 = off, 1 = on

only if Organ type is B3

NS3 Organ Percussion Decay Fast

Offset in file: 0xD3 (b1)

0 = off, 1 = on

only if Organ type is B3

NS3 Organ Percussion Harmonic Third

Offset in file: 0xD3 (b2)

0 = off, 1 = on

only if Organ type is B3

NS3 Organ Preset 2 On

Offset in file: 0xBB (b2)

0 = off, 1 = on

NS3 Organ Preset 2 Drawbars

Offset in file: 0xD9

See: [Organ Preset 1 Drawbars](#) for detailed explanation.

Drawbar value range is 0/8.

For Vox Organ each value is converted to 0/1: 0 (if value < 4) else 1

For Farfisa Organ drawbar 8 is not used and forced to 0

Drawbar 1: 0xD9 (b7-4)

Morph Wheel: 0xD9 (b3-0) and 0xDA (b7)

Morph After Touch: 0xDA (b6-2)

Morph Control Pedal: 0xDA (b1-0) and 0xDB (b7-5)

Drawbar 2: 0xDB (b4-1)

Morph Wheel: 0xDB (b0) and 0xDC (b7-4)

Morph After Touch: 0xDC (b3-0) and 0xDD (b7)

Morph Control Pedal: 0xDD (b6-2)

Drawbar 3: 0xDD (b1-0) and 0xDE (b7-6)

Morph Wheel: 0xDE (b5-1)

Morph After Touch: 0xDE (b0) and 0xDF (b7-4)

Morph Control Pedal: 0xDF (b3-0) and 0xE0 (b7)

Drawbar 4: 0xE0 (b6-3)

Morph Wheel: 0xE0 (b2-0) and 0xE1 (b7-6)

Morph After Touch: 0xE1 (b5-b1)

Morph Control Pedal: 0xE1 (b0) and 0xE2 (b7-4)

Drawbar 5: 0xE2 (b3-0)

Morph Wheel: 0xE3 (b7-3)
Morph After Touch: 0xE3 (b2-0) and 0xE4 (b7-6)
Morph Control Pedal: 0xE4 (b5-1)

Drawbar 6: 0xE4 (b0) and 0xE5 (b7-5)
Morph Wheel: 0xE5 (b4-0)
Morph After Touch: 0xE6 (b7-3)
Morph Control Pedal: 0xE6 (b2-0) and 0xE7 (b7-6)

Drawbar 7: 0xE7 (b5-2)
Morph Wheel: 0xE7 (b1-0) and 0xE8 (b7-5)
Morph After Touch: 0xE8 (b4-0)
Morph Control Pedal: 0xE9 (b7-3)

Drawbar 8: 0xE9 (b2-0) and 0xEA (b7)
Morph Wheel: 0xEA (b6-2)
Morph After Touch: 0xEA (b1-0) and 0xEB (b7-5)
Morph Control Pedal: 0xEB (b4-0)

Drawbar 9: 0xEC (b7-4)
Morph Wheel: 0xEC (b3-0) and 0xED (b7)
Morph After Touch: 0xED (b6-2)
Morph Control Pedal: 0xED (b1-0) and 0xEE (b7-5)

NS3 Organ Preset 2 Vibrato On

Offset in file: 0xEE (b4)

0 = off, 1 = on

NS3 Organ Preset 2 Percussion On

Offset in file: 0xEE (b3)

0 = off, 1 = on

only if Organ type is B3

NS3 Organ Preset 2 Percussion Volume Soft

Offset in file: 0xEE (b0)

0 = off, 1 = on

only if Organ type is B3

NS3 Organ Preset 2 Percussion Decay Fast

Offset in file: 0xEE (b1)

0 = off, 1 = on

only if Organ type is B3

NS3 Organ Preset 2 Percussion Harmonic Third

Offset in file: 0xEE (b2)

0 = off, 1 = on

only if Organ type is B3

NS3 Organ Live Mode

Offset in file: 0xBB (b3) (NS3 Compact model only)

0 = off, 1 = on

NS3 Panel Enabled And Selection

Offset in file 0x31

Enabled (b6-5):

0 = A only

1 = B only

2 = A & B

Selected Panel (b7):

A = 0, B = 1 (not used here)

Note: if Dual Keyboard is On, both panel are enabled.

NS3 Clavinet Model

Offset in file: 0x49 (b5-4)

Clavinet D6 5.0.npno is a multi-file with all 4 pick-up variations.
This setting defines the pick-up variation.

0 = CA

1 = CB

2 = DA

3 = DB

NS3 Piano On

Offset in file: 0x43 (b7)

0 = off, 1 = on

NS3 Piano Kb Zone

Offset in file: 0x43 (b6-3)

See: [Organ Kb Zone](#) for detailed explanation.

NS3 Piano Volume

Offset in file: 0x43 (b2-0), 0x44 (b7-4)

See: [Organ Volume](#) for detailed explanation.

Morph Wheel:

0x44 (b3-b0), 0x45 (b7-b4): 8-bit raw value

Morph After Touch:

0x45 (b3-b0), 0x46 (b7-b4): 8-bit raw value

Morph Control Pedal:

0x46 (b3-b0), 0x47 (b7-b4): 8-bit raw value

NS3 Piano Octave Shift

Offset in file: 0x47 (b3-0)

Octave Shift = value - 6

NS3 Piano Pitch Stick

Offset in file: 0x48 (b7)

0 = off, 1 = on

NS3 Piano Sustain Pedal

Offset in file: 0x48 (b6)

0 = off, 1 = on

NS3 Piano Type

Offset in file: 0x48 (b5-3)

0 = Grand
1 = Upright
2 = Electric
3 = Clav
4 = Digital
5 = Misc

NS3 Piano Model

Offset in file: 0x48 (b2-0) and 0x49 (b7-6)

0x00 0x00: model 1
0x00 0x01: model 2
.. and so on
0x02 0x01: model 10

NS3 Piano Name

Offset in file: 0x49 (b3-0) to 0x4D (b7-3)

32-bit piano sample hash code

NS3 Piano Timbre

Offset in file: 0x4E (b5-3)

Grand, Upright, Digital, Misc Piano, and Harpsichord:

0 = None
1 = Soft
2 = Mid
3 = Bright

Electric Piano

0 = None
1 = Soft
2 = Mid
3 = Bright
4 = Dyno1
5 = Dyno2

Clavinet

0 = None
1 = Soft
2 = Treble
3 = Soft+Treble
4 = Brilliant
5 = Soft+Brill
6 = Treble+Brill
7 = Soft+Trb+Brill

NS3 Piano KB Touch

Offset in file: 0x4D (b0) and 0x4E (b7)

0 = Normal
 1 = KB Touch 1
 2 = Touch 2
 3 = Touch 3

NS3 Piano Layer Detune

Offset in file: 0x34 (b6-5)

0 = Off
 1 = 1
 2 = 2
 3 = 3

Note: Same value is used for both panel A & B

NS3 Piano Soft Release

Offset in file: 0x4D (b4)

0 = off, 1 = on

Not available on Clavinet and Digital Piano

NS3 Piano Pedal Noise

Offset in file: 0x4D (b2)

0 = off, 1 = on

Only on Grand, Upright, and Electric piano.

NS3 Piano String Resonance

Offset in file: 0x4D (b3)

0 = off, 1 = on

Only on Grand and Upright piano.

NS3 File Version

Offset in file: 0x14 and 0x15

16-bit integer value in Little Endian format, ex 304 = v3.04

Notes:

From [<https://www.nordkeyboards.com/products/nord-stage-3/nord-stage-3-update-history>] (<https://www.nordkeyboards.com/products/nord-stage-3/nord-stage-3-update-history>)

Programs stored with OS version

OS version	Program version
v0.92 (2017-06-15)	v3.00
v1.36 (2018-02-07)	v3.01
v1.50 (2018-10-22)	v3.02
vx.xx	v3.03
vx.xx	v3.04

NS3 File Format

Offset in file: 0x04

0 = header type 0 - legacy mode no CRC (Byte 0x18 to 0x2B are missing)
 1 = header type 1 - default mode with additional bytes 0x18 to 0x2B (20 bytes).

NS3 Transpose

Offset in file: 0x38 (b7-3)

Enabled: 0x38 (b7)

Value: 0x38 (b6-3)

0 = -6 semi
 1 = -5 semi
 2 = -4 semi
 3 = -3 semi
 4 = -2 semi
 5 = -1 semi
 6 = 0 semi
 7 = +1 semi
 8 = +2 semi
 9 = +3 semi
 10 = +4 semi
 11 = +5 semi
 12 = +6 semi

NS3 Split

Offset in file: 0x31 (b4 to b0) to 0x34 (b7 only)

0x31	0x32	0x33	0x34	description
xxx4 3210	7654 3210	7654 3210	7xxx xxxx	
xxx4 xxxx	xxxx xxxx	xxxx xxxx	xxxx xxxx	split off/on
xxxx 321x	xxxx xxxx	xxxx xxxx	xxxx xxxx	low off/on, mid off/on, high off/on
xxxx xxx0	765x xxxx	xxxx xxxx	xxxx xxxx	low note (0 = F2, 1 = C3, 9 = C7)
xxxx xxxx	xxx4 321x	xxxx xxxx	xxxx xxxx	mid note
xxxx xxxx	xxxx xxx0	765x xxxx	xxxx xxxx	high note
xxxx xxxx	xxxx xxxx	xxx5 4xxx	xxxx xxxx	low width (0 = 1, 1 = 6, 2 = 12)
xxxx xxxx	xxxx xxxx	xxxx x32x	xxxx xxxx	mid width
xxxx xxxx	xxxx xxxx	xxxx xxx0	7xxx xxxx	high width

Test1: 06 07 20 01 : Split Off

Test2: 16 07 20 01 : Width Off 1 1
 Note -- C4 C7

Test3: 1E 07 20 01 : Width 1 1 1
 Note F2 C4 C7

Test4: 1E 07 28 01 : Width 6 1 1
 Note F2 C4 C7

Test5: 1E 07 30 01 : Width 12 1 1
 Note F2 C4 C7

Test6: 18 07 30 01 : Width 12 Off Off
 Note F2 -- --

Test7: 18 27 30 01 : Width 12 Off Off
 Note C3 -- --

Test8: 18 47 30 01 : Width 12 Off Off
 Note F3 -- --

```

Test9:  18 67 30 01 : Width 12  Off Off
                   Note  C4  --  --

Test10: 18 87 30 01 : Width 12  Off Off
                   Note  F4  --  --

Test11: 18 A7 30 01 : Width 12  Off Off
                   Note  C5  --  --

Test12: 18 C7 30 01 : Width 12  Off Off
                   Note  F5  --  --

Test13: 18 E7 30 01 : Width 12  Off Off
                   Note  C6  --  --

Test14: 19 07 30 01 : Width 12  Off Off
                   Note  F6  --  --

Test15: 19 27 30 01 : Width 12  Off Off
                   Note  C7  --  --

Test16: 1B 27 30 01 : Width 12  Off 1      ! From test 15 to 16 only High Width was changed manually !
                   Note  F6  --  C7      ! Note Low in file is C7 but fixed on display to F6...

Test17: 1B 27 30 81 : Width 12  Off 6
                   Note  F6  --  C7

Test18: 1B 27 31 01 : Width 12  Off 12
                   Note  F6  --  C7

Test19: 1C 23 30 01 : Width 12  1  Off
                   Note  C3  F3  --      ! Note Mid in file is C3 but fixed on display to F3 !

```

NS3 Master Clock Rate

Offset in file: 0x38 (b2-0) 0x39 (b7-3)

bpm = value + 30

NS3 Dual Keyboard

Offset in file 0x3A (b3)

0 = Off

1 = On

Note: if Dual Keyboard is On, both panel are enabled.

NS3 Dual Keyboard Style

Offset in file 0x3A (b1-0)

0 = Panel

1 = Organ

2 = Piano

3 = Synth

NS3 Program Category

Offset in file: 0x10

0 = Acoustic

1 = Bass

2 = Wind
4 = Fantasy
5 = FX
6 = Lead
7 = Organ
8 = Pad
10 = Pluck
11 = String
12 = Synth
13 = Vocal
14 = User
17 = None
21 = Grand
22 = Upright
23 = EPiano1
24 = EPiano2
27 = Clavinet
28 = Harpsi
30 = Arpeggio
255 = Undefined

NS3 Synth Filter Type

Offset in file: 0x98 (b4-2)

0 = LP12
1 = LP24
2 = Mini Moog
3 = LP+HP
4 = BP24
5 = HP24

NS3 Synth Filter Kb Track

Offset in file: 0xA5 (b5-4)

0 = Off
1 = 1/3
2 = 2/3
3 = 1

NS3 Synth Filter Drive

Offset in file: 0xA5 (b3-2)

0 = Off
1 = 1
2 = 2
3 = 3

NS3 Synth Filter LFO Amount

Offset in file: 0xA0 (b3-0) and 0xA1 (b7-5)

See: [Organ Volume](#) for detailed Morph explanation.

0/127 value = 0 / 10

Morph Wheel:

0xA1 (b4-b0), 0xA2 (b7-b5): 8-bit raw value

Morph After Touch:

0xA2 (b4-b0), 0xA3 (b7-b5): 8-bit raw value

Morph Control Pedal:

0xA3 (b4-b0), 0xA4 (b7-b5): 8-bit raw value

NS3 Synth Filter Vel Mod Env Amount

Offset in file: 0xA4 (b4-0) and 0xA5 (b7-6)

Filter modulation (vel/env mod) is using this single 7-bit value to define two settings with a single k

Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range:

0 = 10.0 (100% left value) 'Vel Amount'

60 = 0.0 for both values

120 = 10.0 (100% right value) 'Mod Env Amount'

NS3 Synth Filter Freq

Offset in file: 0x98 (b1-0) and 0x99 (b7-3)

See: [Organ Volume](#) for detailed Morph explanation.

0/127 value = 14 Hz / 21 kHz

0 = 14 Hz

1 = 15 Hz

2 = 15 Hz

3 = 16 Hz

4 = 17 Hz

5 = 18 Hz

6 = 19 Hz

7 = 21 Hz

8 = 22 Hz

9 = 23 Hz

10 = 24 Hz

11 = 26 Hz

12 = 28 Hz

13 = 29 Hz

14 = 31 Hz

15 = 33 Hz

16 = 35 Hz

17 = 37 Hz

18 = 39 Hz

19 = 41 Hz

20 = 44 Hz

21 = 46 Hz

22 = 49 Hz

23 = 52 Hz

24 = 55 Hz

25 = 58 Hz

26 = 62 Hz

27 = 65 Hz

28 = 69 Hz

29 = 73 Hz

30 = 78 Hz

31 = 82 Hz

32 = 87 Hz

33 = 92 Hz

34 = 98 Hz

35 = 104 Hz

36 = 110 Hz

37 = 117 Hz

38 = 123 Hz

39 = 131 Hz

40 = 139 Hz

41 = 147 Hz

42 = 156 Hz
43 = 165 Hz
44 = 175 Hz
45 = 185 Hz
46 = 196 Hz
47 = 208 Hz
48 = 220 Hz
49 = 233 Hz
50 = 247 Hz
51 = 262 Hz
52 = 277 Hz
53 = 294 Hz
54 = 311 Hz
55 = 330 Hz
56 = 349 Hz
57 = 370 Hz
58 = 392 Hz
59 = 415 Hz
60 = 440 Hz
61 = 466 Hz
62 = 494 Hz
63 = 523 Hz
64 = 554 Hz
65 = 587 Hz
66 = 622 Hz
67 = 659 Hz
68 = 698 Hz
69 = 740 Hz
70 = 784 Hz
71 = 831 Hz
72 = 880 Hz
73 = 932 Hz
74 = 988 Hz
75 = 1.0 kHz
76 = 1.1 kHz
77 = 1.2 kHz
78 = 1.2 kHz
79 = 1.3 kHz
80 = 1.4 kHz
81 = 1.5 kHz
82 = 1.6 kHz
83 = 1.7 kHz
84 = 1.8 kHz
85 = 1.9 kHz
86 = 2.0 kHz
87 = 2.1 kHz
88 = 2.2 kHz
89 = 2.3 kHz
90 = 2.5 kHz
91 = 2.6 kHz
92 = 2.8 kHz
93 = 3.0 kHz
94 = 3.1 kHz
95 = 3.3 kHz
96 = 3.5 kHz
97 = 3.7 kHz
98 = 4.0 kHz
99 = 4.2 kHz
100 = 4.4 kHz
101 = 4.7 kHz
102 = 5.0 kHz

103 = 5.3 kHz
104 = 5.6 kHz
105 = 5.9 kHz
106 = 6.3 kHz
107 = 6.6 kHz
108 = 7.0 kHz
109 = 7.5 kHz
110 = 7.9 kHz
111 = 8.4 kHz
112 = 8.9 kHz
113 = 9.4 kHz
114 = 10 kHz
115 = 11 kHz
116 = 11 kHz
117 = 12 kHz
118 = 13 kHz
119 = 13 kHz
120 = 14 kHz
121 = 15 kHz
122 = 16 kHz
123 = 17 kHz
124 = 18 kHz
125 = 19 kHz
126 = 20 kHz
127 = 21 kHz

Morph Wheel:

0x99 (b2-b0), 0x9A (b7-b3): 8-bit raw value

Morph After Touch:

0x9A (b2-b0), 0x9B (b7-b3): 8-bit raw value

Morph Control Pedal:

0x9B (b2-b0), 0x9C (b7-b3): 8-bit raw value

NS3 Synth Filter HP Freq Res

Offset in file: 0x9C (b2-0) and 0x9D (b7-4)

for 'LP+HP' filter

=> Frequency High Pass value: 0/127 value = 14 Hz / 21 kHz

0 = 14 Hz
1 = 15 Hz
2 = 15 Hz
3 = 16 Hz
4 = 17 Hz
5 = 18 Hz
6 = 19 Hz
7 = 21 Hz
8 = 22 Hz
9 = 23 Hz
10 = 24 Hz
11 = 26 Hz
12 = 28 Hz
13 = 29 Hz
14 = 31 Hz
15 = 33 Hz
16 = 35 Hz
17 = 37 Hz
18 = 39 Hz

19 = 41 Hz
20 = 44 Hz
21 = 46 Hz
22 = 49 Hz
23 = 52 Hz
24 = 55 Hz
25 = 58 Hz
26 = 62 Hz
27 = 65 Hz
28 = 69 Hz
29 = 73 Hz
30 = 78 Hz
31 = 82 Hz
32 = 87 Hz
33 = 92 Hz
34 = 98 Hz
35 = 104 Hz
36 = 110 Hz
37 = 117 Hz
38 = 123 Hz
39 = 131 Hz
40 = 139 Hz
41 = 147 Hz
42 = 156 Hz
43 = 165 Hz
44 = 175 Hz
45 = 185 Hz
46 = 196 Hz
47 = 208 Hz
48 = 220 Hz
49 = 233 Hz
50 = 247 Hz
51 = 262 Hz
52 = 277 Hz
53 = 294 Hz
54 = 311 Hz
55 = 330 Hz
56 = 349 Hz
57 = 370 Hz
58 = 392 Hz
59 = 415 Hz
60 = 440 Hz
61 = 466 Hz
62 = 494 Hz
63 = 523 Hz
64 = 554 Hz
65 = 587 Hz
66 = 622 Hz
67 = 659 Hz
68 = 698 Hz
69 = 740 Hz
70 = 784 Hz
71 = 831 Hz
72 = 880 Hz
73 = 932 Hz
74 = 988 Hz
75 = 1.0 kHz
76 = 1.1 kHz
77 = 1.2 kHz
78 = 1.2 kHz
79 = 1.3 kHz

80 = 1.4 kHz
81 = 1.5 kHz
82 = 1.6 kHz
83 = 1.7 kHz
84 = 1.8 kHz
85 = 1.9 kHz
86 = 2.0 kHz
87 = 2.1 kHz
88 = 2.2 kHz
89 = 2.3 kHz
90 = 2.5 kHz
91 = 2.6 kHz
92 = 2.8 kHz
93 = 3.0 kHz
94 = 3.1 kHz
95 = 3.3 kHz
96 = 3.5 kHz
97 = 3.7 kHz
98 = 4.0 kHz
99 = 4.2 kHz
100 = 4.4 kHz
101 = 4.7 kHz
102 = 5.0 kHz
103 = 5.3 kHz
104 = 5.6 kHz
105 = 5.9 kHz
106 = 6.3 kHz
107 = 6.6 kHz
108 = 7.0 kHz
109 = 7.5 kHz
110 = 7.9 kHz
111 = 8.4 kHz
112 = 8.9 kHz
113 = 9.4 kHz
114 = 10 kHz
115 = 11 kHz
116 = 11 kHz
117 = 12 kHz
118 = 13 kHz
119 = 13 kHz
120 = 14 kHz
121 = 15 kHz
122 = 16 kHz
123 = 17 kHz
124 = 18 kHz
125 = 19 kHz
126 = 20 kHz
127 = 21 kHz

for all other filters

=> Resonance: 0/127 value = 0 / 10

NS3 Synth Sample ID

Offset in file: 0xA8 (b2-0) to 0xAC (b7-b3)

32-bit synth sample hash code.

NS3 Synth On

Offset in file: 0x52 (b7)

0 = off, 1 = on

NS3 Synth Kb Zone

Offset in file: 0x52 (b6-3)

See: [Organ Kb Zone](#) for detailed explanation.

NS3 Synth Volume

Offset in file: 0x52 (b2-0) and 0x53 (b7-4)

See: [Organ Volume](#) for detailed explanation.

Morph Wheel:

0x53 (b3-b0), 0x54 (b7-b4): 8-bit raw value

Morph After Touch:

0x54 (b3-b0), 0x55 (b7-b4): 8-bit raw value

Morph Control Pedal:

0x55 (b3-b0), 0x56 (b7-b4): 8-bit raw value

NS3 Synth Octave Shift

Offset in file: 0x56 (b3-0)

Octave Shift = value - 6

NS3 Synth Pitch Stick

Offset in file: 0x57 (b7)

0 = off, 1 = on

NS3 Synth Pitch Stick Range

Offset in file: 0x3b (b7-4)

0 = ± 1 semi
1 = ± 2 semi
2 = ± 3 semi
3 = ± 4 semi
4 = ± 5 semi
5 = ± 7 semi
6 = ± 10 semi
7 = ± 12 semi
8 = $+2/-12$ semi
9 = $+2/-24$ semi

NS3 Synth Sustain Pedal

Offset in file: 0x57 (b6)

0 = off, 1 = on

NS3 Synth Kb Hold

Offset in file: 0x80 (b7)

0 = off, 1 = on

NS3 Synth Voice

Offset in file: 0x84 (b0) and 0x85 (b7)

0 = Poly
 1 = Legato
 2 = Mono

NS3 Synth Glide

Offset in file: 0x85 (b6-0) 7 bits, range 0/10

0/127 value = 0 / 10

NS3 Synth Unison

Offset in file: 0x86 (b7-6)

0 = Off
 1 = 1
 2 = 2
 3 = 3

NS3 Synth Vibrato

Offset in file: 0x86 (b5-3)

0 = Off
 1 = Delay 1
 2 = Delay 2
 3 = Delay 3
 4 = Wheel
 5 = After Touch

NS3 Synth Oscillator Type

Offset in file: 0x8D (b1-0) and 0x8E (b7)

0 = Classic
 1 = Wave
 2 = Formant
 3 = Super
 4 = Sample

NS3 Synth Oscillator 1 Wave Form

Offset in file: 0x8E (b3-0) and 0x8F (b7/6)

ID	Classic	Wave	Formant	Super
--	-----	-----	-----	-----
0	Sine	Wave 2nd Harm	Format Wave Aaa	Super Wave Saw
1	Triangle	Wave 3rd Harm	Format Wave Eee	Super Wave Saw 2
2	Saw	Wave 4th Harm	Format Wave Iii	Super Wave Square
3	Square	Wave 5th Harm	Format Wave Ooo	Super Wave Square 2
4	Pulse 33	Wave 6th Harm	Format Wave Uuu	Super Wave Bright
5	Pulse 10	Wave 7th Harm	Format Wave Yyy	Super Wave Bright 2
6	ESaw	Wave 8th Harm	Format Wave A0	Super Wave Strings
7	ESquare	Wave Organ 1	Format Wave AE	Super Wave Organ
8		Wave Organ 2	Format Wave OE	
9		Wave Principal		
10		Wave Flute 1		
11		Wave Flute 2		
12		Wave Clarinet 1		
13		Wave Clarinet 2		
14		Wave Alto Sax		

15			Wave Tenor Sax	
16			Wave 2nd Spectra	
17			Wave 3rd Spectra	
18			Wave 4th Spectra	
19			Wave 5th Spectra	
20			Wave 6th Spectra	
21			Wave 7th Spectra	
22			Wave 8th Spectra	
23			Wave Saw Random	
24			Wave Saw Bright	
25			Wave Sqr Bright	
26			Wave Saw NoFund	
27			Wave EPiano 1	
28			Wave EPiano 2	
29			Wave EPiano 3	
30			Wave DX 1	
31			Wave DX 2	
32			Wave Full Tines	
33			Wave Ac Piano	
34			Wave Ice 1	
35			Wave Ice 2	
36			Wave Clavinet 1	
37			Wave Clavinet 2	
38			Wave Clavinet 3	
39			Wave Triplets	
40			Wave Bell	
41			Wave Bar 1	
42			Wave Bar 2	
43			Wave Tines	
44			Wave Marimba	
45			Wave Tubular Bells	

NS3 Synth Oscillator Config

Offset in file: 0x8F (b4-1)

0 = None
 1 = Pitch
 2 = Shape
 3 = Sync
 4 = Detune
 5 = MixSin
 6 = MixTri
 7 = MixSaw
 8 = MixSqr
 9 = MixBell
 10 = MixNs1
 11 = MixNs2
 12 = FM1
 13 = FM2
 14 = RM

NS3 Synth Oscillator Control

Offset in file: 0x90 (b2-0) and 0x91 (b7-4)

See: [Organ Volume](#) for detailed Morph explanation.

Type	Midi value conversion
Pitch (1)	0/127 => 0/24
Shape (2)	0/127 => 0/100 %
Sync (3)	0/127 => 0/10

Detune (4) 0/127 => 0/4
 Mix* (5 to 11) 0/127 => 100/0 to 0/100
 FM & RM (12 to 14) 0/127 => 0/100 %

Morph Wheel:
 0x91 (b3-b0), 0x92 (b7-b4): 8-bit raw value

Morph After Touch:
 0x92 (b3-b0), 0x93 (b7-b4): 8-bit raw value

Morph Control Pedal:
 0x93 (b3-b0), 0x94 (b7-b4): 8-bit raw value

NS3 Synth Pitch

Offset in file: 0x8f (b0) and 0x90 (b7-3)

Midi value = 6-bit value + b0 forced to zero to have a standard Midi 7-bit value
 value conversion: -12 (Sub) to +48

NS3 Synth Oscillator Mod

Offset in file: 0x94 (b3-0) and 0x95 (b7-5)

Osc modulation (lfo/env mod) is using this single 7-bit value to define two settings with a single knob

Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range:

0 = 10.0 (100% left value) 'LFO Amount'

60 = 0.0 for both values

120 = 10.0 (100% right value) 'Mod Env Amount'

NS3 Synth Fast Attack

Offset in file: 0xAC (b2)

0 = off, 1 = on

NS3 Synth Mod Env Attack

Offset in file: 0x8B (b7-1)

0/127 value = 0.5 ms / 45 s

0 = 0.5 ms

1 = 0.6 ms

2 = 0.7 ms

3 = 0.9 ms

4 = 1.1 ms

5 = 1.3 ms

6 = 1.5 ms

7 = 1.8 ms

8 = 2.1 ms

9 = 2.5 ms

10 = 3.0 ms

11 = 3.5 ms

12 = 4.0 ms

13 = 4.7 ms

14 = 5.5 ms

15 = 6.3 ms

16 = 7.3 ms

17 = 8.4 ms

18 = 9.7 ms

19 = 11 ms

20 = 13 ms

21 = 14 ms

22 = 16 ms
23 = 19 ms
24 = 21 ms
25 = 24 ms
26 = 27 ms
27 = 31 ms
28 = 34 ms
29 = 39 ms
30 = 43 ms
31 = 49 ms
32 = 54 ms
33 = 61 ms
34 = 68 ms
35 = 75 ms
36 = 84 ms
37 = 93 ms
38 = 103 ms
39 = 114 ms
40 = 126 ms
41 = 139 ms
42 = 153 ms
43 = 169 ms
44 = 186 ms
45 = 204 ms
46 = 224 ms
47 = 246 ms
48 = 269 ms
49 = 295 ms
50 = 322 ms
51 = 352 ms
52 = 384 ms
53 = 419 ms
54 = 456 ms
55 = 496 ms
56 = 540 ms
57 = 586 ms
58 = 636 ms
59 = 690 ms
60 = 748 ms
61 = 810 ms
62 = 876 ms
63 = 947 ms
64 = 1.02 s
65 = 1.10 s
66 = 1.19 s
67 = 1.28 s
68 = 1.38 s
69 = 1.49 s
70 = 1.60 s
71 = 1.72 s
72 = 1.85 s
73 = 1.99 s
74 = 2.13 s
75 = 2.28 s
76 = 2.45 s
77 = 2.62 s
78 = 2.81 s
79 = 3.00 s
80 = 3.21 s
81 = 3.43 s
82 = 3.66 s

83 = 3.91 s
84 = 4.17 s
85 = 4.45 s
86 = 4.74 s
87 = 5.05 s
88 = 5.37 s
89 = 5.72 s
90 = 6.08 s
91 = 6.47 s
92 = 6.87 s
93 = 7.30 s
94 = 7.75 s
95 = 8.22 s
96 = 8.72 s
97 = 9.25 s
98 = 9.80 s
99 = 10 s
100 = 11 s
101 = 12 s
102 = 12 s
103 = 13 s
104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS3 Synth Mod Env Decay

Offset in file: 0x8B (b0) and 0x8C (b7-2)

0/127 value = 3.0 ms / 45 s (Sustain)

0 = 3.0 ms
1 = 3.5 ms
2 = 4.0 ms
3 = 4.6 ms
4 = 5.3 ms
5 = 6.0 ms
6 = 6.9 ms
7 = 7.9 ms
8 = 9.0 ms
9 = 10 ms

10 = 12 ms
11 = 13 ms
12 = 15 ms
13 = 17 ms
14 = 19 ms
15 = 21 ms
16 = 23 ms
17 = 26 ms
18 = 29 ms
19 = 33 ms
20 = 36 ms
21 = 41 ms
22 = 45 ms
23 = 50 ms
24 = 55 ms
25 = 61 ms
26 = 68 ms
27 = 75 ms
28 = 82 ms
29 = 91 ms
30 = 100 ms
31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms
36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1.05 s
60 = 1.13 s
61 = 1.21 s
62 = 1.30 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.70 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s

71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.10 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.50 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS3 Synth Mod Env Release

Offset in file: 0x8C (b1-0) and 0x8D (b7-3)

0/127 value = 3.0 ms / 45 s (Inf)

0 = 3.0 ms
1 = 3.5 ms
2 = 4.0 ms
3 = 4.6 ms
4 = 5.3 ms
5 = 6.0 ms
6 = 6.9 ms
7 = 7.9 ms
8 = 9.0 ms
9 = 10 ms
10 = 12 ms
11 = 13 ms
12 = 15 ms
13 = 17 ms
14 = 19 ms
15 = 21 ms
16 = 23 ms
17 = 26 ms
18 = 29 ms
19 = 33 ms
20 = 36 ms
21 = 41 ms
22 = 45 ms
23 = 50 ms
24 = 55 ms
25 = 61 ms
26 = 68 ms
27 = 75 ms
28 = 82 ms
29 = 91 ms
30 = 100 ms
31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms
36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1.05 s

60 = 1.13 s
61 = 1.21 s
62 = 1.30 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.70 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.10 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.50 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s

121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS3 Synth Mod Env Velocity

Offset in file: 0x8D (b2)

0 = off, 1 = on

NS3 Synth Amp Env Attack

Offset in file: 0xA5 (b1-0) and 0xA6 (b7-3)

0/127 value = 0.5 ms / 45 s

0 = 0.5 ms
1 = 0.6 ms
2 = 0.7 ms
3 = 0.9 ms
4 = 1.1 ms
5 = 1.3 ms
6 = 1.5 ms
7 = 1.8 ms
8 = 2.1 ms
9 = 2.5 ms
10 = 3.0 ms
11 = 3.5 ms
12 = 4.0 ms
13 = 4.7 ms
14 = 5.5 ms
15 = 6.3 ms
16 = 7.3 ms
17 = 8.4 ms
18 = 9.7 ms
19 = 11 ms
20 = 13 ms
21 = 14 ms
22 = 16 ms
23 = 19 ms
24 = 21 ms
25 = 24 ms
26 = 27 ms
27 = 31 ms
28 = 34 ms
29 = 39 ms
30 = 43 ms
31 = 49 ms
32 = 54 ms
33 = 61 ms
34 = 68 ms
35 = 75 ms
36 = 84 ms
37 = 93 ms
38 = 103 ms
39 = 114 ms
40 = 126 ms
41 = 139 ms
42 = 153 ms

43 = 169 ms
44 = 186 ms
45 = 204 ms
46 = 224 ms
47 = 246 ms
48 = 269 ms
49 = 295 ms
50 = 322 ms
51 = 352 ms
52 = 384 ms
53 = 419 ms
54 = 456 ms
55 = 496 ms
56 = 540 ms
57 = 586 ms
58 = 636 ms
59 = 690 ms
60 = 748 ms
61 = 810 ms
62 = 876 ms
63 = 947 ms
64 = 1.02 s
65 = 1.10 s
66 = 1.19 s
67 = 1.28 s
68 = 1.38 s
69 = 1.49 s
70 = 1.60 s
71 = 1.72 s
72 = 1.85 s
73 = 1.99 s
74 = 2.13 s
75 = 2.28 s
76 = 2.45 s
77 = 2.62 s
78 = 2.81 s
79 = 3.00 s
80 = 3.21 s
81 = 3.43 s
82 = 3.66 s
83 = 3.91 s
84 = 4.17 s
85 = 4.45 s
86 = 4.74 s
87 = 5.05 s
88 = 5.37 s
89 = 5.72 s
90 = 6.08 s
91 = 6.47 s
92 = 6.87 s
93 = 7.30 s
94 = 7.75 s
95 = 8.22 s
96 = 8.72 s
97 = 9.25 s
98 = 9.80 s
99 = 10 s
100 = 11 s
101 = 12 s
102 = 12 s
103 = 13 s

104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS3 Synth Amp Env Decay

Offset in file: 0xA6 (b2-0) and 0xA7 (b7-4)

0/127 value = 3.0 ms / 45 s (Sustain)

0 = 3.0 ms
1 = 3.5 ms
2 = 4.0 ms
3 = 4.6 ms
4 = 5.3 ms
5 = 6.0 ms
6 = 6.9 ms
7 = 7.9 ms
8 = 9.0 ms
9 = 10 ms
10 = 12 ms
11 = 13 ms
12 = 15 ms
13 = 17 ms
14 = 19 ms
15 = 21 ms
16 = 23 ms
17 = 26 ms
18 = 29 ms
19 = 33 ms
20 = 36 ms
21 = 41 ms
22 = 45 ms
23 = 50 ms
24 = 55 ms
25 = 61 ms
26 = 68 ms
27 = 75 ms
28 = 82 ms
29 = 91 ms
30 = 100 ms

31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms
36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1.05 s
60 = 1.13 s
61 = 1.21 s
62 = 1.30 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.70 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.10 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.50 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s

92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS3 Synth Amp Env Release

Offset in file: 0xA7 (b3-0) and 0xA8 (b7-5)

0/127 value = 3.0 ms / 45 s

0 = 3.0 ms
1 = 3.5 ms
2 = 4.0 ms
3 = 4.6 ms
4 = 5.3 ms
5 = 6.0 ms
6 = 6.9 ms
7 = 7.9 ms
8 = 9.0 ms
9 = 10 ms
10 = 12 ms
11 = 13 ms
12 = 15 ms
13 = 17 ms
14 = 19 ms
15 = 21 ms
16 = 23 ms
17 = 26 ms
18 = 29 ms

19 = 33 ms
20 = 36 ms
21 = 41 ms
22 = 45 ms
23 = 50 ms
24 = 55 ms
25 = 61 ms
26 = 68 ms
27 = 75 ms
28 = 82 ms
29 = 91 ms
30 = 100 ms
31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms
36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1.05 s
60 = 1.13 s
61 = 1.21 s
62 = 1.30 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.70 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s

80 = 4.10 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.50 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS3 Synth Amp Env Velocity

Offset in file: 0xA8 (b4-3)

0 = Off
1 = 1
2 = 2
3 = 3

NS3 Synth Lfo Wave

Offset in file: 0x86 (b2-0)

0 = Triangle
1 = Saw
2 = Neg Saw
3 = Square
4 = S/H

NS3 Synth Lfo Rate

Offset in file: 0x87 (b6-0)

See: [Organ Volume](#) for detailed Morph explanation.

0/127 value = 0.03 Hz / 523 Hz

0 = 0.03 Hz
1 = 0.03 Hz
2 = 0.03 Hz
3 = 0.04 Hz
4 = 0.04 Hz
5 = 0.04 Hz
6 = 0.05 Hz
7 = 0.05 Hz
8 = 0.05 Hz
9 = 0.06 Hz
10 = 0.06 Hz
11 = 0.07 Hz
12 = 0.07 Hz
13 = 0.08 Hz
14 = 0.09 Hz
15 = 0.09 Hz
16 = 0.10 Hz
17 = 0.11 Hz
18 = 0.12 Hz
19 = 0.13 Hz
20 = 0.14 Hz
21 = 0.15 Hz
22 = 0.16 Hz
23 = 0.17 Hz
24 = 0.19 Hz
25 = 0.20 Hz
26 = 0.22 Hz
27 = 0.24 Hz
28 = 0.26 Hz
29 = 0.28 Hz
30 = 0.30 Hz
31 = 0.32 Hz
32 = 0.35 Hz
33 = 0.38 Hz
34 = 0.41 Hz
35 = 0.44 Hz
36 = 0.47 Hz
37 = 0.51 Hz
38 = 0.55 Hz
39 = 0.60 Hz
40 = 0.64 Hz
41 = 0.70 Hz
42 = 0.75 Hz
43 = 0.81 Hz
44 = 0.88 Hz
45 = 0.95 Hz
46 = 1.0 Hz
47 = 1.1 Hz
48 = 1.2 Hz

49 = 1.3 Hz
50 = 1.4 Hz
51 = 1.5 Hz
52 = 1.6 Hz
53 = 1.8 Hz
54 = 1.9 Hz
55 = 2.0 Hz
56 = 2.2 Hz
57 = 2.4 Hz
58 = 2.6 Hz
59 = 2.8 Hz
60 = 3.0 Hz
61 = 3.2 Hz
62 = 3.5 Hz
63 = 3.8 Hz
64 = 4.1 Hz
65 = 4.4 Hz
66 = 4.8 Hz
67 = 5.2 Hz
68 = 5.6 Hz
69 = 6.0 Hz
70 = 6.5 Hz
71 = 7.0 Hz
72 = 7.6 Hz
73 = 8.2 Hz
74 = 8.8 Hz
75 = 9.5 Hz
76 = 10 Hz
77 = 11 Hz
78 = 12 Hz
79 = 13 Hz
80 = 14 Hz
81 = 15 Hz
82 = 16 Hz
83 = 18 Hz
84 = 19 Hz
85 = 21 Hz
86 = 22 Hz
87 = 24 Hz
88 = 26 Hz
89 = 28 Hz
90 = 30 Hz
91 = 33 Hz
92 = 35 Hz
93 = 38 Hz
94 = 41 Hz
95 = 45 Hz
96 = 48 Hz
97 = 52 Hz
98 = 56 Hz
99 = 61 Hz
100 = 65 Hz
101 = 71 Hz
102 = 76 Hz
103 = 82 Hz
104 = 89 Hz
105 = 96 Hz
106 = 104 Hz
107 = 112 Hz
108 = 121 Hz
109 = 131 Hz

110 = 141 Hz
111 = 153 Hz
112 = 165 Hz
113 = 178 Hz
114 = 192 Hz
115 = 208 Hz
116 = 224 Hz
117 = 242 Hz
118 = 262 Hz
119 = 283 Hz
120 = 305 Hz
121 = 330 Hz
122 = 356 Hz
123 = 385 Hz
124 = 415 Hz
125 = 449 Hz
126 = 484 Hz
127 = 523 Hz

if LFO Master Clock is On, 0/127 value = 4/1 to 1/64 Master Clock Division

0 = 4/1
1 = 4/1
2 = 4/1
3 = 4/1
4 = 4/1
5 = 4/1
6 = 4/1
7 = 4/1
8 = 4/1T
9 = 4/1T
10 = 4/1T
11 = 4/1T
12 = 4/1T
13 = 4/1T
14 = 4/1T
15 = 4/1T
16 = 2/1
17 = 2/1
18 = 2/1
19 = 2/1
20 = 2/1
21 = 2/1
22 = 2/1
23 = 2/1T
24 = 2/1T
25 = 2/1T
26 = 2/1T
27 = 2/1T
28 = 2/1T
29 = 2/1T
30 = 2/1T
31 = 1/1
32 = 1/1
33 = 1/1
34 = 1/1
35 = 1/1
36 = 1/1
37 = 1/1
38 = 1/1T
39 = 1/1T

40 = 1/1T
41 = 1/1T
42 = 1/1T
43 = 1/1T
44 = 1/1T
45 = 1/1T
46 = 1/2
47 = 1/2
48 = 1/2
49 = 1/2
50 = 1/2
51 = 1/2
52 = 1/2
53 = 1/2T
54 = 1/2T
55 = 1/2T
56 = 1/2T
57 = 1/2T
58 = 1/2T
59 = 1/2T
60 = 1/2T
61 = 1/4
62 = 1/4
63 = 1/4
64 = 1/4
65 = 1/4
66 = 1/4
67 = 1/4
68 = 1/4T
69 = 1/4T
70 = 1/4T
71 = 1/4T
72 = 1/4T
73 = 1/4T
74 = 1/4T
75 = 1/4T
76 = 1/8
77 = 1/8
78 = 1/8
79 = 1/8
80 = 1/8
81 = 1/8
82 = 1/8
83 = 1/8T
84 = 1/8T
85 = 1/8T
86 = 1/8T
87 = 1/8T
88 = 1/8T
89 = 1/8T
90 = 1/8T
91 = 1/16
92 = 1/16
93 = 1/16
94 = 1/16
95 = 1/16
96 = 1/16
97 = 1/16
98 = 1/16T
99 = 1/16T
100 = 1/16T

101 = 1/16T
102 = 1/16T
103 = 1/16T
104 = 1/16T
105 = 1/16T
106 = 1/32
107 = 1/32
108 = 1/32
109 = 1/32
110 = 1/32
111 = 1/32
112 = 1/32
113 = 1/32T
114 = 1/32T
115 = 1/32T
116 = 1/32T
117 = 1/32T
118 = 1/32T
119 = 1/32T
120 = 1/32T
121 = 1/64
122 = 1/64
123 = 1/64
124 = 1/64
125 = 1/64
126 = 1/64
127 = 1/64

Morph Wheel:

0x88 (b7-b0): 8-bit raw value

Morph After Touch:

0x89 (b7-b0): 8-bit raw value

Morph Control Pedal:

0x8A (b7-b0): 8-bit raw value

NS3 Synth Lfo Master Clock

Offset in file: 0x87 (b7)

0 = off, 1 = on

NS3 Synth Arp On

Offset in file: 0x80 (b6)

0 = off, 1 = on

NS3 Synth Arp Rate

Offset in file: 0x81 (b7-1)

See: [Organ Volume](#) for detailed Morph explanation.

0/127 value = 16 bpm / Fast 5

0 = 16 bpm
1 = 16 bpm
2 = 18 bpm
3 = 20 bpm
4 = 24 bpm
5 = 26 bpm

6 = 28 bpm
7 = 30 bpm
8 = 34 bpm
9 = 36 bpm
10 = 38 bpm
11 = 42 bpm
12 = 44 bpm
13 = 46 bpm
14 = 48 bpm
15 = 50 bpm
16 = 54 bpm
17 = 56 bpm
18 = 58 bpm
19 = 60 bpm
20 = 62 bpm
21 = 64 bpm
22 = 66 bpm
23 = 68 bpm
24 = 70 bpm
25 = 72 bpm
26 = 74 bpm
27 = 76 bpm
28 = 78 bpm
29 = 78 bpm
30 = 80 bpm
31 = 82 bpm
32 = 84 bpm
33 = 86 bpm
34 = 86 bpm
35 = 88 bpm
36 = 90 bpm
37 = 92 bpm
38 = 94 bpm
39 = 94 bpm
40 = 96 bpm
41 = 98 bpm
42 = 100 bpm
43 = 100 bpm
44 = 102 bpm
45 = 104 bpm
46 = 106 bpm
47 = 108 bpm
48 = 108 bpm
49 = 110 bpm
50 = 112 bpm
51 = 114 bpm
52 = 116 bpm
53 = 118 bpm
54 = 120 bpm
55 = 122 bpm
56 = 124 bpm
57 = 126 bpm
58 = 128 bpm
59 = 130 bpm
60 = 132 bpm
61 = 134 bpm
62 = 138 bpm
63 = 140 bpm
64 = 142 bpm
65 = 146 bpm
66 = 148 bpm

67 = 152 bpm
68 = 154 bpm
69 = 158 bpm
70 = 162 bpm
71 = 166 bpm
72 = 170 bpm
73 = 174 bpm
74 = 178 bpm
75 = 182 bpm
76 = 186 bpm
77 = 190 bpm
78 = 196 bpm
79 = 200 bpm
80 = 204 bpm
81 = 210 bpm
82 = 216 bpm
83 = 220 bpm
84 = 226 bpm
85 = 232 bpm
86 = 238 bpm
87 = 244 bpm
88 = 252 bpm
89 = 258 bpm
90 = 266 bpm
91 = 274 bpm
92 = 282 bpm
93 = 290 bpm
94 = 298 bpm
95 = 308 bpm
96 = 318 bpm
97 = 328 bpm
98 = 338 bpm
99 = 350 bpm
100 = 362 bpm
101 = 376 bpm
102 = 392 bpm
103 = 410 bpm
104 = 428 bpm
105 = 450 bpm
106 = 472 bpm
107 = 494 bpm
108 = 520 bpm
109 = 546 bpm
110 = 574 bpm
111 = 602 bpm
112 = 632 bpm
113 = 662 bpm
114 = 696 bpm
115 = 728 bpm
116 = 762 bpm
117 = 798 bpm
118 = 834 bpm
119 = 872 bpm
120 = 910 bpm
121 = 950 bpm
122 = 990 bpm
123 = Fast 1
124 = Fast 2
125 = Fast 3
126 = Fast 4
127 = Fast 5

if Arpeggiator Master Clock is On, 0/127 value = 1/2 to 1/32 Master Clock Division

0 = 1/2
1 = 1/2
2 = 1/2
3 = 1/2
4 = 1/2
5 = 1/2
6 = 1/2
7 = 1/2
8 = 1/2
9 = 1/2
10 = 1/2
11 = 1/2
12 = 1/2
13 = 1/2
14 = 1/2
15 = 1/2T
16 = 1/2T
17 = 1/2T
18 = 1/2T
19 = 1/2T
20 = 1/2T
21 = 1/2T
22 = 1/2T
23 = 1/2T
24 = 1/2T
25 = 1/2T
26 = 1/2T
27 = 1/2T
28 = 1/2T
29 = 1/4
30 = 1/4
31 = 1/4
32 = 1/4
33 = 1/4
34 = 1/4
35 = 1/4
36 = 1/4
37 = 1/4
38 = 1/4
39 = 1/4
40 = 1/4
41 = 1/4
42 = 1/4
43 = 1/4T
44 = 1/4T
45 = 1/4T
46 = 1/4T
47 = 1/4T
48 = 1/4T
49 = 1/4T
50 = 1/4T
51 = 1/4T
52 = 1/4T
53 = 1/4T
54 = 1/4T
55 = 1/4T
56 = 1/4T
57 = 1/8

58 = 1/8
59 = 1/8
60 = 1/8
61 = 1/8
62 = 1/8
63 = 1/8
64 = 1/8
65 = 1/8
66 = 1/8
67 = 1/8
68 = 1/8
69 = 1/8
70 = 1/8
71 = 1/8
72 = 1/8T
73 = 1/8T
74 = 1/8T
75 = 1/8T
76 = 1/8T
77 = 1/8T
78 = 1/8T
79 = 1/8T
80 = 1/8T
81 = 1/8T
82 = 1/8T
83 = 1/8T
84 = 1/8T
85 = 1/8T
86 = 1/16
87 = 1/16
88 = 1/16
89 = 1/16
90 = 1/16
91 = 1/16
92 = 1/16
93 = 1/16
94 = 1/16
95 = 1/16
96 = 1/16
97 = 1/16
98 = 1/16
99 = 1/16
100 = 1/16T
101 = 1/16T
102 = 1/16T
103 = 1/16T
104 = 1/16T
105 = 1/16T
106 = 1/16T
107 = 1/16T
108 = 1/16T
109 = 1/16T
110 = 1/16T
111 = 1/16T
112 = 1/16T
113 = 1/16T
114 = 1/32
115 = 1/32
116 = 1/32
117 = 1/32
118 = 1/32

119 = 1/32
120 = 1/32
121 = 1/32
122 = 1/32
123 = 1/32
124 = 1/32
125 = 1/32
126 = 1/32
127 = 1/32

Morph Wheel:

0x81 (b0), 0x82 (b7-b1): 8-bit raw value

Morph After Touch:

0x82 (b0), 0x83 (b7-b1): 8-bit raw value

Morph Control Pedal:

0x83 (b0), 0x84 (b7-b1): 8-bit raw value

NS3 Synth Arp Kb Sync

Offset in file: 0x80 (b5)

0 = off, 1 = on

NS3 Synth Arp Master Clock

Offset in file: 0x80 (b0)

0 = off, 1 = on

NS3 Synth Arp Range

Offset in file: 0x80 (b4-3)

0 = 1 Octave
1 = 2 Octaves
2 = 3 Octaves
3 = 4 Octaves

NS3 Synth Arp Pattern

Offset in file: 0x80 (b2-1)

0 = Up
1 = Down
2 = Up/Down
3 = Random

NS3 Synth Preset Location

Offset in file: 0x57 (b5-0) and 0x58 (b7-4)

Preset location:

0-399: user preset

400-799: sample preset

NS3 Synth Preset Name

Offset in file: 0x58 (b3-0) to 0x6E (b7-4)

User Preset names are limited to 16 characters,

Sample Preset name are up to 22 characters.

```
character 1: ((offset + 3) & 0xff) + 1
character 2: (offset + 2) & 0xff
character 3: (offset + 1) & 0xff
character 4: (offset + 0) & 0x7f
character 5: ((offset + 3 + 4) & 0xff) + 1
character 6: (offset + 2 + 4) & 0xff
. . .
```

NS2 Compressor On

Offset in file: 0x3e (b4)

0 = off, 1 = on

NS2 Compressor Amount

Offset in file: 0x3e (b3-0) and 0x3f (b7-5)

7-bit value 0/127 = 0/10

NS2 Reverb On

Offset in file: 0x3d (b7)

0 = off, 1 = on

NS2 Reverb Type

Offset in file: 0x3d (b6-4)

0 = Room 1
1 = Room 2
2 = Stage 1
3 = Stage 2
4 = Hall 1
5 = Hall 2

NS2 Reverb Amount

Offset in file: 0x3d (b3-0) and 0x3e (b7-5)

7-bit value 0/127 = 0/10

NS2 Rotary Speaker On

Offset in file: 0x3f (b4)

0 = off, 1 = on

NS2 Rotary Speaker Source

Offset in file: 0x3f (b3-2)

0 = Organ
1 = Piano
2 = Synth

NS2 Rotary Speaker Drive

Offset in file: 0x3f (b1-0) and 0x40 (b7-3)

7-bit value 0/127 converted to 0/10

Note: Same value is used for both panel A & B

NS2 Rotary Speaker Stop Mode

Offset in file: 0x40 (b2)

0 = disabled (Speed Slow), 1 = enabled (Speed Stop)

Note: Same value is used for both panel A & B

NS2 Rotary Speaker Speed

Offset in file: 0x40 (b1)

0 = Slow/Stop, 1 = Fast

Morph Wheel: 0x40 (b0)

Morph After Touch: 0x41 (b7)

Morph Control Pedal: 0x41 (b6)

Note: Same value is used for both panel A & B

NS2 Organ B3 Preset 2

Offset in file: 0x5c (b7)

0 = off, 1 = on

NS2 Organ B3 Preset 1 Vibrato Chorus

Offset in file: 0x74 (b4)

0 = off, 1 = on

NS2 Organ B3 Preset 1 Percussion

Offset in file: 0x74 (b3)

0 = off, 1 = on

NS2 Organ B3 Preset 2 Vibrato Chorus

Offset in file: 0xab (b4)

0 = off, 1 = on

NS2 Organ B3 Preset 2 Percussion

Offset in file: 0xab (b3)

0 = off, 1 = on

NS2 Organ B3 Vibrato Mode

Offset in file: 0x35 (b7-5)

0 = V1

1 = C1

2 = V2

3 = C2

4 = V3

5 = C3

NS2 Organ Vox Preset 2

Offset in file: 0x5d (b7)

0 = off, 1 = on

NS2 Organ Vox Vibrato On

Offset in file: 0x37 (b4)

0 = off, 1 = on

(common for Preset I & II)

NS2 Organ Vox Vibrato Mode

Offset in file: 0x37 (b6-5)

0 = Less (V1)

1 = More (V2)

2 = Original (V3)

NS2 Organ Farfisa Preset 2

Offset in file: 0x5e (b7)

0 = off, 1 = on

NS2 Organ Farfisa Vibrato On

Offset in file: 0x39 (b4)

0 = off, 1 = on

(common for Preset I & II)

NS2 Organ Farfisa Vibrato Mode

Offset in file: 0x39 (b6-5)

0 = Light/Slow (V1)

1 = Light/Fast (V2)

2 = Heavy/Slow (C2)

3 = Heavy/Fast (C3)

NS2 Organ On

Offset in file: 0x43 (b7)

0 = off, 1 = on

NS2 Organ Kb Zone

Offset in file: 0x47 (b7-5)

0 = L0

1 = L0 UP

2 = UP

3 = UP HI

4 = HI

5 = L0 UP HI

NS2 Organ Volume

Offset in file: 0x46 (b6-0)

Volume:

0 = Off
1 = -84.2 dB
2 = -72.1 dB
3 = -65.1 dB
4 = -60.1 dB
5 = -56.2 dB
6 = -53.0 dB
7 = -50.3 dB
8 = -48.0 dB
9 = -46.0 dB
10 = -44.2 dB
11 = -42.5 dB
12 = -41.0 dB
13 = -39.6 dB
14 = -38.3 dB
15 = -37.1 dB
16 = -36.0 dB
17 = -34.9 dB
18 = -33.9 dB
19 = -33.0 dB
20 = -32.1 dB
21 = -31.1 dB
22 = -30.5 dB
23 = -29.7 dB
24 = -28.9 dB
25 = -28.2 dB
26 = -27.6 dB
27 = -26.9 dB
28 = -26.3 dB
29 = -25.7 dB
30 = -25.1 dB
31 = -24.5 dB
32 = -23.9 dB
33 = -23.4 dB
34 = -22.9 dB
35 = -22.4 dB
36 = -21.9 dB
37 = -21.4 dB
38 = -21.0 dB
39 = -20.5 dB
40 = -20.1 dB
41 = -19.6 dB
42 = -19.2 dB
43 = -18.8 dB
44 = -18.4 dB
45 = -18.0 dB
46 = -17.6 dB
47 = -17.3 dB
48 = -16.9 dB
49 = -16.5 dB
50 = -16.2 dB
51 = -15.8 dB
52 = -15.5 dB
53 = -15.2 dB
54 = -14.9 dB
55 = -14.5 dB
56 = -14.2 dB

57 = -13.9 dB
58 = -13.6 dB
59 = -13.3 dB
60 = -13.0 dB
61 = -12.7 dB
62 = -12.5 dB
63 = -12.2 dB
64 = -11.9 dB
65 = -11.6 dB
66 = -11.4 dB
67 = -11.1 dB
68 = -10.9 dB
69 = -10.6 dB
70 = -10.3 dB
71 = -10.1 dB
72 = -9.9 dB
73 = -9.6 dB
74 = -9.4 dB
75 = -9.1 dB
76 = -8.9 dB
77 = -8.7 dB
78 = -8.5 dB
79 = -8.2 dB
80 = -8.0 dB
81 = -7.8 dB
82 = -7.6 dB
83 = -7.4 dB
84 = -7.2 dB
85 = -7.0 dB
86 = -6.8 dB
87 = -6.6 dB
88 = -6.4 dB
89 = -6.2 dB
90 = -6.0 dB
91 = -5.8 dB
92 = -5.6 dB
93 = -5.4 dB
94 = -5.2 dB
95 = -5.0 dB
96 = -4.9 dB
97 = -4.7 dB
98 = -4.5 dB
99 = -4.3 dB
100 = -4.2 dB
101 = -4.0 dB
102 = -3.8 dB
103 = -3.6 dB
104 = -3.5 dB
105 = -3.3 dB
106 = -3.1 dB
107 = -3.0 dB
108 = -2.8 dB
109 = -2.7 dB
110 = -2.5 dB
111 = -2.3 dB
112 = -2.2 dB
113 = -2.0 dB
114 = -1.9 dB
115 = -1.7 dB
116 = -1.6 dB
117 = -1.4 dB

118 = -1.3 dB
119 = -1.1 dB
120 = -1.0 dB
121 = -0.8 dB
122 = -0.7 dB
123 = -0.6 dB
124 = -0.4 dB
125 = -0.3 dB
126 = -0.1 dB
127 = 0.0 dB

Morph Wheel:

offset in file 0x43 (b6-0) and 0x44 (b7)

Morph After Touch:

offset in file 0x44 (b6-0) and 0x45 (b7)

Morph Control Pedal:

offset in file 0x45 (b6-0) and 0x46 (b7)

NS2 Organ Octave Shift

Offset in file: 0x47 (b4-1)

Octave Shift = value - 7

NS2 Organ Pitch Stick

Offset in file: 0x30 (b6)

0 = off, 1 = on

NS2 Organ Sustain Pedal

Offset in file: 0x47 (b0)

0 = off, 1 = on

NS2 Organ Latch Pedal

Offset in file: 0x59 (b1)

0 = off, 1 = on

NS2 Organ Kb Gate

Offset in file: 0x59 (b0)

0 = off, 1 = on

NS2 Organ Model

Offset in file: 0x34 (b7-6)

0 = B3

1 = Vox

2 = Farfisa

NS2 Organ Drawbars Preset 1

ORGAN B3 DRAWBARS Preset I

all B3 Drawbars are 4-Bit fields, values from 0 - 8

Organ B3 Sub (drawbar 1)

offset in file 0x60 (b0) and 0x61 (b7-5)

Morph Wheel offset in file 0x5f (b7-3)

Morph AT offset in file 0x5f (b2-0) and 0x60 (b7-6)

Morph Pedal offset in file 0x60 (b5-1)

Organ B3 Sub3 (drawbar 2)

offset in file 0x63 (b5-2)

Morph Wheel offset in file 0x61 (b4-0)

Morph AT offset in file 0x62 (b7-3)

Morph Pedal offset in file 0x62 (b2-0) and 0x63 (b7-6)

Organ B3 Fund (drawbar 3)

offset in file 0x65 (b2-0) and 0x66 (b7)

Morph Wheel offset in file 0x63 (b1-0) and 0x64 (b7-5)

Morph AT offset in file 0x64 (b4-0)

Morph Pedal offset in file 0x65 (b7-3)

Organ B3 2nd (drawbar 4)

offset in file 0x68 (b7-4)

Morph Wheel offset in file 0x66 (b6-2)

Morph AT offset in file 0x66 (b1-0) and 0x67 (b7-5)

Morph Pedal offset in file 0x67 (b4-0)

Organ B3 3rd (drawbar 5)

offset in file 0x6a (b4-1)

Morph Wheel offset in file 0x68 (b3-0) and 0x69 (b7)

Morph AT offset in file 0x69 (b6-2)

Morph Pedal offset in file 0x69 (b1-0) and 0x6a (b7-5)

Organ B3 4th (drawbar 6)

offset in file 0x6c (b1-0) and 0x6d (b7-6)

Morph Wheel offset in file 0x6a (b0) and 0x6b (b7-4)

Morph AT offset in file 0x6b (b3-0) and 0x6c (b7)

Morph Pedal offset in file 0x6c (b6-2)

Organ B3 5th (drawbar 7)

offset in file 0x6f (b6-3)

Morph Wheel offset in file 0x6d (b5-1)

Morph AT offset in file 0x6d (b0) and 0x6e (b7-4)

Morph Pedal offset in file 0x6e (b3-0) and 0x6f (b7)

Organ B3 6th (drawbar 8)

offset in file 0x71 (b3-0)

Morph Wheel offset in file 0x6f (b2-0) and 0x70 (b7-6)

Morph AT offset in file 0x70 (b5-1)

Morph Pedal offset in file 0x70 (b0) and 0x71 (b7-4)

Organ B3 8th (drawbar 9)

offset in file 0x73 (b0) and 0x74 (b7-5)

Morph Wheel offset in file 0x72 (b7-3)

Morph AT offset in file 0x72 (b2-0) and 0x73 (b7-6)

Morph Pedal offset in file 0x73 (b5-1)

ORGAN VOX DRAWBARS Preset I

Organ Vox 16' (drawbar 1)

offset in file 0x77 (b0) and 0x78 (b7-5)

Morph Wheel offset in file 0x76 (b7-3)

Morph AT offset in file 0x76 (b2-0) and 0x77 (b7-6)

Morph Pedal offset in file 0x77 (b6-1)

Organ Vox 8' (drawbar 2)
offset in file 0x7a (b5-2)
Morph Wheel offset in file 0x78 (b4-0)
Morph AT offset in file 0x79 (b7-3)
Morph Pedal offset in file 0x79 (b2-0) and 0x7a (b7-6)

Organ Vox 4' (drawbar 3)
offset in file 0x7c (b2-0) and 0x7d (b7)
Morph Wheel offset in file 0x7a (b1-0) and 0x7b (b7-5)
Morph AT offset in file 0x7b (b4-0)
Morph Pedal offset in file 0x7c (b7-3)

Organ Vox 2' (drawbar 4)
offset in file 0x7f (b7-4)
Morph Wheel offset in file 0x7d (b6-2)
Morph AT offset in file 0x7d (b1-0) and 0x7e (b7-5)
Morph Pedal offset in file 0x7e (b4-0)

Organ Vox II (drawbar 5)
offset in file 0x81 (b4-1)
Morph Wheel offset in file 0x7f (b3-0) and 0x80 (b7)
Morph AT offset in file 0x80 (b6-2)
Morph Pedal offset in file 0x80 (b1-0) and 0x81 (b7-5)

Organ Vox III (drawbar 6)
offset in file 0x83 (b1-0) and 0x84 (b7-6)
Morph Wheel offset in file 0x81 (b0) and 0x82 (b7-4)
Morph AT offset in file 0x82 (b3-0) and 0x83 (b7)
Morph Pedal offset in file 0x83 (b6-2)

Organ Vox IV (drawbar 7)
offset in file 0x86 (b6-3)
Morph Wheel offset in file 0x84 (b5-1)
Morph AT offset in file 0x84 (b0) and 0x85 (b7-4)
Morph Pedal offset in file 0x85 (b3-0) and 0x86 (b7)

Organ Vox SIN (drawbar 8)
offset in file 0x88 (b3-0)
Morph Wheel offset in file 0x86 (b2-0) and 0x87 (b7-6)
Morph AT offset in file 0x87 (b5-1)
Morph Pedal offset in file 0x87 (b0) and 0x88 (b7-4)

Organ Vox TRI (drawbar 9)
offset in file 0x8a (b0) and 0x8b (b7-5)
Morph Wheel offset in file 0x89 (b7-3)
Morph AT offset in file 0x89 (b2-0) and 0x8a (b7-6)
Morph Pedal offset in file 0x8a (b5-1)

ORGAN FARFISA DRAWBARS Preset I
Farfisa drawbars are 1-Bit values, ON or OFF

Organ Farfisa Bass16 (drawbar 1)
offset in file 0x8d (b1)
Morph Wheel offset in file 0x8d (b7-6)
Morph AT offset in file 0x8d (b5-4)
Morph Pedal offset in file 0x8d (b3-2)

Organ Farfisa Str16 (drawbar 2)
offset in file 0x8e (b2)

Morph Wheel offset in file 0x8d (b0) and 0x8e (b7)
Morph AT offset in file 0x8e (b6-5)
Morph Pedal offset in file 0x8e (b4-3)

Organ Farfisa Flu8 (drawbar 3)
offset in file 0x8f (b3)
Morph Wheel offset in file 0x8e (b1-0)
Morph AT offset in file 0x8f (b7-6)
Morph Pedal offset in file 0x8f (b5-4)

Organ Farfisa Oboe8 (drawbar 4)
offset in file 0x90 (b4)
Morph Wheel offset in file 0x8f (b2-1)
Morph AT offset in file 0x8f (b0) and 0x90 (b7)
Morph Pedal offset in file 0x90 (b6-5)

Organ Farfisa Trump8 (drawbar 5)
offset in file 0x91 (b5)
Morph Wheel offset in file 0x90 (b3-2)
Morph AT offset in file 0x90 (b1-0)
Morph Pedal offset in file 0x91 (b7-6)

Organ Farfisa Str8 (drawbar 6)
offset in file 0x92 (b6)
Morph Wheel offset in file 0x91 (b4-3)
Morph AT offset in file 0x91 (b2-1)
Morph Pedal offset in file 0x91 (b0) and 0x92 (b7)

Organ Farfisa Flu4 (drawbar 7)
offset in file 0x93 (b7)
Morph Wheel offset in file 0x92 (b5-4)
Morph AT offset in file 0x92 (b3-2)
Morph Pedal offset in file 0x92 (b1-0)

Organ Farfisa Str4 (drawbar 8)
offset in file 0x93 (b0)
Morph Wheel offset in file 0x93 (b6-5)
Morph AT offset in file 0x93 (b4-3)
Morph Pedal offset in file 0x93 (b2-1)

Organ Farfisa 2 2/3 (drawbar 9)
offset in file 0x94 (b1)
Morph Wheel offset in file 0x94 (b7-6)
Morph AT offset in file 0x94 (b5-4)
Morph Pedal offset in file 0x94 (b3-2)

NS2 Organ B3 Volume Soft

Offset in file: 0x35 (b2)

0 = on, 1 = off

only if Organ type is B3

NS2 Organ B3 Decay Fast

Offset in file: 0x35 (b3)

0 = off, 1 = on

only if Organ type is B3

NS2 Organ B3 Harmonic Third

Offset in file: 0x35 (b4)

0 = off, 1 = on

only if Organ type is B3

NS3 Organ Preset 2 On

Offset in file: 0xBB (b2)

0 = off, 1 = on

NS2 Organ Drawbars Preset 2

ORGAN B3 DRAWBARS Preset II

all B3 Drawbars are 4-Bit fields, values from 0 - 8

Organ B3 Sub (drawbar 1)

offset in file 0x97 (b0) and 0x98 (b7-5)

Morph Wheel offset in file 0x96 (b7-3)

Morph AT offset in file 0x96 (b2-0) and 0x97 (b7-6)

Morph Pedal offset in file 0x97 (b5-1)

Organ B3 Sub3 (drawbar 2)

offset in file 0x9a (b5-2)

Morph Wheel offset in file 0x98 (b4-0)

Morph AT offset in file 0x99 (b7-3)

Morph Pedal offset in file 0x99 (b2-0) and 0x9a (b7-6)

Organ B3 Fund (drawbar 3)

offset in file 0x9c (b2-0) and 0x9d (b7)

Morph Wheel offset in file 0x9a (b1-0) and 0x9b (b7-5)

Morph AT offset in file 0x9b (b4-0)

Morph Pedal offset in file 0x9c (b7-3)

Organ B3 2nd (drawbar 4)

offset in file 0x9f (b7-4)

Morph Wheel offset in file 0x9d (b6-2)

Morph AT offset in file 0x9d (b1-0) and 0x9e (b7-5)

Morph Pedal offset in file 0x9e (b4-0)

Organ B3 3rd (drawbar 5)

offset in file 0xa1 (b4-1)

Morph Wheel offset in file 0x9f (b3-0) and 0xa0 (b7)

Morph AT offset in file 0xa0 (b6-2)

Morph Pedal offset in file 0xa0 (b1-0) and 0xa1 (b7-5)

Organ B3 4th (drawbar 6)

offset in file 0xa3 (b1-0) and 0xa4 (b7-6)

Morph Wheel offset in file 0xa1 (b0) and 0xa2 (b7-4)

Morph AT offset in file 0xa2 (b3-0) and 0xa3 (b7)

Morph Pedal offset in file 0xa3 (b6-2)

Organ B3 5th (drawbar 7)

offset in file 0xa6 (b6-3)

Morph Wheel offset in file 0xa4 (b5-1)

Morph AT offset in file 0xa4 (b0) and 0xa5 (b7-4)

Morph Pedal offset in file 0xa5 (b3-0) and 0xa6 (b7)

Organ B3 6th (drawbar 8)

offset in file 0xa8 (b3-0)
Morph Wheel offset in file 0xa6 (b2-0) and 0xa7 (b7-6)
Morph AT offset in file 0xa7 (b5-1)
Morph Pedal offset in file 0xa7 (b0) and 0xa8 (b7-4)

Organ B3 8th (drawbar 9)
offset in file 0xaa (b0) and 0xab (b7-5)
Morph Wheel offset in file 0xa9 (b7-3)
Morph AT offset in file 0xa9 (b2-0) and 0xaa (b7-6)
Morph Pedal offset in file 0xaa (b5-1)

ORGAN VOX DRAWBARS Preset II

Organ Vox 16' (drawbar 1)
offset in file 0xae (b0) and 0xaf (b7-5)
Morph Wheel offset in file 0xad (b7-3)
Morph AT offset in file 0xad (b2-0) and 0xae (b7-6)
Morph Pedal offset in file 0xae (b6-1)

Organ Vox 8' (drawbar 2)
offset in file 0xb1 (b5-2)
Morph Wheel offset in file 0xaf (b4-0)
Morph AT offset in file 0xb0 (b7-3)
Morph Pedal offset in file 0xb0 (b2-0) and 0xb1 (b7-6)

Organ Vox 4' (drawbar 3)
offset in file 0xb3 (b2-0) and 0xb4 (b7)
Morph Wheel offset in file 0xb1 (b1-0) and 0xb2 (b7-5)
Morph AT offset in file 0xb2 (b4-0)
Morph Pedal offset in file 0xb3 (b7-3)

Organ Vox 2' (drawbar 4)
offset in file 0xb6 (b7-4)
Morph Wheel offset in file 0xb4 (b6-2)
Morph AT offset in file 0xb4 (b1-0) and 0xb5 (b7-5)
Morph Pedal offset in file 0xb5 (b4-0)

Organ Vox II (drawbar 5)
offset in file 0xb8 (b4-1)
Morph Wheel offset in file 0xb6 (b3-0) and 0xb7 (b7)
Morph AT offset in file 0xb7 (b6-2)
Morph Pedal offset in file 0xb7 (b1-0) and 0xb8 (b7-5)

Organ Vox III (drawbar 6)
offset in file 0xba (b1-0) and 0xbb (b7-6)
Morph Wheel offset in file 0xb8 (b0) and 0xb9 (b7-4)
Morph AT offset in file 0xb9 (b3-0) and 0xba (b7)
Morph Pedal offset in file 0xba (b6-2)

Organ Vox IV (drawbar 7)
offset in file 0xbd (b6-3)
Morph Wheel offset in file 0xbb (b5-1)
Morph AT offset in file 0xbb (b0) and 0xbc (b7-4)
Morph Pedal offset in file 0xbc (b3-0) and 0xbd (b7)

Organ Vox SIN (drawbar 8)
offset in file 0xbf (b3-0)
Morph Wheel offset in file 0xbd (b2-0) and 0xbe (b7-6)
Morph AT offset in file 0xbe (b5-1)
Morph Pedal offset in file 0xbe (b0) and 0xbf (b7-4)

Organ Vox TRI (drawbar 9)
offset in file 0xc1 (b0) and 0xc2 (b7-5)
Morph Wheel offset in file 0xc0 (b7-3)
Morph AT offset in file 0xc0 (b2-0) and 0xc1 (b7-6)
Morph Pedal offset in file 0xc1 (b5-1)

ORGAN FARFISA DRAWBARS Preset II

Farfisa drawbars are 1-Bit values, ON or OFF

Organ Farfisa Bass16 (drawbar 1)
offset in file 0xc4 (b1)
Morph Wheel offset in file 0xc4 (b7-6)
Morph AT offset in file 0xc4 (b5-4)
Morph Pedal offset in file 0xc4 (b3-2)

Organ Farfisa Str16 (drawbar 2)
offset in file 0xc5 (b2)
Morph Wheel offset in file 0xc4 (b0) and 0xc5 (b7)
Morph AT offset in file 0xc5 (b6-5)
Morph Pedal offset in file 0xc5 (b4-3)

Organ Farfisa Flu8 (drawbar 3)
offset in file 0xc6 (b3)
Morph Wheel offset in file 0xc5 (b1-0)
Morph AT offset in file 0xc6 (b7-6)
Morph Pedal offset in file 0xc6 (b5-4)

Organ Farfisa Oboe8 (drawbar 4)
offset in file 0xc7 (b4)
Morph Wheel offset in file 0xc6 (b2-1)
Morph AT offset in file 0xc6 (b0) and 0xc7 (b7)
Morph Pedal offset in file 0xc7 (b6-5)

Organ Farfisa Trump8 (drawbar 5)
offset in file 0xc8 (b5)
Morph Wheel offset in file 0xc7 (b3-2)
Morph AT offset in file 0xc7 (b1-0)
Morph Pedal offset in file 0xc8 (b7-6)

Organ Farfisa Str8 (drawbar 6)
offset in file 0xc9 (b6)
Morph Wheel offset in file 0xc8 (b4-3)
Morph AT offset in file 0xc8 (b2-1)
Morph Pedal offset in file 0xc8 (b0) and 0xc9 (b7)

Organ Farfisa Flu4 (drawbar 7)
offset in file 0xca (b7)
Morph Wheel offset in file 0xc9 (b5-4)
Morph AT offset in file 0xc9 (b3-2)
Morph Pedal offset in file 0xc9 (b1-0)

Organ Farfisa Str4 (drawbar 8)
offset in file 0xca (b0)
Morph Wheel offset in file 0xca (b6-5)
Morph AT offset in file 0xca (b4-3)
Morph Pedal offset in file 0xca (b2-1)

Organ Farfisa 2 2/3 (drawbar 9)
offset in file 0xcb (b1)

Morph Wheel offset in file 0xcb (b7-6)
Morph AT offset in file 0xcb (b5-4)
Morph Pedal offset in file 0xcb (b3-2)

NS2 Piano On

Offset in file: 0x48 (b7)

0 = off, 1 = on

NS2 Piano Kb Zone

Offset in file: 0x4C (b7-5)

0 = LO
1 = LO UP
2 = UP
3 = UP HI
4 = HI
5 = LO UP HI

NS2 Piano Volume

Offset in file: 0x4B (b6-0)

Morph Wheel:
0x48 (b6): polarity (1 = positive, 0 = negative)
0x48 (b5-b0), 0x49 (b7): 7-bit raw value

Morph After Touch:
0x49 (b6): polarity (1 = positive, 0 = negative)
0x49 (b5-b0), 0x4A (b7): 7-bit raw value

Morph Control Pedal:
0x4A (b6): polarity (1 = positive, 0 = negative)
0x4A (b5-b0), 0x4B (b7): 7-bit raw value

if polarity = 1 then Morph offset value = raw value
if polarity = 0 then Morph offset value = 128 - raw value

Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'
Morph Enabled if 'From value' <> 'Morph offset value'

NS2 Piano Octave Shift

Offset in file: 0x4C (b4-1)

Octave Shift = value - 7

NS2 Piano Pitch Stick

Offset in file: 0x4C (b0)

0 = off, 1 = on

NS2 Piano Sustain Pedal

Offset in file: 0x4D (b7)

0 = off, 1 = on

NS2 Piano Latch Pedal

Offset in file: 0x5A (b7)

0 = off, 1 = on

NS2 Piano Kb Gate

Offset in file: 0x5A (b6)

0 = off, 1 = on

NS2 Piano Type

Offset in file: 0xCD (b7-5)

0 = Grand
1 = Upright
2 = E Piano 1
3 = E Piano 2
4 = Clavinet
5 = Harpsi

NS2 Piano Sample ID

Offset in file: 0xD0 (b5-0), 0xD1/0xD3 (b7-0), and 0xD4 (b7-6)

32-bit Nord Sample ID

NS2 Piano Slot Detune

Offset in file: 0x3B (b7-5)

0 = Off
1 = 1
2 = 2
3 = 3
4 = 4

NS2 Piano Long Release

Offset in file: 0xCF (b6)

0 = off, 1 = on

NS2 Piano String Resonance

Offset in file: 0xCF (b5)

0 = off, 1 = on

Only on Acoustic Grand or Upright Piano

NS2 Piano Pedal Noise

Offset in file: 0xCF (b4)

0 = off, 1 = on

Only on Acoustic and Electric piano.

NS2 Piano Dynamics

Offset in file: 0xCF (b3-2)

0 = 0
1 = 1
2 = 2
3 = 3

NS2 Piano Clavinet Model

Offset in file: 0xCE (b0) and 0xCF (b7)

0 = A
1 = B
2 = C
3 = D

NS2 Piano Clavinet Eq Hi

Offset in file: 0xCF (b1-0)

0 = Off
1 = Treble
2 = Brilliant
3 = Treble+Brilliant

NS2 Piano Clavinet Eq

Offset in file: 0xD0 (b7-6)

0 = Off
1 = Soft
2 = Medium
3 = Soft+Medium

NS2 File Version

Offset in file: 0x14 and 0x15

16-bit integer value in Little Endian format
current supported version are 2 to 7

NS2 File Format

Offset in file: 0x04

0 = header type 0 - legacy mode no CRC (Byte 0x18 to 0x2B are missing)
1 = header type 1 - default mode with additional bytes 0x18 to 0x2B (20 bytes).

NS2 Transpose

Offset in file: 0x30 (b5-1)

Enabled: (b5)

Value: (b4-1)

0 = -6
1 = -5
2 = -4
3 = -3
4 = -2
5 = -1
6 = OFF
7 = +1
8 = +2
9 = +3
10 = +4
11 = +5
12 = +6

NS2 Split

3 SPLIT ZONES

Offset in file 0x2f (b3)

0 = OFF

1 = ON

2 SPLIT ZONES

Offset in file 0x2f (b2)

0 = OFF

1 = ON

SPLIT POINT LOW/ SPLIT POINT DUAL

Offset in file 0x2e (b3-0)

0 = F2

1 = C3

2 = F3

3 = C4

4 = F4

5 = C5

6 = F5

7 = C6

8 = F6

9 = C7

SPLIT POINT HIGH

Offset in file 0x2f (b7-4)

1 = C3

2 = F3

3 = C4

4 = F4

5 = C5

6 = F5

7 = C6

8 = F6

9 = C7

NS2 Master Clock Rate

Offset in file: 0x31 (b4-0) 0x32 (b7-5)

bpm = value + 30

NS2 Dual Keyboard

Offset in file 0x2e (b5)

0 = Off

1 = On

Note: if Dual Keyboard is On, both panel are enabled.

NS2 Program Category

Offset in file: 0x10

0 = Acoustic

1 = Bass

2 = Wind

4 = Fantasy

5 = FX

6 = Lead

7 = Organ

8 = Pad
10 = Pluck
11 = String
12 = Synth
13 = Vocal
14 = User
17 = None
21 = Grand
22 = Upright
23 = EPiano1
24 = EPiano2
27 = Clavinet
28 = Harpsi
30 = Arpeggio
255 = Undefined

NS2 Slot Enabled And Selection

Offset in file 0x2e

Enabled (b6-5):

0 = Slot A
1 = Slot B
2 = Slot A&B with focus Slot A
3 = Slot A&B with focus Slot B

Note: if Dual Keyboard is On, both panel are enabled.

NS2 Synth Filter Type

Offset in file: 0xf3 (b3-1)

0 = LP12
1 = LP24
2 = HP
3 = NOTCH
4 = BP

NS2 Synth Filter Kb Track

Offset in file: 0xf3 (b4)

0 = OFF
1 = ON

NS2 Synth Filter Freq

Offset in file: 0xef (b0) and 0xf0 (b7-2)

See: [Organ Volume](#) for detailed Morph explanation.

0/127 value = 20 Hz / 21 kHz

0 = 20 Hz
1 = 21 Hz
2 = 22 Hz
3 = 24 Hz
4 = 25 Hz
5 = 26 Hz
6 = 28 Hz
7 = 29 Hz
8 = 31 Hz
9 = 33 Hz
10 = 35 Hz
11 = 37 Hz

12 = 39 Hz
13 = 41 Hz
14 = 43 Hz
15 = 45 Hz
16 = 48 Hz
17 = 51 Hz
18 = 54 Hz
19 = 57 Hz
20 = 60 Hz
21 = 63 Hz
22 = 67 Hz
23 = 70 Hz
24 = 74 Hz
25 = 79 Hz
26 = 83 Hz
27 = 88 Hz
28 = 93 Hz
29 = 98 Hz
30 = 103 Hz
31 = 109 Hz
32 = 115 Hz
33 = 122 Hz
34 = 129 Hz
35 = 136 Hz
36 = 144 Hz
37 = 152 Hz
38 = 160 Hz
39 = 169 Hz
40 = 179 Hz
41 = 189 Hz
42 = 200 Hz
43 = 211 Hz
44 = 223 Hz
45 = 235 Hz
46 = 248 Hz
47 = 262 Hz
48 = 277 Hz
49 = 293 Hz
50 = 309 Hz
51 = 327 Hz
52 = 345 Hz
53 = 365 Hz
54 = 385 Hz
55 = 407 Hz
56 = 430 Hz
57 = 454 Hz
58 = 479 Hz
59 = 506 Hz
60 = 535 Hz
61 = 565 Hz
62 = 597 Hz
63 = 631 Hz
64 = 666 Hz
65 = 704 Hz
66 = 743 Hz
67 = 785 Hz
68 = 829 Hz
69 = 876 Hz
70 = 925 Hz
71 = 977 Hz
72 = 1 kHz

73 = 1.1 kHz
74 = 1.2 kHz
75 = 1.2 kHz
76 = 1.3 kHz
77 = 1.4 kHz
78 = 1.4 kHz
79 = 1.5 kHz
80 = 1.6 kHz
81 = 1.7 kHz
82 = 1.8 kHz
83 = 1.9 kHz
84 = 2.0 kHz
85 = 2.1 kHz
86 = 2.2 kHz
87 = 2.3 kHz
88 = 2.5 kHz
89 = 2.6 kHz
90 = 2.8 kHz
91 = 2.9 kHz
92 = 3.1 kHz
93 = 3.3 kHz
94 = 3.4 kHz
95 = 3.6 kHz
96 = 3.8 kHz
97 = 4.1 kHz
98 = 4.3 kHz
99 = 4.5 kHz
100 = 4.8 kHz
101 = 5.1 kHz
102 = 5.3 kHz
103 = 5.6 kHz
104 = 6.0 kHz
105 = 6.3 kHz
106 = 6.6 kHz
107 = 7.0 kHz
108 = 7.4 kHz
109 = 7.8 kHz
110 = 8.3 kHz
111 = 8.7 kHz
112 = 9.2 kHz
113 = 10 kHz
114 = 10 kHz
115 = 11 kHz
116 = 11 kHz
117 = 12 kHz
118 = 13 kHz
119 = 14 kHz
120 = 14 kHz
121 = 15 kHz
122 = 16 kHz
123 = 17 kHz
124 = 18 kHz
125 = 19 kHz
126 = 20 kHz
127 = 21 kHz

Morph Wheel:

Offset in file 0xec (b0) 0xed (b7-1)

Morph After Touch:

Offset in file 0xed (b0) 0xee (b7-1)

Morph Control Pedal:

Offset in file 0xee (b0) 0xef (b7-1)

NS2 Synth Filter Res

Offset in file: 0xf0 (b1-0) and 0xf1 (b7-3)

0/127 value = 0 / 10

NS2 Synth Filter Mod 1

Offset in file: 0xf2 (b3-0) and 0xf3 (b7-5)

0/127 value = 0 / 10

NS2 Synth Filter Mod 2

Offset in file: 0xf1 (b2-0) and 0xf2 (b7-4)

VEL from 0 - 63 'Vel Amount'

MOD ENV from 64 - 127 'Mod Env Amount'

0 = 10.0
1 = 9.8
2 = 9.6
3 = 9.5
4 = 9.3
5 = 9.1
6 = 9.0
7 = 8.8
8 = 8.7
9 = 8.5
10 = 8.3
11 = 8.2
12 = 8.0
13 = 7.9
14 = 7.7
15 = 7.5
16 = 7.4
17 = 7.2
18 = 7.0
19 = 6.9
20 = 6.7
21 = 6.6
22 = 6.4
23 = 6.2
24 = 6.1
25 = 5.9
26 = 5.8
27 = 5.6
28 = 5.4
29 = 5.3
30 = 5.1
31 = 5.0
32 = 4.8
33 = 4.6
34 = 4.5
35 = 4.3
36 = 4.1
37 = 4.0
38 = 3.8

39 = 3.7
40 = 3.5
41 = 3.3
42 = 3.2
43 = 3.0
44 = 2.9
45 = 2.7
46 = 2.5
47 = 2.4
48 = 2.2
49 = 2.0
50 = 1.9
51 = 1.7
52 = 1.6
53 = 1.4
54 = 1.2
55 = 1.1
56 = 0.9
57 = 0.8
58 = 0.6
59 = 0.4
60 = 0.3
61 = 0.1
62 = 0.0
63 = 0.0
64 = 0.0
65 = 0.0
66 = 0.1
67 = 0.3
68 = 0.4
69 = 0.6
70 = 0.8
71 = 0.9
72 = 1.1
73 = 1.2
74 = 1.4
75 = 1.6
76 = 1.7
77 = 1.9
78 = 2.0
79 = 2.2
80 = 2.4
81 = 2.5
82 = 2.7
83 = 2.9
84 = 3.0
85 = 3.2
86 = 3.3
87 = 3.5
88 = 3.7
89 = 3.8
90 = 4.0
91 = 4.1
92 = 4.3
93 = 4.5
94 = 4.6
95 = 4.8
96 = 5.0
97 = 5.1
98 = 5.3
99 = 5.4

100 = 5.6
101 = 5.8
102 = 5.9
103 = 6.1
104 = 6.2
105 = 6.4
106 = 6.6
107 = 6.7
108 = 6.9
109 = 7.0
110 = 7.2
111 = 7.4
112 = 7.5
113 = 7.7
114 = 7.9
115 = 8.0
116 = 8.2
117 = 8.3
118 = 8.5
119 = 8.7
120 = 8.8
121 = 9.0
122 = 9.1
123 = 9.3
124 = 9.5
125 = 9.6
126 = 9.8
127 = 10.0

NS2 Synth Sample ID

Offset in file: 0xf7 (b1-0) to 0xfb (b7-2)

32-bit synth sample hash code.

NS2 Synth On

Offset in file: 0x4d (b6)

0 = off, 1 = on

NS2 Synth Kb Zone

Offset in file: 0x51 (b6-4)

0 = L0
1 = L0 UP
2 = UP
3 = UP HI
4 = HI
5 = L0 UP HI

NS2 Synth Volume

Offset in file: 0x50 (b5-0) and 0x51 (b7)

Morph Wheel:

offset in file 0x4d (b5-0) 0x4e (b7-6)

Morph After Touch:

offset in file 0x4e (b5-0) 0x4f (b7-6)

Morph Control Pedal:

offset in file 0x4f (b5-0) 0x50 (b7-6)

NS2 Synth Octave Shift

Offset in file: 0x51 (b3-0)

Octave Shift = value - 7

NS2 Synth Pitch Stick

Offset in file: 0x52 (b7)

0 = off, 1 = on

NS2 Synth Sustain Pedal

Offset in file: 0x52 (b6)

0 = off, 1 = on

NS2 Synth Latch Pedal

Offset in file: 0x5a (b5)

0 = off, 1 = on

NS2 Synth Kb Gate

Offset in file: 0x5a (b4)

0 = off, 1 = on

NS2 Synth Kb Hold

Offset in file: 0xdc (b1)

0 = off, 1 = on

NS2 Synth Voice

Offset in file: 0xfc (b2-1)

0 = Off

1 = Legato

2 = Mono

NS2 Synth Glide

Offset in file: 0xfb (b1-0) and 0xfc (b7-3)

0/127 value = 0 / 10

NS2 Synth Unison

Offset in file: 0xfc (b0) and 0xfd (b7-6)

0 = Off

1 = 1

2 = 2

3 = 3

4 = Multi 1

5 = Multi 2

6 = Multi 3

NS2 Synth Vibrato

Offset in file: 0xfd (b5-3)

- 0 = Off
- 1 = Delay 1
- 2 = Delay 2
- 3 = Delay 3
- 4 = AT
- 5 = Wheel

NS2 Synth Osc Mode

Offset in file: 0xe1 (b1-0) and 0xe2 (b7)

- 0 = TRI
- 1 = SAW
- 2 = PULSE
- 3 = SAMPLE
- 4 = FM
- 5 = WAVE

NS2 Synth Osc WaveForm

Offset in file: 0xe2 (b6-0) and 0xe3 (b7-5)

ID	TRI	SAW	PULSE	SAMPLE	FM	WAVE
-----	-----	-----	-----	-----	-----	-----
0	---	---	---	1	Sin	1
1	ShP	ShP	ShP	2	1 1	2
2	dtn	dtn	dtn	3	2 1	3
3	Snc	Snc	Snc	4	3 1	4
4				5	4 1	5
5				6	5 1	6
6				7	6 1	7
7				8	7 1	8
8				9	8 1	9
9				10	9 1	10
10				11	1.1	11
11				12	2.1	12
12				13	3.1	13
13				14	4.1	14
14				15	5.1	15
15				16	6.1	16
16				17	7.1	17
17				18	8.1	18
18				19	9.1	19
19				20	111	20
20				21	211	21
21				22	311	22
22				23	511	23
23				24	911	24
24				25	221	25
25				26	421	26
26				27	821	27
27				28	1.11	28
28				29	1.21	29
29				30	1.31	30
30				31	1.51	31
31				32	1.91	32
32				33	1.12	33
33				34	2.12	34
34				35	3.12	35

35						36		5.12		36	
36						37		9.12		37	
37						38				38	
38						39				39	
39						40				40	
40						41				41	
41						42				42	
42						43				43	
43						44				44	
44						45				45	
45						46				46	
46						47				47	
47						48				48	
48						49				49	
49						50				50	
50						51				51	
51						52				52	
52						53				53	
53						54				54	
54						55				55	
55						56				56	
56						57				57	
57						58				58	
58						59				59	
59						60				60	
60						61				61	
61						62				62	
62						63				63	
63						64					
...											
998						999					
...											
1023											

NS2 Synth Shape

Offset in file: 0xe6 (b4-0) and 0xe7 (7-6)

0/127 value = 0 / 10

Morph Wheel:

Offset in file 0xe3 (b4-0) 0xe4 (b7-5)

Morph After Touch:

Offset in file 0xe4 (b4-0) 0xe5 (b7-5)

Morph Control Pedal:

Offset in file 0xe5 (b4-0) 0xe6 (b7-5)

NS2 Synth Shape Mod

Offset in file: 0xe7 (b5-0) and 0xe8 (b7)

LF0 from 0-63

MOD ENV from 64-127

NS2 Synth Skip Sample Attack

Offset in file: 0xec (b1)

0 = off, 1 = on

NS2 Synth Mod Env Attack

Offset in file: 0xdf (b7-1)

```
0 = 0.5 ms
1 = 0.6 ms
2 = 0.7 ms
3 = 0.9 ms
4 = 1.1 ms
5 = 1.3 ms
6 = 1.5 ms
7 = 1.8 ms
8 = 2.1 ms
9 = 2.5 ms
10 = 3 ms
11 = 3.5 ms
12 = 4 ms
13 = 4.7 ms
14 = 5.5 ms
15 = 6.3 ms
16 = 7.3 ms
17 = 8.4 ms
18 = 9.7 ms
19 = 11 ms
20 = 13 ms
21 = 14 ms
22 = 16 ms
23 = 19 ms
24 = 21 ms
25 = 24 ms
26 = 27 ms
27 = 31 ms
28 = 34 ms
29 = 39 ms
30 = 43 ms
31 = 49 ms
32 = 54 ms
33 = 61 ms
34 = 68 ms
35 = 75 ms
36 = 84 ms
37 = 93 ms
38 = 103 ms
39 = 114 ms
40 = 126 ms
41 = 139 ms
42 = 153 ms
43 = 169 ms
44 = 186 ms
45 = 204 ms
46 = 224 ms
47 = 246 ms
48 = 269 ms
49 = 295 ms
50 = 322 ms
51 = 352 ms
52 = 384 ms
53 = 419 ms
54 = 456 ms
55 = 496 ms
56 = 540 ms
57 = 586 ms
```

58 = 636 ms
59 = 690 ms
60 = 748 ms
61 = 810 ms
62 = 876 ms
63 = 947 ms
64 = 1.02 s
65 = 1.1 s
66 = 1.19 s
67 = 1.28 s
68 = 1.38 s
69 = 1.49 s
70 = 1.6 s
71 = 1.72 s
72 = 1.85 s
73 = 1.99 s
74 = 2.13 s
75 = 2.28 s
76 = 2.45 s
77 = 2.62 s
78 = 2.81 s
79 = 3 s
80 = 3.21 s
81 = 3.43 s
82 = 3.66 s
83 = 3.91 s
84 = 4.17 s
85 = 4.45 s
86 = 4.74 s
87 = 5.05 s
88 = 5.37 s
89 = 5.72 s
90 = 6.08 s
91 = 6.47 s
92 = 6.87 s
93 = 7.3 s
94 = 7.75 s
95 = 8.22 s
96 = 8.72 s
97 = 9.25 s
98 = 9.8 s
99 = 10 s
100 = 11 s
101 = 12 s
102 = 12 s
103 = 13 s
104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s

119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS2 Synth Mod Env Decay

Offset in file: 0xdf (b0) and 0xe0 (b7-2)

0 = 3.0 ms
1 = 3.5 ms
2 = 4.0 ms
3 = 4.6 ms
4 = 5.3 ms
5 = 6.0 ms
6 = 6.9 ms
7 = 7.9 ms
8 = 9.0 ms
9 = 10 ms
10 = 12 ms
11 = 13 ms
12 = 15 ms
13 = 17 ms
14 = 19 ms
15 = 21 ms
16 = 23 ms
17 = 26 ms
18 = 29 ms
19 = 33 ms
20 = 36 ms
21 = 41 ms
22 = 45 ms
23 = 50 ms
24 = 55 ms
25 = 61 ms
26 = 68 ms
27 = 75 ms
28 = 82 ms
29 = 91 ms
30 = 100 ms
31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms
36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms

47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1050 s
60 = 1.13 s
61 = 1.21 s
62 = 1.3 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.7 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.1 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.5 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10.0 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s

108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS2 Synth Mod Env Release

Offset in file: 0xe0 (b1-0) and 0xe1 (b7-3)

0 = 3.0 ms
1 = 3.5 ms
2 = 4.0 ms
3 = 4.6 ms
4 = 5.3 ms
5 = 6.0 ms
6 = 6.9 ms
7 = 7.9 ms
8 = 9.0 ms
9 = 10 ms
10 = 12 ms
11 = 13 ms
12 = 15 ms
13 = 17 ms
14 = 19 ms
15 = 21 ms
16 = 23 ms
17 = 26 ms
18 = 29 ms
19 = 33 ms
20 = 36 ms
21 = 41 ms
22 = 45 ms
23 = 50 ms
24 = 55 ms
25 = 61 ms
26 = 68 ms
27 = 75 ms
28 = 82 ms
29 = 91 ms
30 = 100 ms
31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms

36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1050 s
60 = 1.13 s
61 = 1.21 s
62 = 1.3 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.7 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.1 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.5 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10.0 s

97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS2 Synth Mod Env Velocity

Offset in file: 0xe1 (b2)

0 = off, 1 = on

NS2 Synth Amp Env Attack

Offset in file: 0xf3 (b0) and 0xf4 (b7-2)

0 = 0.5 ms
1 = 0.6 ms
2 = 0.7 ms
3 = 0.9 ms
4 = 1.1 ms
5 = 1.3 ms
6 = 1.5 ms
7 = 1.8 ms
8 = 2.1 ms
9 = 2.5 ms
10 = 3 ms
11 = 3.5 ms
12 = 4 ms
13 = 4.7 ms
14 = 5.5 ms
15 = 6.3 ms
16 = 7.3 ms
17 = 8.4 ms
18 = 9.7 ms
19 = 11 ms

20 = 13 ms
21 = 14 ms
22 = 16 ms
23 = 19 ms
24 = 21 ms
25 = 24 ms
26 = 27 ms
27 = 31 ms
28 = 34 ms
29 = 39 ms
30 = 43 ms
31 = 49 ms
32 = 54 ms
33 = 61 ms
34 = 68 ms
35 = 75 ms
36 = 84 ms
37 = 93 ms
38 = 103 ms
39 = 114 ms
40 = 126 ms
41 = 139 ms
42 = 153 ms
43 = 169 ms
44 = 186 ms
45 = 204 ms
46 = 224 ms
47 = 246 ms
48 = 269 ms
49 = 295 ms
50 = 322 ms
51 = 352 ms
52 = 384 ms
53 = 419 ms
54 = 456 ms
55 = 496 ms
56 = 540 ms
57 = 586 ms
58 = 636 ms
59 = 690 ms
60 = 748 ms
61 = 810 ms
62 = 876 ms
63 = 947 ms
64 = 1.02 s
65 = 1.1 s
66 = 1.19 s
67 = 1.28 s
68 = 1.38 s
69 = 1.49 s
70 = 1.6 s
71 = 1.72 s
72 = 1.85 s
73 = 1.99 s
74 = 2.13 s
75 = 2.28 s
76 = 2.45 s
77 = 2.62 s
78 = 2.81 s
79 = 3 s
80 = 3.21 s

81 = 3.43 s
82 = 3.66 s
83 = 3.91 s
84 = 4.17 s
85 = 4.45 s
86 = 4.74 s
87 = 5.05 s
88 = 5.37 s
89 = 5.72 s
90 = 6.08 s
91 = 6.47 s
92 = 6.87 s
93 = 7.3 s
94 = 7.75 s
95 = 8.22 s
96 = 8.72 s
97 = 9.25 s
98 = 9.8 s
99 = 10 s
100 = 11 s
101 = 12 s
102 = 12 s
103 = 13 s
104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS2 Synth Amp Env Decay

Offset in file: 0xf4 (b1-0) and 0xf5 (b7-3)

0 = 3.0 ms
1 = 3.5 ms
2 = 4.0 ms
3 = 4.6 ms
4 = 5.3 ms
5 = 6.0 ms
6 = 6.9 ms
7 = 7.9 ms
8 = 9.0 ms

9 = 10 ms
10 = 12 ms
11 = 13 ms
12 = 15 ms
13 = 17 ms
14 = 19 ms
15 = 21 ms
16 = 23 ms
17 = 26 ms
18 = 29 ms
19 = 33 ms
20 = 36 ms
21 = 41 ms
22 = 45 ms
23 = 50 ms
24 = 55 ms
25 = 61 ms
26 = 68 ms
27 = 75 ms
28 = 82 ms
29 = 91 ms
30 = 100 ms
31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms
36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1050 s
60 = 1.13 s
61 = 1.21 s
62 = 1.3 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.7 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s

70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.1 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.5 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10.0 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS2 Synth Amp Env Release

Offset in file: 0xf5 (b2-0) and 0xf6 (b7-4)

0 = 3.0 ms
1 = 3.5 ms
2 = 4.0 ms
3 = 4.6 ms
4 = 5.3 ms
5 = 6.0 ms
6 = 6.9 ms
7 = 7.9 ms
8 = 9.0 ms
9 = 10 ms
10 = 12 ms
11 = 13 ms
12 = 15 ms
13 = 17 ms
14 = 19 ms
15 = 21 ms
16 = 23 ms
17 = 26 ms
18 = 29 ms
19 = 33 ms
20 = 36 ms
21 = 41 ms
22 = 45 ms
23 = 50 ms
24 = 55 ms
25 = 61 ms
26 = 68 ms
27 = 75 ms
28 = 82 ms
29 = 91 ms
30 = 100 ms
31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms
36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms

58 = 983 ms
59 = 1050 s
60 = 1.13 s
61 = 1.21 s
62 = 1.3 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.7 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.1 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.5 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10.0 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s

119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s

NS2 Synth Amp Env Velocity

Offset in file: 0xf6 (b3)

0 = off, 1 = on

NS2 Synth Lfo Wave

Offset in file: 0xf7 (b3-2)

0 = SQUARE
1 = SAW
2 = TRI
3 = S/H

NS2 Synth Lfo Rate

Offset in file: 0xdc (b5-2) (if LFO MST CLOCK = ON)

0 = 4/1
1 = 4/1T
2 = 2/1
3 = 2/1T
4 = 1/1
5 = 1/1T
6 = 1/2
7 = 1/2T
8 = 1/4
9 = 1/4T
10 = 1/8
11 = 1/8T
12 = 1/16
13 = 1/16T
14 = 1/32

Offset in file: 0xf6 (b2-0) 0xf7 (b7-4) (if LFO MST CLOCK = OFF)

0 = 0.03 Hz
1 = 0.03 Hz
2 = 0.03 Hz
3 = 0.04 Hz
4 = 0.04 Hz
5 = 0.04 Hz
6 = 0.05 Hz
7 = 0.05 Hz
8 = 0.05 Hz
9 = 0.06 Hz
10 = 0.06 Hz
11 = 0.07 Hz
12 = 0.07 Hz
13 = 0.08 Hz

14 = 0.09 Hz
15 = 0.09 Hz
16 = 0.1 Hz
17 = 0.11 Hz
18 = 0.12 Hz
19 = 0.13 Hz
20 = 0.14 Hz
21 = 0.15 Hz
22 = 0.16 Hz
23 = 0.17 Hz
24 = 0.19 Hz
25 = 0.20 Hz
26 = 0.22 Hz
27 = 0.24 Hz
28 = 0.26 Hz
29 = 0.28 Hz
30 = 0.30 Hz
31 = 0.32 Hz
32 = 0.35 Hz
33 = 0.38 Hz
34 = 0.41 Hz
35 = 0.44 Hz
36 = 0.47 Hz
37 = 0.51 Hz
38 = 0.55 Hz
39 = 0.6 Hz
40 = 0.64 Hz
41 = 0.7 Hz
42 = 0.75 Hz
43 = 0.81 Hz
44 = 0.88 Hz
45 = 0.95 Hz
46 = 1.0 Hz
47 = 1.1 Hz
48 = 1.2 Hz
49 = 1.3 Hz
50 = 1.4 Hz
51 = 1.5 Hz
52 = 1.6 Hz
53 = 1.8 Hz
54 = 1.9 Hz
55 = 2.0 Hz
56 = 2.2 Hz
57 = 2.4 Hz
58 = 2.6 Hz
59 = 2.8 Hz
60 = 3.0 Hz
61 = 3.2 Hz
62 = 3.5 Hz
63 = 3.8 Hz
64 = 4.1 Hz
65 = 4.4 Hz
66 = 4.8 Hz
67 = 5.2 Hz
68 = 5.6 Hz
69 = 6.0 Hz
70 = 6.5 Hz
71 = 7.0 Hz
72 = 7.6 Hz
73 = 8.2 Hz
74 = 8.8 Hz

75 = 9.5 Hz
76 = 10 Hz
77 = 11 Hz
78 = 12 Hz
79 = 13 Hz
80 = 14 Hz
81 = 15 Hz
82 = 16 Hz
83 = 18 Hz
84 = 19 Hz
85 = 21 Hz
86 = 22 Hz
87 = 24 Hz
88 = 26 Hz
89 = 28 Hz
90 = 30 Hz
91 = 33 Hz
92 = 35 Hz
93 = 38 Hz
94 = 41 Hz
95 = 45 Hz
96 = 48 Hz
97 = 52 Hz
98 = 56 Hz
99 = 61 Hz
100 = 65 Hz
101 = 71 Hz
102 = 76 Hz
103 = 82 Hz
104 = 89 Hz
105 = 96 Hz
106 = 104 Hz
107 = 112 Hz
108 = 121 Hz
109 = 131 Hz
110 = 141 Hz
111 = 153 Hz
112 = 165 Hz
113 = 178 Hz
114 = 192 Hz
115 = 208 Hz
116 = 224 Hz
117 = 242 Hz
118 = 262 Hz
119 = 283 Hz
120 = 305 Hz
121 = 330 Hz
122 = 356 Hz
123 = 385 Hz
124 = 415 Hz
125 = 449 Hz
126 = 484 Hz
127 = 523 Hz

NS2 Synth Lfo Master Clock

Offset in file: 0xdc (b6)

0 = off, 1 = on

NS2 Synth Arp On

Offset in file: 0xd9 (b0)

0 = off, 1 = on

NS2 Synth Arp Rate

Offset in file: 0xda (b6-3) (if MST CLK is ON)

- 0 = 1/2
- 1 = 1/2T
- 2 = 1/4
- 3 = 1/4T
- 4 = 1/8
- 5 = 1/8T
- 6 = 1/16
- 7 = 1/16T
- 8 = 1/32

Offset in file: 0xda (b1-0) and 0xdb (b7-3) (if MST CLK is OFF)

- 0 = 80 BPM
- 1 = 82 BPM
- 2 = 84 BPM
- 3 = 86 BPM
- 4 = 88 BPM
- 5 = 90 BPM
- 6 = 92 BPM
- 7 = 94 BPM
- 8 = 96 BPM
- 9 = 98 BPM
- 10 = 100 BPM
- 11 = 102 BPM
- 12 = 104 BPM
- 13 = 106 BPM
- 14 = 108 BPM
- 15 = 110 BPM
- 16 = 112 BPM
- 17 = 114 BPM
- 18 = 116 BPM
- 19 = 118 BPM
- 20 = 120 BPM
- 21 = 122 BPM
- 22 = 124 BPM
- 23 = 126 BPM
- 24 = 128 BPM
- 25 = 130 BPM
- 26 = 132 BPM
- 27 = 134 BPM
- 28 = 136 BPM
- 29 = 138 BPM
- 30 = 140 BPM
- 31 = 142 BPM
- 32 = 144 BPM
- 33 = 148 BPM
- 34 = 152 BPM
- 35 = 156 BPM
- 36 = 160 BPM
- 37 = 82:8 BPM
- 38 = 84:8 BPM
- 39 = 86:8 BPM
- 40 = 88:8 BPM

41 = 90:8 BPM
42 = 92:8 BPM
43 = 94:8 BPM
44 = 96:8 BPM
45 = 98:8 BPM
46 = 100:8 BPM
47 = 102:8 BPM
48 = 104:8 BPM
49 = 106:8 BPM
50 = 108:8 BPM
51 = 110:8 BPM
52 = 112:8 BPM
53 = 114:8 BPM
54 = 116:8 BPM
55 = 118:8 BPM
56 = 120:8 BPM
57 = 122:8 BPM
58 = 124:8 BPM
59 = 126:8 BPM
60 = 128:8 BPM
61 = 130:8 BPM
62 = 132:8 BPM
63 = 134:8 BPM
64 = 136:8 BPM
65 = 140:8 BPM
66 = 144:8 BPM
67 = 148:8 BPM
68 = 152:8 BPM
69 = 156:8 BPM
70 = 160:8 BPM
71 = 82:16 BPM
72 = 84:16 BPM
73 = 86:16 BPM
74 = 88:16 BPM
75 = 90:16 BPM
76 = 92:16 BPM
77 = 94:16 BPM
78 = 96:16 BPM
79 = 98:16 BPM
80 = 100:16 BPM
81 = 102:16 BPM
82 = 104:16 BPM
83 = 106:16 BPM
84 = 108:16 BPM
85 = 110:16 BPM
86 = 112:16 BPM
87 = 114:16 BPM
88 = 116:16 BPM
89 = 118:16 BPM
90 = 120:16 BPM
91 = 122:16 BPM
92 = 124:16 BPM
93 = 126:16 BPM
94 = 128:16 BPM
95 = 130:16 BPM
96 = 132:16 BPM
97 = 136:16 BPM
98 = 140:16 BPM
99 = 144:16 BPM
100 = 148:16 BPM
101 = 152:16 BPM

102 = 156:16 BPM
103 = 160:16 BPM
104 = 82:32 BPM
105 = 84:32 BPM
106 = 86:32 BPM
107 = 88:32 BPM
108 = 90:32 BPM
109 = 92:32 BPM
110 = 94:32 BPM
111 = 96:32 BPM
112 = 98:32 BPM
113 = 100:32 BPM
114 = 102:32 BPM
115 = 104:32 BPM
116 = 106:32 BPM
117 = 108:32 BPM
118 = 110:32 BPM
119 = 112:32 BPM
120 = 114:32 BPM
121 = 116:32 BPM
122 = 118:32 BPM
123 = 120:32 BPM
124 = 122:32 BPM
125 = 124:32 BPM
126 = 126:32 BPM
127 = 128:32 BPM

NS2 Synth Arp Master Clock

Offset in file: 0xda (b7)

0 = off, 1 = on

NS2 Synth Arp Range

Offset in file: 0xdb (b0) and 0xdc (b7)

0 = 1 Octave
1 = 2 Octaves
2 = 3 Octaves
3 = 4 Octaves

NS2 Synth Arp Pattern

Offset in file: 0xdb (b2-1)

0 = UP
1 = DN
2 = UP/DN
3 = RANDOM