Unofficial Nord Stage 2 and 3 Program File Documentation

christian.florentz@gmail.com

Let's get started

This file documents the Nord Stage program file structure. It is handmade by NUF users and is not officially supported by Nord Keyboards / Clavia DMI AB. While we certainly hope this document is useful, none of the authors or contributors place any guarantees as to the accuracy of the data.

We contacted Nord Keyboards / Clavia DMI AB support about this project, and the answer was that they are fine with this project, and it can be published :)

https://ns3-program-viewer.herokuapp.com web application is the project behind this initiative. Source is located here: https://github.com/Chris55/ns3-program-viewer

---

Summary

- Disclaimer
- Contributors
- License
- Revision
- Nord Stage 2 File Structure
- Nord Stage 3 File Structure

Disclaimer

We are not affiliated, associated, endorsed by, or in any way officially connected with Nord Keyboards / Clavia DMI AB, or any of its subsidiaries or its affiliates. The official Nord Keyboards website can be found at https://www.nordkeyboards.com The names Nord and Clavia as well as related names, marks, emblems and images are registered trademarks of their respective owners.

Contributors

- Christian Florentz (@florence)
- Andreas Gallenmueller (@gaaal)
- Thanks to other NUF member(s): @cookie, @gordon, @rpossemo

Revision

rev	date	description
0.1	23-Sep-2020	Draft version
0.2	26-Sep-2020	Added Delay section
1.0	27-Sep-2020	Added Amp Sim / Eq section and bumped to v1.0
1.1	xx-xxx-2020	Fixed NS3 Organ mapping (0x00DB was missing)
		Added NS3 missing Organ Preset II options
		Fixed NS3 Organ Morph implementation
		Added NS3 Synth Preset
		Draft added Stage 2

License

This mapping is provided as-is under the MIT license.

Copyright (c) 2020 Christian Florentz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Nord Stage 3 File Structure

This mapping corresponds to the Nord Stage 3 program file (file extension ns3f).

The file version used is 3.04 (generated with OS v2.54), and the file length is 592 bytes. Some older versions have a length of 574 bytes and a smaller header.

Offset 0x04 defines the file format.

Each memory offset corresponds to an 8-bit value.

0x01 (hex) = 00000001 -> bit 0 is '1'

0x84 (hex) = 10000100 -> bit 7 and 2 are '1'

In the documentation `--xxxxxx` (b5-0) means Bit5 to Bit0.

offset	bits	description
0x0000	`cccccccc`	ascii C - 0x43, 4-byte Clavia ID
0x0001	`cccccccc`	ascii B - 0x42
0x0002	`cccccccc`	ascii I - 0x49
0x0003	`cccccccc`	ascii N - 0x4E
0x0004	`ffffffff`	(f) file format
0x0005	`--------`	0
0x0006	`--------`	0
0x0007	`--------`	0
0x0008	`cccccccc`	ascii n - 0x6E, 4-byte NS3 Program file ID
0x0009	`cccccccc`	ascii s - 0x73,
0x000A	`cccccccc`	ascii 3 - 0x33,
0x000B	`cccccccc`	ascii f - 0x66,
0x000C	`bbbbbbbb`	(b) bank lsb (0 = A, 1 = B . . .)
0x000D	`--------`	0
0x000E	`llllllll`	(l) location lsb (0 = 11, 1 = 12 . . .)
0x000F	`--------`	0
0x0010	`cccccccc`	(c) program category
0x0011	`--------`	
0x0012	`--------`	
0x0013	`--------`	
0x0014	`iiiiiiii`	(i) file version (16-bit)
0x0015	`iiiiiiii`	
0x0016	`--------`	
0x0017	`--------`	
0x0018	`cccccccc`	(c) CRC1 (32-bit)
0x0019	`cccccccc`	
0x001A	`cccccccc`	
0x001B	`cccccccc`	
0x001C	`--------`	
0x001D	`--------`	
0x001E	`--------`	
0x001F	`--------`	
0x0020	`--------`	
0x0021	`--------`	
0x0022	`--------`	
0x0023	`--------`	
0x0024	`--------`	
0x0025	`--------`	
0x0026	`--------`	
0x0027	`--------`	
0x0028	`--------`	
0x0029	`--------`	
0x002A	`--------`	
0x002B	`--------`	
0x002C	`--------`	0
0x002D	`--------`	0

offset	bits	description
0x002E	vvvvvvvv	version 16-bit integer value in Big Endian format
0x002F	vvvvvvvv	
0x0030	--------	11
0x0031	pppsssss	(p) panel, (s) split
0x0032	ssssssss	
0x0033	ssssssss	
0x0034	sddpvvvr	(d) piano layer detune, (p) organ pitch stick, (v) organ vibrato mode, (r) rotary speaker speed
0x0035	mwwwaaap	(m) rotary speaker stop mode, (w) rotary speaker speed morph wheel, (a) rotary speaker speed morph after touch, (p) rotary speaker speed morph control pedal
0x0036	pp------	
0x0037	--------	
0x0038	tttttccc	(t) transpose, (c) master clock rate
0x0039	cccccddd	(d) rotary speaker drive
0x003A	ddddk-ss	(k) dual keyboard, (s) dual keyboard style
0x003B	--------	
0x003C	--------	
0x003D	--------	
0x003E	--------	
0x003F	--------	
0x0040	--------	
0x0041	--------	
0x0042	--------	
0x0043	ozzzzvvv	(o) piano on, (z) piano kb zone, (v) piano volume
0x0044	vvvvwwww	(w) piano volume morph wheel
0x0045	wwwwaaaa	(a) piano volume morph after touch
0x0046	aaaapppp	(p) piano volume morph control pedal
0x0047	ppppoooo	(o) piano octave shift
0x0048	pstttmmm	(p) piano pitch stick, (s) piano sustain pedal, (t) piano type, (m) piano model
0x0049	mmvviiii	(v) piano sample variation, (i) piano sample name
0x004A	iiiiiiii	
0x004B	iiiiiiii	
0x004C	iiiiiiii	
0x004D	iiiisrpk	(s) piano soft release,(r) piano string resonance, (p) piano pedal noise, (k) piano kb touch
0x004E	k-ttt---	(t) piano timbre
0x004F	--------	
0x0050	--------	
0x0051	--------	
0x0052	ozzzzvvv	(o) synth on, (z) synth kb zone, (v) synth volume
0x0053	vvvvwwww	(w) synth volume morph wheel
0x0054	wwwwaaaa	(a) synth volume morph after touch
0x0055	aaaapppp	(p) synth volume morph control pedal
0x0056	ppppoooo	(o) synth octave shift
0x0057	psiiiiii	(p) synth pitch stick, (s) synth sustain pedal, (i) synth preset location
0x0058	iiiicccc	(c) synth preset name
0x0059	cccccccc	
0x005A	cccccccc	
0x005B	cccccccc	
0x005C	cccccccc	
0x005D	cccccccc	
0x005E	cccccccc	
0x005F	cccccccc	
0x0060	cccccccc	
0x0061	cccccccc	
0x0062	cccccccc	
0x0063	cccccccc	
0x0064	cccccccc	
0x0065	cccccccc	

offset	bits	description
0x0066	cccccccc	
0x0067	cccccccc	
0x0068	cccccccc	
0x0069	cccccccc	
0x006A	cccccccc	
0x006B	cccccccc	
0x006C	cccccccc	
0x006D	cccccccc	
0x006E	cccc----	
0x006F	--------	
0x0070	--------	
0x0071	--------	
0x0072	--------	
0x0073	--------	
0x0074	--------	
0x0075	--------	
0x0076	--------	
0x0077	--------	
0x0078	----cccc	(i) CRC2 (32-bit)
0x0079	cccccccc	
0x007A	cccccccc	
0x007B	cccccccc	
0x007C	cccc----	
0x007D	--------	
0x007E	--------	
0x007F	--------	
0x0080	hosrrppc	(h) synth kh hold, (o) synth arp on, (o) synth arp kb sync, (r) synth arp range, (p) synth arp pattern, (c) synth arp master clock
0x0081	rrrrrrrw	(r) synth arp rate, (w) synth arp rate morph wheel
0x0082	wwwwwwwa	(a) synth arp rate morph after touch
0x0083	aaaaaaap	(p) synth arp rate morph control pedal
0x0084	ppppppppv	(v) synth voice
0x0085	vggggggg	(g) synth glide
0x0086	uuvvvlll	(g) synth unison, (v) synth vibrato, (l) synth lfo wave
0x0087	mrrrrrrr	(m) synth lfo master clock, (r) synth lfo rate
0x0088	wwwwwwww	(w) synth lfo rate morph wheel
0x0089	aaaaaaaa	(a) synth lfo rate morph after touch
0x008A	pppppppp	(r) synth lfo rate control pedal
0x008B	aaaaaaad	(a) synth mod env attack, (d) synth mod env decay
0x008C	dddddrr	(a) synth mod env release
0x008D	rrrrrvtt	(v) synth mod env velocity, (t) synth oscillator type
0x008E	twwwwwww	(w) synth oscillator 1 wave form
0x008F	ww-ccccp	(c) synth oscillator config, (c) synth pitch
0x0090	ppppplll	(l) synth oscillator control
0x0091	llllwwww	(w) synth oscillator control morph wheel
0x0092	wwwwaaaa	(a) synth oscillator control morph after touch
0x0093	aaaapppp	(p) synth oscillator control morph control pedal
0x0094	ppppllll	(l) synth lfo mod env
0x0095	lllwwwww	(w) synth lfo mod env morph wheel
0x0096	wwwaaaaa	(a) synth lfo mod env morph after touch
0x0097	aaappppp	(p) synth lfo mod env morph control pedal
0x0098	ppptttff	(t) synth filter type, (f) synth filter freq
0x0099	fffffwww	(w) synth filter freq morph wheel
0x009A	wwwwwaaa	(a) synth filter freq morph after touch
0x009B	aaaaappp	(p) synth filter freq morph control pedal
0x009C	pppppphh	(h) synth filter hp freq res
0x009D	hhhhwwww	(w) synth filter hp freq res morph wheel
0x009E	wwwwaaaa	(a) synth filter hp freq res morph after touch
0x009F	aaaapppp	(p) synth filter hp freq res morph control pedal

offset	bits	description
0x00A0	ppppllll	(l) synth filter lfo amount
0x00A1	lllwwwww	(w) synth filter lfo amount morph wheel
0x00A2	wwwaaaaa	(a) synth filter lfo amount morph after touch
0x00A3	aaappppp	(p) synth filter lfo amount morph control pedal
0x00A4	pppmmmmm	(m) synth filter vel mod env amount
0x00A5	mmttddaa	(t) synth filter kb track, (d) synth filter drive, (a) synth amp env attack
0x00A6	aaaaaddd	(d) synth amp env decay
0x00A7	ddddrrrr	(r) synth amp env release
0x00A8	rrrvvsss	(r) synth amp env velocity, (s) synth sample id
0x00A9	ssssssss	
0x00AA	ssssssss	
0x00AB	ssssssss	
0x00AC	sssssf--	(f) synth fast attack
0x00AD	--------	0
0x00AE	--------	0
0x00AF	--------	0
0x00B0	--------	0
0x00B1	--------	0
0x00B2	--------	0
0x00B3	--------	0
0x00B4	--------	0
0x00B5	--------	07
0x00B6	ozzzzvvv	(o) organ on, (z) organ kb zone, (v) organ volume
0x00B7	vvvvwwww	(w) organ volume morph wheel
0x00B8	wwwwaaaa	(a) organ volume morph after touch
0x00B9	aaaappppp	(p) organ volume morph control pedal
0x00BA	pppp0000	(o) organ octave shift
0x00BB	stttlp--	(s) organ sustain-pedal,(t) organ type, (l) organ live mode, (p) organ preset 2 on
0x00BC	--------	0
0x00BD	--------	1A
0x00BE	1111wwww	organ preset 1 drawbar (1), (w) organ preset 1 drawbar 1 morph wheel
0x00BF	waaaaapp	(a) organ preset 1 drawbar 1 morph after touch, (p) organ preset 1 drawbar 2 morph control pedal
0x00C0	ppp2222w	organ preset 1 drawbar (2), (w) organ preset 1 drawbar 2 morph wheel
0x00C1	wwwwaaaa	(a) organ preset 1 drawbar 2 morph after touch
0x00C2	appppp33	(p) organ preset 1 drawbar 2 morph control pedal, organ preset 1 drawbar (3),
0x00C3	33wwwwwa	(w) organ preset 1 drawbar 3 morph wheel, (a) organ preset 1 drawbar 3 morph after touch
0x00C4	aaaapppp	(p) organ preset 1 drawbar 3 morph control pedal
0x00C5	p4444www	organ preset 1 drawbar (4), (w) organ preset 1 drawbar 4 morph wheel
0x00C6	wwaaaaap	(a) organ preset 1 drawbar 4 morph after touch, (p) organ preset 1 drawbar 4 morph control pedal,
0x00C7	pppp5555	organ preset 1 drawbar (5),
0x00C8	wwwwwaaa	(w) organ preset 1 drawbar 5 morph wheel, (a) organ preset 1 drawbar 5 morph after touch
0x00C9	aappppp6	(p) organ preset 1 drawbar 5 morph control pedal, organ preset 1 drawbar (6),
0x00CA	666wwwww	(w) organ preset 1 drawbar 6 morph wheel
0x00CB	aaaaappp	(a) organ preset 1 drawbar 6 morph after touch, (p) organ preset 1 drawbar 6 morph control pedal
0x00CC	pp7777ww	organ preset 1 drawbar (7), (w) organ preset 1 drawbar 7 morph wheel
0x00CD	wwwaaaaa	(a) organ preset 1 drawbar 7 morph after touch
0x00CE	ppppp888	(p) organ preset 1 drawbar 7 morph control pedal, organ preset 1 drawbar (8),
0x00CF	8wwwwwaa	(w) organ preset 1 drawbar 8 morph wheel, (a) organ preset 1 drawbar 8 morph after touch
0x00D0	aaappppp	(p) organ preset 1 drawbar 8 morph control pedal
0x00D1	9999wwww	organ preset 1 drawbar (9), (w) organ preset 1 drawbar 9 morph wheel
0x00D2	waaaaacc	(a) organ preset 1 drawbar 9 morph after touch, (c) organ preset 1 drawbar 9 morph control pedal

offset	bits	description
0x00D3	cccvphds	(v) organ vibrato on, (p) organ percussion on, (h) organ percussion harmonic third, (d) organ percussion decay fast, (s) organ percussion volume soft
0x00D4	--------	0
0x00D5	--------	0
0x00D6	--------	0
0x00D7	--------	0
0x00D8	--------	1A
0x00D9	1111wwww	organ preset 2 drawbar (1), (w) organ preset 2 drawbar 1 morph wheel
0x00DA	waaaaapp	(a) organ preset 2 drawbar 1 morph after touch, (p) organ preset 2 drawbar 2 morph control pedal
0x00DB	ppp2222w	organ preset 2 drawbar (2), (w) organ preset 2 drawbar 2 morph wheel
0x00DC	wwwwaaaa	(a) organ preset 2 drawbar 2 morph after touch
0x00DD	appppp33	(p) organ preset 2 drawbar 2 morph control pedal, organ preset 2 drawbar (3),
0x00DE	33wwwwwa	(w) organ preset 2 drawbar 3 morph wheel, (a) organ preset 2 drawbar 3 morph after touch
0x00DF	aaaapppp	(p) organ preset 2 drawbar 3 morph control pedal
0x00E0	p4444www	organ preset 2 drawbar (4), (w) organ preset 2 drawbar 4 morph wheel
0x00E1	wwaaaaap	(a) organ preset 2 drawbar 4 morph after touch, (p) organ preset 2 drawbar 4 morph control pedal,
0x00E2	pppp5555	organ preset 2 drawbar (5),
0x00E3	wwwwwaaa	(w) organ preset 2 drawbar 5 morph wheel, (a) organ preset 2 drawbar 5 morph after touch
0x00E4	aapppppp6	(p) organ preset 2 drawbar 5 morph control pedal, organ preset 2 drawbar (6),
0x00E5	666wwwww	(w) organ preset 2 drawbar 6 morph wheel
0x00E6	aaaaappp	(a) organ preset 2 drawbar 6 morph after touch, (p) organ preset 2 drawbar 6 morph control pedal
0x00E7	pp7777ww	organ preset 2 drawbar (7), (w) organ preset 2 drawbar 7 morph wheel
0x00E8	wwwaaaaa	(a) organ preset 2 drawbar 7 morph after touch
0x00E9	ppppp888	(p) organ preset 2 drawbar 7 morph control pedal, organ preset 2 drawbar (8),
0x00EA	8wwwwwaa	(w) organ preset 2 drawbar 8 morph wheel, (a) organ preset 2 drawbar 8 morph after touch
0x00EB	aaappppp	(p) organ preset 2 drawbar 8 morph control pedal
0x00EC	9999wwww	organ preset 2 drawbar (9), (w) organ preset 2 drawbar 9 morph wheel
0x00ED	waaaaacc	(a) organ preset 2 drawbar 9 morph after touch, (c) organ preset 2 drawbar 9 morph control pedal
0x00EE	cccvphds	(v) organ preset 2 vibrato on, (p) organ preset 2 percussion on, (v) organ preset 2 percussion harmonic third, (v) organ preset 2 percussion decay fast, (v) organ preset 2 percussion volume soft
0x00EF	--------	
0x00F0	--------	
0x00F1	--------	
0x00F2	--------	
0x00F3	--------	
0x00F4	ozzz--ss	(o) extern on, (z) extern kb zone, (s) extern octave shift
0x00F5	s-------	
0x00F6	ps----mm	(p) extern pitch stick, (s) extern sustain pedal, (m) extern midi control
0x00F7	-------v	(v) extern midi cc
0x00F8	vvvvvvww	(w) extern midi cc morph wheel
0x00F9	wwwwwaa	(a) extern midi cc morph after touch
0x00FA	aaaaaapp	(p) extern midi cc morph control pedal
0x00FB	pppppp--	
0x00FC	--------	
0x00FD	-------v	(v) extern midi program
0x00FE	wwwwwaa	(a) extern midi program after touch
0x00FF	aaaaaapp	(p) extern midi program control pedal
0x0100	pppppp--	
0x0101	-------v	(v) extern volume
0x0102	vvvvvvww	(w) extern volume morph wheel
0x0103	wwwwwaa	(a) extern volume morph after touch

offset	bits	description
0x0104	aaaaaapp	(p) extern volume morph control pedal
0x0105	pppppp--	
0x0106	--------	
0x0107	--------	
0x0108	--------	
0x0109	--------	
0x010A	--------	
0x010B	ossnrrtt	(o) rotary speaker on, (s) rotary speaker source, (n) effect 1 on, (r) effect-1-source, (t) effect 1 type
0x010C	tcrrrrrr	(c) effect 1 master clock, (r) effect 1 rate
0x010D	rwwwwwww	(w) effect 1 rate morph wheel
0x010E	waaaaaaa	(a) effect 1 rate morph after touch
0x010F	appppppp	(p) effect 1 rate morph control pedal
0x0110	paaaaaaa	(a) effect 1 amount
0x0111	wwwwwwww	(w) effect 1 amount morph wheel
0x0112	aaaaaaaa	(a) effect 1 amount morph after touch
0x0113	pppppppp	(p) effect 1 amount morph control pedal
0x0114	osstttrr	(o) effect 2 on, (s) effect 2 source, (t) effect 2 type, (r) effect 2 rate
0x0115	rrrrraaa	(a) effect 2 amount
0x0116	aaaawwww	(w) effect 2 amount morph wheel
0x0117	wwwwaaaa	(a) effect 2 amount morph after touch
0x0118	aaaapppp	(p) effect 2 amount morph control pedal
0x0119	pppposssc	(o) delay on, (s) delay source, (m) delay master clock
0x011A	tttttttx	(t) delay tempo, (x) delay tempo lsw
0x011B	xxxxxxpw	(w) delay tempo morph wheel
0x011C	wwwwwwxx	(x) delay tempo morph wheel lsw
0x011D	xxxxxpaa	(a) delay tempo morph after touch
0x011E	aaaaaxxx	(x) delay tempo morph after touch lsw
0x011F	xxxxpccc	(c) delay tempo morph control pedal
0x0120	ccccxxxx	(x) delay tempo morph control pedal lsw
0x0121	xxxmmmmm	(t) delay mix
0x0122	mmwwwwww	(w) delay mix morph wheel
0x0123	wwaaaaaa	(a) delay mix morph after touch
0x0124	aapppppp	(p) delay mix morph control pedal
0x0125	ppoffbbb	(o) delay ping pong, (f) delay filter, (b) delay feedback
0x0126	bbbbwwww	(w) delay feedback morph wheel
0x0127	wwwwaaaa	(a) delay feedback morph after touch
0x0128	aaaapppp	(p) delay feedback morph control pedal
0x0129	ppppaoss	(a) delay analog mode, (o) amp sim eq on, (s) amp sim eq source
0x012A	aaattttt	(a) amp sim eq amp type, (a) amp sim eq treble
0x012B	ttmmmmmm	(m) amp sim eq mid res
0x012C	mbbbbbbb	(m) amp sim eq bass dry wet
0x012D	fffffffw	(f) amp sim eq mid flt freq
0x012E	wwwwwwwa	(f) amp sim eq mid flt freq morph wheel
0x012F	aaaaaaap	(f) amp sim eq mid flt freq morph after touch
0x0130	ppppppppd	(f) amp sim eq mid flt freq morph control pedal, (d) amp sim eq drive
0x0131	dddddww	(w) amp sim eq drive morph wheel
0x0132	wwwwwaa	(a) amp sim eq drive morph after touch
0x0133	aaaaaapp	(p) amp sim eq drive morph control pedal
0x0134	ppppppot	(o) reverb on, (t) reverb type
0x0135	ttbrrrrr	(o) reverb bright, (r) reverb amount
0x0136	rrwwwwww	(w) reverb amount morph wheel
0x0137	wwaaaaaa	(a) reverb amount morph after touch
0x0138	aapppppp	(p) reverb amount morph control pedal
0x0139	ppocccccc	(o) compressor on, (c) compressor amount
0x013A	ccf-----	(f) compressor fast
0x013B	--------	Piano Panel B, same as offset 0x34, offset from Panel A is 0x107 (263 bytes)
0x013C	--------	
...		

offset	bits	description
0x0240	--------	
0x0241	--------	end of Panel B
0x0242	--------	0
0x0243	--------	0
0x0244	--------	0
0x0245	--------	0
0x0246	--------	0
0x0247	--------	0
0x0248	--------	0
0x0249	--------	0
0x024A	--------	5
0x024B	--------	0
0x024C	--------	0
0x024D	--------	0
0x024E	--------	0
0x024F	--------	0

NS3 Extern On

Offset in file: 0xF4 (b7)

```
0 = off, 1 = on
```

NS3 Extern Kb Zone

Offset in file: 0xF4 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Extern Octave Shift

Offset in file: 0xF4 (b1-0) and 0xF5 (b7)

```
Octave Shift = value - 6
```

NS3 Extern Pitch Stick

Offset in file: 0xF6 (b7)

```
0 = off, 1 = on
```

NS3 Extern Sustain Pedal

Offset in file: 0xF6 (b6)

```
0 = off, 1 = on
```

NS3 Extern Midi Control

Offset in file: 0xF6 (b1-0)

```
  0 = Midi CC
  1 = Program
  2 = Volume
```

NS3 Extern Midi CC

Offset in file: 0xF7 (b0) and 0xF8 (b7-2)

```
07-bit value = 0/127
```

NS3 Extern Midi Program

Offset in file: 0xFD (b0) and 0xFE (b7-2)

```
07-bit value = 0/127
```

NS3 Extern Volume

Offset in file: 0x101 (b0) and 0x102 (b7-2)

```
07-bit value = 0/127
```

NS3 Amp Sim Eq On

Offset in file: 0x129 (b2)

```
0 = off, 1 = on
```

NS3 Amp Sim Eq Source

Offset in file: 0x10B (b3-2)

```
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Amp Sim Eq Amp Type

Offset in file: 0x12A (b7-5)

```
0 = Clean
1 = Twin
2 = JC
3 = Small
4 = LP24
5 = HP24
```

NS3 Amp Sim Eq Treble

Offset in file: 0x12A (b4-0) and 0x12B (b7-6)

```
treble (fixed 4 kHz) frequency boost/cut table:
  0 = -15.0 dB
  1 = -14.8 dB
  2 = -14.5 dB
  3 = -14.2 dB
  4 = -14.0 dB
  5 = -13.8 dB
  6 = -13.5 dB
  7 = -13.2 dB
  8 = -13.0 dB
  9 = -12.8 dB
 10 = -12.5 dB
 11 = -12.2 dB
 12 = -12.0 dB
 13 = -11.8 dB
 14 = -11.5 dB
 15 = -11.2 dB
 16 = -11.0 dB
 17 = -10.8 dB
 18 = -10.5 dB
 19 = -10.2 dB
 20 = -10.0 dB
 21 = -9.8 dB
 22 = -9.5 dB
 23 = -9.2 dB
 24 = -9.0 dB
 25 = -8.8 dB
 26 = -8.5 dB
 27 = -8.2 dB
 28 = -8.0 dB
 29 = -7.8 dB
 30 = -7.5 dB
 31 = -7.2 dB
 32 = -7.0 dB
 33 = -6.8 dB
 34 = -6.5 dB
 35 = -6.2 dB
 36 = -6.0 dB
```

```
37 = -5.8 dB
38 = -5.5 dB
39 = -5.2 dB
40 = -5.0 dB
41 = -4.8 dB
42 = -4.5 dB
43 = -4.2 dB
44 = -4.0 dB
45 = -3.8 dB
46 = -3.5 dB
47 = -3.2 dB
48 = -3.0 dB
49 = -2.8 dB
50 = -2.5 dB
51 = -2.2 dB
52 = -2.0 dB
53 = -1.8 dB
54 = -1.5 dB
55 = -1.2 dB
56 = -1.0 dB
57 = -0.8 dB
58 = -0.5 dB
59 = -0.2 dB
60 = 0.0 dB
61 = +0.2 dB
62 = +0.5 dB
63 = +0.8 dB
64 = +1.0 dB
65 = +1.2 dB
66 = +1.5 dB
67 = +1.8 dB
68 = +2.0 dB
69 = +2.2 dB
70 = +2.5 dB
71 = +2.8 dB
72 = +3.0 dB
73 = +3.2 dB
74 = +3.5 dB
75 = +3.8 dB
76 = +4.0 dB
77 = +4.2 dB
78 = +4.5 dB
79 = +4.8 dB
80 = +5.0 dB
81 = +5.2 dB
82 = +5.5 dB
83 = +5.8 dB
84 = +6.0 dB
85 = +6.2 dB
86 = +6.5 dB
87 = +6.8 dB
88 = +7.0 dB
89 = +7.2 dB
90 = +7.5 dB
91 = +7.8 dB
92 = +8.0 dB
93 = +8.2 dB
94 = +8.5 dB
95 = +8.8 dB
96 = +9.0 dB
97 = +9.2 dB
```

```
 98 = +9.5 dB
 99 = +9.8 dB
100 = +10.0 dB
101 = +10.2 dB
102 = +10.5 dB
103 = +10.8 dB
104 = +11.0 dB
105 = +11.2 dB
106 = +11.5 dB
107 = +11.8 dB
108 = +12.0 dB
109 = +12.2 dB
110 = +12.5 dB
111 = +12.8 dB
112 = +13.0 dB
113 = +13.2 dB
114 = +13.5 dB
115 = +13.8 dB
116 = +14.0 dB
117 = +14.2 dB
118 = +14.5 dB
119 = +14.8 dB
120 = +15.0 dB
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF
```

NS3 Amp Sim Eq Mid Res

Offset in file: 0x12B (b5-0) and 0x12C (b7)

```
if Amp Type is LP24 or HP24 filter resonance = 0 to 10
else middle frequency boost/cut table:
  0 = -15.0 dB
  1 = -14.8 dB
  2 = -14.5 dB
  3 = -14.2 dB
  4 = -14.0 dB
  5 = -13.8 dB
  6 = -13.5 dB
  7 = -13.2 dB
  8 = -13.0 dB
  9 = -12.8 dB
 10 = -12.5 dB
 11 = -12.2 dB
 12 = -12.0 dB
 13 = -11.8 dB
 14 = -11.5 dB
 15 = -11.2 dB
 16 = -11.0 dB
 17 = -10.8 dB
 18 = -10.5 dB
 19 = -10.2 dB
 20 = -10.0 dB
 21 = -9.8 dB
 22 = -9.5 dB
 23 = -9.2 dB
```

```
24 = -9.0 dB
25 = -8.8 dB
26 = -8.5 dB
27 = -8.2 dB
28 = -8.0 dB
29 = -7.8 dB
30 = -7.5 dB
31 = -7.2 dB
32 = -7.0 dB
33 = -6.8 dB
34 = -6.5 dB
35 = -6.2 dB
36 = -6.0 dB
37 = -5.8 dB
38 = -5.5 dB
39 = -5.2 dB
40 = -5.0 dB
41 = -4.8 dB
42 = -4.5 dB
43 = -4.2 dB
44 = -4.0 dB
45 = -3.8 dB
46 = -3.5 dB
47 = -3.2 dB
48 = -3.0 dB
49 = -2.8 dB
50 = -2.5 dB
51 = -2.2 dB
52 = -2.0 dB
53 = -1.8 dB
54 = -1.5 dB
55 = -1.2 dB
56 = -1.0 dB
57 = -0.8 dB
58 = -0.5 dB
59 = -0.2 dB
60 = 0.0 dB
61 = +0.2 dB
62 = +0.5 dB
63 = +0.8 dB
64 = +1.0 dB
65 = +1.2 dB
66 = +1.5 dB
67 = +1.8 dB
68 = +2.0 dB
69 = +2.2 dB
70 = +2.5 dB
71 = +2.8 dB
72 = +3.0 dB
73 = +3.2 dB
74 = +3.5 dB
75 = +3.8 dB
76 = +4.0 dB
77 = +4.2 dB
78 = +4.5 dB
79 = +4.8 dB
80 = +5.0 dB
81 = +5.2 dB
82 = +5.5 dB
83 = +5.8 dB
84 = +6.0 dB
```

```
 85 = +6.2 dB
 86 = +6.5 dB
 87 = +6.8 dB
 88 = +7.0 dB
 89 = +7.2 dB
 90 = +7.5 dB
 91 = +7.8 dB
 92 = +8.0 dB
 93 = +8.2 dB
 94 = +8.5 dB
 95 = +8.8 dB
 96 = +9.0 dB
 97 = +9.2 dB
 98 = +9.5 dB
 99 = +9.8 dB
100 = +10.0 dB
101 = +10.2 dB
102 = +10.5 dB
103 = +10.8 dB
104 = +11.0 dB
105 = +11.2 dB
106 = +11.5 dB
107 = +11.8 dB
108 = +12.0 dB
109 = +12.2 dB
110 = +12.5 dB
111 = +12.8 dB
112 = +13.0 dB
113 = +13.2 dB
114 = +13.5 dB
115 = +13.8 dB
116 = +14.0 dB
117 = +14.2 dB
118 = +14.5 dB
119 = +14.8 dB
120 = +15.0 dB
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF
```

NS3 Amp Sim Eq Bass Dry Wet

Offset in file: 0x12C (b6-0)

```
if Amp Type is LP24 or HP24 filter dry / wet = 0 to 10
else bass (fixed 100 Hz) frequency boost/cut table:
  0 = -15.0 dB
  1 = -14.8 dB
  2 = -14.5 dB
  3 = -14.2 dB
  4 = -14.0 dB
  5 = -13.8 dB
  6 = -13.5 dB
  7 = -13.2 dB
  8 = -13.0 dB
  9 = -12.8 dB
 10 = -12.5 dB
```

```
11 = -12.2 dB
12 = -12.0 dB
13 = -11.8 dB
14 = -11.5 dB
15 = -11.2 dB
16 = -11.0 dB
17 = -10.8 dB
18 = -10.5 dB
19 = -10.2 dB
20 = -10.0 dB
21 = -9.8 dB
22 = -9.5 dB
23 = -9.2 dB
24 = -9.0 dB
25 = -8.8 dB
26 = -8.5 dB
27 = -8.2 dB
28 = -8.0 dB
29 = -7.8 dB
30 = -7.5 dB
31 = -7.2 dB
32 = -7.0 dB
33 = -6.8 dB
34 = -6.5 dB
35 = -6.2 dB
36 = -6.0 dB
37 = -5.8 dB
38 = -5.5 dB
39 = -5.2 dB
40 = -5.0 dB
41 = -4.8 dB
42 = -4.5 dB
43 = -4.2 dB
44 = -4.0 dB
45 = -3.8 dB
46 = -3.5 dB
47 = -3.2 dB
48 = -3.0 dB
49 = -2.8 dB
50 = -2.5 dB
51 = -2.2 dB
52 = -2.0 dB
53 = -1.8 dB
54 = -1.5 dB
55 = -1.2 dB
56 = -1.0 dB
57 = -0.8 dB
58 = -0.5 dB
59 = -0.2 dB
60 = 0.0 dB
61 = +0.2 dB
62 = +0.5 dB
63 = +0.8 dB
64 = +1.0 dB
65 = +1.2 dB
66 = +1.5 dB
67 = +1.8 dB
68 = +2.0 dB
69 = +2.2 dB
70 = +2.5 dB
71 = +2.8 dB
```

```
 72 = +3.0 dB
 73 = +3.2 dB
 74 = +3.5 dB
 75 = +3.8 dB
 76 = +4.0 dB
 77 = +4.2 dB
 78 = +4.5 dB
 79 = +4.8 dB
 80 = +5.0 dB
 81 = +5.2 dB
 82 = +5.5 dB
 83 = +5.8 dB
 84 = +6.0 dB
 85 = +6.2 dB
 86 = +6.5 dB
 87 = +6.8 dB
 88 = +7.0 dB
 89 = +7.2 dB
 90 = +7.5 dB
 91 = +7.8 dB
 92 = +8.0 dB
 93 = +8.2 dB
 94 = +8.5 dB
 95 = +8.8 dB
 96 = +9.0 dB
 97 = +9.2 dB
 98 = +9.5 dB
 99 = +9.8 dB
100 = +10.0 dB
101 = +10.2 dB
102 = +10.5 dB
103 = +10.8 dB
104 = +11.0 dB
105 = +11.2 dB
106 = +11.5 dB
107 = +11.8 dB
108 = +12.0 dB
109 = +12.2 dB
110 = +12.5 dB
111 = +12.8 dB
112 = +13.0 dB
113 = +13.2 dB
114 = +13.5 dB
115 = +13.8 dB
116 = +14.0 dB
117 = +14.2 dB
118 = +14.5 dB
119 = +14.8 dB
120 = +15.0 dB
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF
```

NS3 Amp Sim Eq Mid Flt Freq

Offset in file: 0x12D (b7-1)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 200 Hz to 8.0 kHz
```

```
 0 = 200 Hz
 1 = 205 Hz
 2 = 210 Hz
 3 = 215 Hz
 4 = 221 Hz
 5 = 226 Hz
 6 = 232 Hz
 7 = 238 Hz
 8 = 244 Hz
 9 = 250 Hz
10 = 257 Hz
11 = 263 Hz
12 = 270 Hz
13 = 277 Hz
14 = 284 Hz
15 = 291 Hz
16 = 299 Hz
17 = 306 Hz
18 = 314 Hz
19 = 322 Hz
20 = 330 Hz
21 = 339 Hz
22 = 347 Hz
23 = 356 Hz
24 = 365 Hz
25 = 375 Hz
26 = 384 Hz
27 = 394 Hz
28 = 404 Hz
29 = 414 Hz
30 = 425 Hz
31 = 436 Hz
32 = 447 Hz
33 = 458 Hz
34 = 470 Hz
35 = 482 Hz
36 = 494 Hz
37 = 507 Hz
38 = 520 Hz
39 = 533 Hz
40 = 546 Hz
41 = 560 Hz
42 = 575 Hz
43 = 589 Hz
44 = 604 Hz
45 = 620 Hz
46 = 635 Hz
47 = 652 Hz
48 = 668 Hz
49 = 685 Hz
50 = 703 Hz
51 = 721 Hz
52 = 739 Hz
53 = 758 Hz
54 = 777 Hz
55 = 797 Hz
56 = 817 Hz
```

```
 57 = 838 Hz
 58 = 859 Hz
 59 = 881 Hz
 60 = 904 Hz
 61 = 927 Hz
 62 = 950 Hz
 63 = 975 Hz
 64 = 999 Hz
 65 = 1.0 kHz
 66 = 1.1 kHz
 67 = 1.1 kHz
 68 = 1.1 kHz
 69 = 1.2 kHz
 70 = 1.2 kHz
 71 = 1.3 kHz
 72 = 1.3 kHz
 73 = 1.3 kHz
 74 = 1.4 kHz
 75 = 1.4 kHz
 76 = 1.5 kHz
 77 = 1.5 kHz
 78 = 1.6 kHz
 79 = 1.6 kHz
 80 = 1.7 kHz
 81 = 1.8 kHz
 82 = 1.8 kHz
 83 = 1.9 kHz
 84 = 1.9 kHz
 85 = 2.0 kHz
 86 = 2.1 kHz
 87 = 2.1 kHz
 88 = 2.2 kHz
 89 = 2.3 kHz
 90 = 2.4 kHz
 91 = 2.4 kHz
 92 = 2.5 kHz
 93 = 2.6 kHz
 94 = 2.7 kHz
 95 = 2.8 kHz
 96 = 2.9 kHz
 97 = 3.0 kHz
 98 = 3.1 kHz
 99 = 3.2 kHz
100 = 3.3 kHz
101 = 3.4 kHz
102 = 3.5 kHz
103 = 3.6 kHz
104 = 3.7 kHz
105 = 3.9 kHz
106 = 4.0 kHz
107 = 4.1 kHz
108 = 4.3 kHz
109 = 4.4 kHz
110 = 4.6 kHz
111 = 4.7 kHz
112 = 4.9 kHz
113 = 5.0 kHz
114 = 5.2 kHz
115 = 5.4 kHz
116 = 5.6 kHz
117 = 5.8 kHz
```

```
118 = 5.9 kHz
119 = 6.1 kHz
120 = 6.3 kHz
121 = 6.6 kHz
122 = 6.8 kHz
123 = 7.0 kHz
124 = 7.2 kHz
125 = 7.5 kHz
126 = 7.7 kHz
127 = 8.0 kHz
```

```
Morph Wheel:
0x12D (b0): polarity (1 = positive, 0 = negative)
0x12E (b7-b1): 7-bit raw value
```

```
Morph After Touch:
0x12E (b0): polarity (1 = positive, 0 = negative)
0x12F (b7-b1): 7-bit raw value
```

```
Morph Control Pedal:
0x12F (b0): polarity (1 = positive, 0 = negative)
0x130 (b7-b1): 7-bit raw value
```

NS3 Amp Sim Eq Drive

Offset in file: 0x130 (b0) and 0x131 (b7-2)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0 to 10.0
```

```
Morph Wheel:
0x131 (b1): polarity (1 = positive, 0 = negative)
0x131 (b0) and 0x132 (b7-2): 7-bit raw value
```

```
Morph After Touch:
0x132 (b1): polarity (1 = positive, 0 = negative)
0x132 (b0) and 0x133 (b7-2): 7-bit raw value
```

```
Morph Control Pedal:
0x133 (b1): polarity (1 = positive, 0 = negative)
0x133 (b0) and 0x134 (b7-2): 7-bit raw value
```

NS3 Compressor On

Offset in file: 0x139 (b5)

```
0 = off, 1 = on
```

NS3 Compressor Amount

Offset in file: 0x139 (b4-0) and 0x13A (b7-6)

```
7-bit value 0/127 = 0/10
```

NS3 Compressor Fast

Offset in file: 0x13A (b5)

```
0 = off, 1 = on
```

NS3 Delay On

Offset in file: 0x119 (b3)

```
0 = off, 1 = on
```

NS3 Delay Source

Offset in file: 0x119 (b2-1)

```
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Delay Master Clock

Offset in file: 0x119 (b0)

```
0 = off, 1 = on
```

NS3 Delay Tempo

Offset in file:

```
tempo is using 14-bit

MSW 0x11A (b7-1): 7-bit value
0/127 = 1.5 s to 20 ms (same as MIDI #CC 94, see table below)

LSW 0x11A (b0) and 0x11B (b7-2): 7-bit value
LSW used for fine tempo value (only used with Tag Tempo)

When Tempo knob is used, LSW is always 0, possible MSW value:
  0 = 1500,1.5 s 40 bpm (1/4)
  1 = 1420,1.42 s 42 bpm (1/4)
  2 = 1360,1.36 s 44 bpm (1/4)
  3 = 1300,1.30 s 46 bpm (1/4)
  4 = 1250,1.25 s 48 bpm (1/4)
  5 = 1200,1.20 s 50 bpm (1/4)
  6 = 1150,1.15 s 52 bpm (1/4)
  7 = 1100,1.11 s 54 bpm (1/4)
  8 = 1070,1.07 s 56 bpm (1/4)
  9 = 1030,1.03 s 58 bpm (1/4)
  10 = 1000,1.00 s 60 bpm (1/4)
  11 = 952,952 ms 63 bpm (1/4)
  12 = 909,909 ms 66 bpm (1/4)
  13 = 870,870 ms 69 bpm (1/4)
  14 = 833,833 ms 72 bpm (1/4)
  15 = 789,789 ms 76 bpm (1/4)
  16 = 750,750 ms 80 bpm (1/4)
  17 = 732,732 ms 82 bpm (1/4)
  18 = 714,714 ms 84 bpm (1/4)
  20 = 682,682 ms 88 bpm (1/4)
  21 = 667,667 ms 90 bpm (1/4)
  22 = 652,652 ms 92 bpm (1/4)
  19 = 698,698 ms 86 bpm (1/4)
  23 = 638,638 ms 94 bpm (1/4)
```

```
24 = 625,625 ms 96 bpm (1/4)
25 = 612,612 ms 98 bpm (1/4)
26 = 600,600 ms 100 bpm (1/4)
27 = 588,588 ms 102 bpm (1/4)
28 = 577,577 ms 104 bpm (1/4)
29 = 566,566 ms 106 bpm (1/4)
30 = 556,556 ms 108 bpm (1/4)
31 = 545,545 ms 110 bpm (1/4)
32 = 541,541 ms 111 bpm (1/4)
33 = 536,536 ms 112 bpm (1/4)
34 = 531,531 ms 113 bpm (1/4)
35 = 526,526 ms 114 bpm (1/4)
36 = 522,522 ms 115 bpm (1/4)
37 = 517,517 ms 116 bpm (1/4)
38 = 513,513 ms 117 bpm (1/4)
39 = 508,508 ms 118 bpm (1/4)
40 = 504,504 ms 119 bpm (1/4)
41 = 500,500 ms 120 bpm (1/4)
42 = 496,496 ms 121 bpm (1/4)
43 = 492,492 ms 122 bpm (1/4)
44 = 488,488 ms 123 bpm (1/4)
45 = 484,484 ms 124 bpm (1/4)
46 = 480,480 ms 125 bpm (1/4)
47 = 476,476 ms 126 bpm (1/4)
48 = 472,472 ms 127 bpm (1/4)
49 = 469,469 ms 128 bpm (1/4)
50 = 465,465 ms 129 bpm (1/4)
51 = 462,462 ms 130 bpm (1/4)
52 = 458,458 ms 131 bpm (1/4)
53 = 455,455 ms 132 bpm (1/4)
54 = 451,451 ms 133 bpm (1/4)
55 = 448,448 ms 134 bpm (1/4)
56 = 444,444 ms 135 bpm (1/4)
57 = 441,441 ms 136 bpm (1/4)
58 = 438,438 ms 137 bpm (1/4)
59 = 435,435 ms 138 bpm (1/4)
60 = 432,432 ms 139 bpm (1/4)
61 = 429,429 ms 140 bpm (1/4)
62 = 423,423 ms 142 bpm (1/4)
63 = 417,417 ms 144 bpm (1/4)
64 = 411,411 ms 146 bpm (1/4)
65 = 405,405 ms 148 bpm (1/4)
66 = 400,400 ms 150 bpm (1/4)
67 = 395,395 ms 152 bpm (1/4)
68 = 390,390 ms 154 bpm (1/4)
69 = 385,385 ms 156 bpm (1/4)
70 = 380,380 ms 158 bpm (1/4)
71 = 375,375 ms 80 bpm (1/8)
72 = 366,366 ms 82 bpm (1/8)
73 = 357,357 ms 84 bpm (1/8)
74 = 349,349 ms 86 bpm (1/8)
75 = 341,341 ms 88 bpm (1/8)
76 = 333,333 ms 90 bpm (1/8)
77 = 326,326 ms 92 bpm (1/8)
78 = 319,319 ms 94 bpm (1/8)
79 = 313,313 ms 96 bpm (1/8)
80 = 306,306 ms 98 bpm (1/8)
81 = 300,300 ms 100 bpm (1/8)
82 = 288,288 ms 104 bpm (1/8)
83 = 278,278 ms 108 bpm (1/8)
84 = 268,268 ms 112 bpm (1/8)
```

```
 85 = 259,259 ms 116 bpm (1/8)
 86 = 250,250 ms 120 bpm (1/8)
 87 = 238,238 ms 126 bpm (1/8)
 88 = 227,227 ms 132 bpm (1/8)
 89 = 217,217 ms 138 bpm (1/8)
 90 = 197,197 ms 152 bpm (1/8)
 91 = 188,188 ms 80 bpm (1/16)
 92 = 179,179 ms 84 bpm (1/16)
 93 = 170,170 ms 88 bpm (1/16)
 94 = 163,163 ms 92 bpm (1/16)
 95 = 156,156 ms 96 bpm (1/16)
 96 = 150,150 ms 100 bpm (1/16)
 97 = 144,144 ms 104 bpm (1/16)
 98 = 139,139 ms 108 bpm (1/16)
 99 = 134,134 ms 112 bpm (1/16)
100 = 129,129 ms 116 bpm (1/16)
101 = 125,125 ms 120 bpm (1/16)
102 = 119,119 ms 126 bpm (1/16)
103 = 114,114 ms 132 bpm (1/16)
104 = 109,109 ms 138 bpm (1/16)
105 = 104,104 ms 144 bpm (1/16)
106 = 99,99 ms 152 bpm (1/16)
107 = 94,94 ms 160 bpm (1/16)
108 = 83,83 ms 180 bpm (1/16)
109 = 75,75 ms 200 bpm (1/16)
110 = 68,68 ms 220 bpm (1/16)
111 = 63,63 ms 240 bpm (1/16)
112 = 58,58 ms 260 bpm (1/16)
113 = 54,54 ms 280 bpm (1/16)
114 = 50,50 ms 300 bpm (1/16)
115 = 47,47 ms 320 bpm (1/16)
116 = 44,44 ms 340 bpm (1/16)
117 = 42,42 ms 360 bpm (1/16)
118 = 39,39 ms 380 bpm (1/16)
119 = 38,38 ms 400 bpm (1/16)
120 = 34,34 ms 440 bpm (1/16)
121 = 31,31 ms 480 bpm (1/16)
122 = 30,30 ms 500 bpm (1/16)
123 = 28,28 ms 540 bpm (1/16)
124 = 26,26 ms 580 bpm (1/16)
125 = 24,24 ms 620 bpm (1/16)
126 = 22,22 ms 680 bpm (1/16)
127 = 20,20 ms 750 bpm (1/16)


Note: When Tap Tempo is used, LSW is different from 0.
A linear interpolation is done to define the fine tempo value.

if 'Delay Master Clock' is enabled 7-bit value 0/127 = 1/2 to 1/64
  0 = 1/2
  1 = 1/2
  2 = 1/2
  3 = 1/2
  4 = 1/2
  5 = 1/2
  6 = 1/2
  7 = 1/2
  8 = 1/4D
  9 = 1/4D
 10 = 1/4D
 11 = 1/4D
```

```
12 = 1/4D
13 = 1/4D
14 = 1/4D
15 = 1/4D
16 = 1/2T
17 = 1/2T
18 = 1/2T
19 = 1/2T
20 = 1/2T
21 = 1/2T
22 = 1/2T
23 = 1/4S
24 = 1/4S
25 = 1/4S
26 = 1/4S
27 = 1/4S
28 = 1/4S
29 = 1/4S
30 = 1/4S
31 = 1/4
32 = 1/4
33 = 1/4
34 = 1/4
35 = 1/4
36 = 1/4
37 = 1/4
38 = 1/8D
39 = 1/8D
40 = 1/8D
41 = 1/8D
42 = 1/8D
43 = 1/8D
44 = 1/8D
45 = 1/8D
46 = 1/4T
47 = 1/4T
48 = 1/4T
49 = 1/4T
50 = 1/4T
51 = 1/4T
52 = 1/4T
53 = 1/8S
54 = 1/8S
55 = 1/8S
56 = 1/8S
57 = 1/8S
58 = 1/8S
59 = 1/8S
60 = 1/8S
61 = 1/8
62 = 1/8
63 = 1/8
64 = 1/8
65 = 1/8
66 = 1/8
67 = 1/8
68 = 1/16D
69 = 1/16D
70 = 1/16D
71 = 1/16D
72 = 1/16D
```

```
 73 = 1/16D
 74 = 1/16D
 75 = 1/16D
 76 = 1/8T
 77 = 1/8T
 78 = 1/8T
 79 = 1/8T
 80 = 1/8T
 81 = 1/8T
 82 = 1/8T
 83 = 1/16S
 84 = 1/16S
 85 = 1/16S
 86 = 1/16S
 87 = 1/16S
 88 = 1/16S
 89 = 1/16S
 90 = 1/16S
 91 = 1/16
 92 = 1/16
 93 = 1/16
 94 = 1/16
 95 = 1/16
 96 = 1/16
 97 = 1/16
 98 = 1/16T
 99 = 1/16T
100 = 1/16T
101 = 1/16T
102 = 1/16T
103 = 1/16T
104 = 1/16T
105 = 1/16T
106 = 1/32
107 = 1/32
108 = 1/32
109 = 1/32
110 = 1/32
111 = 1/32
112 = 1/32
113 = 1/32T
114 = 1/32T
115 = 1/32T
116 = 1/32T
117 = 1/32T
118 = 1/32T
119 = 1/32T
120 = 1/32T
121 = 1/64
122 = 1/64
123 = 1/64
124 = 1/64
125 = 1/64
126 = 1/64
127 = 1/64


Morph Wheel:
0x11B (b1): polarity (1 = positive, 0 = negative)
0x11B (b0), 0x11C (b7-0), and 0x11D (b7-3): 14-bit raw value
```

```
Morph After Touch:
0x11D (b2): polarity (1 = positive, 0 = negative)
0x11D (b1-0), 0x11E (b7-0), and 0x11F (b7-4): 14-bit raw value

Morph Control Pedal:
0x11F (b3): polarity (1 = positive, 0 = negative)
0x11F (b2-0), 0x120 (b7-0), and 0x121 (b7-5): 14-bit raw value

if polarity = 1 then Morph offset value = raw value + 1
if polarity = 0 then Morph offset value = raw value - 16383

Final 'To' Morph value = 'From value (original tempo)' + 'Morph offset value'
Morph Enabled if  'From value' <> 'Morph offset value'
```

NS3 Delay Ping Pong

Offset in file: 0x125 (b5)

```
0 = off, 1 = on
```

NS3 Delay Filter

Offset in file: 0x125 (b4-3)

```
  0 = Bypass
  1 = LP
  2 = HP
  3 = BP
```

NS3 Delay Analog Mode

Offset in file: 0x129 (b3)

```
0 = off, 1 = on
```

NS3 Delay Feedback

Offset in file: 0x125 (b2-0) and 0x126 (b7-4)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10
```

```
Morph Wheel:
0x126 (b3): polarity (1 = positive, 0 = negative)
0x126 (b2-b0) and 0x127 (b7-4): 7-bit raw value

Morph After Touch:
0x127 (b3): polarity (1 = positive, 0 = negative)
0x127 (b2-b0) and 0x128 (b7-4): 7-bit raw value

Morph Control Pedal:
0x128 (b3): polarity (1 = positive, 0 = negative)
0x128 (b2-b0) and 0x129 (b7-4): 7-bit raw value
```

NS3 Delay Mix

Offset in file: 0x121 (b4-0) and 0x122 (b7-6)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10

Morph Wheel:
0x122 (b5): polarity (1 = positive, 0 = negative)
0x122 (b4-b0) and 0x123 (b7-6): 7-bit raw value

Morph After Touch:
0x123 (b5): polarity (1 = positive, 0 = negative)
0x123 (b4-b0) and 0x124 (b7-6): 7-bit raw value

Morph Control Pedal:
0x124 (b5): polarity (1 = positive, 0 = negative)
0x124 (b4-b0) and 0x125 (b7-6): 7-bit raw value
```

NS3 Effect 1 On

Offset in file: 0x10B (b4)

```
0 = off, 1 = on
```

NS3 Effect 1 Source

Offset in file: 0x10B (b3-2)

```
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Effect 1 Type

Offset in file: 0x10B (b1-0) and 0x10C (b7)

```
0 = A-Pan
1 = Trem
2 = RM
3 = WA-WA
4 = A-WA1
5 = A-WA2
```

NS3 Effect 1 Amount

Offset in file: 0x110 (b6-0)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10

Morph Wheel:
0x111 (b7): polarity (1 = positive, 0 = negative)
0x111 (b6-b0): 7-bit raw value

Morph After Touch:
0x112 (b7): polarity (1 = positive, 0 = negative)
0x112 (b6-b0): 7-bit raw value
```

```
Morph Control Pedal:
0x113 (b7): polarity (1 = positive, 0 = negative)
0x113 (b6-b0): 7-bit raw value
```

NS3 Effect 1 Rate

Offset in file: 0x10C (b5-0) and 0x10D (b7)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10
```

```
if 'Effect 1 Master Clock' is enabled 7-bit value 0/127 = 4/1 to 1/32
  0 = 4/1
  1 = 4/1
  2 = 4/1
  3 = 4/1
  4 = 4/1
  5 = 4/1
  6 = 4/1
  7 = 4/1
  8 = 4/1
  9 = 4/1T
 10 = 4/1T
 11 = 4/1T
 12 = 4/1T
 13 = 4/1T
 14 = 4/1T
 15 = 4/1T
 16 = 4/1T
 17 = 4/1T
 18 = 2/1
 19 = 2/1
 20 = 2/1
 21 = 2/1
 22 = 2/1
 23 = 2/1
 24 = 2/1
 25 = 2/1
 26 = 2/1T
 27 = 2/1T
 28 = 2/1T
 29 = 2/1T
 30 = 2/1T
 31 = 2/1T
 32 = 2/1T
 33 = 2/1T
 34 = 2/1T
 35 = 1/1
 36 = 1/1
 37 = 1/1
 38 = 1/1
 39 = 1/1
 40 = 1/1
 41 = 1/1
 42 = 1/1
 43 = 1/1T
 44 = 1/1T
 45 = 1/1T
 46 = 1/1T
 47 = 1/1T
 48 = 1/1T
```

```
49 = 1/1T
50 = 1/1T
51 = 1/1T
52 = 1/2
53 = 1/2
54 = 1/2
55 = 1/2
56 = 1/2
57 = 1/2
58 = 1/2
59 = 1/2
60 = 1/2T
61 = 1/2T
62 = 1/2T
63 = 1/2T
64 = 1/2T
65 = 1/2T
66 = 1/2T
67 = 1/2T
68 = 1/2T
69 = 1/4
70 = 1/4
71 = 1/4
72 = 1/4
73 = 1/4
74 = 1/4
75 = 1/4
76 = 1/4
77 = 1/4T
78 = 1/4T
79 = 1/4T
80 = 1/4T
81 = 1/4T
82 = 1/4T
83 = 1/4T
84 = 1/4T
85 = 1/4T
86 = 1/8
87 = 1/8
88 = 1/8
89 = 1/8
90 = 1/8
91 = 1/8
92 = 1/8
93 = 1/8
94 = 1/8T
95 = 1/8T
96 = 1/8T
97 = 1/8T
98 = 1/8T
99 = 1/8T
100 = 1/8T
101 = 1/8T
102 = 1/8T
103 = 1/16
104 = 1/16
105 = 1/16
106 = 1/16
107 = 1/16
108 = 1/16
109 = 1/16
```

```
110 = 1/16
111 = 1/16T
112 = 1/16T
113 = 1/16T
114 = 1/16T
115 = 1/16T
116 = 1/16T
117 = 1/16T
118 = 1/16T
119 = 1/16T
120 = 1/32
121 = 1/32
122 = 1/32
123 = 1/32
124 = 1/32
125 = 1/32
126 = 1/32
127 = 1/32
```

```
Morph Wheel:
0x10D (b6): polarity (1 = positive, 0 = negative)
0x10D (b5-b0) and 0x10E (b7): 7-bit raw value

Morph After Touch:
0x10E (b6): polarity (1 = positive, 0 = negative)
0x10E (b5-b0) and 0x10F (b7): 7-bit raw value

Morph Control Pedal:
0x10F (b6): polarity (1 = positive, 0 = negative)
0x10F (b5-b0) and 0x110 (b7): 7-bit raw value
```

NS3 Effect 1 Master Clock

Offset in file: 0x10C (b6)

```
0 = off, 1 = on
```

NS3 Effect 2 On

Offset in file: 0x114 (b7)

```
0 = off, 1 = on
```

NS3 Effect 2 Source

Offset in file: 0x114 (b6-5)

```
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Effect 2 Type

Offset in file: 0x114 (b4-2)

```
0 = PHAS1
1 = PHAS2
2 = FLANG
```

```
3 = VIBE
4 = CHOR1
5 = CHOR2
```

NS3 Effect 2 Amount

Offset in file: 0x115 (b2-0) and 0x116 (b7-4)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10


Morph Wheel:
0x116 (b3): polarity (1 = positive, 0 = negative)
0x116 (b2-b0) and 0x117 (b7-4): 7-bit raw value

Morph After Touch:
0x117 (b3): polarity (1 = positive, 0 = negative)
0x117 (b2-b0) and 0x118 (b7-4): 7-bit raw value

Morph Control Pedal:
0x118 (b3): polarity (1 = positive, 0 = negative)
0x118 (b2-b0) and 0x119 (b7-4): 7-bit raw value
```

NS3 Effect 2 Rate

Offset in file: 0x114 (b1-0) &nd 0x115 (b7-3)

```
7-bit value 0/127 = 0/10
```

NS3 Reverb On

Offset in file: 0x114 (b7)

```
0 = off, 1 = on
```

NS3 Reverb Type

Offset in file: 0x134 (b0) and 0x135 (b7-6)

```
0 = Room 1
1 = Room 2
2 = Stage 1
3 = Stage 2
4 = Hall 1
5 = Hall 2
```

NS3 Reverb Amount

Offset in file: 0x135 (b4-0) and 0x136 (b7-6)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10


Morph Wheel:
0x136 (b5): polarity (1 = positive, 0 = negative)
0x136 (b4-b0) and 0x137 (b7-6): 7-bit raw value

Morph After Touch:
0x137 (b5): polarity (1 = positive, 0 = negative)
0x137 (b4-b0) and 0x138 (b7-6): 7-bit raw value
```

```
Morph Control Pedal:
0x138 (b5): polarity (1 = positive, 0 = negative)
0x138 (b4-b0) and 0x139 (b7-6): 7-bit raw value
```

NS3 Reverb Bright

Offset in file: 0x135 (b5)

```
0 = off, 1 = on
```

NS3 Rotary Speaker On

Offset in file: 0x10b (bit7)

```
0 = off, 1 = on
```

NS3 Rotary Speaker Source

Offset in file: 0x10b (b6 and b5)

```
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Rotary Speaker Drive

Offset in file: 0x39 (b2 to b0) and 0x3a (b7 to b4)

```
7-bit value 0/127 converted to 0/10
```

```
Note: Panel A value is used for panel A & B
```

NS3 Rotary Speaker Stop Mode

Offset in file: 0x35 (bit7)

```
0 = enabled (Speed Stop), 1 = disabled (Speed Slow)
```

```
Note: Panel A value is used for panel A & B
```

NS3 Rotary Speaker Speed

Offset in file: 0x34 (bit0)

```
0 = Slow/Stop, 1 = Fast
```

```
Morph Wheel:         0x35 (b6-4)
Morph After Touch:   0x35 (b3-1)
Morph Control Pedal: 0x35 (b0) and 0x36 (b7-6)
```

```
011 = 0x03 = morph off
100 = 0x04 = morph on
```

```
Note: Panel A value is used for panel A & B
```

NS3 Organ On

Offset in file: 0xB6 (b7)

```
0 = off, 1 = on
```

NS3 Organ Kb Zone

Offset in file: 0xB6 (b6-3)

```
0 = "o---"
1 = "-o--"
2 = "--o-"
3 = "---o"
4 = "oo--"
5 = "-oo-"
6 = "--oo"
7 = "ooo-"
8 = "-ooo"
9 = "oooo"
```

NS3 Organ Volume

Offset in file:

```
Volume:
0xB6 (b2-b0), 0xB7 (b7-4): 7-bit = 0/127 range
  0 = Off
  1 = -84.2 dB
  2 = -72.1 dB
  3 = -65.1 dB
  4 = -60.1 dB
  5 = -56.2 dB
  6 = -53.0 dB
  7 = -50.3 dB
  8 = -48.0 dB
  9 = -46.0 dB
 10 = -44.2 dB
 11 = -42.5 dB
 12 = -41.0 dB
 13 = -39.6 dB
 14 = -38.3 dB
 15 = -37.1 dB
 16 = -36.0 dB
 17 = -34.9 dB
 18 = -33.9 dB
 19 = -33.0 dB
 20 = -32.1 dB
 21 = -31.1 dB
 22 = -30.5 dB
 23 = -29.7 dB
 24 = -28.9 dB
 25 = -28.2 dB
 26 = -27.6 dB
 27 = -26.9 dB
 28 = -26.3 dB
 29 = -25.7 dB
 30 = -25.1 dB
 31 = -24.5 dB
 32 = -23.9 dB
 33 = -23.4 dB
 34 = -22.9 dB
 35 = -22.4 dB
 36 = -21.9 dB
 37 = -21.4 dB
 38 = -21.0 dB
 39 = -20.5 dB
 40 = -20.1 dB
```

```
41 = -19.6 dB
42 = -19.2 dB
43 = -18.8 dB
44 = -18.4 dB
45 = -18.0 dB
46 = -17.6 dB
47 = -17.3 dB
48 = -16.9 dB
49 = -16.5 dB
50 = -16.2 dB
51 = -15.8 dB
52 = -15.5 dB
53 = -15.2 dB
54 = -14.9 dB
55 = -14.5 dB
56 = -14.2 dB
57 = -13.9 dB
58 = -13.6 dB
59 = -13.3 dB
60 = -13.0 dB
61 = -12.7 dB
62 = -12.5 dB
63 = -12.2 dB
64 = -11.9 dB
65 = -11.6 dB
66 = -11.4 dB
67 = -11.1 dB
68 = -10.9 dB
69 = -10.6 dB
70 = -10.3 dB
71 = -10.1 dB
72 = -9.9 dB
73 = -9.6 dB
74 = -9.4 dB
75 = -9.1 dB
76 = -8.9 dB
77 = -8.7 dB
78 = -8.5 dB
79 = -8.2 dB
80 = -8.0 dB
81 = -7.8 dB
82 = -7.6 dB
83 = -7.4 dB
84 = -7.2 dB
85 = -7.0 dB
86 = -6.8 dB
87 = -6.6 dB
88 = -6.4 dB
89 = -6.2 dB
90 = -6.0 dB
91 = -5.8 dB
92 = -5.6 dB
93 = -5.4 dB
94 = -5.2 dB
95 = -5.0 dB
96 = -4.9 dB
97 = -4.7 dB
98 = -4.5 dB
99 = -4.3 dB
100 = -4.2 dB
101 = -4.0 dB
```

```
102 = -3.8 dB
103 = -3.6 dB
104 = -3.5 dB
105 = -3.3 dB
106 = -3.1 dB
107 = -3.0 dB
108 = -2.8 dB
109 = -2.7 dB
110 = -2.5 dB
111 = -2.3 dB
112 = -2.2 dB
113 = -2.0 dB
114 = -1.9 dB
115 = -1.7 dB
116 = -1.6 dB
117 = -1.4 dB
118 = -1.3 dB
119 = -1.1 dB
120 = -1.0 dB
121 = -0.8 dB
122 = -0.7 dB
123 = -0.6 dB
124 = -0.4 dB
125 = -0.3 dB
126 = -0.1 dB
127 = 0.0 dB


Morph Wheel:
0xB7 (b3): polarity (1 = positive, 0 = negative)
0xB7 (b2-b0), 0xB8 (b7-b4): 7-bit raw value

Morph After Touch:
0xB8 (b3): polarity (1 = positive, 0 = negative)
0xB8 (b2-b0), 0xB9 (b7-b4): 7-bit raw value

Morph Control Pedal:
0xB9 (b3): polarity (1 = positive, 0 = negative)
0xB9 (b2-b0), 0xBA (b7-b4): 7-bit raw value

if polarity = 1 then Morph offset value = raw value + 1
if polarity = 0 then Morph offset value = raw value - 127

Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'
Morph Enabled if  'From value' <> 'Morph offset value'
```

NS3 Organ Octave Shift

Offset in file: 0xBA (b3-0)

```
Octave Shift = value - 6
```

NS3 Organ Pitch Stick

Offset in file: 0x34 (b4)

```
0 = off, 1 = on
```

NS3 Organ Sustain Pedal

Offset in file: 0xBB (b7)

```
0 = off, 1 = on
```

NS3 Organ Type

Offset in file: 0xBB (b6-4)

```
0 = B3
1 = Vox
2 = Farfisa
3 = Pipe1
4 = Pipe2
```

NS3 Organ Drawbars Preset 1

Offset in file: 0xBE

```
Drawbar value range is 0/8.
For Vox Organ each value is converted to 0/1: 0 (if value < 4) else 1
For Farfisa Organ drawbar 8 is not used and forced to 0


Drawbar 1: 0xBE (b7-4)
        Morph Wheel:         0xBE (b3-0) and 0xBF (b7)
        Morph After Touch:   0xBF (b6-2)
        Morph Control Pedal: 0xBF (b1-0) and 0xC0 (b7-5)


Drawbar 2: 0xC0 (b4-1)
        Morph Wheel:         0xC0 (b0) and 0xC1 (b7-4)
        Morph After Touch:   0xC1 (b3-0) and 0xC2 (b7)
        Morph Control Pedal: 0xC2 (b6-2)


Drawbar 3: 0xC2 (b1-0) and 0xC3 (b7-6)
        Morph Wheel:         0xC3 (b5-1)
        Morph After Touch:   0xC3 (b0) and 0xC4 (b7-4)
        Morph Control Pedal: 0xC4 (b3-0) and 0xC5 (b7)


Drawbar 4: 0xC5 (b6-3)
        Morph Wheel:         0xC5 (b2-0) and 0xC6 (b7-6)
        Morph After Touch:   0xC6 (b5-b1)
        Morph Control Pedal: 0xC6 (b0) and 0xC7 (b7-4)


Drawbar 5: 0xC7 (b3-0)
        Morph Wheel:         0xC8 (b7-3)
        Morph After Touch:   0xC8 (b2-0) and 0xC9 (b7-6)
        Morph Control Pedal: 0xC9 (b5-1)


Drawbar 6: 0xC9 (b0) and 0xCA (b7-5)
        Morph Wheel:         0xCA (b4-0)
        Morph After Touch:   0xCB (b7-3)
        Morph Control Pedal: 0xCB (b2-0) and 0xCC (b7-6)


Drawbar 7: 0xCC (b5-2)
        Morph Wheel:         0xCC (b1-0) and 0xCD (b7-5)
        Morph After Touch:   0xCD (b4-0)
        Morph Control Pedal: 0xCE (b7-3)


Drawbar 8: 0xCE (b2-0) and 0xCF (b7)
        Morph Wheel:         0xCF (b6-2)
        Morph After Touch:   0xCF (b1-0) and 0xD0 (b7-5)
        Morph Control Pedal: 0xD0 (b4-0)


Drawbar 9: 0xD1 (b7-4)
        Morph Wheel:         0xD1 (b3-0) and 0xBF (b7)
        Morph After Touch:   0xD2 (b6-2)
        Morph Control Pedal: 0xD2 (b1-0) and 0xD3 (b7-5)
```

```
Morph value is on 5-bit
b4 is polarity
b3-0 is raw 4-bit value

if polarity = 1 then Morph offset value = 8 - raw value
if polarity = 0 then Morph offset value = raw value - 8

Final 'To' Morph value =
'From value (original volume)' + 'Morph offset value' (0/8 range)

Morph Enabled if  'From value' <> 'Morph offset value'
```

NS3 Organ Vibrato On

Offset in file: 0xD3 (b4)

```
0 = off, 1 = on
```

NS3 Organ Vibrato Mode

Offset in file: 0x34 (b3-1)

```
0 = V1
1 = C1
2 = V2
3 = C2
4 = V3
5 = C3

if Organ type is Pipe1 or Pipe2, only C1 is allowed
if Organ type is Farfisa, mode C1/V3 are not available
if Organ type is Vox, mode C1/C2/C3 are not available
if Organ type is B3, all mode are available
```

NS3 Organ Percussion On

Offset in file: 0xD3 (b3)

```
0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Percussion Volume Soft

Offset in file: 0xD3 (b0)

```
0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Percussion Decay Fast

Offset in file: 0xD3 (b1)

```
0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Percussion Harmonic Third

Offset in file: 0xD3 (b2)

```
O = off, 1 = on
```

only if Organ type is B3

NS3 Organ Preset 2 On

Offset in file: 0xBB (b2)

```
O = off, 1 = on
```

NS3 Organ Preset 2 Drawbars

Offset in file: 0xD9

```
Drawbar value range is 0/8.
For Vox Organ each value is converted to 0/1: 0 (if value < 4) else 1
For Farfisa Organ drawbar 8 is not used and forced to 0

Drawbar 1: 0xD9 (b7-4)
        Morph Wheel:         0xD9 (b3-0) and 0xDA (b7)
        Morph After Touch:   0xDA (b6-2)
        Morph Control Pedal: 0xDA (b1-0) and 0xDB (b7-5)


Drawbar 2: 0xDB (b4-1)
        Morph Wheel:         0xDB (b0) and 0xDC (b7-4)
        Morph After Touch:   0xDC (b3-0) and 0xDD (b7)
        Morph Control Pedal: 0xDD (b6-2)


Drawbar 3: 0xDD (b1-0) and 0xDE (b7-6)
        Morph Wheel:         0xDE (b5-1)
        Morph After Touch:   0xDE (b0) and 0xDF (b7-4)
        Morph Control Pedal: 0xDF (b3-0) and 0xE0 (b7)


Drawbar 4: 0xE0 (b6-3)
        Morph Wheel:         0xE0 (b2-0) and 0xE1 (b7-6)
        Morph After Touch:   0xE1 (b5-b1)
        Morph Control Pedal: 0xE1 (b0) and 0xE2 (b7-4)


Drawbar 5: 0xE2 (b3-0)
        Morph Wheel:         0xE3 (b7-3)
        Morph After Touch:   0xE3 (b2-0) and 0xE4 (b7-6)
        Morph Control Pedal: 0xE4 (b5-1)


Drawbar 6: 0xE4 (b0) and 0xE5 (b7-5)
        Morph Wheel:         0xE5 (b4-0)
        Morph After Touch:   0xE6 (b7-3)
        Morph Control Pedal: 0xE6 (b2-0) and 0xE7 (b7-6)


Drawbar 7: 0xE7 (b5-2)
        Morph Wheel:         0xE7 (b1-0) and 0xE8 (b7-5)
        Morph After Touch:   0xE8 (b4-0)
        Morph Control Pedal: 0xE9 (b7-3)


Drawbar 8: 0xE9 (b2-0) and 0xEA (b7)
        Morph Wheel:         0xEA (b6-2)
        Morph After Touch:   0xEA (b1-0) and 0xEB (b7-5)
        Morph Control Pedal: 0xEB (b4-0)


Drawbar 9: 0xEC (b7-4)
        Morph Wheel:         0xEC (b3-0) and 0xED (b7)
        Morph After Touch:   0xED (b6-2)
        Morph Control Pedal: 0xED (b1-0) and 0xEE (b7-5)
```

```
Morph value is on 5-bit
b4 is polarity
b3-0 is raw 4-bit value

if polarity = 1 then Morph offset value = 8 - raw value
if polarity = 0 then Morph offset value = raw value - 8

Final 'To' Morph value =
'From value (original volume)' + 'Morph offset value' (0/8 range)

Morph Enabled if  'From value' <> 'Morph offset value'
```

NS3 Organ Preset 2 Vibrato On

Offset in file: 0xEE (b4)

```
0 = off, 1 = on
```

NS3 Organ Preset 2 Percussion On

Offset in file: 0xEE (b3)

```
0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Preset 2 Percussion Volume Soft

Offset in file: 0xEE (b0)

```
0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Preset 2 Percussion Decay Fast

Offset in file: 0xEE (b1)

```
0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Preset 2 Percussion Harmonic Third

Offset in file: 0xEE (b2)

```
0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Live Mode

Offset in file: 0xBB (b3) (NS3 Compact model only)

```
0 = off, 1 = on
```

NS3 Panel Enabled And Selection

Offset in file 0x31

```
Enabled (b6-5):
0 = A only
1 = B only
2 = A & B
```

```
Selected Panel (b7):
A = 0, B = 1 (not used here)

Note: if Dual Keyboard is On, both panel are enabled.
```

NS3 Piano On

Offset in file: 0x43 (b7)

```
0 = off, 1 = on
```

NS3 Piano Kb Zone

Offset in file: 0x43 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Piano Volume

Offset in file: 0x43 (b2-0), 0x44 (b7-4)

See: Organ Volume for detailed explanation.

```
Morph Wheel:
0x44 (b3): polarity (1 = positive, 0 = negative)
0x44 (b2-b0), 0x45 (b7-b4): 7-bit raw value

Morph After Touch:
0x45 (b3): polarity (1 = positive, 0 = negative)
0x45 (b2-b0), 0x46 (b7-b4): 7-bit raw value

Morph Control Pedal:
0x46 (b3): polarity (1 = positive, 0 = negative)
0x46 (b2-b0), 0x47 (b7-b4): 7-bit raw value
```

NS3 Piano Octave Shift

Offset in file: 0x47 (b3-0)

```
Octave Shift = value - 6
```

NS3 Piano Pitch Stick

Offset in file: 0x48 (b7)

```
0 = off, 1 = on
```

NS3 Piano Sustain Pedal

Offset in file: 0x48 (b6)

```
0 = off, 1 = on
```

NS3 Piano Type

Offset in file: 0x48 (b5-3)

```
0 = Grand
1 = Upright
2 = Electric
3 = Clav
4 = Digital
5 = Misc
```

NS3 Piano Model

Offset in file: 0x48 (b2-0) and 0x49 (b7-6)

```
0x00 0x00: model 1
0x00 0x01: model 2
.. and so on
0x02 0x01: model 10
```

NS3 Piano Name

Offset in file: 0x49 (b3-0) to 0x4D (b7-3)

```
32-bit piano sample hash code
```

NS3 Piano Timbre

Offset in file: 0x4E (b5-3)

```
Grand, Upright, Digital, Misc Piano, and Harpsichord:
0 = None
1 = Soft
2 = Mid
3 = Bright

Electric Piano
0 = None
1 = Soft
2 = Mid
3 = Bright
4 = Dyno1
5 = Dyno2

Clavinet
0 = None
1 = Soft
2 = Treble
3 = Soft+Treble
4 = Brilliant
5 = Soft+Brill
6 = Treble+Brill
7 = Soft+Trb+Brill
```

NS3 Piano KB Touch

Offset in file: 0x4D (b0) and 0x4E (b7)

```
0 = Normal
1 = KB Touch 1
2 = Touch 2
3 = Touch 3
```

NS3 Piano Layer Detune

Offset in file: 0x34 (b6-5)

```
0 =  Off
1 =  1
2 =  2
3 =  3
```

```
Note: This parameter is common for both Panel. Layer Detune setting cannot be different
for each panel, only offset 0x34 is used.
```

NS3 Piano Soft Release

Offset in file: 0x4D (b4)

```
0 = off, 1 = on
```

```
Not available on Clavinet and Digital Piano
```

NS3 Piano Pedal Noise

Offset in file: 0x4D (b2)

```
0 = off, 1 = on
```

```
Only on Grand, Upright, and Electric piano.
```

NS3 Piano String Resonance

Offset in file: 0x4D (b3)

```
0 = off, 1 = on
```

```
Only on Grand and Upright piano.
```

NS3 File Version

Offset in file: 0x14 and 0x15

```
16-bit integer value in Little Endian format, ex 304 = v3.04
```

```
Notes:
From [https://www.nordkeyboards.com/products/nord-stage-3/nord-stage-3-update-history](https://www.nord
```

```
Programs stored with OS version
OS version        Program version
v0.92 (2017-06-15)  v3.00
v1.36 (2018-02-07)  v3.01
v1.50 (2018-10-22)  v3.02
vx.xx               v3.03
vx.xx               v3.04
```

NS3 File Format

Offset in file: 0x04

0 = header type 0 - legacy mode no CRC (Byte 0x18 to 0x2B are missing) 1 = header type 1 - default mode with additional bytes 0x18 to 0x2B (20 bytes).

NS3 Transpose

Offset in file: 0x38 (b7-3)

Enabled: 0x38 (b7) Value: 0x38 (b6-3)

```
7xxx xxxx : Transpose Off/On
x654 3xxx : Transpose value

Test1:  F8 38 : Transpose Off
Test2:  0D 80 : Transpose -6 semi
Test3:  0D 88 : Transpose -5 semi
Test4:  0D A8 : Transpose -1 semi
Test5:  0D B8 : Transpose +1 semi
Test6:  0D D8 : Transpose +5 semi
Test7:  0D E0 : Transpose +6 semi
```

NS3 Split

0ffset in file: 0x31 (b4 to b0) to 0x34 (b7 only)

```
|  0X31     |   0x32    |   0x33    |   0x34    | description
| xxx4 3210 | 7654 3210 | 7654 3210 | 7xxx xxxx |
| xxx4 xxxx | xxxx xxxx | xxxx xxxx | xxxx xxxx | split off/on
| xxxx 321x | xxxx xxxx | xxxx xxxx | xxxx xxxx | low off/on, mid off/on, high off/on
| xxxx xxx0 | 765x xxxx | xxxx xxxx | xxxx xxxx | low note (0 = F2, 1 = C3, 9 = C7)
| xxxx xxxx | xxx4 321x | xxxx xxxx | xxxx xxxx | mid note
| xxxx xxxx | xxxx xxx0 | 765x xxxx | xxxx xxxx | high note
| xxxx xxxx | xxxx xxxx | xxx5 4xxx | xxxx xxxx | low width (0 = 1, 1 = 6, 2 = 12)
| xxxx xxxx | xxxx xxxx | xxxx x32x | xxxx xxxx | mid width
| xxxx xxxx | xxxx xxxx | xxxx xxx0 | 7xxx xxxx | high width


Test1:  06 07 20 01 : Split Off

Test2:  16 07 20 01 : Width Off 1   1
                      Note  --  C4  C7

Test3:  1E 07 20 01 : Width 1   1   1
                      Note  F2  C4  C7

Test4:  1E 07 28 01 : Width 6   1   1
                      Note  F2  C4  C7

Test5:  1E 07 30 01 : Width 12  1   1
                      Note  F2  C4  C7

Test6:  18 07 30 01 : Width 12  Off Off
                      Note  F2  --  --

Test7:  18 27 30 01 : Width 12  Off Off
                      Note  C3  --  --

Test8:  18 47 30 01 : Width 12  Off Off
                      Note  F3  --  --

Test9:  18 67 30 01 : Width 12  Off Off
                      Note  C4  --  --

Test10: 18 87 30 01 : Width 12  Off Off
                      Note  F4  --  --

Test11: 18 A7 30 01 : Width 12  Off Off
                      Note  C5  --  --

Test12: 18 C7 30 01 : Width 12  Off Off
                      Note  F5  --  --

Test13: 18 E7 30 01 : Width 12  Off Off
                      Note  C6  --  --

Test14: 19 07 30 01 : Width 12  Off Off
                      Note  F6  --  --

Test15: 19 27 30 01 : Width 12  Off Off
                      Note  C7  --  --

Test16: 1B 27 30 01 : Width 12  Off 1       ! From test 15 to 16 only High Width was changed manually !
                      Note  F6  --  C7       ! Note Low in file is C7 but fixed on display to F6...
```

```
Test17: 1B 27 30 81 : Width 12  Off 6
                      Note  F6  --  C7

Test18: 1B 27 31 01 : Width 12  Off 12
                      Note  F6  --  C7

Test19: 1C 23 30 01 : Width 12  1   Off
                      Note  C3  F3  --   ! Note Mid in file is C3 but fixed on display to F3 !
```

NS3 Master Clock Rate

Offset in file: 0x38 (b2-0) 0x39 (b7-3)

```
bpm = value + 30
```

NS3 Dual Keyboard

Offset in file 0x3A (b3)

```
0 = Off
1 = On
```

```
Note: if Dual Keyboard is On, both panel are enabled.
```

NS3 Dual Keyboard Style

Offset in file 0x3A (b1-0)

```
0 = Panel
1 = Organ
2 = Piano
3 = Synth
```

NS3 Program Category

Offset in file: 0x10

```
  0 = Acoustic
  1 = Bass
  2 = Wind
  4 = Fantasy
  5 = FX
  6 = Lead
  7 = Organ
  8 = Pad
 10 = Pluck
 11 = String
 12 = Synth
 13 = Vocal
 14 = User
 17 = None
 21 = Grand
 22 = Upright
 23 = EPiano1
 24 = EPiano2
 27 = Clavinet
 28 = Harpsi
 30 = Arpeggio
255 = Undefined
```

NS3 Synth Filter Type

Offset in file: 0x98 (b4-2)

```
0 = LP12
1 = LP24
2 = Mini Moog
3 = LP+HP
4 = BP24
5 = HP24
```

NS3 Synth Filter Kb Track

Offset in file: 0xA5 (b5-4)

```
0 = Off
1 = 1/3
2 = 2/3
3 = 1
```

NS3 Synth Filter Drive

Offset in file: 0xA5 (b3-2)

```
0 = Off
1 = 1
2 = 2
3 = 3
```

NS3 Synth Filter LFO Amount

Offset in file: 0xA0 (b3-0) and 0xA1 (b7-5)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 0 / 10


Morph Wheel:
0xA1 (b4): polarity (1 = positive, 0 = negative)
0xA1 (b3-b0), 0xA2 (b7-b5): 7-bit raw value

Morph After Touch:
0xA2 (b4): polarity (1 = positive, 0 = negative)
0xA2 (b3-b0), 0xA3 (b7-b5): 7-bit raw value

Morph Control Pedal:
0xA3 (b4): polarity (1 = positive, 0 = negative)
0xA3 (b3-b0), 0xA4 (b7-b5): 7-bit raw value
```

NS3 Synth Filter Vel Mod Env Amount

Offset in file: 0xA4 (b4-0) and 0xA5 (b7-6)

```
Filter modulation (vel/env mod) is using this single 7-bit value to define two settings with a single k
Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range:
0   = 10.0 (100% left value) 'Vel Amount'
60  = 0.0 for both values
120 = 10.0 (100% right value) 'Mod Env Amount'
```

NS3 Synth Filter Freq

Offset in file: 0x98 (b1-0) and 0x99 (b7-3)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 14 Hz / 21 kHz
  0 = 14 Hz
  1 = 15 Hz
  2 = 15 Hz
```

```
 3 = 16  Hz
 4 = 17  Hz
 5 = 18  Hz
 6 = 19  Hz
 7 = 21  Hz
 8 = 22  Hz
 9 = 23  Hz
10 = 24  Hz
11 = 26  Hz
12 = 28  Hz
13 = 29  Hz
14 = 31  Hz
15 = 33  Hz
16 = 35  Hz
17 = 37  Hz
18 = 39  Hz
19 = 41  Hz
20 = 44  Hz
21 = 46  Hz
22 = 49  Hz
23 = 52  Hz
24 = 55  Hz
25 = 58  Hz
26 = 62  Hz
27 = 65  Hz
28 = 69  Hz
29 = 73  Hz
30 = 78  Hz
31 = 82  Hz
32 = 87  Hz
33 = 92  Hz
34 = 98  Hz
35 = 104 Hz
36 = 110 Hz
37 = 117 Hz
38 = 123 Hz
39 = 131 Hz
40 = 139 Hz
41 = 147 Hz
42 = 156 Hz
43 = 165 Hz
44 = 175 Hz
45 = 185 Hz
46 = 196 Hz
47 = 208 Hz
48 = 220 Hz
49 = 233 Hz
50 = 247 Hz
51 = 262 Hz
52 = 277 Hz
53 = 294 Hz
54 = 311 Hz
55 = 330 Hz
56 = 349 Hz
57 = 370 Hz
58 = 392 Hz
59 = 415 Hz
60 = 440 Hz
61 = 466 Hz
62 = 494 Hz
63 = 523 Hz
```

```
 64 = 554 Hz
 65 = 587 Hz
 66 = 622 Hz
 67 = 659 Hz
 68 = 698 Hz
 69 = 740 Hz
 70 = 784 Hz
 71 = 831 Hz
 72 = 880 Hz
 73 = 932 Hz
 74 = 988 Hz
 75 = 1.0 kHz
 76 = 1.1 kHz
 77 = 1.2 kHz
 78 = 1.2 kHz
 79 = 1.3 kHz
 80 = 1.4 kHz
 81 = 1.5 kHz
 82 = 1.6 kHz
 83 = 1.7 kHz
 84 = 1.8 kHz
 85 = 1.9 kHz
 86 = 2.0 kHz
 87 = 2.1 kHz
 88 = 2.2 kHz
 89 = 2.3 kHz
 90 = 2.5 kHz
 91 = 2.6 kHz
 92 = 2.8 kHz
 93 = 3.0 kHz
 94 = 3.1 kHz
 95 = 3.3 kHz
 96 = 3.5 kHz
 97 = 3.7 kHz
 98 = 4.0 kHz
 99 = 4.2 kHz
100 = 4.4 kHz
101 = 4.7 kHz
102 = 5.0 kHz
103 = 5.3 kHz
104 = 5.6 kHz
105 = 5.9 kHz
106 = 6.3 kHz
107 = 6.6 kHz
108 = 7.0 kHz
109 = 7.5 kHz
110 = 7.9 kHz
111 = 8.4 kHz
112 = 8.9 kHz
113 = 9.4 kHz
114 = 10 kHz
115 = 11 kHz
116 = 11 kHz
117 = 12 kHz
118 = 13 kHz
119 = 13 kHz
120 = 14 kHz
121 = 15 kHz
122 = 16 kHz
123 = 17 kHz
124 = 18 kHz
```

```
  125 = 19 kHz
  126 = 20 kHz
  127 = 21 kHz
```

```
* Morph Wheel:
0x99 (b2): polarity (1 = positive, 0 = negative)
0x99 (b1-b0), 0x9A (b7-b3): 7-bit raw value
```

```
Morph After Touch:
0x9A (b2): polarity (1 = positive, 0 = negative)
0x9A (b1-b0), 0x9B (b7-b3): 7-bit raw value
```

```
Morph Control Pedal:
0x9B (b2): polarity (1 = positive, 0 = negative)
0x9B (b1-b0), 0x9C (b7-b3): 7-bit raw value
```

NS3 Synth Filter HP Freq Res

Offset in file: 0x9C (b2-0) and 0x9D (b7-4)

```
for 'LP+HP' filter
  => Frequency High Pass value: 0/127 value = 14 Hz / 21 kHz
  0 = 14 Hz
  1 = 15 Hz
  2 = 15 Hz
  3 = 16 Hz
  4 = 17 Hz
  5 = 18 Hz
  6 = 19 Hz
  7 = 21 Hz
  8 = 22 Hz
  9 = 23 Hz
  10 = 24 Hz
  11 = 26 Hz
  12 = 28 Hz
  13 = 29 Hz
  14 = 31 Hz
  15 = 33 Hz
  16 = 35 Hz
  17 = 37 Hz
  18 = 39 Hz
  19 = 41 Hz
  20 = 44 Hz
  21 = 46 Hz
  22 = 49 Hz
  23 = 52 Hz
  24 = 55 Hz
  25 = 58 Hz
  26 = 62 Hz
  27 = 65 Hz
  28 = 69 Hz
  29 = 73 Hz
  30 = 78 Hz
  31 = 82 Hz
  32 = 87 Hz
  33 = 92 Hz
  34 = 98 Hz
  35 = 104 Hz
  36 = 110 Hz
  37 = 117 Hz
```

```
38 = 123 Hz
39 = 131 Hz
40 = 139 Hz
41 = 147 Hz
42 = 156 Hz
43 = 165 Hz
44 = 175 Hz
45 = 185 Hz
46 = 196 Hz
47 = 208 Hz
48 = 220 Hz
49 = 233 Hz
50 = 247 Hz
51 = 262 Hz
52 = 277 Hz
53 = 294 Hz
54 = 311 Hz
55 = 330 Hz
56 = 349 Hz
57 = 370 Hz
58 = 392 Hz
59 = 415 Hz
60 = 440 Hz
61 = 466 Hz
62 = 494 Hz
63 = 523 Hz
64 = 554 Hz
65 = 587 Hz
66 = 622 Hz
67 = 659 Hz
68 = 698 Hz
69 = 740 Hz
70 = 784 Hz
71 = 831 Hz
72 = 880 Hz
73 = 932 Hz
74 = 988 Hz
75 = 1.0 kHz
76 = 1.1 kHz
77 = 1.2 kHz
78 = 1.2 kHz
79 = 1.3 kHz
80 = 1.4 kHz
81 = 1.5 kHz
82 = 1.6 kHz
83 = 1.7 kHz
84 = 1.8 kHz
85 = 1.9 kHz
86 = 2.0 kHz
87 = 2.1 kHz
88 = 2.2 kHz
89 = 2.3 kHz
90 = 2.5 kHz
91 = 2.6 kHz
92 = 2.8 kHz
93 = 3.0 kHz
94 = 3.1 kHz
95 = 3.3 kHz
96 = 3.5 kHz
97 = 3.7 kHz
98 = 4.0 kHz
```

```
 99 = 4.2 kHz
100 = 4.4 kHz
101 = 4.7 kHz
102 = 5.0 kHz
103 = 5.3 kHz
104 = 5.6 kHz
105 = 5.9 kHz
106 = 6.3 kHz
107 = 6.6 kHz
108 = 7.0 kHz
109 = 7.5 kHz
110 = 7.9 kHz
111 = 8.4 kHz
112 = 8.9 kHz
113 = 9.4 kHz
114 = 10 kHz
115 = 11 kHz
116 = 11 kHz
117 = 12 kHz
118 = 13 kHz
119 = 13 kHz
120 = 14 kHz
121 = 15 kHz
122 = 16 kHz
123 = 17 kHz
124 = 18 kHz
125 = 19 kHz
126 = 20 kHz
127 = 21 kHz
```

```
for all other filters
  => Resonance:  0/127 value = 0 / 10
```

NS3 Synth Sample ID

Offset in file: 0xA8 (b2-0) to 0xAC (b7-b3)

```
32-bit synth sample hash code.
```

NS3 Synth On

Offset in file: 0x52 (b7)

```
0 = off, 1 = on
```

NS3 Synth Kb Zone

Offset in file: 0x52 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Synth Volume

Offset in file: 0x52 (b2-0) and 0x53 (b7-4)

See: Organ Volume for detailed explanation.

```
Morph Wheel:
0x53 (b3): polarity (1 = positive, 0 = negative)
0x53 (b2-b0), 0x54 (b7-b4): 7-bit raw value

Morph After Touch:
0x54 (b3): polarity (1 = positive, 0 = negative)
```

```
0x54 (b2-b0), 0x55 (b7-b4): 7-bit raw value
```

```
Morph Control Pedal:
0x55 (b3): polarity (1 = positive, 0 = negative)
0x55 (b2-b0), 0x56 (b7-b4): 7-bit raw value
```

NS3 Synth Octave Shift

Offset in file: 0x56 (b3-0)

```
Octave Shift = value - 6
```

NS3 Synth Pitch Stick

Offset in file: 0x57 (b7)

```
0 = off, 1 = on
```

NS3 Synth Sustain Pedal

Offset in file: 0x57 (b6)

```
0 = off, 1 = on
```

NS3 Synth Kb Hold

Offset in file: 0x80 (b7)

```
0 = off, 1 = on
```

NS3 Synth Voice

Offset in file: 0x84 (b0) and 0x85 (b7)

```
0 = Poly
1 = Legato
2 = Mono
```

NS3 Synth Glide

Offset in file: 0x85 (b6-0) 7 bits, range 0/10

```
0/127 value = 0 / 10
```

NS3 Synth Unison

Offset in file: 0x86 (b7-6)

```
0 = Off
1 = 1
2 = 2
3 = 3
```

NS3 Synth Vibrato

Offset in file: 0x86 (b5-3)

```
0 = Off
1 = Delay 1
2 = Delay 2
3 = Delay 3
4 = Wheel
5 = After Touch
```

NS3 Synth Oscillator Type

Offset in file: 0x8D (b1-0) and 0x8E (b7)

```
0 = Classic
1 = Wave
2 = Formant
3 = Super
4 = Sample
```

NS3 Synth Oscillator 1 Wave Form

Offset in file: 0x8E (b3-0) and 0x8F (b7/6)

```
ID | Classic   | Wave              | Formant        | Super
-- | -------   | ----------------- | -------------- | ------------------
 0 | Sine      | Wave 2nd Harm     | Format Wave Aaa | Super Wave Saw
 1 | Triangle  | Wave 3rd Harm     | Format Wave Eee | Super Wave Saw 2
 2 | Saw       | Wave 4th Harm     | Format Wave Iii | Super Wave Square
 3 | Square    | Wave 5th Harm     | Format Wave Ooo | Super Wave Square 2
 4 | Pulse 33  | Wave 6th Harm     | Format Wave Uuu | Super Wave Bright
 5 | Pulse 10  | Wave 7th Harm     | Format Wave Yyy | Super Wave Bright 2
 6 | ESaw      | Wave 8th Harm     | Format Wave AO  | Super Wave Strings
 7 | ESquare   | Wave Organ 1      | Format Wave AE  | Super Wave Organ
 8 |           | Wave Organ 2      | Format Wave OE  |
 9 |           | Wave Principal    |
10 |           | Wave Flute 1      |
11 |           | Wave Flute 2      |
12 |           | Wave Clarinet 1   |
13 |           | Wave Clarinet 2   |
14 |           | Wave Alto Sax     |
15 |           | Wave Tenor Sax    |
16 |           | Wave 2nd Spectra  |
17 |           | Wave 3rd Spectra  |
18 |           | Wave 4th Spectra  |
19 |           | Wave 5th Spectra  |
20 |           | Wave 6th Spectra  |
21 |           | Wave 7th Spectra  |
22 |           | Wave 8th Spectra  |
23 |           | Wave Saw Random   |
24 |           | Wave Saw Bright   |
25 |           | Wave Sqr Bright   |
26 |           | Wave Saw NoFund   |
27 |           | Wave EPiano 1     |
28 |           | Wave EPiano 2     |
29 |           | Wave EPiano 3     |
30 |           | Wave DX 1         |
31 |           | Wave DX 2         |
32 |           | Wave Full Tines   |
33 |           | Wave Ac Piano     |
34 |           | Wave Ice 1        |
35 |           | Wave Ice 2        |
36 |           | Wave Clavinet 1   |
37 |           | Wave Clavinet 2   |
38 |           | Wave Clavinet 3   |
39 |           | Wave Triplets     |
40 |           | Wave Bell         |
41 |           | Wave Bar 1        |
42 |           | Wave Bar 2        |
43 |           | Wave Tines        |
44 |           | Wave Marimba      |
45 |           | Wave Tubular Bells |
```

NS3 Synth Oscillator Config

Offset in file: 0x8F (b4-1)

```
0 = None
1 = Pitch
2 = Shape
3 = Sync
4 = Detune
5 = MixSin
6 = MixTri
7 = MixSaw
8 = MixSqr
9 = MixBell
10 = MixNs1
11 = MixNs2
12 = FM1
13 = FM2
14 = RM
```

NS3 Synth Oscillator Control

Offset in file: 0x90 (b2-0) and 0x91 (b7-4)

See: Organ Volume for detailed Morph explanation.

```
Type                 Midi value conversion
Pitch (1)            0/127 => 0/24
Shape (2)            0/127 => 0/100 %
Sync (3)             0/127 => 0/10
Detune (4)           0/127 => 0/4
Mix* (5 to 11)       0/127 => 100/0 to 0/100
FM & RM (12 to 14)   0/127 => 0/100 %

Morph Wheel:
0x91 (b3): polarity (1 = positive, 0 = negative)
0x91 (b2-b0), 0x92 (b7-b4): 7-bit raw value

Morph After Touch:
0x92 (b3): polarity (1 = positive, 0 = negative)
0x92 (b2-b0), 0x93 (b7-b4): 7-bit raw value

Morph Control Pedal:
0x93 (b3): polarity (1 = positive, 0 = negative)
0x93 (b2-b0), 0x94 (b7-b4): 7-bit raw value
```

NS3 Synth Pitch

Offset in file: 0x8f (b0) and 0x90 (b7-3)

```
Midi value = 6-bit value + b0 forced to zero to have a standard Midi 7-bit value
value conversion: -12 (Sub) to +48
```

NS3 Synth LFO Mod Env

Offset in file: 0x94 (b3-0) and 0x95 (b7-5)

```
Osc modulation (lfo/env mod) is using this single 7-bit value to define two settings with a single knob
Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range:
0   = 10.0 (100% left value) 'LFO Amount'
60  = 0.0 for both values
120 = 10.0 (100% right value) 'Mod Env Amount'
```

NS3 Synth Fast Attack

Offset in file: 0xAC (b2)

```
0 = off, 1 = on
```

NS3 Synth Mod Env Attack

Offset in file: 0x8B (b7-1)

```
0/127 value = 0.5 ms / 45 s
  0 = 0.5 ms
  1 = 0.6 ms
  2 = 0.7 ms
  3 = 0.9 ms
  4 = 1.1 ms
  5 = 1.3 ms
  6 = 1.5 ms
  7 = 1.8 ms
  8 = 2.1 ms
  9 = 2.5 ms
 10 = 3.0 ms
 11 = 3.5 ms
 12 = 4.0 ms
 13 = 4.7 ms
 14 = 5.5 ms
 15 = 6.3 ms
 16 = 7.3 ms
 17 = 8.4 ms
 18 = 9.7 ms
 19 = 11 ms
 20 = 13 ms
 21 = 14 ms
 22 = 16 ms
 23 = 19 ms
 24 = 21 ms
 25 = 24 ms
 26 = 27 ms
 27 = 31 ms
 28 = 34 ms
 29 = 39 ms
 30 = 43 ms
 31 = 49 ms
 32 = 54 ms
 33 = 61 ms
 34 = 68 ms
 35 = 75 ms
 36 = 84 ms
 37 = 93 ms
 38 = 103 ms
 39 = 114 ms
 40 = 126 ms
 41 = 139 ms
 42 = 153 ms
 43 = 169 ms
 44 = 186 ms
 45 = 204 ms
 46 = 224 ms
 47 = 246 ms
 48 = 269 ms
 49 = 295 ms
 50 = 322 ms
```

```
 51 = 352 ms
 52 = 384 ms
 53 = 419 ms
 54 = 456 ms
 55 = 496 ms
 56 = 540 ms
 57 = 586 ms
 58 = 636 ms
 59 = 690 ms
 60 = 748 ms
 61 = 810 ms
 62 = 876 ms
 63 = 947 ms
 64 = 1.02 s
 65 = 1.10 s
 66 = 1.19 s
 67 = 1.28 s
 68 = 1.38 s
 69 = 1.49 s
 70 = 1.60 s
 71 = 1.72 s
 72 = 1.85 s
 73 = 1.99 s
 74 = 2.13 s
 75 = 2.28 s
 76 = 2.45 s
 77 = 2.62 s
 78 = 2.81 s
 79 = 3.00 s
 80 = 3.21 s
 81 = 3.43 s
 82 = 3.66 s
 83 = 3.91 s
 84 = 4.17 s
 85 = 4.45 s
 86 = 4.74 s
 87 = 5.05 s
 88 = 5.37 s
 89 = 5.72 s
 90 = 6.08 s
 91 = 6.47 s
 92 = 6.87 s
 93 = 7.30 s
 94 = 7.75 s
 95 = 8.22 s
 96 = 8.72 s
 97 = 9.25 s
 98 = 9.80 s
 99 = 10 s
100 = 11 s
101 = 12 s
102 = 12 s
103 = 13 s
104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
```

```
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Decay

Offset in file: 0x8B (b0) and 0x8C (b7-2)

```
0/127 value = 3.0 ms / 45 s (Sustain)
  0 = 3.0 ms
  1 = 3.5 ms
  2 = 4.0 ms
  3 = 4.6 ms
  4 = 5.3 ms
  5 = 6.0 ms
  6 = 6.9 ms
  7 = 7.9 ms
  8 = 9.0 ms
  9 = 10 ms
 10 = 12 ms
 11 = 13 ms
 12 = 15 ms
 13 = 17 ms
 14 = 19 ms
 15 = 21 ms
 16 = 23 ms
 17 = 26 ms
 18 = 29 ms
 19 = 33 ms
 20 = 36 ms
 21 = 41 ms
 22 = 45 ms
 23 = 50 ms
 24 = 55 ms
 25 = 61 ms
 26 = 68 ms
 27 = 75 ms
 28 = 82 ms
 29 = 91 ms
 30 = 100 ms
 31 = 110 ms
 32 = 120 ms
 33 = 132 ms
 34 = 144 ms
 35 = 158 ms
 36 = 173 ms
 37 = 188 ms
 38 = 206 ms
```

```
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1.05 s
60 = 1.13 s
61 = 1.21 s
62 = 1.30 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.70 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.10 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.50 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10 s
97 = 11 s
98 = 11 s
99 = 12 s
```

```
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Release

Offset in file: 0x8C (b1-0) and 0x8D (b7-3)

```
0/127 value = 3.0 ms / 45 s (Inf)
  0 = 3.0 ms
  1 = 3.5 ms
  2 = 4.0 ms
  3 = 4.6 ms
  4 = 5.3 ms
  5 = 6.0 ms
  6 = 6.9 ms
  7 = 7.9 ms
  8 = 9.0 ms
  9 = 10 ms
 10 = 12 ms
 11 = 13 ms
 12 = 15 ms
 13 = 17 ms
 14 = 19 ms
 15 = 21 ms
 16 = 23 ms
 17 = 26 ms
 18 = 29 ms
 19 = 33 ms
 20 = 36 ms
 21 = 41 ms
 22 = 45 ms
 23 = 50 ms
 24 = 55 ms
 25 = 61 ms
 26 = 68 ms
```

```
27 = 75 ms
28 = 82 ms
29 = 91 ms
30 = 100 ms
31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms
36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1.05 s
60 = 1.13 s
61 = 1.21 s
62 = 1.30 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.70 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.10 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
```

```
 88 = 6.50 s
 89 = 6.88 s
 90 = 7.27 s
 91 = 7.68 s
 92 = 8.11 s
 93 = 8.57 s
 94 = 9.04 s
 95 = 9.54 s
 96 = 10 s
 97 = 11 s
 98 = 11 s
 99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Velocity

Offset in file: 0x8D (b2)

```
0 = off, 1 = on
```

NS3 Synth Amp Env Attack

Offset in file: 0xA5 (b1-0) and 0xA6 (b7-3)

```
0/127 value = 0.5 ms / 45 s
  0 = 0.5 ms
  1 = 0.6 ms
  2 = 0.7 ms
  3 = 0.9 ms
  4 = 1.1 ms
  5 = 1.3 ms
  6 = 1.5 ms
  7 = 1.8 ms
  8 = 2.1 ms
  9 = 2.5 ms
```

```
10 = 3.0 ms
11 = 3.5 ms
12 = 4.0 ms
13 = 4.7 ms
14 = 5.5 ms
15 = 6.3 ms
16 = 7.3 ms
17 = 8.4 ms
18 = 9.7 ms
19 = 11 ms
20 = 13 ms
21 = 14 ms
22 = 16 ms
23 = 19 ms
24 = 21 ms
25 = 24 ms
26 = 27 ms
27 = 31 ms
28 = 34 ms
29 = 39 ms
30 = 43 ms
31 = 49 ms
32 = 54 ms
33 = 61 ms
34 = 68 ms
35 = 75 ms
36 = 84 ms
37 = 93 ms
38 = 103 ms
39 = 114 ms
40 = 126 ms
41 = 139 ms
42 = 153 ms
43 = 169 ms
44 = 186 ms
45 = 204 ms
46 = 224 ms
47 = 246 ms
48 = 269 ms
49 = 295 ms
50 = 322 ms
51 = 352 ms
52 = 384 ms
53 = 419 ms
54 = 456 ms
55 = 496 ms
56 = 540 ms
57 = 586 ms
58 = 636 ms
59 = 690 ms
60 = 748 ms
61 = 810 ms
62 = 876 ms
63 = 947 ms
64 = 1.02 s
65 = 1.10 s
66 = 1.19 s
67 = 1.28 s
68 = 1.38 s
69 = 1.49 s
70 = 1.60 s
```

```
 71 = 1.72 s
 72 = 1.85 s
 73 = 1.99 s
 74 = 2.13 s
 75 = 2.28 s
 76 = 2.45 s
 77 = 2.62 s
 78 = 2.81 s
 79 = 3.00 s
 80 = 3.21 s
 81 = 3.43 s
 82 = 3.66 s
 83 = 3.91 s
 84 = 4.17 s
 85 = 4.45 s
 86 = 4.74 s
 87 = 5.05 s
 88 = 5.37 s
 89 = 5.72 s
 90 = 6.08 s
 91 = 6.47 s
 92 = 6.87 s
 93 = 7.30 s
 94 = 7.75 s
 95 = 8.22 s
 96 = 8.72 s
 97 = 9.25 s
 98 = 9.80 s
 99 = 10 s
100 = 11 s
101 = 12 s
102 = 12 s
103 = 13 s
104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Decay

Offset in file: 0xA6 (b2-0) and 0xA7 (b7-4)

```
0/127 value = 3.0 ms / 45 s (Sustain)
  0 = 3.0 ms
  1 = 3.5 ms
  2 = 4.0 ms
  3 = 4.6 ms
  4 = 5.3 ms
  5 = 6.0 ms
  6 = 6.9 ms
  7 = 7.9 ms
  8 = 9.0 ms
  9 = 10 ms
 10 = 12 ms
 11 = 13 ms
 12 = 15 ms
 13 = 17 ms
 14 = 19 ms
 15 = 21 ms
 16 = 23 ms
 17 = 26 ms
 18 = 29 ms
 19 = 33 ms
 20 = 36 ms
 21 = 41 ms
 22 = 45 ms
 23 = 50 ms
 24 = 55 ms
 25 = 61 ms
 26 = 68 ms
 27 = 75 ms
 28 = 82 ms
 29 = 91 ms
 30 = 100 ms
 31 = 110 ms
 32 = 120 ms
 33 = 132 ms
 34 = 144 ms
 35 = 158 ms
 36 = 173 ms
 37 = 188 ms
 38 = 206 ms
 39 = 224 ms
 40 = 244 ms
 41 = 265 ms
 42 = 288 ms
 43 = 313 ms
 44 = 340 ms
 45 = 368 ms
 46 = 399 ms
 47 = 432 ms
 48 = 467 ms
 49 = 505 ms
 50 = 545 ms
 51 = 588 ms
 52 = 634 ms
 53 = 683 ms
 54 = 736 ms
 55 = 792 ms
 56 = 851 ms
 57 = 915 ms
 58 = 983 ms
 59 = 1.05 s
```

```
60 = 1.13 s
61 = 1.21 s
62 = 1.30 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.70 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.10 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.50 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
```

```
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Release

Offset in file: 0xA7 (b3-0) and 0xA8 (b7-5)

```
0/127 value = 3.0 ms / 45 s
  0 = 3.0 ms
  1 = 3.5 ms
  2 = 4.0 ms
  3 = 4.6 ms
  4 = 5.3 ms
  5 = 6.0 ms
  6 = 6.9 ms
  7 = 7.9 ms
  8 = 9.0 ms
  9 = 10 ms
 10 = 12 ms
 11 = 13 ms
 12 = 15 ms
 13 = 17 ms
 14 = 19 ms
 15 = 21 ms
 16 = 23 ms
 17 = 26 ms
 18 = 29 ms
 19 = 33 ms
 20 = 36 ms
 21 = 41 ms
 22 = 45 ms
 23 = 50 ms
 24 = 55 ms
 25 = 61 ms
 26 = 68 ms
 27 = 75 ms
 28 = 82 ms
 29 = 91 ms
 30 = 100 ms
 31 = 110 ms
 32 = 120 ms
 33 = 132 ms
 34 = 144 ms
 35 = 158 ms
 36 = 173 ms
 37 = 188 ms
 38 = 206 ms
 39 = 224 ms
 40 = 244 ms
 41 = 265 ms
 42 = 288 ms
 43 = 313 ms
 44 = 340 ms
 45 = 368 ms
 46 = 399 ms
 47 = 432 ms
```

```
 48 = 467 ms
 49 = 505 ms
 50 = 545 ms
 51 = 588 ms
 52 = 634 ms
 53 = 683 ms
 54 = 736 ms
 55 = 792 ms
 56 = 851 ms
 57 = 915 ms
 58 = 983 ms
 59 = 1.05 s
 60 = 1.13 s
 61 = 1.21 s
 62 = 1.30 s
 63 = 1.39 s
 64 = 1.49 s
 65 = 1.59 s
 66 = 1.70 s
 67 = 1.82 s
 68 = 1.94 s
 69 = 2.07 s
 70 = 2.21 s
 71 = 2.36 s
 72 = 2.51 s
 73 = 2.67 s
 74 = 2.85 s
 75 = 3.03 s
 76 = 3.22 s
 77 = 3.42 s
 78 = 3.64 s
 79 = 3.86 s
 80 = 4.10 s
 81 = 4.35 s
 82 = 4.61 s
 83 = 4.89 s
 84 = 5.18 s
 85 = 5.49 s
 86 = 5.81 s
 87 = 6.15 s
 88 = 6.50 s
 89 = 6.88 s
 90 = 7.27 s
 91 = 7.68 s
 92 = 8.11 s
 93 = 8.57 s
 94 = 9.04 s
 95 = 9.54 s
 96 = 10 s
 97 = 11 s
 98 = 11 s
 99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
```

```
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Velocity

Offset in file: 0xA8 (b4-3)

```
0 = Off
1 = 1
2 = 2
3 = 3
```

NS3 Synth Lfo Wave

Offset in file: 0x86 (b2-0)

```
0 = Triangle
1 = Saw
2 = Neg Saw
3 = Square
4 = S/H
```

NS3 Synth Lfo Rate

Offset in file: 0x87 (b6-0)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 0.03 Hz / 523 Hz
  0 = 0.03 Hz
  1 = 0.03 Hz
  2 = 0.03 Hz
  3 = 0.04 Hz
  4 = 0.04 Hz
  5 = 0.04 Hz
  6 = 0.05 Hz
  7 = 0.05 Hz
  8 = 0.05 Hz
  9 = 0.06 Hz
 10 = 0.06 Hz
 11 = 0.07 Hz
 12 = 0.07 Hz
 13 = 0.08 Hz
 14 = 0.09 Hz
 15 = 0.09 Hz
 16 = 0.10 Hz
```

```
17 = 0.11 Hz
18 = 0.12 Hz
19 = 0.13 Hz
20 = 0.14 Hz
21 = 0.15 Hz
22 = 0.16 Hz
23 = 0.17 Hz
24 = 0.19 Hz
25 = 0.20 Hz
26 = 0.22 Hz
27 = 0.24 Hz
28 = 0.26 Hz
29 = 0.28 Hz
30 = 0.30 Hz
31 = 0.32 Hz
32 = 0.35 Hz
33 = 0.38 Hz
34 = 0.41 Hz
35 = 0.44 Hz
36 = 0.47 Hz
37 = 0.51 Hz
38 = 0.55 Hz
39 = 0.60 Hz
40 = 0.64 Hz
41 = 0.70 Hz
42 = 0.75 Hz
43 = 0.81 Hz
44 = 0.88 Hz
45 = 0.95 Hz
46 = 1.0 Hz
47 = 1.1 Hz
48 = 1.2 Hz
49 = 1.3 Hz
50 = 1.4 Hz
51 = 1.5 Hz
52 = 1.6 Hz
53 = 1.8 Hz
54 = 1.9 Hz
55 = 2.0 Hz
56 = 2.2 Hz
57 = 2.4 Hz
58 = 2.6 Hz
59 = 2.8 Hz
60 = 3.0 Hz
61 = 3.2 Hz
62 = 3.5 Hz
63 = 3.8 Hz
64 = 4.1 Hz
65 = 4.4 Hz
66 = 4.8 Hz
67 = 5.2 Hz
68 = 5.6 Hz
69 = 6.0 Hz
70 = 6.5 Hz
71 = 7.0 Hz
72 = 7.6 Hz
73 = 8.2 Hz
74 = 8.8 Hz
75 = 9.5 Hz
76 = 10 Hz
77 = 11 Hz
```

```
 78 = 12 Hz
 79 = 13 Hz
 80 = 14 Hz
 81 = 15 Hz
 82 = 16 Hz
 83 = 18 Hz
 84 = 19 Hz
 85 = 21 Hz
 86 = 22 Hz
 87 = 24 Hz
 88 = 26 Hz
 89 = 28 Hz
 90 = 30 Hz
 91 = 33 Hz
 92 = 35 Hz
 93 = 38 Hz
 94 = 41 Hz
 95 = 45 Hz
 96 = 48 Hz
 97 = 52 Hz
 98 = 56 Hz
 99 = 61 Hz
100 = 65 Hz
101 = 71 Hz
102 = 76 Hz
103 = 82 Hz
104 = 89 Hz
105 = 96 Hz
106 = 104 Hz
107 = 112 Hz
108 = 121 Hz
109 = 131 Hz
110 = 141 Hz
111 = 153 Hz
112 = 165 Hz
113 = 178 Hz
114 = 192 Hz
115 = 208 Hz
116 = 224 Hz
117 = 242 Hz
118 = 262 Hz
119 = 283 Hz
120 = 305 Hz
121 = 330 Hz
122 = 356 Hz
123 = 385 Hz
124 = 415 Hz
125 = 449 Hz
126 = 484 Hz
127 = 523 Hz


if LFO Master Clock is On, 0/127 value = 4/1 to 1/64 Master Clock Division
  0 = 4/1
  1 = 4/1
  2 = 4/1
  3 = 4/1
  4 = 4/1
  5 = 4/1
  6 = 4/1
  7 = 4/1
```

```
 8 = 4/1T
 9 = 4/1T
10 = 4/1T
11 = 4/1T
12 = 4/1T
13 = 4/1T
14 = 4/1T
15 = 4/1T
16 = 2/1
17 = 2/1
18 = 2/1
19 = 2/1
20 = 2/1
21 = 2/1
22 = 2/1
23 = 2/1T
24 = 2/1T
25 = 2/1T
26 = 2/1T
27 = 2/1T
28 = 2/1T
29 = 2/1T
30 = 2/1T
31 = 1/1
32 = 1/1
33 = 1/1
34 = 1/1
35 = 1/1
36 = 1/1
37 = 1/1
38 = 1/1T
39 = 1/1T
40 = 1/1T
41 = 1/1T
42 = 1/1T
43 = 1/1T
44 = 1/1T
45 = 1/1T
46 = 1/2
47 = 1/2
48 = 1/2
49 = 1/2
50 = 1/2
51 = 1/2
52 = 1/2
53 = 1/2T
54 = 1/2T
55 = 1/2T
56 = 1/2T
57 = 1/2T
58 = 1/2T
59 = 1/2T
60 = 1/2T
61 = 1/4
62 = 1/4
63 = 1/4
64 = 1/4
65 = 1/4
66 = 1/4
67 = 1/4
68 = 1/4T
```

```
69 = 1/4T
70 = 1/4T
71 = 1/4T
72 = 1/4T
73 = 1/4T
74 = 1/4T
75 = 1/4T
76 = 1/8
77 = 1/8
78 = 1/8
79 = 1/8
80 = 1/8
81 = 1/8
82 = 1/8
83 = 1/8T
84 = 1/8T
85 = 1/8T
86 = 1/8T
87 = 1/8T
88 = 1/8T
89 = 1/8T
90 = 1/8T
91 = 1/16
92 = 1/16
93 = 1/16
94 = 1/16
95 = 1/16
96 = 1/16
97 = 1/16
98 = 1/16T
99 = 1/16T
100 = 1/16T
101 = 1/16T
102 = 1/16T
103 = 1/16T
104 = 1/16T
105 = 1/16T
106 = 1/32
107 = 1/32
108 = 1/32
109 = 1/32
110 = 1/32
111 = 1/32
112 = 1/32
113 = 1/32T
114 = 1/32T
115 = 1/32T
116 = 1/32T
117 = 1/32T
118 = 1/32T
119 = 1/32T
120 = 1/32T
121 = 1/64
122 = 1/64
123 = 1/64
124 = 1/64
125 = 1/64
126 = 1/64
127 = 1/64
```

```
Morph Wheel:
0x88 (b7): polarity (1 = positive, 0 = negative)
0x88 (b6-b0): 7-bit raw value

Morph After Touch:
0x89 (b7): polarity (1 = positive, 0 = negative)
0x89 (b6-b0): 7-bit raw value

Morph Control Pedal:
0x8A (b7): polarity (1 = positive, 0 = negative)
0x8A (b6-b0): 7-bit raw value
```

NS3 Synth Lfo Master Clock

Offset in file: 0x87 (b7)

```
0 = off, 1 = on
```

NS3 Synth Arp On

Offset in file: 0x80 (b6)

```
0 = off, 1 = on
```

NS3 Synth Arp Rate

Offset in file: 0x81 (b7-1)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 16 bpm / Fast 5
  0 = 16 bpm
  1 = 16 bpm
  2 = 18 bpm
  3 = 20 bpm
  4 = 24 bpm
  5 = 26 bpm
  6 = 28 bpm
  7 = 30 bpm
  8 = 34 bpm
  9 = 36 bpm
 10 = 38 bpm
 11 = 42 bpm
 12 = 44 bpm
 13 = 46 bpm
 14 = 48 bpm
 15 = 50 bpm
 16 = 54 bpm
 17 = 56 bpm
 18 = 58 bpm
 19 = 60 bpm
 20 = 62 bpm
 21 = 64 bpm
 22 = 66 bpm
 23 = 68 bpm
 24 = 70 bpm
 25 = 72 bpm
 26 = 74 bpm
 27 = 76 bpm
 28 = 78 bpm
 29 = 78 bpm
 30 = 80 bpm
 31 = 82 bpm
```

```
32 = 84 bpm
33 = 86 bpm
34 = 86 bpm
35 = 88 bpm
36 = 90 bpm
37 = 92 bpm
38 = 94 bpm
39 = 94 bpm
40 = 96 bpm
41 = 98 bpm
42 = 100 bpm
43 = 100 bpm
44 = 102 bpm
45 = 104 bpm
46 = 106 bpm
47 = 108 bpm
48 = 108 bpm
49 = 110 bpm
50 = 112 bpm
51 = 114 bpm
52 = 116 bpm
53 = 118 bpm
54 = 120 bpm
55 = 122 bpm
56 = 124 bpm
57 = 126 bpm
58 = 128 bpm
59 = 130 bpm
60 = 132 bpm
61 = 134 bpm
62 = 138 bpm
63 = 140 bpm
64 = 142 bpm
65 = 146 bpm
66 = 148 bpm
67 = 152 bpm
68 = 154 bpm
69 = 158 bpm
70 = 162 bpm
71 = 166 bpm
72 = 170 bpm
73 = 174 bpm
74 = 178 bpm
75 = 182 bpm
76 = 186 bpm
77 = 190 bpm
78 = 196 bpm
79 = 200 bpm
80 = 204 bpm
81 = 210 bpm
82 = 216 bpm
83 = 220 bpm
84 = 226 bpm
85 = 232 bpm
86 = 238 bpm
87 = 244 bpm
88 = 252 bpm
89 = 258 bpm
90 = 266 bpm
91 = 274 bpm
92 = 282 bpm
```

```
 93 = 290 bpm
 94 = 298 bpm
 95 = 308 bpm
 96 = 318 bpm
 97 = 328 bpm
 98 = 338 bpm
 99 = 350 bpm
100 = 362 bpm
101 = 376 bpm
102 = 392 bpm
103 = 410 bpm
104 = 428 bpm
105 = 450 bpm
106 = 472 bpm
107 = 494 bpm
108 = 520 bpm
109 = 546 bpm
110 = 574 bpm
111 = 602 bpm
112 = 632 bpm
113 = 662 bpm
114 = 696 bpm
115 = 728 bpm
116 = 762 bpm
117 = 798 bpm
118 = 834 bpm
119 = 872 bpm
120 = 910 bpm
121 = 950 bpm
122 = 990 bpm
123 = Fast 1
124 = Fast 2
125 = Fast 3
126 = Fast 4
127 = Fast 5
```

```
if Arpeggiator Master Clock is On, 0/127 value = 1/2 to 1/32 Master Clock Division
  0 = 1/2
  1 = 1/2
  2 = 1/2
  3 = 1/2
  4 = 1/2
  5 = 1/2
  6 = 1/2
  7 = 1/2
  8 = 1/2
  9 = 1/2
 10 = 1/2
 11 = 1/2
 12 = 1/2
 13 = 1/2
 14 = 1/2
 15 = 1/2T
 16 = 1/2T
 17 = 1/2T
 18 = 1/2T
 19 = 1/2T
 20 = 1/2T
 21 = 1/2T
 22 = 1/2T
```

```
23 = 1/2T
24 = 1/2T
25 = 1/2T
26 = 1/2T
27 = 1/2T
28 = 1/2T
29 = 1/4
30 = 1/4
31 = 1/4
32 = 1/4
33 = 1/4
34 = 1/4
35 = 1/4
36 = 1/4
37 = 1/4
38 = 1/4
39 = 1/4
40 = 1/4
41 = 1/4
42 = 1/4
43 = 1/4T
44 = 1/4T
45 = 1/4T
46 = 1/4T
47 = 1/4T
48 = 1/4T
49 = 1/4T
50 = 1/4T
51 = 1/4T
52 = 1/4T
53 = 1/4T
54 = 1/4T
55 = 1/4T
56 = 1/4T
57 = 1/8
58 = 1/8
59 = 1/8
60 = 1/8
61 = 1/8
62 = 1/8
63 = 1/8
64 = 1/8
65 = 1/8
66 = 1/8
67 = 1/8
68 = 1/8
69 = 1/8
70 = 1/8
71 = 1/8
72 = 1/8T
73 = 1/8T
74 = 1/8T
75 = 1/8T
76 = 1/8T
77 = 1/8T
78 = 1/8T
79 = 1/8T
80 = 1/8T
81 = 1/8T
82 = 1/8T
83 = 1/8T
```

```
 84 = 1/8T
 85 = 1/8T
 86 = 1/16
 87 = 1/16
 88 = 1/16
 89 = 1/16
 90 = 1/16
 91 = 1/16
 92 = 1/16
 93 = 1/16
 94 = 1/16
 95 = 1/16
 96 = 1/16
 97 = 1/16
 98 = 1/16
 99 = 1/16
100 = 1/16T
101 = 1/16T
102 = 1/16T
103 = 1/16T
104 = 1/16T
105 = 1/16T
106 = 1/16T
107 = 1/16T
108 = 1/16T
109 = 1/16T
110 = 1/16T
111 = 1/16T
112 = 1/16T
113 = 1/16T
114 = 1/32
115 = 1/32
116 = 1/32
117 = 1/32
118 = 1/32
119 = 1/32
120 = 1/32
121 = 1/32
122 = 1/32
123 = 1/32
124 = 1/32
125 = 1/32
126 = 1/32
127 = 1/32


Morph Wheel:
0x81 (b0): polarity (1 = positive, 0 = negative)
0x82 (b7-b1): 7-bit raw value

Morph After Touch:
0x82 (b0): polarity (1 = positive, 0 = negative)
0x83 (b7-b1): 7-bit raw value

Morph Control Pedal:
0x83 (b0): polarity (1 = positive, 0 = negative)
0x84 (b7-b1): 7-bit raw value
```

NS3 Synth Arp Kb Sync

Offset in file: 0x80 (b5)

```
O = off, 1 = on
```

NS3 Synth Arp Master Clock

Offset in file: 0x80 (b0)

```
O = off, 1 = on
```

NS3 Synth Arp Range

Offset in file: 0x80 (b4-3)

```
0 = 1 Octave
1 = 2 Octaves
2 = 3 Octaves
3 = 4 Octaves
```

NS3 Synth Arp Pattern

Offset in file: 0x80 (b2-1)

```
0 = Up
1 = Down
2 = Up/Down
3 = Random
```

NS3 Synth Preset Location

Offset in file: 0x57 (b5-0) and 0x58 (b7-4)

```
Preset location:
0-399:   user preset
400-799: sample preset
```

NS3 Synth Preset Name

Offset in file: 0x58 (b3-0) to 0x6E (b7-4)

```
User Preset names are limited to 16 characters,
Sample Preset name are up to 22 characters.

character 1: (offset + 3) & 0x7f
character 2: (offset + 2) & 0xff
character 3: (offset + 1) & 0xff
character 4: ((offset + 0) & 0xff) + 1
character 5: (offset + 3 + 4) & 0x7f
character 6: (offset + 2 + 4) & 0xff
. . .
```

Nord Stage 2 File Structure

offset	bits	description
0x0000	cccccccc	ascii C - 0x43, 4-byte Clavia ID
0x0001	cccccccc	ascii B - 0x42
0x0002	cccccccc	ascii I - 0x49
0x0003	cccccccc	ascii N - 0x4E
0x0004	ffffffff	(f) file format
0x0005	--------	0
0x0006	--------	0
0x0007	--------	0
0x0008	cccccccc	ascii n - 0x6E, 4-byte NS2 Program file ID
0x0009	cccccccc	ascii s - 0x73,
0x000A	cccccccc	ascii 2 - 0x32,
0x000B	cccccccc	ascii p - 0x70,
0x000C	bbbbbbbb	
0x000D	--------	0
0x000E	llllllll	
0x000F	--------	0
0x0010	--------	
0x0011	--------	
0x0012	--------	
0x0013	--------	
0x0014	iiiiiiii	(i) file version (16-bit)
0x0015	iiiiiiii	
0x0016	--------	
0x0017	--------	
0x0018	cccccccc	CRC1 (32-bit)
0x0019	cccccccc	
0x001A	cccccccc	
0x001B	cccccccc	
0x001C	--------	
0x001D	--------	
0x001E	--------	
0x001F	--------	
0x0020	--------	
0x0021	--------	
0x0022	--------	
0x0023	--------	
0x0024	--------	
0x0025	--------	
0x0026	--------	
0x0027	--------	
0x0028	--------	
0x0029	--------	
0x002A	--------	
0x002B	--------	
0x002C	--------	
0x002D	--------	
0x002E	--------	
0x002F	--------	
0x0030	-p------	(p) organ pitch stick
0x0031	--------	
0x0032	--------	
0x0033	--------	
0x0034	mm------	(m) organ model
0x0035	vvvhds--	(v) organ b3 vibrato mode, (h) organ b3 harmonic third, (d) organ b3 decay fast, (s) organ b3 volume soft
0x0036	--------	
0x0037	-vvo----	(v) organ vox vibrato mode, (o) organ vox vibrato on

offset	bits	description
0x0038	--------	
0x0039	-vvo----	(v) organ farfisa vibrato mode, (o) organ farfisa vibrato on
0x003A	--------	
0x003B	ddd-----	(o) piano slot detune
0x003C	--------	
0x003D	--------	
0x003E	--------	
0x003F	--------	
0x0040	--------	
0x0041	--------	
0x0042	--------	
0x0043	owwwwwww	(o) organ on, (w) organ volume morph wheel
0x0044	waaaaaaa	(a) organ volume morph after touch
0x0045	accccccc	(c) organ volume morph control pedal
0x0046	cvvvvvvv	(v) organ volume
0x0047	zzzoooos	(z) organ kb zone, (o) organ octave shift, (s) organ sustain pedal
0x0048	owwwwwww	(o) piano on, (w) piano volume morph wheel
0x0049	waaaaaaa	(a) piano volume morph after touch
0x004A	accccccc	(c) piano volume morph control pedal
0x004B	cvvvvvvv	(v) piano volume
0x004C	zzzooooop	(z) piano split zones, (o) piano octave shift, (p) piano pitch stick
0x004D	s-------	(s) piano sustain
0x004E	--------	
0x004F	--------	
0x0050	--------	
0x0051	--------	
0x0052	--------	
0x0053	--------	
0x0054	--------	
0x0055	--------	
0x0056	--------	
0x0057	--------	
0x0058	--------	
0x0059	------lg	(l) organ latch pedal, (g) organ kb gate
0x005A	lg------	(l) piano latch pedal, (g) piano kb gate
0x005B	--------	
0x005C	b-------	(b) organ b3 preset II
0x005D	b-------	(b) organ vox vox II
0x005E	b-------	(b) organ farfisa preset II
0x005F	wwwwwaaa	(w) organ b3 preset I drawbar 1 morph wheel, (a) organ b3 preset I drawbar 1 morph after touch
0x0060	aapppppp1	(p) organ b3 preset I drawbar 1 morph control pedal, (1) organ b3 preset I drawbar 1
0x0061	111wwwww	(w) organ b3 preset I drawbar 2 morph wheel
0x0062	aaaaappp	(a) organ b3 preset I drawbar 2 morph after touch, (p) organ b3 preset I drawbar 2 morph control pedal
0x0063	pp2222ww	(2) organ b3 preset I drawbar 2, (w) organ b3 preset I drawbar 3 morph wheel
0x0064	wwwaaaaa	(a) organ b3 preset I drawbar 3 morph after touch
0x0065	ppppp333	(p) organ b3 preset I drawbar 3 morph control pedal, (3) organ b3 preset I drawbar 3,
0x0066	3wwwwwaa	(w) organ b3 preset I drawbar 4 morph wheel, (a) organ b3 preset I drawbar 4 morph after touch
0x0067	aaappppp	(p) organ b3 preset I drawbar 4 morph control pedal
0x0068	4444wwww	(4) organ b3 preset I drawbar 4, (w) organ b3 preset I drawbar 5 morph wheel
0x0069	waaaaapp	(a) organ b3 preset I drawbar 5 morph after touch, (p) organ b3 preset I drawbar 5 morph control pedal
0x006A	ppp5555w	(5) organ b3 preset I drawbar 5, (w) organ b3 preset I drawbar 6 morph wheel
0x006B	wwwwaaaa	(a) organ b3 preset I drawbar 6 morph after touch
0x006C	appppp66	(p) organ b3 preset I drawbar 6 morph control pedal, (6) organ b3 preset I drawbar 6

offset	bits	description
0x006D	66wwwwwa	(w) organ b3 preset I drawbar 7 morph wheel, (a) organ b3 preset I drawbar 7 morph after touch
0x006E	aaaapppp	(p) organ b3 preset I drawbar 7 morph control pedal
0x006F	p7777www	(7) organ b3 preset I drawbar 7, (w) organ b3 preset I drawbar 8 morph wheel
0x0070	wwaaaaap	(a) organ b3 preset I drawbar 8 morph after touch, (p) organ b3 preset I drawbar 8 morph control pedal
0x0071	pppp8888	(8) organ b3 preset I drawbar 8
0x0072	wwwwwaaa	(w) organ b3 preset I drawbar 9 morph wheel, (a) organ b3 preset I drawbar 9 morph after touch
0x0073	aappppp9	(p) organ b3 preset I drawbar 9 morph control pedal, (9) organ b3 preset I drawbar 9
0x0074	999vp---	(v) organ b3 preset I vibrato chorus, (p) organ b3 preset I percussion
0x0075	--------	
0x0076	wwwwwaaa	(w) organ vox preset I drawbar 1 morph wheel, (a) organ vox preset I drawbar 1 morph after touch
0x0077	aappppp1	(p) organ vox preset I drawbar 1 morph control pedal, (1) organ vox preset I drawbar 1
0x0078	111wwwww	(w) organ vox preset I drawbar 2 morph wheel
0x0079	aaaaappp	(a) organ vox preset I drawbar 2 morph after touch, (p) organ vox preset I drawbar 2 morph control pedal
0x007A	pp2222ww	(2) organ vox preset I drawbar 2, (w) organ vox preset I drawbar 3 morph wheel
0x007B	wwwaaaaa	(a) organ vox preset I drawbar 3 morph after touch
0x007C	ppppp333	(p) organ vox preset I drawbar 3 morph control pedal, (3) organ vox preset I drawbar 3,
0x007D	3wwwwwaa	(w) organ vox preset I drawbar 4 morph wheel, (a) organ vox preset I drawbar 4 morph after touch
0x007E	aaappppp	(p) organ vox preset I drawbar 4 morph control pedal
0x007F	4444wwww	(4) organ vox preset I drawbar 4, (w) organ vox preset I drawbar 5 morph wheel
0x0080	waaaaapp	(a) organ vox preset I drawbar 5 morph after touch, (p) organ vox preset I drawbar 5 morph control pedal
0x0081	ppp5555w	(5) organ vox preset I drawbar 5, (w) organ vox preset I drawbar 6 morph wheel
0x0082	wwwwaaaa	(a) organ vox preset I drawbar 6 morph after touch
0x0083	appppp66	(p) organ vox preset I drawbar 6 morph control pedal, (6) organ vox preset I drawbar 6
0x0084	66wwwwwa	(w) organ vox preset I drawbar 7 morph wheel, (a) organ vox preset I drawbar 7 morph after touch
0x0085	aaaapppp	(p) organ vox preset I drawbar 7 morph control pedal
0x0086	p7777www	(7) organ vox preset I drawbar 7, (w) organ vox preset I drawbar 8 morph wheel
0x0087	wwaaaaap	(a) organ vox preset I drawbar 8 morph after touch, (p) organ vox preset I drawbar 8 morph control pedal
0x0088	pppp8888	(8) organ vox preset I drawbar 8
0x0089	wwwwwaaa	(w) organ vox preset I drawbar 9 morph wheel, (a) organ vox preset I drawbar 9 morph after touch
0x008A	aappppp9	(p) organ vox preset I drawbar 9 morph control pedal, (9) organ vox preset I drawbar 9
0x008B	999-----	
0x008C	--------	
0x008D	wwaapp1h	(w,a,p,1) organ farfisa preset I drawbar 1, (h,a,p,2) organ farfisa preset I drawbar 2
0x008E	haapp2ww	(w,a,p,3) organ farfisa preset I drawbar 3
0x008F	aapp3wwa	(w,a,p,4) organ farfisa preset I drawbar 4, (w,a,p,3) organ farfisa preset I drawbar 4
0x0090	app4wwaa	(w,a,p,5) organ farfisa preset I drawbar 5
0x0091	pp5wwaad	(w,a,d,6) organ farfisa preset I drawbar 6
0x0092	d6wwaapp	(w,a,p,7) organ farfisa preset I drawbar 7
0x0093	7wwaapp8	(w,a,p,8) organ farfisa preset I drawbar 8
0x0094	wwaapp9-	(w,a,p,9) organ farfisa preset I drawbar 9
0x0095	--------	
0x0096	wwwwwaaa	(w) organ b3 preset II drawbar 1 morph wheel, (a) organ b3 preset II drawbar 1 morph after touch
0x0097	aappppp1	(p) organ b3 preset II drawbar 1 morph control pedal, (1) organ b3 preset II drawbar 1

offset	bits	description
0x0098	111wwwww	(w) organ b3 preset II drawbar 2 morph wheel
0x0099	aaaaappp	(a) organ b3 preset II drawbar 2 morph after touch, (p) organ b3 preset II drawbar 2 morph control pedal
0x009A	pp2222ww	(2) organ b3 preset II drawbar 2, (w) organ b3 preset II drawbar 3 morph wheel
0x009B	wwwaaaaa	(a) organ b3 preset II drawbar 3 morph after touch
0x009C	ppppp333	(p) organ b3 preset II drawbar 3 morph control pedal, (3) organ b3 preset II drawbar 3,
0x009D	3wwwwwaa	(w) organ b3 preset II drawbar 4 morph wheel, (a) organ b3 preset II drawbar 4 morph after touch
0x009E	aaappppp	(p) organ b3 preset II drawbar 4 morph control pedal
0x009F	4444wwww	(4) organ b3 preset II drawbar 4, (w) organ b3 preset II drawbar 5 morph wheel
0x00A0	waaaaapp	(a) organ b3 preset II drawbar 5 morph after touch, (p) organ b3 preset II drawbar 5 morph control pedal
0x00A1	ppp5555w	(5) organ b3 preset II drawbar 5, (w) organ b3 preset II drawbar 6 morph wheel
0x00A2	wwwwaaaa	(a) organ b3 preset II drawbar 6 morph after touch
0x00A3	appppp66	(p) organ b3 preset II drawbar 6 morph control pedal, (6) organ b3 preset II drawbar 6
0x00A4	66wwwwwa	(w) organ b3 preset II drawbar 7 morph wheel, (a) organ b3 preset II drawbar 7 morph after touch
0x00A5	aaaapppp	(p) organ b3 preset II drawbar 7 morph control pedal
0x00A6	p7777www	(7) organ b3 preset II drawbar 7, (w) organ b3 preset II drawbar 8 morph wheel
0x00A7	wwaaaaap	(a) organ b3 preset II drawbar 8 morph after touch, (p) organ b3 preset II drawbar 8 morph control pedal
0x00A8	pppp8888	(8) organ b3 preset II drawbar 8
0x00A9	wwwwwaaa	(w) organ b3 preset II drawbar 9 morph wheel, (a) organ b3 preset II drawbar 9 morph after touch
0x00AA	aappppp9	(p) organ b3 preset II drawbar 9 morph control pedal, (9) organ b3 preset II drawbar 9
0x00AB	999vp---	(v) organ b3 preset II vibrato chorus, (p) organ b3 preset II percussion
0x00AC	--------	
0x00AD	wwwwwaaa	(w) organ vox preset II drawbar 1 morph wheel, (a) organ vox preset II drawbar 1 morph after touch
0x00AE	aappppp1	(p) organ vox preset II drawbar 1 morph control pedal, (1) organ vox preset II drawbar 1
0x00AF	111wwwww	(w) organ vox preset II drawbar 2 morph wheel
0x00B0	aaaaappp	(a) organ vox preset II drawbar 2 morph after touch, (p) organ vox preset II drawbar 2 morph control pedal
0x00B1	pp2222ww	(2) organ vox preset II drawbar 2, (w) organ vox preset II drawbar 3 morph wheel
0x00B2	wwwaaaaa	(a) organ vox preset II drawbar 3 morph after touch
0x00B3	ppppp333	(p) organ vox preset II drawbar 3 morph control pedal, (3) organ vox preset II drawbar 3,
0x00B4	3wwwwwaa	(w) organ vox preset II drawbar 4 morph wheel, (a) organ vox preset II drawbar 4 morph after touch
0x00B5	aaappppp	(p) organ vox preset II drawbar 4 morph control pedal
0x00B6	4444wwww	(4) organ vox preset II drawbar 4, (w) organ vox preset II drawbar 5 morph wheel
0x00B7	waaaaapp	(a) organ vox preset II drawbar 5 morph after touch, (p) organ vox preset II drawbar 5 morph control pedal
0x00B8	ppp5555w	(5) organ vox preset II drawbar 5, (w) organ vox preset II drawbar 6 morph wheel
0x00B9	wwwwaaaa	(a) organ vox preset II drawbar 6 morph after touch
0x00BA	appppp66	(p) organ vox preset II drawbar 6 morph control pedal, (6) organ vox preset II drawbar 6
0x00BB	66wwwwwa	(w) organ vox preset II drawbar 7 morph wheel, (a) organ vox preset II drawbar 7 morph after touch
0x00BC	aaaapppp	(p) organ vox preset II drawbar 7 morph control pedal
0x00BD	p7777www	(7) organ vox preset II drawbar 7, (w) organ vox preset II drawbar 8 morph wheel
0x00BE	wwaaaaap	(a) organ vox preset II drawbar 8 morph after touch, (p) organ vox preset II drawbar 8 morph control pedal
0x00BF	pppp8888	(8) organ vox preset II drawbar 8

offset	bits	description
0x00C0	wwwwwaaa	(w) organ vox preset II drawbar 9 morph wheel, (a) organ vox preset II drawbar 9 morph after touch
0x00C1	aappppp9	(p) organ vox preset II drawbar 9 morph control pedal, (9) organ vox preset II drawbar 9
0x00C2	999-----	
0x00C3	--------	
0x00C4	wwaapp1h	(w,a,p,1) organ farfisa preset II drawbar 1, (h,a,p,2) organ farfisa preset II drawbar 2
0x00C5	haapp2ww	(w,a,p,3) organ farfisa preset II drawbar 3
0x00C6	aapp3wwa	(w,a,p,4) organ farfisa preset II drawbar 4, (w,a,p,3) organ farfisa preset II drawbar 4
0x00C7	app4wwaa	(w,a,p,5) organ farfisa preset II drawbar 5
0x00C8	pp5wwaad	(w,a,d,6) organ farfisa preset II drawbar 6
0x00C9	d6wwaapp	(w,a,p,7) organ farfisa preset II drawbar 7
0x00CA	7wwaapp8	(w,a,p,8) organ farfisa preset II drawbar 8
0x00CB	wwaapp9-	(w,a,p,9) organ farfisa preset II drawbar 9
0x00CC	--------	
0x00CD	ttt-----	(t) piano type
0x00CE	-------c	(c) piano clavinet model
0x00CF	clsnddhh	(l) piano long release, (s) piano string resonance, (n) piano pedal noise, (d) piano dynamics, (h) piano clav eq hi
0x00D0	eeiiiiii	(e) piano clav eq, (s) piano sample id
0x00D1	iiiiiiii	
0x00D2	iiiiiiii	
0x00D3	iiiiiiii	
0x00D4	ii------	
0x00D5	--------	
0x00D6	--------	
0x00D7	--------	
0x00D8	--------	
0x00D9	--------	
0x00DA	--------	
0x00DB	--------	
0x00DC	--------	
0x00DD	--------	
0x00DE	--------	
0x00DF	--------	
0x00E0	--------	
0x00E1	--------	
0x00E2	--------	
0x00E3	--------	
0x00E4	--------	
0x00E5	--------	
0x00E6	--------	
0x00E7	--------	
0x00E8	--------	
0x00E9	--------	
0x00EA	--------	
0x00EB	--------	
0x00EC	--------	
0x00ED	--------	
0x00EE	--------	
0x00EF	--------	
0x00F0	--------	
0x00F1	--------	
0x00F2	--------	
0x00F3	--------	
0x00F4	--------	
0x00F5	--------	
0x00F6	--------	
0x00F7	--------	

offset	bits	description
0x00F8	--------	
0x00F9	--------	
0x00FA	--------	
0x00FB	--------	
0x00FC	--------	
0x00FD	--------	
0x00FE	--------	
0x00FF	--------	
0x0100	--------	
0x0101	--------	
0x0102	--------	
0x0103	--------	
0x0104	--------	
0x0105	--------	
0x0106	--------	
0x0107	--------	
0x0108	--------	
0x0109	--------	
0x010A	--------	
0x010B	--------	
0x010C	--------	
0x010D	--------	
0x010E	--------	
0x010F	--------	
0x0110	--------	
0x0111	--------	
0x0112	--------	
0x0113	--------	
0x0114	--------	
0x0115	--------	
0x0116	--------	
0x0117	--------	
0x0118	--------	
0x0119	--------	
0x011A	--------	
0x011B	--------	
0x011C	--------	
0x011D	--------	
0x011E	--------	
0x011F	--------	
0x0120	--------	
0x0121	--------	
0x0122	--------	
0x0123	--------	
0x0124	--------	
0x0125	--------	
0x0126	--------	
0x0127	--------	
0x0128	--------	
0x0129	--------	
0x012A	--------	
0x012B	--------	
0x012C	--------	
0x012D	--------	
0x012E	--------	
0x012F	--------	
0x0130	--------	
0x0131	--------	
0x0132	--------	

offset	bits	description
0x0133	--------	
0x0134	--------	
0x0135	--------	
0x0136	--------	
0x0137	--------	
0x0138	--------	
0x0139	--------	
0x013A	--------	
0x013B	--------	
0x013C	--------	
...		
0x0220	--------	
0x0221	--------	
0x0222	--------	
0x0223	--------	
0x0224	--------	
0x0225	--------	
0x0226	--------	
0x0227	--------	
0x0228	--------	
0x0229	--------	
0x022A	--------	
0x022B	--------	
0x022C	--------	
0x022D	--------	
0x022E	--------	
0x022F	--------	
0x0230	--------	
0x0231	--------	
0x0232	--------	
0x0233	--------	
0x0234	--------	

NS2 Organ B3 Preset 2

Offset in file: 0x5c (b7)

```
0 = off, 1 = on
```

NS2 Organ B3 Preset 1 Vibrato Chorus

Offset in file: 0x74 (b4)

```
0 = off, 1 = on
```

NS2 Organ B3 Preset 1 Percussion

Offset in file: 0x74 (b3)

```
0 = off, 1 = on
```

NS2 Organ B3 Preset 2 Vibrato Chorus

Offset in file: 0xab (b4)

```
0 = off, 1 = on
```

NS2 Organ B3 Preset 2 Percussion

Offset in file: 0xab (b3)

```
0 = off, 1 = on
```

NS2 Organ B3 Vibrato Mode

Offset in file: 0x35 (b7-5)

```
  0 = V1
  1 = C1
  2 = V2
  3 = C2
  4 = V3
  5 = C3
```

NS2 Organ Vox Preset 2

Offset in file: 0x5d (b7)

```
0 = off, 1 = on
```

NS2 Organ Vox Vibrato On

Offset in file: 0x37 (b4)

```
0 = off, 1 = on
(common for Preset I & II)
```

NS2 Organ Vox Vibrato Mode

Offset in file: 0x37 (b6-5)

```
  0 = Less (V1)
  1 = More (V2)
  2 = Original (V3)
```

NS2 Organ Farfisa Preset 2

Offset in file: 0x5e (b7)

```
0 = off, 1 = on
```

NS2 Organ Farfisa Vibrato On

Offset in file: 0x39 (b4)

```
0 = off, 1 = on
(common for Preset I & II)
```

NS2 Organ Farfisa Vibrato Mode

Offset in file: 0x39 (b6-5)

```
  0 = Light/Slow (V1)
  1 = Light/Fast (V2)
  2 = Heavy/Slow (C2)
  3 = Heavy/Fast (C3)
```

NS2 Organ On

Offset in file: 0x43 (b7)

```
0 = off, 1 = on
```

NS2 Organ Kb Zone

Offset in file: 0x47 (b7-5)

```
0 = LO
1 = LO UP
2 = UP
3 = UP HI
4 = HI
5 = LO UP HI
```

NS2 Organ Volume

Offset in file: 0x46 (b6-0)

```
Volume:
  0 = Off
  1 = -84.2 dB
  2 = -72.1 dB
  3 = -65.1 dB
  4 = -60.1 dB
  5 = -56.2 dB
  6 = -53.0 dB
  7 = -50.3 dB
  8 = -48.0 dB
  9 = -46.0 dB
 10 = -44.2 dB
 11 = -42.5 dB
 12 = -41.0 dB
 13 = -39.6 dB
 14 = -38.3 dB
 15 = -37.1 dB
 16 = -36.0 dB
 17 = -34.9 dB
 18 = -33.9 dB
 19 = -33.0 dB
 20 = -32.1 dB
 21 = -31.1 dB
 22 = -30.5 dB
 23 = -29.7 dB
 24 = -28.9 dB
 25 = -28.2 dB
```

```
26 = -27.6 dB
27 = -26.9 dB
28 = -26.3 dB
29 = -25.7 dB
30 = -25.1 dB
31 = -24.5 dB
32 = -23.9 dB
33 = -23.4 dB
34 = -22.9 dB
35 = -22.4 dB
36 = -21.9 dB
37 = -21.4 dB
38 = -21.0 dB
39 = -20.5 dB
40 = -20.1 dB
41 = -19.6 dB
42 = -19.2 dB
43 = -18.8 dB
44 = -18.4 dB
45 = -18.0 dB
46 = -17.6 dB
47 = -17.3 dB
48 = -16.9 dB
49 = -16.5 dB
50 = -16.2 dB
51 = -15.8 dB
52 = -15.5 dB
53 = -15.2 dB
54 = -14.9 dB
55 = -14.5 dB
56 = -14.2 dB
57 = -13.9 dB
58 = -13.6 dB
59 = -13.3 dB
60 = -13.0 dB
61 = -12.7 dB
62 = -12.5 dB
63 = -12.2 dB
64 = -11.9 dB
65 = -11.6 dB
66 = -11.4 dB
67 = -11.1 dB
68 = -10.9 dB
69 = -10.6 dB
70 = -10.3 dB
71 = -10.1 dB
72 = -9.9 dB
73 = -9.6 dB
74 = -9.4 dB
75 = -9.1 dB
76 = -8.9 dB
77 = -8.7 dB
78 = -8.5 dB
79 = -8.2 dB
80 = -8.0 dB
81 = -7.8 dB
82 = -7.6 dB
83 = -7.4 dB
84 = -7.2 dB
85 = -7.0 dB
86 = -6.8 dB
```

```
 87 = -6.6 dB
 88 = -6.4 dB
 89 = -6.2 dB
 90 = -6.0 dB
 91 = -5.8 dB
 92 = -5.6 dB
 93 = -5.4 dB
 94 = -5.2 dB
 95 = -5.0 dB
 96 = -4.9 dB
 97 = -4.7 dB
 98 = -4.5 dB
 99 = -4.3 dB
100 = -4.2 dB
101 = -4.0 dB
102 = -3.8 dB
103 = -3.6 dB
104 = -3.5 dB
105 = -3.3 dB
106 = -3.1 dB
107 = -3.0 dB
108 = -2.8 dB
109 = -2.7 dB
110 = -2.5 dB
111 = -2.3 dB
112 = -2.2 dB
113 = -2.0 dB
114 = -1.9 dB
115 = -1.7 dB
116 = -1.6 dB
117 = -1.4 dB
118 = -1.3 dB
119 = -1.1 dB
120 = -1.0 dB
121 = -0.8 dB
122 = -0.7 dB
123 = -0.6 dB
124 = -0.4 dB
125 = -0.3 dB
126 = -0.1 dB
127 = 0.0 dB


Morph Wheel:
offset in file 0x43 (b6-0) and 0x44 (b7)


Morph After Touch:
offset in file 0x44 (b6-0) and 0x45 (b7)


Morph Control Pedal:
offset in file 0x45 (b6-0) and 0x46 (b7)
```

NS2 Organ Octave Shift

Offset in file: 0x47 (b4-1)

```
Octave Shift = value - 7
```

NS2 Organ Pitch Stick

Offset in file: 0x30 (b6)

```
0 = off, 1 = on
```

NS2 Organ Sustain Pedal

Offset in file: 0x47 (b0)

```
0 = off, 1 = on
```

NS2 Organ Latch Pedal

Offset in file: 0x59 (b1)

```
0 = off, 1 = on
```

NS2 Organ Kb Gate

Offset in file: 0x59 (b0)

```
0 = off, 1 = on
```

NS2 Organ Model

Offset in file: 0x34 (b7-6)

```
  0 = B3
  1 = Vox
  2 = Farfisa
```

NS2 Organ Drawbars Preset 1

```
ORGAN B3 DRAWBARS Preset I
all B3 Drawbars are 4-Bit fields, values from 0 - 8

Organ B3 Sub (drawbar 1)
offset in file 0x60 (b0) and 0x61 (b7-5)
    Morph Wheel offset in file 0x5f (b7-3)
    Morph AT    offset in file 0x5f (b2-0) and 0x60 (b7-6)
    Morph Pedal offset in file 0x60 (b5-1)

Organ B3 Sub3 (drawbar 2)
offset in file 0x63 (b5-2)
    Morph Wheel offset in file 0x61 (b4-0)
    Morph AT    offset in file 0x62 (b7-3)
    Morph Pedal offset in file 0x62 (b2-0) and 0x63 (b7-6)

Organ B3 Fund (drawbar 3)
offset in file 0x65 (b2-0) and 0x66 (b7)
    Morph Wheel offset in file 0x63 (b1-0) and 0x64 (b7-5)
    Morph AT    offset in file 0x64 (b4-0)
    Morph Pedal offset in file 0x65 (b7-3)

Organ B3 2nd (drawbar 4)
offset in file 0x68 (b7-4)
    Morph Wheel offset in file 0x66 (b6-2)
    Morph AT    offset in file 0x66 (b1-0) and 0x67 (b7-5)
    Morph Pedal offset in file 0x67 (b4-0)

Organ B3 3rd (drawbar 5)
offset in file 0x6a (b4-1)
    Morph Wheel offset in file 0x68 (b3-0) and 0x69 (b7)
    Morph AT    offset in file 0x69 (b6-2)
    Morph Pedal offset in file 0x69 (b1-0) and 0x6a (b7-5)
```

```
Organ B3 4th (drawbar 6)
offset in file 0x6c (b1-0) and 0x6d (b7-6)
    Morph Wheel offset in file 0x6a (b0) and 0x6b (b7-4)
    Morph AT    offset in file 0x6b (b3-0) and 0x6c (b7)
    Morph Pedal offset in file 0x6c (b6-2)


Organ B3 5th (drawbar 7)
offset in file 0x6f (b6-3)
    Morph Wheel offset in file 0x6d (b5-1)
    Morph AT    offset in file 0x6d (b0) and 0x6e (b7-4)
    Morph Pedal offset in file 0x6e (b3-0) and 0x6f (b7)


Organ B3 6th (drawbar 8)
offset in file 0x71 (b3-0)
    Morph Wheel offset in file 0x6f (b2-0) and 0x70 (b7-6)
    Morph AT    offset in file 0x70 (b5-1)
    Morph Pedal offset in file 0x70 (b0) and 0x71 (b7-4)


Organ B3 8th (drawbar 9)
offset in file 0x73 (b0) and 0x74 (b7-5)
    Morph Wheel offset in file 0x72 (b7-3)
    Morph AT    offset in file 0x72 (b2-0) and 0x73 (b7-6)
    Morph Pedal offset in file 0x73 (b5-1)



ORGAN VOX DRAWBARS Preset I

Organ Vox 16' (drawbar 1)
offset in file 0x77 (b0) and 0x78 (b7-5)
Morph Wheel offset in file 0x76 (b7-3)
Morph AT    offset in file 0x76 (b2-0) and 0x77 (b7-6)
Morph Pedal offset in file 0x77 (b6-1)

Organ Vox 8' (drawbar 2)
offset in file 0x7a (b5-2)
Morph Wheel offset in file 0x78 (b4-0)
Morph AT    offset in file 0x79 (b7-3)
Morph Pedal offset in file 0x79 (b2-0) and 0x7a (b7-6)

Organ Vox 4' (drawbar 3)
offset in file 0x7c (b2-0) and 0x7d (b7)
Morph Wheel offset in file 0x7a (b1-0) and 0x7b (b7-5)
Morph AT    offset in file 0x7b (b4-0)
Morph Pedal offset in file 0x7c (b7-3)

Organ Vox 2' (drawbar 4)
offset in file 0x7f (b7-4)
Morph Wheel offset in file 0x7d (b6-2)
Morph AT    offset in file 0x7d (b1-0) and 0x7e (b7-5)
Morph Pedal offset in file 0x7e (b4-0)

Organ Vox II (drawbar 5)
offset in file 0x81 (b4-1)
Morph Wheel offset in file 0x7f (b3-0) and 0x80 (b7)
Morph AT    offset in file 0x80 (b6-2)
Morph Pedal offset in file 0x80 (b1-0) and 0x81 (b7-5)

Organ Vox III (drawbar 6)
offset in file 0x83 (b1-0) and 0x84 (b7-6)
Morph Wheel offset in file 0x81 (b0) and 0x82 (b7-4)
Morph AT    offset in file 0x82 (b3-0) and 0x83 (b7)
```

```
Morph Pedal offset in file 0x83 (b6-2)


Organ Vox IV (drawbar 7)
offset in file 0x86 (b6-3)
Morph Wheel offset in file 0x84 (b5-1)
Morph AT    offset in file 0x84 (b0) and 0x85 (b7-4)
Morph Pedal offset in file 0x85 (b3-0) and 0x86 (b7)


Organ Vox SIN (drawbar 8)
offset in file 0x88 (b3-0)
Morph Wheel offset in file 0x86 (b2-0) and 0x87 (b7-6)
Morph AT    offset in file 0x87 (b5-1)
Morph Pedal offset in file 0x87 (b0) and 0x88 (b7-4)


Organ Vox TRI (drawbar 9)
offset in file 0x8a (b0) and 0x8b (b7-5)
Morph Wheel offset in file 0x89 (b7-3)
Morph AT    offset in file 0x89 (b2-0) and 0x8a (b7-6)
Morph Pedal offset in file 0x8a (b5-1)



ORGAN FARFISA DRAWBARS Preset I
Farfisa drawbars are 1-Bit values, ON or OFF

Organ Farfisa Bass16 (drawbar 1)
offset in file 0x8d (b1)
Morph Wheel offset in file 0x8d (b7-6)
Morph AT    offset in file 0x8d (b5-4)
Morph Pedal offset in file 0x8d (b3-2)


Organ Farfisa Str16 (drawbar 2)
offset in file 0x8e (b2)
Morph Wheel offset in file 0x8d (b0) and 0x8e (b7)
Morph AT    offset in file 0x8e (b6-5)
Morph Pedal offset in file 0x8e (b4-3)


Organ Farfisa Flu8 (drawbar 3)
offset in file 0x8f (b3)
Morph Wheel offset in file 0x8e (b1-0)
Morph AT    offset in file 0x8f (b7-6)
Morph Pedal offset in file 0x8f (b5-4)


Organ Farfisa Oboe8 (drawbar 4)
offset in file 0x90 (b4)
Morph Wheel offset in file 0x8f (b2-1)
Morph AT    offset in file 0x8f (b0) and 0x90 (b7)
Morph Pedal offset in file 0x90 (b6-5)


Organ Farfisa Trump8 (drawbar 5)
offset in file 0x91 (b5)
Morph Wheel offset in file 0x90 (b3-2)
Morph AT    offset in file 0x90 (b1-0)
Morph Pedal offset in file 0x91 (b7-6)


Organ Farfisa Str8 (drawbar 6)
offset in file 0x92 (b6)
Morph Wheel offset in file 0x91 (b4-3)
Morph AT    offset in file 0x91 (b2-1)
Morph Pedal offset in file 0x91 (b0) and 0x92 (b7)


Organ Farfisa Flu4 (drawbar 7)
```

```
offset in file 0x93 (b7)
Morph Wheel offset in file 0x92 (b5-4)
Morph AT    offset in file 0x92 (b3-2)
Morph Pedal offset in file 0x92 (b1-0)

Organ Farfisa Str4 (drawbar 8)
offset in file 0x93 (b0)
Morph Wheel offset in file 0x93 (b6-5)
Morph AT    offset in file 0x93 (b4-3)
Morph Pedal offset in file 0x93 (b2-1)

Organ Farfisa 2 2/3 (drawbar 9)
offset in file 0x94 (b1)
Morph Wheel offset in file 0x94 (b7-6)
Morph AT    offset in file 0x94 (b5-4)
Morph Pedal offset in file 0x94 (b3-2)
```

NS2 Organ B3 Volume Soft

Offset in file: 0x35 (b2)

```
0 = off, 1 = on
```

```
only if Organ type is B3
```

NS2 Organ B3 Decay Fast

Offset in file: 0x35 (b3)

```
0 = off, 1 = on
```

```
only if Organ type is B3
```

NS2 Organ B3 Harmonic Third

Offset in file: 0x35 (b4)

```
0 = off, 1 = on
```

```
only if Organ type is B3
```

NS3 Organ Preset 2 On

Offset in file: 0xBB (b2)

```
0 = off, 1 = on
```

NS2 Organ Drawbars Preset 2

```
ORGAN B3 DRAWBARS Preset II
all B3 Drawbars are 4-Bit fields, values from 0 - 8

Organ B3 Sub (drawbar 1)
offset in file 0x97 (b0) and 0x98 (b7-5)
Morph Wheel offset in file 0x96 (b7-3)
Morph AT    offset in file 0x96 (b2-0) and 0x97 (b7-6)
Morph Pedal offset in file 0x97 (b5-1)

Organ B3 Sub3 (drawbar 2)
offset in file 0x9a (b5-2)
Morph Wheel offset in file 0x98 (b4-0)
Morph AT    offset in file 0x99 (b7-3)
Morph Pedal offset in file 0x99 (b2-0) and 0x9a (b7-6)
```

```
Organ B3 Fund (drawbar 3)
offset in file 0x9c (b2-0) and 0x9d (b7)
Morph Wheel offset in file 0x9a (b1-0) and 0x9b (b7-5)
Morph AT    offset in file 0x9b (b4-0)
Morph Pedal offset in file 0x9c (b7-3)


Organ B3 2nd (drawbar 4)
offset in file 0x9f (b7-4)
Morph Wheel offset in file 0x9d (b6-2)
Morph AT    offset in file 0x9d (b1-0) and 0x9e (b7-5)
Morph Pedal offset in file 0x9e (b4-0)


Organ B3 3rd (drawbar 5)
offset in file 0xa1 (b4-1)
Morph Wheel offset in file 0x9f (b3-0) and 0xa0 (b7)
Morph AT    offset in file 0xa0 (b6-2)
Morph Pedal offset in file 0xa0 (b1-0) and 0xa1 (b7-5)


Organ B3 4th (drawbar 6)
offset in file 0xa3 (b1-0) and 0xa4 (b7-6)
Morph Wheel offset in file 0xa1 (b0) and 0xa2 (b7-4)
Morph AT    offset in file 0xa2 (b3-0) and 0xa3 (b7)
Morph Pedal offset in file 0xa3 (b6-2)


Organ B3 5th (drawbar 7)
offset in file 0xa6 (b6-3)
Morph Wheel offset in file 0xa4 (b5-1)
Morph AT    offset in file 0xa4 (b0) and 0xa5 (b7-4)
Morph Pedal offset in file 0xa5 (b3-0) and 0xa6 (b7)


Organ B3 6th (drawbar 8)
offset in file 0xa8 (b3-0)
Morph Wheel offset in file 0xa6 (b2-0) and 0xa7 (b7-6)
Morph AT    offset in file 0xa7 (b5-1)
Morph Pedal offset in file 0xa7 (b0) and 0xa8 (b7-4)


Organ B3 8th (drawbar 9)
offset in file 0xaa (b0) and 0xab (b7-5)
Morph Wheel offset in file 0xa9 (b7-3)
Morph AT    offset in file 0xa9 (b2-0) and 0xaa (b7-6)
Morph Pedal offset in file 0xaa (b5-1)



ORGAN VOX DRAWBARS Preset II

Organ Vox 16' (drawbar 1)
offset in file 0xae (b0) and 0xaf (b7-5)
Morph Wheel offset in file 0xad (b7-3)
Morph AT    offset in file 0xad (b2-0) and 0xae (b7-6)
Morph Pedal offset in file 0xae (b6-1)


Organ Vox 8' (drawbar 2)
offset in file 0xb1 (b5-2)
Morph Wheel offset in file 0xaf (b4-0)
Morph AT    offset in file 0xb0 (b7-3)
Morph Pedal offset in file 0xb0 (b2-0) and 0xb1 (b7-6)


Organ Vox 4' (drawbar 3)
offset in file 0xb3 (b2-0) and 0xb4 (b7)
Morph Wheel offset in file 0xb1 (b1-0) and 0xb2 (b7-5)
```

```
Morph AT    offset in file 0xb2 (b4-0)
Morph Pedal offset in file 0xb3 (b7-3)


Organ Vox 2' (drawbar 4)
offset in file 0xb6 (b7-4)
Morph Wheel offset in file 0xb4 (b6-2)
Morph AT    offset in file 0xb4 (b1-0) and 0xb5 (b7-5)
Morph Pedal offset in file 0xb5 (b4-0)


Organ Vox II (drawbar 5)
offset in file 0xb8 (b4-1)
Morph Wheel offset in file 0xb6 (b3-0) and 0xb7 (b7)
Morph AT    offset in file 0xb7 (b6-2)
Morph Pedal offset in file 0xb7 (b1-0) and 0xb8 (b7-5)


Organ Vox III (drawbar 6)
offset in file 0xba (b1-0) and 0xbb (b7-6)
Morph Wheel offset in file 0xb8 (b0) and 0xb9 (b7-4)
Morph AT    offset in file 0xb9 (b3-0) and 0xba (b7)
Morph Pedal offset in file 0xba (b6-2)


Organ Vox IV (drawbar 7)
offset in file 0xbd (b6-3)
Morph Wheel offset in file 0xbb (b5-1)
Morph AT    offset in file 0xbb (b0) and 0xbc (b7-4)
Morph Pedal offset in file 0xbc (b3-0) and 0xbd (b7)


Organ Vox SIN (drawbar 8)
offset in file 0xbf (b3-0)
Morph Wheel offset in file 0xbd (b2-0) and 0xbe (b7-6)
Morph AT    offset in file 0xbe (b5-1)
Morph Pedal offset in file 0xbe (b0) and 0xbf (b7-4)


Organ Vox TRI (drawbar 9)
offset in file 0xc1 (b0) and 0xc2 (b7-5)
Morph Wheel offset in file 0xc0 (b7-3)
Morph AT    offset in file 0xc0 (b2-0) and 0xc1 (b7-6)
Morph Pedal offset in file 0xc1 (b5-1)



ORGAN FARFISA DRAWBARS Preset II
Farfisa drawbars are 1-Bit values, ON or OFF

Organ Farfisa Bass16 (drawbar 1)
offset in file 0xc4 (b1)
Morph Wheel offset in file 0xc4 (b7-6)
Morph AT    offset in file 0xc4 (b5-4)
Morph Pedal offset in file 0xc4 (b3-2)


Organ Farfisa Str16 (drawbar 2)
offset in file 0xc5 (b2)
Morph Wheel offset in file 0xc4 (b0) and 0xc5 (b7)
Morph AT    offset in file 0xc5 (b6-5)
Morph Pedal offset in file 0xc5 (b4-3)


Organ Farfisa Flu8 (drawbar 3)
offset in file 0xc6 (b3)
Morph Wheel offset in file 0xc5 (b1-0)
Morph AT    offset in file 0xc6 (b7-6)
Morph Pedal offset in file 0xc6 (b5-4)
```

```
Organ Farfisa Oboe8 (drawbar 4)
offset in file 0xc7 (b4)
Morph Wheel offset in file 0xc6 (b2-1)
Morph AT    offset in file 0xc6 (b0) and 0xc7 (b7)
Morph Pedal offset in file 0xc7 (b6-5)


Organ Farfisa Trump8 (drawbar 5)
offset in file 0xc8 (b5)
Morph Wheel offset in file 0xc7 (b3-2)
Morph AT    offset in file 0xc7 (b1-0)
Morph Pedal offset in file 0xc8 (b7-6)


Organ Farfisa Str8 (drawbar 6)
offset in file 0xc9 (b6)
Morph Wheel offset in file 0xc8 (b4-3)
Morph AT    offset in file 0xc8 (b2-1)
Morph Pedal offset in file 0xc8 (b0) and 0xc9 (b7)


Organ Farfisa Flu4 (drawbar 7)
offset in file 0xca (b7)
Morph Wheel offset in file 0xc9 (b5-4)
Morph AT    offset in file 0xc9 (b3-2)
Morph Pedal offset in file 0xc9 (b1-0)


Organ Farfisa Str4 (drawbar 8)
offset in file 0xca (b0)
Morph Wheel offset in file 0xca (b6-5)
Morph AT    offset in file 0xca (b4-3)
Morph Pedal offset in file 0xca (b2-1)


Organ Farfisa 2 2/3 (drawbar 9)
offset in file 0xcb (b1)
Morph Wheel offset in file 0xcb (b7-6)
Morph AT    offset in file 0xcb (b5-4)
Morph Pedal offset in file 0xcb (b3-2)
```

NS2 Piano On

Offset in file: 0x48 (b7)

```
0 = off, 1 = on
```

NS2 Piano Kb Zone

Offset in file: 0x4C (b7-5)

```
0 = LO
1 = LO UP
2 = UP
3 = UP HI
4 = HI
5 = LO UP HI
```

NS2 Piano Volume

Offset in file: 0x4B (b6-0)

```
Morph Wheel:
0x48 (b6): polarity (1 = positive, 0 = negative)
0x48 (b5-b0), 0x49 (b7): 7-bit raw value


Morph After Touch:
0x49 (b6): polarity (1 = positive, 0 = negative)
```

```
0x49 (b5-b0), 0x4A (b7): 7-bit raw value

Morph Control Pedal:
0x4A (b6): polarity (1 = positive, 0 = negative)
0x4A (b5-b0), 0x4B (b7): 7-bit raw value

if polarity = 1 then Morph offset value = raw value
if polarity = 0 then Morph offset value = 128 - raw value

Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'
Morph Enabled if  'From value' <> 'Morph offset value'
```

NS2 Piano Octave Shift

Offset in file: 0x4C (b4-1)

```
Octave Shift = value - 7
```

NS2 Piano Pitch Stick

Offset in file: 0x4C (b0)

```
0 = off, 1 = on
```

NS2 Piano Sustain Pedal

Offset in file: 0x4D (b7)

```
0 = off, 1 = on
```

NS2 Piano Latch Pedal

Offset in file: 0x5A (b7)

```
0 = off, 1 = on
```

NS2 Piano Kb Gate

Offset in file: 0x5A (b6)

```
0 = off, 1 = on
```

NS2 Piano Type

Offset in file: 0xCD (b7-5)

```
  0 = Grand
  1 = Upright
  2 = E Piano 1
  3 = E Piano 2
  4 = Clavinet
  5 = Harpsi
```

NS2 Piano Sample ID

Offset in file: 0xD0 (b5-0), 0xD1/0xD3 (b7-0), and 0xD4 (b7-6)

```
32-bit Nord Sample ID
```

NS2 Piano Slot Detune

Offset in file: 0x3B (b7-5)

```
0 = Off
1 = 1
2 = 2
3 = 3
4 = 4
```

NS2 Piano Long Release

Offset in file: 0xCF (b6)

```
0 = off, 1 = on
```

NS2 Piano String Resonance

Offset in file: 0xCF (b5)

```
0 = off, 1 = on
```

```
Only on Acoustic Grand or Upright Piano
```

NS2 Piano Pedal Noise

Offset in file: 0xCF (b4)

```
0 = off, 1 = on
```

```
Only on Acoustic and Electric piano.
```

NS2 Piano Dynamics

Offset in file: 0xCF (b3-2)

```
0 = 0
1 = 1
2 = 2
3 = 3
```

NS2 Piano Clavinet Model

Offset in file: 0xCE (b0) and 0xCF (b7)

```
0 = A
1 = B
2 = C
3 = D
```

NS2 Piano Clavinet Eq Hi

Offset in file: 0xCF (b1-0)

```
0 = Off
1 = Treble
2 = Brilliant
3 = Treble+Brilliant
```

NS2 Piano Clavinet Eq

Offset in file: 0xD0 (b7-6)

```
0 = Off
1 = Soft
2 = Medium
3 = Soft+Medium
```

NS2 File Version

Offset in file: 0x14 and 0x15

```
16-bit integer value in Little Endian format
current supported version are 2 to 7
```

NS2 File Format

Offset in file: 0x04

0 = header type 0 - legacy mode no CRC (Byte 0x18 to 0x2B are missing) 1 = header type 1 - default mode with additional bytes 0x18 to 0x2B (20 bytes).

NS3 Transpose

Offset in file: 0x38 (b7-3)

Enabled: 0x38 (b7) Value: 0x38 (b6-3)

```
7xxx xxxx : Transpose Off/On
x654 3xxx : Transpose value

Test1:  F8 38 : Transpose Off
Test2:  0D 80 : Transpose -6 semi
Test3:  0D 88 : Transpose -5 semi
Test4:  0D A8 : Transpose -1 semi
Test5:  0D B8 : Transpose +1 semi
Test6:  0D D8 : Transpose +5 semi
Test7:  0D E0 : Transpose +6 semi
```

NS3 Split

0ffset in file: 0x31 (b4 to b0) to 0x34 (b7 only)

```
|  0X31     |   0x32    |   0x33    |   0x34    | description
| xxx4 3210 | 7654 3210 | 7654 3210 | 7xxx xxxx |
| xxx4 xxxx | xxxx xxxx | xxxx xxxx | xxxx xxxx | split off/on
| xxxx 321x | xxxx xxxx | xxxx xxxx | xxxx xxxx | low off/on, mid off/on, high off/on
| xxxx xxx0 | 765x xxxx | xxxx xxxx | xxxx xxxx | low note (0 = F2, 1 = C3, 9 = C7)
| xxxx xxxx | xxx4 321x | xxxx xxxx | xxxx xxxx | mid note
| xxxx xxxx | xxxx xxx0 | 765x xxxx | xxxx xxxx | high note
| xxxx xxxx | xxxx xxxx | xxx5 4xxx | xxxx xxxx | low width (0 = 1, 1 = 6, 2 = 12)
| xxxx xxxx | xxxx xxxx | xxxx x32x | xxxx xxxx | mid width
| xxxx xxxx | xxxx xxxx | xxxx xxx0 | 7xxx xxxx | high width

Test1:  06 07 20 01 : Split Off

Test2:  16 07 20 01 : Width Off 1   1
                      Note  --  C4  C7

Test3:  1E 07 20 01 : Width 1   1   1
                      Note  F2  C4  C7

Test4:  1E 07 28 01 : Width 6   1   1
                      Note  F2  C4  C7

Test5:  1E 07 30 01 : Width 12  1   1
                      Note  F2  C4  C7

Test6:  18 07 30 01 : Width 12  Off Off
                      Note  F2  --  --

Test7:  18 27 30 01 : Width 12  Off Off
```

```
                        Note  C3  --  --

Test8:  18 47 30 01 : Width 12  Off Off
                        Note  F3  --  --

Test9:  18 67 30 01 : Width 12  Off Off
                        Note  C4  --  --

Test10: 18 87 30 01 : Width 12  Off Off
                        Note  F4  --  --

Test11: 18 A7 30 01 : Width 12  Off Off
                        Note  C5  --  --

Test12: 18 C7 30 01 : Width 12  Off Off
                        Note  F5  --  --

Test13: 18 E7 30 01 : Width 12  Off Off
                        Note  C6  --  --

Test14: 19 07 30 01 : Width 12  Off Off
                        Note  F6  --  --

Test15: 19 27 30 01 : Width 12  Off Off
                        Note  C7  --  --

Test16: 1B 27 30 01 : Width 12  Off 1      ! From test 15 to 16 only High Width was changed manually !
                        Note  F6  --  C7    ! Note Low in file is C7 but fixed on display to F6...

Test17: 1B 27 30 81 : Width 12  Off 6
                        Note  F6  --  C7

Test18: 1B 27 31 01 : Width 12  Off 12
                        Note  F6  --  C7

Test19: 1C 23 30 01 : Width 12  1   Off
                        Note  C3  F3  --    ! Note Mid in file is C3 but fixed on display to F3 !
```

NS3 Master Clock Rate

Offset in file: 0x38 (b2-0) 0x39 (b7-3)

```
bpm = value + 30
```

NS3 Dual Keyboard

Offset in file 0x3A (b3)

```
0 = Off
1 = On
```

```
Note: if Dual Keyboard is On, both panel are enabled.
```

NS2 Dual Keyboard Style

Offset in file 0x3A (b1-0)

```
0 = Panel
1 = Organ
2 = Piano
3 = Synth
```

Let's get started

This file documents the Nord Stage 3 program file structure. It is handmade by NUF users and is not officially supported by Nord Keyboards / Clavia DMI AB. While we certainly hope this document is useful, none of the authors or contributors place any guarantees as to the accuracy of the data.

We contacted Nord Keyboards / Clavia DMI AB support about this project, and the answer was that they are fine with this project, and it can be published :)

https://ns3-program-viewer.herokuapp.com web application is the project behind this initiative. Source is located here: https://github.com/Chris55/ns3-program-viewer

---

Summary

- Disclaimer
- Contributors
- License
- Revision
- File Structure

Disclaimer

We are not affiliated, associated, endorsed by, or in any way officially connected with Nord Keyboards / Clavia DMI AB, or any of its subsidiaries or its affiliates. The official Nord Keyboards website can be found at https://www.nordkeyboards.com The names Nord and Clavia as well as related names, marks, emblems and images are registered trademarks of their respective owners.

Contributors

- Christian Florentz (@florence)
- Andreas Gallenmueller (@gaaal)
- Thanks to other NUF member(s): @rpossemo

Revision

rev	date	description
0.1	23-Sep-2020	Draft version
0.2	26-Sep-2020	Added Delay section
1.0	27-Sep-2020	Added Amp Sim / Eq section and bumped to v1.0

License

This mapping is provided as-is under the MIT license.

Copyright (c) 2020 Christian Florentz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

File Structure

This mapping corresponds to the Nord Stage 3 program file (file extension ns3f).

The file version used is 3.04 (generated with OS v2.54), and the file length is 592 bytes. Some older versions have a length of 574 bytes and a smaller header.

Offset 0x04 defines the file format.

Each memory offset corresponds to an 8-bit value.

0x01 (hex) = 00000001 -> bit 0 is '1'

0x84 (hex) = 10000100 -> bit 7 and 2 are '1'

In the documentation `--xxxxxx` (b5-0) means Bit5 to Bit0.

offset	bits	description
0x0000	`cccccccc`	ascii C - 0x43, 4-byte Clavia ID
0x0001	`cccccccc`	ascii B - 0x42
0x0002	`cccccccc`	ascii I - 0x49
0x0003	`cccccccc`	ascii N - 0x4E
0x0004	`ffffffff`	(f) file format
0x0005	`--------`	0
0x0006	`--------`	0
0x0007	`--------`	0
0x0008	`cccccccc`	ascii n - 0x6E, 4-byte NS3 Program file ID
0x0009	`cccccccc`	ascii s - 0x73,
0x000A	`cccccccc`	ascii 3 - 0x33,
0x000B	`cccccccc`	ascii f - 0x66,
0x000C	`bbbbbbbb`	(b) bank lsb (0 = A, 1 = B . . .)
0x000D	`--------`	0
0x000E	`llllllll`	(l) location lsb (0 = 11, 1 = 12 . . .)
0x000F	`--------`	0
0x0010	`cccccccc`	(c) program category
0x0011	`--------`	
0x0012	`--------`	
0x0013	`--------`	
0x0014	`iiiiiiii`	(i) file version (16-bit)
0x0015	`iiiiiiii`	
0x0016	`--------`	
0x0017	`--------`	
0x0018	`cccccccc`	CRC1 (32-bit)
0x0019	`cccccccc`	
0x001A	`cccccccc`	
0x001B	`cccccccc`	
0x001C	`--------`	
0x001D	`--------`	
0x001E	`--------`	
0x001F	`--------`	
0x0020	`--------`	
0x0021	`--------`	
0x0022	`--------`	
0x0023	`--------`	
0x0024	`--------`	
0x0025	`--------`	
0x0026	`--------`	
0x0027	`--------`	
0x0028	`--------`	
0x0029	`--------`	
0x002A	`--------`	
0x002B	`--------`	
0x002C	`--------`	0
0x002D	`--------`	0

offset	bits	description
0x002E	vvvvvvvv	version 16-bit integer value in Big Endian format
0x002F	vvvvvvvv	
0x0030	--------	11
0x0031	pppsssss	(p) panel, (s) split
0x0032	ssssssss	
0x0033	ssssssss	
0x0034	sddpvvvr	(d) piano layer detune, (p) organ pitch stick, (v) organ vibrato mode, (r) rotary speaker speed
0x0035	mwwwaaap	(m) rotary speaker stop mode, (w) rotary speaker speed morph wheel, (a) rotary speaker speed morph after touch, (p) rotary speaker speed morph control pedal
0x0036	pp------	
0x0037	--------	
0x0038	tttttccc	(t) transpose, (c) master clock rate
0x0039	cccccddd	(d) rotary speaker drive
0x003A	ddddk-ss	(k) dual keyboard, (s) dual keyboard style
0x003B	--------	
0x003C	--------	
0x003D	--------	
0x003E	--------	
0x003F	--------	
0x0040	--------	
0x0041	--------	
0x0042	--------	
0x0043	ozzzzvvv	(o) piano on, (z) piano kb zone, (v) piano volume
0x0044	vvvvwwww	(w) piano volume morph wheel
0x0045	wwwwaaaa	(a) piano volume morph after touch
0x0046	aaaapppp	(p) piano volume morph control pedal
0x0047	ppppoooo	(o) piano octave shift
0x0048	pstttmmm	(p) piano pitch stick, (s) piano sustain pedal, (t) piano type, (m) piano model
0x0049	mmvviiii	(v) piano sample variation, (i) piano sample name
0x004A	iiiiiiii	
0x004B	iiiiiiii	
0x004C	iiiiiiii	
0x004D	iiiisrpk	(s) piano soft release,(r) piano string resonance, (p) piano pedal noise, (k) piano kb touch
0x004E	k-ttt---	(t) piano timbre
0x004F	--------	
0x0050	--------	
0x0051	--------	
0x0052	ozzzzvvv	(o) synth on, (z) synth kb zone, (v) synth volume
0x0053	vvvvwwww	(w) synth volume morph wheel
0x0054	wwwwaaaa	(a) synth volume morph after touch
0x0055	aaaapppp	(p) synth volume morph control pedal
0x0056	ppppoooo	(o) synth octave shift
0x0057	ps--xxxx	(p) synth pitch stick, (s) synth sustain pedal, (x) user sample name
0x0058	xxxxxxxx	
0x0059	xxxxxxxx	
0x005A	xxxxxxxx	
0x005B	xxxxxxxx	
0x005C	xxxxxxxx	
0x005D	xxxxxxxx	
0x005E	xxxxxxxx	
0x005F	xxxxxxxx	
0x0060	xxxxxxxx	
0x0061	xxxxxxxx	
0x0062	xxxxxxxx	
0x0063	xxxxxxxx	
0x0064	xxxxxxxx	
0x0065	xxxxxxxx	

offset	bits	description
0x0066	xxxxxxxx	
0x0067	xxxxxxxx	
0x0068	xxxxxxxx	
0x0069	xxxxxxxx	
0x006A	xxxxxxxx	
0x006B	xxxxxxxx	
0x006C	xxxxxxxx	
0x006D	--------	
0x006E	--------	
0x006F	--------	
0x0070	--------	
0x0071	--------	
0x0072	--------	
0x0073	--------	
0x0074	--------	
0x0075	--------	
0x0076	--------	
0x0077	--------	
0x0078	--------	
0x0079	--------	
0x007A	--------	
0x007B	--------	
0x007C	--------	
0x007D	--------	
0x007E	--------	
0x007F	--------	
0x0080	hosrrppc	(h) synth kh hold, (o) synth arp on, (o) synth arp kb sync, (r) synth arp range, (p) synth arp pattern, (c) synth arp master clock
0x0081	rrrrrrrw	(r) synth arp rate, (w) synth arp rate morph wheel
0x0082	wwwwwwwa	(a) synth arp rate morph after touch
0x0083	aaaaaaap	(p) synth arp rate morph control pedal
0x0084	pppppppv	(v) synth voice
0x0085	vggggggg	(g) synth glide
0x0086	uuvvvlll	(g) synth unison, (v) synth vibrato, (l) synth lfo wave
0x0087	mrrrrrrr	(m) synth lfo master clock, (r) synth lfo rate
0x0088	wwwwwwww	(w) synth lfo rate morph wheel
0x0089	aaaaaaaa	(a) synth lfo rate morph after touch
0x008A	pppppppp	(r) synth lfo rate control pedal
0x008B	aaaaaaad	(a) synth mod env attack, (d) synth mod env decay
0x008C	dddddrr	(a) synth mod env release
0x008D	rrrrrvtt	(v) synth mod env velocity, (t) synth oscillator type
0x008E	twwwwwww	(w) synth oscillator 1 wave form
0x008F	ww-ccccp	(c) synth oscillator config, (c) synth pitch
0x0090	ppppplll	(l) synth oscillator control
0x0091	llllwwww	(w) synth oscillator control morph wheel
0x0092	wwwwaaaa	(a) synth oscillator control morph after touch
0x0093	aaaapppp	(p) synth oscillator control morph control pedal
0x0094	ppppllll	(l) synth lfo mod env
0x0095	lllwwwww	(w) synth lfo mod env morph wheel
0x0096	wwwaaaaa	(a) synth lfo mod env morph after touch
0x0097	aaappppp	(p) synth lfo mod env morph control pedal
0x0098	pppttff	(t) synth filter type, (f) synth filter freq
0x0099	fffffwww	(w) synth filter freq morph wheel
0x009A	wwwwwaaa	(a) synth filter freq morph after touch
0x009B	aaaaappp	(p) synth filter freq morph control pedal
0x009C	pppppphhh	(h) synth filter hp freq res
0x009D	hhhhwwww	(w) synth filter hp freq res morph wheel
0x009E	wwwwaaaa	(a) synth filter hp freq res morph after touch
0x009F	aaaapppp	(p) synth filter hp freq res morph control pedal

offset	bits	description
0x00A0	ppppllll	(l) synth filter lfo amount
0x00A1	lllwwwww	(w) synth filter lfo amount morph wheel
0x00A2	wwwaaaaa	(a) synth filter lfo amount morph after touch
0x00A3	aaappppp	(p) synth filter lfo amount morph control pedal
0x00A4	pppmmmmm	(m) synth filter vel mod env amount
0x00A5	mmttddaa	(t) synth filter kb track, (d) synth filter drive, (a) synth amp env attack
0x00A6	aaaaaddd	(d) synth amp env decay
0x00A7	ddddrrrr	(r) synth amp env release
0x00A8	rrrvvsss	(r) synth amp env velocity, (s) synth sample id
0x00A9	ssssssss	
0x00AA	ssssssss	
0x00AB	ssssssss	
0x00AC	sssssf--	(f) synth fast attack
0x00AD	--------	0
0x00AE	--------	0
0x00AF	--------	0
0x00B0	--------	0
0x00B1	--------	0
0x00B2	--------	0
0x00B3	--------	0
0x00B4	--------	0
0x00B5	--------	07
0x00B6	ozzzzvvv	(o) organ on, (z) organ kb zone, (v) organ volume
0x00B7	vvvvwwww	(w) organ volume morph wheel
0x00B8	wwwwaaaa	(a) organ volume morph after touch
0x00B9	aaaapppp	(p) organ volume morph control pedal
0x00BA	ppppoooo	(o) organ octave shift
0x00BB	stttl---	(s) organ sustain-pedal,(t) organ type,(l) organ live mode
0x00BC	--------	0
0x00BD	--------	1A
0x00BE	1111wwww	organ preset 1 drawbar (1), (w) organ preset 1 drawbar 1 morph wheel
0x00BF	waaaaapp	(a) organ preset 1 drawbar 1 morph after touch, (p) organ preset 1 drawbar 2 morph control pedal
0x00C0	ppp2222w	organ preset 1 drawbar (2), (w) organ preset 1 drawbar 2 morph wheel
0x00C1	wwwwaaaa	(a) organ preset 1 drawbar 2 morph after touch
0x00C2	appppp33	(p) organ preset 1 drawbar 2 morph control pedal, organ preset 1 drawbar (3),
0x00C3	33wwwwwa	(w) organ preset 1 drawbar 3 morph wheel, (a) organ preset 1 drawbar 3 morph after touch
0x00C4	aaaapppp	(p) organ preset 1 drawbar 3 morph control pedal
0x00C5	p4444www	organ preset 1 drawbar (4), (w) organ preset 1 drawbar 4 morph wheel
0x00C6	wwaaaaap	(a) organ preset 1 drawbar 4 morph after touch, (p) organ preset 1 drawbar 4 morph control pedal,
0x00C7	pppp5555	organ preset 1 drawbar (5),
0x00C8	wwwwwaaa	(w) organ preset 1 drawbar 5 morph wheel, (a) organ preset 1 drawbar 5 morph after touch
0x00C9	aappppp6	(p) organ preset 1 drawbar 5 morph control pedal, organ preset 1 drawbar (6),
0x00CA	666wwwww	(w) organ preset 1 drawbar 6 morph wheel
0x00CB	aaaaappp	(a) organ preset 1 drawbar 6 morph after touch, (p) organ preset 1 drawbar 6 morph control pedal
0x00CC	pp7777ww	organ preset 1 drawbar (7), (w) organ preset 1 drawbar 7 morph wheel
0x00CD	wwwaaaaa	(a) organ preset 1 drawbar 7 morph after touch
0x00CE	ppppp888	(p) organ preset 1 drawbar 7 morph control pedal, organ preset 1 drawbar (8),
0x00CF	8wwwwwaa	(w) organ preset 1 drawbar 8 morph wheel, (a) organ preset 1 drawbar 8 morph after touch
0x00D0	aaappppp	(p) organ preset 1 drawbar 8 morph control pedal
0x00D1	9999wwww	organ preset 1 drawbar (9), (w) organ preset 1 drawbar 9 morph wheel
0x00D2	waaaaapp	(a) organ preset 1 drawbar 9 morph after touch, (p) organ preset 1 drawbar 9 morph control pedal

offset	bits	description
0x00D3	pppvphds	(v) organ vibrato on, (p) organ percussion on, (h) organ percussion harmonic third, (d) organ percussion decay fast, (s) organ percussion volume soft
0x00D4	--------	0
0x00D5	--------	0
0x00D6	--------	0
0x00D7	--------	0
0x00D8	--------	1A
0x00D9	1111wwww	organ preset 2 drawbar (1), (w) organ preset 2 drawbar 1 morph wheel
0x00DA	waaaaapp	(a) organ preset 2 drawbar 1 morph after touch, (p) organ preset 2 drawbar 2 morph control pedal
0x00DB	ppp2222w	organ preset 2 drawbar (2), (w) organ preset 2 drawbar 2 morph wheel
0x00DC	wwwwaaaa	(a) organ preset 2 drawbar 2 morph after touch
0x00DE	appppp33	(p) organ preset 2 drawbar 2 morph control pedal, organ preset 2 drawbar (3),
0x00DF	33wwwwwa	(w) organ preset 2 drawbar 3 morph wheel, (a) organ preset 2 drawbar 3 morph after touch
0x00E0	aaaapppp	(p) organ preset 2 drawbar 3 morph control pedal
0x00E1	p4444www	organ preset 2 drawbar (4), (w) organ preset 2 drawbar 4 morph wheel
0x00E2	wwaaaaap	(a) organ preset 2 drawbar 4 morph after touch, (p) organ preset 2 drawbar 4 morph control pedal,
0x00E3	pppp5555	organ preset 2 drawbar (5),
0x00E4	wwwwwaaa	(w) organ preset 2 drawbar 5 morph wheel, (a) organ preset 2 drawbar 5 morph after touch
0x00E5	aappppp6	(p) organ preset 2 drawbar 5 morph control pedal, organ preset 2 drawbar (6),
0x00E6	666wwwww	(w) organ preset 2 drawbar 6 morph wheel
0x00E7	aaaaappp	(a) organ preset 2 drawbar 6 morph after touch, (p) organ preset 2 drawbar 6 morph control pedal
0x00E8	pp7777ww	organ preset 2 drawbar (7), (w) organ preset 2 drawbar 7 morph wheel
0x00E9	wwwaaaaa	(a) organ preset 2 drawbar 7 morph after touch
0x00EA	ppppp888	(p) organ preset 2 drawbar 7 morph control pedal, organ preset 2 drawbar (8),
0x00EB	8wwwwwaa	(w) organ preset 2 drawbar 8 morph wheel, (a) organ preset 2 drawbar 8 morph after touch
0x00EC	aaappppp	(p) organ preset 2 drawbar 8 morph control pedal
0x00ED	9999wwww	organ preset 2 drawbar (9), (w) organ preset 2 drawbar 9 morph wheel
0x00EE	waaaaapp	(a) organ preset 2 drawbar 9 morph after touch, (p) organ preset 2 drawbar 9 morph control pedal
0x00EF	ppp-----	
0x00F0	--------	
0x00F1	--------	
0x00F2	--------	
0x00F3	--------	
0x00F4	ozzz--ss	(o) extern on, (z) extern kb zone, (s) extern octave shift
0x00F5	s-------	
0x00F6	ps----mm	(p) extern pitch stick, (s) extern sustain pedal, (m) extern midi control
0x00F7	-------v	(v) extern midi cc
0x00F8	vvvvvvww	(w) extern midi cc morph wheel
0x00F9	wwwwwaa	(a) extern midi cc morph after touch
0x00FA	aaaaaapp	(p) extern midi cc morph control pedal
0x00FB	pppppp--	
0x00FC	--------	
0x00FD	-------v	(v) extern midi program
0x00FE	wwwwwaa	(a) extern midi program after touch
0x00FF	aaaaaapp	(p) extern midi program control pedal
0x0100	pppppp--	
0x0101	-------v	(v) extern volume
0x0102	vvvvvvww	(w) extern volume morph wheel
0x0103	wwwwwaa	(a) extern volume morph after touch
0x0104	aaaaaapp	(p) extern volume morph control pedal
0x0105	pppppp--	
0x0106	--------	

offset	bits	description
0x0107	--------	
0x0108	--------	
0x0109	--------	
0x010A	--------	
0x010B	ossnrrtt	(o) rotary speaker on, (s) rotary speaker source, (n) effect 1 on, (r) effect-1-source, (t) effect 1 type
0x010C	tcrrrrrr	(c) effect 1 master clock, (r) effect 1 rate
0x010D	rwwwwwww	(w) effect 1 rate morph wheel
0x010E	waaaaaaa	(a) effect 1 rate morph after touch
0x010F	appppppp	(p) effect 1 rate morph control pedal
0x0110	paaaaaaa	(a) effect 1 amount
0x0111	wwwwwwww	(w) effect 1 amount morph wheel
0x0112	aaaaaaaa	(a) effect 1 amount morph after touch
0x0113	pppppppp	(p) effect 1 amount morph control pedal
0x0114	osstttrr	(o) effect 2 on, (s) effect 2 source, (t) effect 2 type, (r) effect 2 rate
0x0115	rrrrraaa	(a) effect 2 amount
0x0116	aaaawwww	(w) effect 2 amount morph wheel
0x0117	wwwwaaaa	(a) effect 2 amount morph after touch
0x0118	aaaapppp	(p) effect 2 amount morph control pedal
0x0119	ppppossc	(o) delay on, (s) delay source, (m) delay master clock
0x011A	tttttttx	(t) delay tempo, (x) delay tempo lsw
0x011B	xxxxxxpw	(w) delay tempo morph wheel
0x011C	wwwwwwxx	(x) delay tempo morph wheel lsw
0x011D	xxxxxpaa	(a) delay tempo morph after touch
0x011E	aaaaaxxx	(x) delay tempo morph after touch lsw
0x011F	xxxxpccc	(c) delay tempo morph control pedal
0x0120	ccccxxxx	(x) delay tempo morph control pedal lsw
0x0121	xxxmmmmm	(t) delay mix
0x0122	mmwwwwww	(w) delay mix morph wheel
0x0123	wwaaaaaa	(a) delay mix morph after touch
0x0124	aappppppp	(p) delay mix morph control pedal
0x0125	ppoffbbb	(o) delay ping pong, (f) delay filter, (b) delay feedback
0x0126	bbbbwwww	(w) delay feedback morph wheel
0x0127	wwwwaaaa	(a) delay feedback morph after touch
0x0128	aaaapppp	(p) delay feedback morph control pedal
0x0129	ppppaoss	(a) delay analog mode, (o) amp sim eq on, (s) amp sim eq source
0x012A	aaattttt	(a) amp sim eq amp type, (a) amp sim eq treble
0x012B	ttmmmmmm	(m) amp sim eq mid res
0x012C	mbbbbbbb	(m) amp sim eq bass dry wet
0x012D	fffffffw	(f) amp sim eq mid flt freq
0x012E	wwwwwwwa	(f) amp sim eq mid flt freq morph wheel
0x012F	aaaaaaap	(f) amp sim eq mid flt freq morph after touch
0x0130	ppppppppd	(f) amp sim eq mid flt freq morph control pedal, (d) amp sim eq drive
0x0131	dddddww	(w) amp sim eq drive morph wheel
0x0132	wwwwwaa	(a) amp sim eq drive morph after touch
0x0133	aaaaaapp	(p) amp sim eq drive morph control pedal
0x0134	ppppppot	(o) reverb on, (t) reverb type
0x0135	ttbrrrrr	(o) reverb bright, (r) reverb amount
0x0136	rrwwwwww	(w) reverb amount morph wheel
0x0137	wwaaaaaa	(a) reverb amount morph after touch
0x0138	aappppppp	(p) reverb amount morph control pedal
0x0139	ppocccccc	(o) compressor on, (c) compressor amount
0x013A	ccf-----	(f) compressor fast
0x013B	--------	Piano Panel B, same as offset 0x34, offset from Panel A is 0x107 (263 bytes)
0x013C	--------	
...		
0x0240	--------	
0x0241	--------	end of Panel B
0x0242	--------	0

offset	bits	description
0x0243	--------	0
0x0244	--------	0
0x0245	--------	0
0x0246	--------	0
0x0247	--------	0
0x0248	--------	0
0x0249	--------	0
0x024A	--------	5
0x024B	--------	0
0x024C	--------	0
0x024D	--------	0
0x024E	--------	0
0x024F	--------	0

NS3 Extern On

Offset in file: 0xF4 (b7)

```
0 = off, 1 = on
```

NS3 Extern Kb Zone

Offset in file: 0xF4 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Extern Octave Shift

Offset in file: 0xF4 (b1-0) and 0xF5 (b7)

```
Octave Shift = value - 6
```

NS3 Extern Pitch Stick

Offset in file: 0xF6 (b7)

```
0 = off, 1 = on
```

NS3 Extern Sustain Pedal

Offset in file: 0xF6 (b6)

```
0 = off, 1 = on
```

NS3 Extern Midi Control

Offset in file: 0xF6 (b1-0)

```
  0 = Midi CC
  1 = Program
  2 = Volume
```

NS3 Extern Midi CC

Offset in file: 0xF7 (b0) and 0xF8 (b7-2)

```
07-bit value = 0/127
```

NS3 Extern Midi Program

Offset in file: 0xFD (b0) and 0xFE (b7-2)

```
07-bit value = 0/127
```

NS3 Extern Volume

Offset in file: 0x101 (b0) and 0x102 (b7-2)

```
07-bit value = 0/127
```

NS3 Amp Sim Eq On

Offset in file: 0x129 (b2)

```
0 = off, 1 = on
```

NS3 Amp Sim Eq Source

Offset in file: 0x10B (b3-2)

```
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Amp Sim Eq Amp Type

Offset in file: 0x12A (b7-5)

```
0 = Clean
1 = Twin
2 = JC
3 = Small
4 = LP24
5 = HP24
```

NS3 Amp Sim Eq Treble

Offset in file: 0x12A (b4-0) and 0x12B (b7-6)

```
treble (fixed 4 kHz) frequency boost/cut table:
  0 = -15.0 dB
  1 = -14.8 dB
  2 = -14.5 dB
  3 = -14.2 dB
  4 = -14.0 dB
  5 = -13.8 dB
  6 = -13.5 dB
  7 = -13.2 dB
  8 = -13.0 dB
  9 = -12.8 dB
 10 = -12.5 dB
 11 = -12.2 dB
 12 = -12.0 dB
 13 = -11.8 dB
 14 = -11.5 dB
 15 = -11.2 dB
 16 = -11.0 dB
 17 = -10.8 dB
 18 = -10.5 dB
 19 = -10.2 dB
 20 = -10.0 dB
 21 = -9.8 dB
 22 = -9.5 dB
 23 = -9.2 dB
 24 = -9.0 dB
 25 = -8.8 dB
 26 = -8.5 dB
 27 = -8.2 dB
 28 = -8.0 dB
 29 = -7.8 dB
 30 = -7.5 dB
 31 = -7.2 dB
 32 = -7.0 dB
 33 = -6.8 dB
 34 = -6.5 dB
 35 = -6.2 dB
 36 = -6.0 dB
```

```
37 = -5.8 dB
38 = -5.5 dB
39 = -5.2 dB
40 = -5.0 dB
41 = -4.8 dB
42 = -4.5 dB
43 = -4.2 dB
44 = -4.0 dB
45 = -3.8 dB
46 = -3.5 dB
47 = -3.2 dB
48 = -3.0 dB
49 = -2.8 dB
50 = -2.5 dB
51 = -2.2 dB
52 = -2.0 dB
53 = -1.8 dB
54 = -1.5 dB
55 = -1.2 dB
56 = -1.0 dB
57 = -0.8 dB
58 = -0.5 dB
59 = -0.2 dB
60 = 0.0 dB
61 = +0.2 dB
62 = +0.5 dB
63 = +0.8 dB
64 = +1.0 dB
65 = +1.2 dB
66 = +1.5 dB
67 = +1.8 dB
68 = +2.0 dB
69 = +2.2 dB
70 = +2.5 dB
71 = +2.8 dB
72 = +3.0 dB
73 = +3.2 dB
74 = +3.5 dB
75 = +3.8 dB
76 = +4.0 dB
77 = +4.2 dB
78 = +4.5 dB
79 = +4.8 dB
80 = +5.0 dB
81 = +5.2 dB
82 = +5.5 dB
83 = +5.8 dB
84 = +6.0 dB
85 = +6.2 dB
86 = +6.5 dB
87 = +6.8 dB
88 = +7.0 dB
89 = +7.2 dB
90 = +7.5 dB
91 = +7.8 dB
92 = +8.0 dB
93 = +8.2 dB
94 = +8.5 dB
95 = +8.8 dB
96 = +9.0 dB
97 = +9.2 dB
```

```
 98 = +9.5 dB
 99 = +9.8 dB
100 = +10.0 dB
101 = +10.2 dB
102 = +10.5 dB
103 = +10.8 dB
104 = +11.0 dB
105 = +11.2 dB
106 = +11.5 dB
107 = +11.8 dB
108 = +12.0 dB
109 = +12.2 dB
110 = +12.5 dB
111 = +12.8 dB
112 = +13.0 dB
113 = +13.2 dB
114 = +13.5 dB
115 = +13.8 dB
116 = +14.0 dB
117 = +14.2 dB
118 = +14.5 dB
119 = +14.8 dB
120 = +15.0 dB
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF
```

NS3 Amp Sim Eq Mid Res

Offset in file: 0x12B (b5-0) and 0x12C (b7)

```
if Amp Type is LP24 or HP24 filter resonance = 0 to 10
else middle frequency boost/cut table:
  0 = -15.0 dB
  1 = -14.8 dB
  2 = -14.5 dB
  3 = -14.2 dB
  4 = -14.0 dB
  5 = -13.8 dB
  6 = -13.5 dB
  7 = -13.2 dB
  8 = -13.0 dB
  9 = -12.8 dB
 10 = -12.5 dB
 11 = -12.2 dB
 12 = -12.0 dB
 13 = -11.8 dB
 14 = -11.5 dB
 15 = -11.2 dB
 16 = -11.0 dB
 17 = -10.8 dB
 18 = -10.5 dB
 19 = -10.2 dB
 20 = -10.0 dB
 21 = -9.8 dB
 22 = -9.5 dB
 23 = -9.2 dB
```

```
24 = -9.0 dB
25 = -8.8 dB
26 = -8.5 dB
27 = -8.2 dB
28 = -8.0 dB
29 = -7.8 dB
30 = -7.5 dB
31 = -7.2 dB
32 = -7.0 dB
33 = -6.8 dB
34 = -6.5 dB
35 = -6.2 dB
36 = -6.0 dB
37 = -5.8 dB
38 = -5.5 dB
39 = -5.2 dB
40 = -5.0 dB
41 = -4.8 dB
42 = -4.5 dB
43 = -4.2 dB
44 = -4.0 dB
45 = -3.8 dB
46 = -3.5 dB
47 = -3.2 dB
48 = -3.0 dB
49 = -2.8 dB
50 = -2.5 dB
51 = -2.2 dB
52 = -2.0 dB
53 = -1.8 dB
54 = -1.5 dB
55 = -1.2 dB
56 = -1.0 dB
57 = -0.8 dB
58 = -0.5 dB
59 = -0.2 dB
60 = 0.0 dB
61 = +0.2 dB
62 = +0.5 dB
63 = +0.8 dB
64 = +1.0 dB
65 = +1.2 dB
66 = +1.5 dB
67 = +1.8 dB
68 = +2.0 dB
69 = +2.2 dB
70 = +2.5 dB
71 = +2.8 dB
72 = +3.0 dB
73 = +3.2 dB
74 = +3.5 dB
75 = +3.8 dB
76 = +4.0 dB
77 = +4.2 dB
78 = +4.5 dB
79 = +4.8 dB
80 = +5.0 dB
81 = +5.2 dB
82 = +5.5 dB
83 = +5.8 dB
84 = +6.0 dB
```

```
 85 = +6.2 dB
 86 = +6.5 dB
 87 = +6.8 dB
 88 = +7.0 dB
 89 = +7.2 dB
 90 = +7.5 dB
 91 = +7.8 dB
 92 = +8.0 dB
 93 = +8.2 dB
 94 = +8.5 dB
 95 = +8.8 dB
 96 = +9.0 dB
 97 = +9.2 dB
 98 = +9.5 dB
 99 = +9.8 dB
100 = +10.0 dB
101 = +10.2 dB
102 = +10.5 dB
103 = +10.8 dB
104 = +11.0 dB
105 = +11.2 dB
106 = +11.5 dB
107 = +11.8 dB
108 = +12.0 dB
109 = +12.2 dB
110 = +12.5 dB
111 = +12.8 dB
112 = +13.0 dB
113 = +13.2 dB
114 = +13.5 dB
115 = +13.8 dB
116 = +14.0 dB
117 = +14.2 dB
118 = +14.5 dB
119 = +14.8 dB
120 = +15.0 dB
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF
```

NS3 Amp Sim Eq Bass Dry Wet

Offset in file: 0x12C (b6-0)

```
if Amp Type is LP24 or HP24 filter dry / wet = 0 to 10
else bass (fixed 100 Hz) frequency boost/cut table:
  0 = -15.0 dB
  1 = -14.8 dB
  2 = -14.5 dB
  3 = -14.2 dB
  4 = -14.0 dB
  5 = -13.8 dB
  6 = -13.5 dB
  7 = -13.2 dB
  8 = -13.0 dB
  9 = -12.8 dB
 10 = -12.5 dB
```

```
11 = -12.2 dB
12 = -12.0 dB
13 = -11.8 dB
14 = -11.5 dB
15 = -11.2 dB
16 = -11.0 dB
17 = -10.8 dB
18 = -10.5 dB
19 = -10.2 dB
20 = -10.0 dB
21 = -9.8 dB
22 = -9.5 dB
23 = -9.2 dB
24 = -9.0 dB
25 = -8.8 dB
26 = -8.5 dB
27 = -8.2 dB
28 = -8.0 dB
29 = -7.8 dB
30 = -7.5 dB
31 = -7.2 dB
32 = -7.0 dB
33 = -6.8 dB
34 = -6.5 dB
35 = -6.2 dB
36 = -6.0 dB
37 = -5.8 dB
38 = -5.5 dB
39 = -5.2 dB
40 = -5.0 dB
41 = -4.8 dB
42 = -4.5 dB
43 = -4.2 dB
44 = -4.0 dB
45 = -3.8 dB
46 = -3.5 dB
47 = -3.2 dB
48 = -3.0 dB
49 = -2.8 dB
50 = -2.5 dB
51 = -2.2 dB
52 = -2.0 dB
53 = -1.8 dB
54 = -1.5 dB
55 = -1.2 dB
56 = -1.0 dB
57 = -0.8 dB
58 = -0.5 dB
59 = -0.2 dB
60 = 0.0 dB
61 = +0.2 dB
62 = +0.5 dB
63 = +0.8 dB
64 = +1.0 dB
65 = +1.2 dB
66 = +1.5 dB
67 = +1.8 dB
68 = +2.0 dB
69 = +2.2 dB
70 = +2.5 dB
71 = +2.8 dB
```

```
 72 = +3.0 dB
 73 = +3.2 dB
 74 = +3.5 dB
 75 = +3.8 dB
 76 = +4.0 dB
 77 = +4.2 dB
 78 = +4.5 dB
 79 = +4.8 dB
 80 = +5.0 dB
 81 = +5.2 dB
 82 = +5.5 dB
 83 = +5.8 dB
 84 = +6.0 dB
 85 = +6.2 dB
 86 = +6.5 dB
 87 = +6.8 dB
 88 = +7.0 dB
 89 = +7.2 dB
 90 = +7.5 dB
 91 = +7.8 dB
 92 = +8.0 dB
 93 = +8.2 dB
 94 = +8.5 dB
 95 = +8.8 dB
 96 = +9.0 dB
 97 = +9.2 dB
 98 = +9.5 dB
 99 = +9.8 dB
100 = +10.0 dB
101 = +10.2 dB
102 = +10.5 dB
103 = +10.8 dB
104 = +11.0 dB
105 = +11.2 dB
106 = +11.5 dB
107 = +11.8 dB
108 = +12.0 dB
109 = +12.2 dB
110 = +12.5 dB
111 = +12.8 dB
112 = +13.0 dB
113 = +13.2 dB
114 = +13.5 dB
115 = +13.8 dB
116 = +14.0 dB
117 = +14.2 dB
118 = +14.5 dB
119 = +14.8 dB
120 = +15.0 dB
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF
```

NS3 Amp Sim Eq Mid Flt Freq

Offset in file: 0x12D (b7-1)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 200 Hz to 8.0 kHz
```

```
 0 = 200 Hz
 1 = 205 Hz
 2 = 210 Hz
 3 = 215 Hz
 4 = 221 Hz
 5 = 226 Hz
 6 = 232 Hz
 7 = 238 Hz
 8 = 244 Hz
 9 = 250 Hz
10 = 257 Hz
11 = 263 Hz
12 = 270 Hz
13 = 277 Hz
14 = 284 Hz
15 = 291 Hz
16 = 299 Hz
17 = 306 Hz
18 = 314 Hz
19 = 322 Hz
20 = 330 Hz
21 = 339 Hz
22 = 347 Hz
23 = 356 Hz
24 = 365 Hz
25 = 375 Hz
26 = 384 Hz
27 = 394 Hz
28 = 404 Hz
29 = 414 Hz
30 = 425 Hz
31 = 436 Hz
32 = 447 Hz
33 = 458 Hz
34 = 470 Hz
35 = 482 Hz
36 = 494 Hz
37 = 507 Hz
38 = 520 Hz
39 = 533 Hz
40 = 546 Hz
41 = 560 Hz
42 = 575 Hz
43 = 589 Hz
44 = 604 Hz
45 = 620 Hz
46 = 635 Hz
47 = 652 Hz
48 = 668 Hz
49 = 685 Hz
50 = 703 Hz
51 = 721 Hz
52 = 739 Hz
53 = 758 Hz
54 = 777 Hz
55 = 797 Hz
56 = 817 Hz
```

```
 57 = 838 Hz
 58 = 859 Hz
 59 = 881 Hz
 60 = 904 Hz
 61 = 927 Hz
 62 = 950 Hz
 63 = 975 Hz
 64 = 999 Hz
 65 = 1.0 kHz
 66 = 1.1 kHz
 67 = 1.1 kHz
 68 = 1.1 kHz
 69 = 1.2 kHz
 70 = 1.2 kHz
 71 = 1.3 kHz
 72 = 1.3 kHz
 73 = 1.3 kHz
 74 = 1.4 kHz
 75 = 1.4 kHz
 76 = 1.5 kHz
 77 = 1.5 kHz
 78 = 1.6 kHz
 79 = 1.6 kHz
 80 = 1.7 kHz
 81 = 1.8 kHz
 82 = 1.8 kHz
 83 = 1.9 kHz
 84 = 1.9 kHz
 85 = 2.0 kHz
 86 = 2.1 kHz
 87 = 2.1 kHz
 88 = 2.2 kHz
 89 = 2.3 kHz
 90 = 2.4 kHz
 91 = 2.4 kHz
 92 = 2.5 kHz
 93 = 2.6 kHz
 94 = 2.7 kHz
 95 = 2.8 kHz
 96 = 2.9 kHz
 97 = 3.0 kHz
 98 = 3.1 kHz
 99 = 3.2 kHz
100 = 3.3 kHz
101 = 3.4 kHz
102 = 3.5 kHz
103 = 3.6 kHz
104 = 3.7 kHz
105 = 3.9 kHz
106 = 4.0 kHz
107 = 4.1 kHz
108 = 4.3 kHz
109 = 4.4 kHz
110 = 4.6 kHz
111 = 4.7 kHz
112 = 4.9 kHz
113 = 5.0 kHz
114 = 5.2 kHz
115 = 5.4 kHz
116 = 5.6 kHz
117 = 5.8 kHz
```

```
118 = 5.9 kHz
119 = 6.1 kHz
120 = 6.3 kHz
121 = 6.6 kHz
122 = 6.8 kHz
123 = 7.0 kHz
124 = 7.2 kHz
125 = 7.5 kHz
126 = 7.7 kHz
127 = 8.0 kHz
```

```
Morph Wheel:
0x12D (b0): polarity (1 = positive, 0 = negative)
0x12E (b7-b1): 7-bit raw value
```

```
Morph After Touch:
0x12E (b0): polarity (1 = positive, 0 = negative)
0x12F (b7-b1): 7-bit raw value
```

```
Morph Control Pedal:
0x12F (b0): polarity (1 = positive, 0 = negative)
0x130 (b7-b1): 7-bit raw value
```

NS3 Amp Sim Eq Drive

Offset in file: 0x130 (b0) and 0x131 (b7-2)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0 to 10.0
```

```
Morph Wheel:
0x131 (b1): polarity (1 = positive, 0 = negative)
0x131 (b0) and 0x132 (b7-2): 7-bit raw value
```

```
Morph After Touch:
0x132 (b1): polarity (1 = positive, 0 = negative)
0x132 (b0) and 0x133 (b7-2): 7-bit raw value
```

```
Morph Control Pedal:
0x133 (b1): polarity (1 = positive, 0 = negative)
0x133 (b0) and 0x134 (b7-2): 7-bit raw value
```

NS3 Compressor On

Offset in file: 0x139 (b5)

```
0 = off, 1 = on
```

NS3 Compressor Amount

Offset in file: 0x139 (b4-0) and 0x13A (b7-6)

```
7-bit value 0/127 = 0/10
```

NS3 Compressor Fast

Offset in file: 0x13A (b5)

```
0 = off, 1 = on
```

NS3 Delay On

Offset in file: 0x119 (b3)

```
0 = off, 1 = on
```

NS3 Delay Source

Offset in file: 0x119 (b2-1)

```
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Delay Master Clock

Offset in file: 0x119 (b0)

```
0 = off, 1 = on
```

NS3 Delay Tempo

Offset in file:

```
tempo is using 14-bit

MSW 0x11A (b7-1): 7-bit value
0/127 = 1.5 s to 20 ms (same as MIDI #CC 94, see table below)

LSW 0x11A (b0) and 0x11B (b7-2): 7-bit value
LSW used for fine tempo value (only used with Tag Tempo)

When Tempo knob is used, LSW is always 0, possible MSW value:
  0 = 1500,1.5 s 40 bpm (1/4)
  1 = 1420,1.42 s 42 bpm (1/4)
  2 = 1360,1.36 s 44 bpm (1/4)
  3 = 1300,1.30 s 46 bpm (1/4)
  4 = 1250,1.25 s 48 bpm (1/4)
  5 = 1200,1.20 s 50 bpm (1/4)
  6 = 1150,1.15 s 52 bpm (1/4)
  7 = 1100,1.11 s 54 bpm (1/4)
  8 = 1070,1.07 s 56 bpm (1/4)
  9 = 1030,1.03 s 58 bpm (1/4)
  10 = 1000,1.00 s 60 bpm (1/4)
  11 = 952,952 ms 63 bpm (1/4)
  12 = 909,909 ms 66 bpm (1/4)
  13 = 870,870 ms 69 bpm (1/4)
  14 = 833,833 ms 72 bpm (1/4)
  15 = 789,789 ms 76 bpm (1/4)
  16 = 750,750 ms 80 bpm (1/4)
  17 = 732,732 ms 82 bpm (1/4)
  18 = 714,714 ms 84 bpm (1/4)
  20 = 682,682 ms 88 bpm (1/4)
  21 = 667,667 ms 90 bpm (1/4)
  22 = 652,652 ms 92 bpm (1/4)
  19 = 698,698 ms 86 bpm (1/4)
  23 = 638,638 ms 94 bpm (1/4)
```

```
24 = 625,625 ms 96 bpm (1/4)
25 = 612,612 ms 98 bpm (1/4)
26 = 600,600 ms 100 bpm (1/4)
27 = 588,588 ms 102 bpm (1/4)
28 = 577,577 ms 104 bpm (1/4)
29 = 566,566 ms 106 bpm (1/4)
30 = 556,556 ms 108 bpm (1/4)
31 = 545,545 ms 110 bpm (1/4)
32 = 541,541 ms 111 bpm (1/4)
33 = 536,536 ms 112 bpm (1/4)
34 = 531,531 ms 113 bpm (1/4)
35 = 526,526 ms 114 bpm (1/4)
36 = 522,522 ms 115 bpm (1/4)
37 = 517,517 ms 116 bpm (1/4)
38 = 513,513 ms 117 bpm (1/4)
39 = 508,508 ms 118 bpm (1/4)
40 = 504,504 ms 119 bpm (1/4)
41 = 500,500 ms 120 bpm (1/4)
42 = 496,496 ms 121 bpm (1/4)
43 = 492,492 ms 122 bpm (1/4)
44 = 488,488 ms 123 bpm (1/4)
45 = 484,484 ms 124 bpm (1/4)
46 = 480,480 ms 125 bpm (1/4)
47 = 476,476 ms 126 bpm (1/4)
48 = 472,472 ms 127 bpm (1/4)
49 = 469,469 ms 128 bpm (1/4)
50 = 465,465 ms 129 bpm (1/4)
51 = 462,462 ms 130 bpm (1/4)
52 = 458,458 ms 131 bpm (1/4)
53 = 455,455 ms 132 bpm (1/4)
54 = 451,451 ms 133 bpm (1/4)
55 = 448,448 ms 134 bpm (1/4)
56 = 444,444 ms 135 bpm (1/4)
57 = 441,441 ms 136 bpm (1/4)
58 = 438,438 ms 137 bpm (1/4)
59 = 435,435 ms 138 bpm (1/4)
60 = 432,432 ms 139 bpm (1/4)
61 = 429,429 ms 140 bpm (1/4)
62 = 423,423 ms 142 bpm (1/4)
63 = 417,417 ms 144 bpm (1/4)
64 = 411,411 ms 146 bpm (1/4)
65 = 405,405 ms 148 bpm (1/4)
66 = 400,400 ms 150 bpm (1/4)
67 = 395,395 ms 152 bpm (1/4)
68 = 390,390 ms 154 bpm (1/4)
69 = 385,385 ms 156 bpm (1/4)
70 = 380,380 ms 158 bpm (1/4)
71 = 375,375 ms 80 bpm (1/8)
72 = 366,366 ms 82 bpm (1/8)
73 = 357,357 ms 84 bpm (1/8)
74 = 349,349 ms 86 bpm (1/8)
75 = 341,341 ms 88 bpm (1/8)
76 = 333,333 ms 90 bpm (1/8)
77 = 326,326 ms 92 bpm (1/8)
78 = 319,319 ms 94 bpm (1/8)
79 = 313,313 ms 96 bpm (1/8)
80 = 306,306 ms 98 bpm (1/8)
81 = 300,300 ms 100 bpm (1/8)
82 = 288,288 ms 104 bpm (1/8)
83 = 278,278 ms 108 bpm (1/8)
84 = 268,268 ms 112 bpm (1/8)
```

```
 85 = 259,259 ms 116 bpm (1/8)
 86 = 250,250 ms 120 bpm (1/8)
 87 = 238,238 ms 126 bpm (1/8)
 88 = 227,227 ms 132 bpm (1/8)
 89 = 217,217 ms 138 bpm (1/8)
 90 = 197,197 ms 152 bpm (1/8)
 91 = 188,188 ms 80 bpm (1/16)
 92 = 179,179 ms 84 bpm (1/16)
 93 = 170,170 ms 88 bpm (1/16)
 94 = 163,163 ms 92 bpm (1/16)
 95 = 156,156 ms 96 bpm (1/16)
 96 = 150,150 ms 100 bpm (1/16)
 97 = 144,144 ms 104 bpm (1/16)
 98 = 139,139 ms 108 bpm (1/16)
 99 = 134,134 ms 112 bpm (1/16)
100 = 129,129 ms 116 bpm (1/16)
101 = 125,125 ms 120 bpm (1/16)
102 = 119,119 ms 126 bpm (1/16)
103 = 114,114 ms 132 bpm (1/16)
104 = 109,109 ms 138 bpm (1/16)
105 = 104,104 ms 144 bpm (1/16)
106 = 99,99 ms 152 bpm (1/16)
107 = 94,94 ms 160 bpm (1/16)
108 = 83,83 ms 180 bpm (1/16)
109 = 75,75 ms 200 bpm (1/16)
110 = 68,68 ms 220 bpm (1/16)
111 = 63,63 ms 240 bpm (1/16)
112 = 58,58 ms 260 bpm (1/16)
113 = 54,54 ms 280 bpm (1/16)
114 = 50,50 ms 300 bpm (1/16)
115 = 47,47 ms 320 bpm (1/16)
116 = 44,44 ms 340 bpm (1/16)
117 = 42,42 ms 360 bpm (1/16)
118 = 39,39 ms 380 bpm (1/16)
119 = 38,38 ms 400 bpm (1/16)
120 = 34,34 ms 440 bpm (1/16)
121 = 31,31 ms 480 bpm (1/16)
122 = 30,30 ms 500 bpm (1/16)
123 = 28,28 ms 540 bpm (1/16)
124 = 26,26 ms 580 bpm (1/16)
125 = 24,24 ms 620 bpm (1/16)
126 = 22,22 ms 680 bpm (1/16)
127 = 20,20 ms 750 bpm (1/16)


Note: When Tap Tempo is used, LSW is different from 0.
A linear interpolation is done to define the fine tempo value.

if 'Delay Master Clock' is enabled 7-bit value 0/127 = 1/2 to 1/64
  0 = 1/2
  1 = 1/2
  2 = 1/2
  3 = 1/2
  4 = 1/2
  5 = 1/2
  6 = 1/2
  7 = 1/2
  8 = 1/4D
  9 = 1/4D
 10 = 1/4D
 11 = 1/4D
```

```
12 = 1/4D
13 = 1/4D
14 = 1/4D
15 = 1/4D
16 = 1/2T
17 = 1/2T
18 = 1/2T
19 = 1/2T
20 = 1/2T
21 = 1/2T
22 = 1/2T
23 = 1/4S
24 = 1/4S
25 = 1/4S
26 = 1/4S
27 = 1/4S
28 = 1/4S
29 = 1/4S
30 = 1/4S
31 = 1/4
32 = 1/4
33 = 1/4
34 = 1/4
35 = 1/4
36 = 1/4
37 = 1/4
38 = 1/8D
39 = 1/8D
40 = 1/8D
41 = 1/8D
42 = 1/8D
43 = 1/8D
44 = 1/8D
45 = 1/8D
46 = 1/4T
47 = 1/4T
48 = 1/4T
49 = 1/4T
50 = 1/4T
51 = 1/4T
52 = 1/4T
53 = 1/8S
54 = 1/8S
55 = 1/8S
56 = 1/8S
57 = 1/8S
58 = 1/8S
59 = 1/8S
60 = 1/8S
61 = 1/8
62 = 1/8
63 = 1/8
64 = 1/8
65 = 1/8
66 = 1/8
67 = 1/8
68 = 1/16D
69 = 1/16D
70 = 1/16D
71 = 1/16D
72 = 1/16D
```

```
 73 = 1/16D
 74 = 1/16D
 75 = 1/16D
 76 = 1/8T
 77 = 1/8T
 78 = 1/8T
 79 = 1/8T
 80 = 1/8T
 81 = 1/8T
 82 = 1/8T
 83 = 1/16S
 84 = 1/16S
 85 = 1/16S
 86 = 1/16S
 87 = 1/16S
 88 = 1/16S
 89 = 1/16S
 90 = 1/16S
 91 = 1/16
 92 = 1/16
 93 = 1/16
 94 = 1/16
 95 = 1/16
 96 = 1/16
 97 = 1/16
 98 = 1/16T
 99 = 1/16T
100 = 1/16T
101 = 1/16T
102 = 1/16T
103 = 1/16T
104 = 1/16T
105 = 1/16T
106 = 1/32
107 = 1/32
108 = 1/32
109 = 1/32
110 = 1/32
111 = 1/32
112 = 1/32
113 = 1/32T
114 = 1/32T
115 = 1/32T
116 = 1/32T
117 = 1/32T
118 = 1/32T
119 = 1/32T
120 = 1/32T
121 = 1/64
122 = 1/64
123 = 1/64
124 = 1/64
125 = 1/64
126 = 1/64
127 = 1/64


Morph Wheel:
0x11B (b1): polarity (1 = positive, 0 = negative)
0x11B (b0), 0x11C (b7-0), and 0x11D (b7-3): 14-bit raw value
```

```
Morph After Touch:
0x11D (b2): polarity (1 = positive, 0 = negative)
0x11D (b1-0), 0x11E (b7-0), and 0x11F (b7-4): 14-bit raw value

Morph Control Pedal:
0x11F (b3): polarity (1 = positive, 0 = negative)
0x11F (b2-0), 0x120 (b7-0), and 0x121 (b7-5): 14-bit raw value

if polarity = 1 then Morph offset value = raw value + 1
if polarity = 0 then Morph offset value = raw value - 16383

Final 'To' Morph value = 'From value (original tempo)' + 'Morph offset value'
Morph Enabled if  'From value' <> 'Morph offset value'
```

NS3 Delay Ping Pong

Offset in file: 0x125 (b5)

```
0 = off, 1 = on
```

NS3 Delay Filter

Offset in file: 0x125 (b4-3)

```
  0 = Bypass
  1 = LP
  2 = HP
  3 = BP
```

NS3 Delay Analog Mode

Offset in file: 0x129 (b3)

```
0 = off, 1 = on
```

NS3 Delay Feedback

Offset in file: 0x125 (b2-0) and 0x126 (b7-4)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10
```

```
Morph Wheel:
0x126 (b3): polarity (1 = positive, 0 = negative)
0x126 (b2-b0) and 0x127 (b7-4): 7-bit raw value

Morph After Touch:
0x127 (b3): polarity (1 = positive, 0 = negative)
0x127 (b2-b0) and 0x128 (b7-4): 7-bit raw value

Morph Control Pedal:
0x128 (b3): polarity (1 = positive, 0 = negative)
0x128 (b2-b0) and 0x129 (b7-4): 7-bit raw value
```

NS3 Delay Mix

Offset in file: 0x121 (b4-0) and 0x122 (b7-6)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10

Morph Wheel:
0x122 (b5): polarity (1 = positive, 0 = negative)
0x122 (b4-b0) and 0x123 (b7-6): 7-bit raw value

Morph After Touch:
0x123 (b5): polarity (1 = positive, 0 = negative)
0x123 (b4-b0) and 0x124 (b7-6): 7-bit raw value

Morph Control Pedal:
0x124 (b5): polarity (1 = positive, 0 = negative)
0x124 (b4-b0) and 0x125 (b7-6): 7-bit raw value
```

NS3 Effect 1 On

Offset in file: 0x10B (b4)

```
0 = off, 1 = on
```

NS3 Effect 1 Source

Offset in file: 0x10B (b3-2)

```
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Effect 1 Type

Offset in file: 0x10B (b1-0) and 0x10C (b7)

```
0 = A-Pan
1 = Trem
2 = RM
3 = WA-WA
4 = A-WA1
5 = A-WA2
```

NS3 Effect 1 Amount

Offset in file: 0x110 (b6-0)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10

Morph Wheel:
0x111 (b7): polarity (1 = positive, 0 = negative)
0x111 (b6-b0): 7-bit raw value

Morph After Touch:
0x112 (b7): polarity (1 = positive, 0 = negative)
0x112 (b6-b0): 7-bit raw value
```

```
Morph Control Pedal:
0x113 (b7): polarity (1 = positive, 0 = negative)
0x113 (b6-b0): 7-bit raw value
```

NS3 Effect 1 Rate

Offset in file: 0x10C (b5-0) and 0x10D (b7)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10
```

```
if 'Effect 1 Master Clock' is enabled 7-bit value 0/127 = 4/1 to 1/32
   0 = 4/1
   1 = 4/1
   2 = 4/1
   3 = 4/1
   4 = 4/1
   5 = 4/1
   6 = 4/1
   7 = 4/1
   8 = 4/1
   9 = 4/1T
  10 = 4/1T
  11 = 4/1T
  12 = 4/1T
  13 = 4/1T
  14 = 4/1T
  15 = 4/1T
  16 = 4/1T
  17 = 4/1T
  18 = 2/1
  19 = 2/1
  20 = 2/1
  21 = 2/1
  22 = 2/1
  23 = 2/1
  24 = 2/1
  25 = 2/1
  26 = 2/1T
  27 = 2/1T
  28 = 2/1T
  29 = 2/1T
  30 = 2/1T
  31 = 2/1T
  32 = 2/1T
  33 = 2/1T
  34 = 2/1T
  35 = 1/1
  36 = 1/1
  37 = 1/1
  38 = 1/1
  39 = 1/1
  40 = 1/1
  41 = 1/1
  42 = 1/1
  43 = 1/1T
  44 = 1/1T
  45 = 1/1T
  46 = 1/1T
  47 = 1/1T
  48 = 1/1T
```

```
49 = 1/1T
50 = 1/1T
51 = 1/1T
52 = 1/2
53 = 1/2
54 = 1/2
55 = 1/2
56 = 1/2
57 = 1/2
58 = 1/2
59 = 1/2
60 = 1/2T
61 = 1/2T
62 = 1/2T
63 = 1/2T
64 = 1/2T
65 = 1/2T
66 = 1/2T
67 = 1/2T
68 = 1/2T
69 = 1/4
70 = 1/4
71 = 1/4
72 = 1/4
73 = 1/4
74 = 1/4
75 = 1/4
76 = 1/4
77 = 1/4T
78 = 1/4T
79 = 1/4T
80 = 1/4T
81 = 1/4T
82 = 1/4T
83 = 1/4T
84 = 1/4T
85 = 1/4T
86 = 1/8
87 = 1/8
88 = 1/8
89 = 1/8
90 = 1/8
91 = 1/8
92 = 1/8
93 = 1/8
94 = 1/8T
95 = 1/8T
96 = 1/8T
97 = 1/8T
98 = 1/8T
99 = 1/8T
100 = 1/8T
101 = 1/8T
102 = 1/8T
103 = 1/16
104 = 1/16
105 = 1/16
106 = 1/16
107 = 1/16
108 = 1/16
109 = 1/16
```

```
110 = 1/16
111 = 1/16T
112 = 1/16T
113 = 1/16T
114 = 1/16T
115 = 1/16T
116 = 1/16T
117 = 1/16T
118 = 1/16T
119 = 1/16T
120 = 1/32
121 = 1/32
122 = 1/32
123 = 1/32
124 = 1/32
125 = 1/32
126 = 1/32
127 = 1/32
```

```
Morph Wheel:
0x10D (b6): polarity (1 = positive, 0 = negative)
0x10D (b5-b0) and 0x10E (b7): 7-bit raw value
```

```
Morph After Touch:
0x10E (b6): polarity (1 = positive, 0 = negative)
0x10E (b5-b0) and 0x10F (b7): 7-bit raw value
```

```
Morph Control Pedal:
0x10F (b6): polarity (1 = positive, 0 = negative)
0x10F (b5-b0) and 0x110 (b7): 7-bit raw value
```

NS3 Effect 1 Master Clock

Offset in file: 0x10C (b6)

```
0 = off, 1 = on
```

NS3 Effect 2 On

Offset in file: 0x114 (b7)

```
0 = off, 1 = on
```

NS3 Effect 2 Source

Offset in file: 0x114 (b6-5)

```
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Effect 2 Type

Offset in file: 0x114 (b4-2)

```
0 = PHAS1
1 = PHAS2
2 = FLANG
```

```
3 = VIBE
4 = CHOR1
5 = CHOR2
```

NS3 Effect 2 Amount

Offset in file: 0x115 (b2-0) and 0x116 (b7-4)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10


Morph Wheel:
0x116 (b3): polarity (1 = positive, 0 = negative)
0x116 (b2-b0) and 0x117 (b7-4): 7-bit raw value

Morph After Touch:
0x117 (b3): polarity (1 = positive, 0 = negative)
0x117 (b2-b0) and 0x118 (b7-4): 7-bit raw value

Morph Control Pedal:
0x118 (b3): polarity (1 = positive, 0 = negative)
0x118 (b2-b0) and 0x119 (b7-4): 7-bit raw value
```

NS3 Effect 2 Rate

Offset in file: 0x114 (b1-0) &nd 0x115 (b7-3)

```
7-bit value 0/127 = 0/10
```

NS3 Reverb On

Offset in file: 0x114 (b7)

```
0 = off, 1 = on
```

NS3 Reverb Type

Offset in file: 0x134 (b0) and 0x135 (b7-6)

```
0 = Room 1
1 = Room 2
2 = Stage 1
3 = Stage 2
4 = Hall 1
5 = Hall 2
```

NS3 Reverb Amount

Offset in file: 0x135 (b4-0) and 0x136 (b7-6)

See: Organ Volume for detailed Morph explanation.

```
7-bit value 0/127 = 0/10


Morph Wheel:
0x136 (b5): polarity (1 = positive, 0 = negative)
0x136 (b4-b0) and 0x137 (b7-6): 7-bit raw value

Morph After Touch:
0x137 (b5): polarity (1 = positive, 0 = negative)
0x137 (b4-b0) and 0x138 (b7-6): 7-bit raw value
```

```
Morph Control Pedal:
0x138 (b5): polarity (1 = positive, 0 = negative)
0x138 (b4-b0) and 0x139 (b7-6): 7-bit raw value
```

NS3 Reverb Bright

Offset in file: 0x135 (b5)

```
0 = off, 1 = on
```

NS3 Rotary Speaker On

Offset in file: 0x10b (bit7)

```
0 = off, 1 = on
```

NS3 Rotary Speaker Source

Offset in file: 0x10b (b6 and b5)

```
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Rotary Speaker Drive

Offset in file: 0x39 (b2 to b0) and 0x3a (b7 to b4)

```
7-bit value 0/127 converted to 0/10
```

```
Note: Panel A value is used for panel A & B
```

NS3 Rotary Speaker Stop Mode

Offset in file: 0x35 (bit7)

```
0 = enabled (Speed Stop), 1 = disabled (Speed Slow)
```

```
Note: Panel A value is used for panel A & B
```

NS3 Rotary Speaker Speed

Offset in file: 0x34 (bit0)

```
0 = Slow/Stop, 1 = Fast
```

```
Morph Wheel:         0x35 (b6-4)
Morph After Touch:   0x35 (b3-1)
Morph Control Pedal: 0x35 (b0) and 0x36 (b7-6)
```

```
011 = 0x03 = morph off
100 = 0x04 = morph on
```

```
Note: Panel A value is used for panel A & B
```

NS3 Organ On

Offset in file: 0xB6 (b7)

```
0 = off, 1 = on
```

NS3 Organ Kb Zone

Offset in file: 0xB6 (b6-3)

```
0 = "o---"
1 = "-o--"
2 = "--o-"
3 = "---o"
4 = "oo--"
5 = "-oo-"
6 = "--oo"
7 = "ooo-"
8 = "-ooo"
9 = "oooo"
```

NS3 Organ Volume

Offset in file:

```
Volume:
0xB6 (b2-b0), 0xB7 (b7-4): 7-bit = 0/127 range
  0 = Off
  1 = -84.2 dB
  2 = -72.1 dB
  3 = -65.1 dB
  4 = -60.1 dB
  5 = -56.2 dB
  6 = -53.0 dB
  7 = -50.3 dB
  8 = -48.0 dB
  9 = -46.0 dB
 10 = -44.2 dB
 11 = -42.5 dB
 12 = -41.0 dB
 13 = -39.6 dB
 14 = -38.3 dB
 15 = -37.1 dB
 16 = -36.0 dB
 17 = -34.9 dB
 18 = -33.9 dB
 19 = -33.0 dB
 20 = -32.1 dB
 21 = -31.1 dB
 22 = -30.5 dB
 23 = -29.7 dB
 24 = -28.9 dB
 25 = -28.2 dB
 26 = -27.6 dB
 27 = -26.9 dB
 28 = -26.3 dB
 29 = -25.7 dB
 30 = -25.1 dB
 31 = -24.5 dB
 32 = -23.9 dB
 33 = -23.4 dB
 34 = -22.9 dB
 35 = -22.4 dB
 36 = -21.9 dB
 37 = -21.4 dB
 38 = -21.0 dB
 39 = -20.5 dB
 40 = -20.1 dB
```

```
41 = -19.6 dB
42 = -19.2 dB
43 = -18.8 dB
44 = -18.4 dB
45 = -18.0 dB
46 = -17.6 dB
47 = -17.3 dB
48 = -16.9 dB
49 = -16.5 dB
50 = -16.2 dB
51 = -15.8 dB
52 = -15.5 dB
53 = -15.2 dB
54 = -14.9 dB
55 = -14.5 dB
56 = -14.2 dB
57 = -13.9 dB
58 = -13.6 dB
59 = -13.3 dB
60 = -13.0 dB
61 = -12.7 dB
62 = -12.5 dB
63 = -12.2 dB
64 = -11.9 dB
65 = -11.6 dB
66 = -11.4 dB
67 = -11.1 dB
68 = -10.9 dB
69 = -10.6 dB
70 = -10.3 dB
71 = -10.1 dB
72 = -9.9 dB
73 = -9.6 dB
74 = -9.4 dB
75 = -9.1 dB
76 = -8.9 dB
77 = -8.7 dB
78 = -8.5 dB
79 = -8.2 dB
80 = -8.0 dB
81 = -7.8 dB
82 = -7.6 dB
83 = -7.4 dB
84 = -7.2 dB
85 = -7.0 dB
86 = -6.8 dB
87 = -6.6 dB
88 = -6.4 dB
89 = -6.2 dB
90 = -6.0 dB
91 = -5.8 dB
92 = -5.6 dB
93 = -5.4 dB
94 = -5.2 dB
95 = -5.0 dB
96 = -4.9 dB
97 = -4.7 dB
98 = -4.5 dB
99 = -4.3 dB
100 = -4.2 dB
101 = -4.0 dB
```

```
  102 = -3.8 dB
  103 = -3.6 dB
  104 = -3.5 dB
  105 = -3.3 dB
  106 = -3.1 dB
  107 = -3.0 dB
  108 = -2.8 dB
  109 = -2.7 dB
  110 = -2.5 dB
  111 = -2.3 dB
  112 = -2.2 dB
  113 = -2.0 dB
  114 = -1.9 dB
  115 = -1.7 dB
  116 = -1.6 dB
  117 = -1.4 dB
  118 = -1.3 dB
  119 = -1.1 dB
  120 = -1.0 dB
  121 = -0.8 dB
  122 = -0.7 dB
  123 = -0.6 dB
  124 = -0.4 dB
  125 = -0.3 dB
  126 = -0.1 dB
  127 = 0.0 dB


Morph Wheel:
0xB7 (b3): polarity (1 = positive, 0 = negative)
0xB7 (b2-b0), 0xB8 (b7-b4): 7-bit raw value

Morph After Touch:
0xB8 (b3): polarity (1 = positive, 0 = negative)
0xB8 (b2-b0), 0xB9 (b7-b4): 7-bit raw value

Morph Control Pedal:
0xB9 (b3): polarity (1 = positive, 0 = negative)
0xB9 (b2-b0), 0xBA (b7-b4): 7-bit raw value

if polarity = 1 then Morph offset value = raw value + 1
if polarity = 0 then Morph offset value = raw value - 127

Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'
Morph Enabled if  'From value' <> 'Morph offset value'
```

NS3 Organ Octave Shift

Offset in file: 0xBA (b3-0)

```
Octave Shift = value - 6
```

NS3 Organ Pitch Stick

Offset in file: 0x34 (b4)

```
0 = off, 1 = on
```

NS3 Organ Sustain Pedal

Offset in file: 0xBB (b7)

```
0 = off, 1 = on
```

NS3 Organ Type

Offset in file: 0xBB (b6/5/4)

```
0 = B3
1 = Vox
2 = Farfisa
3 = Pipe1
4 = Pipe2
```

NS3 Organ Drawbars Preset 1

Offset in file: 0xBE

```
Drawbar value range is 0/8.
For Vox Organ each value is converted to 0/1: 0 (if value < 4) else 1
For Farfisa Organ drawbar 8 is not used and forced to 0


Drawbar 1: 0xBE (b7-4)
        Morph Wheel:         0xBE (b3-0) and 0xBF (b7)
        Morph After Touch:   0xBF (b6-2)
        Morph Control Pedal: 0xBF (b1-0) and 0xC0 (b7-5)


Drawbar 2: 0xC0 (b4-1)
        Morph Wheel:         0xC0 (b0) and 0xC1 (b7-4)
        Morph After Touch:   0xC1 (b3-0) and 0xC2 (b7)
        Morph Control Pedal: 0xC2 (b6-2)


Drawbar 3: 0xC2 (b1-0) and 0xC3 (b7-6)
        Morph Wheel:         0xC3 (b5-1)
        Morph After Touch:   0xC3 (b0) and 0xC4 (b7-4)
        Morph Control Pedal: 0xC4 (b3-0) and 0xC5 (b7)


Drawbar 4: 0xC5 (b6-3)
        Morph Wheel:         0xC5 (b2-0) and 0xC6 (b7-6)
        Morph After Touch:   0xC6 (b5-b1)
        Morph Control Pedal: 0xC6 (b0) and 0xC7 (b7-4)


Drawbar 5: 0xC7 (b3-0)
        Morph Wheel:         0xC8 (b7-3)
        Morph After Touch:   0xC8 (b2-0) and 0xC9 (b7-6)
        Morph Control Pedal: 0xC9 (b5-1)


Drawbar 6: 0xC9 (b0) and 0xCA (b7-5)
        Morph Wheel:         0xCA (b4-0)
        Morph After Touch:   0xCB (b7-3)
        Morph Control Pedal: 0xCB (b2-0) and 0xCC (b7-6)


Drawbar 7: 0xCC (b5-2)
        Morph Wheel:         0xCC (b1-0) and 0xCD (b7-5)
        Morph After Touch:   0xCD (b4-0)
        Morph Control Pedal: 0xCE (b7-3)


Drawbar 8: 0xCE (b2-0) and 0xCF (b7)
        Morph Wheel:         0xCF (b6-2)
        Morph After Touch:   0xCF (b1-0) and 0xD0 (b7-5)
        Morph Control Pedal: 0xD0 (b4-0)


Drawbar 9: 0xD1 (b7-4)
        Morph Wheel:         0xD1 (b3-0) and 0xBF (b7)
        Morph After Touch:   0xD2 (b6-2)
        Morph Control Pedal: 0xD2 (b1-0) and 0xD3 (b7-5)
```

```
Morph value is on 5-bit
b4 is polarity
b3-0 is raw 4-bit value

if polarity = 1 then Morph offset value = raw value + 1
if polarity = 0 then Morph offset value = raw value - 8

Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'
Morph Enabled if  'From value' <> 'Morph offset value'
```

NS3 Organ Drawbars Preset 2

Offset in file: 0xD9

```
Drawbar value range is 0/8.
For Vox Organ each value is converted to 0/1: 0 (if value < 4) else 1
For Farfisa Organ drawbar 8 is not used and forced to 0

Drawbar 1: 0xD9 (b7-4)
          Morph Wheel:         0xD9 (b3-0) and 0xDA (b7)
          Morph After Touch:   0xDA (b6-2)
          Morph Control Pedal: 0xDA (b1-0) and 0xDB (b7-5)

Drawbar 2: 0xDB (b4-1)
          Morph Wheel:         0xDB (b0) and 0xDC (b7-4)
          Morph After Touch:   0xDC (b3-0) and 0xDD (b7)
          Morph Control Pedal: 0xDD (b6-2)

Drawbar 3: 0xDD (b1-0) and 0xDE (b7-6)
          Morph Wheel:         0xDE (b5-1)
          Morph After Touch:   0xDE (b0) and 0xDF (b7-4)
          Morph Control Pedal: 0xDF (b3-0) and 0xE0 (b7)

Drawbar 4: 0xE0 (b6-3)
          Morph Wheel:         0xE0 (b2-0) and 0xE1 (b7-6)
          Morph After Touch:   0xE1 (b5-b1)
          Morph Control Pedal: 0xE1 (b0) and 0xE2 (b7-4)

Drawbar 5: 0xE2 (b3-0)
          Morph Wheel:         0xE3 (b7-3)
          Morph After Touch:   0xE3 (b2-0) and 0xE4 (b7-6)
          Morph Control Pedal: 0xE4 (b5-1)

Drawbar 6: 0xE4 (b0) and 0xE5 (b7-5)
          Morph Wheel:         0xE5 (b4-0)
          Morph After Touch:   0xE6 (b7-3)
          Morph Control Pedal: 0xE6 (b2-0) and 0xE7 (b7-6)

Drawbar 7: 0xE7 (b5-2)
          Morph Wheel:         0xE7 (b1-0) and 0xE8 (b7-5)
          Morph After Touch:   0xE8 (b4-0)
          Morph Control Pedal: 0xE9 (b7-3)

Drawbar 8: 0xE9 (b2-0) and 0xEA (b7)
          Morph Wheel:         0xEA (b6-2)
          Morph After Touch:   0xEA (b1-0) and 0xEB (b7-5)
          Morph Control Pedal: 0xEB (b4-0)

Drawbar 9: 0xEC (b7-4)
          Morph Wheel:         0xEC (b3-0) and 0xED (b7)
```

```
        Morph After Touch:   0xED (b6-2)
        Morph Control Pedal: 0xED (b1-0) and 0xEF (b7-5)
```

```
Morph value is on 5-bit
b4 is polarity
b3-0 is raw 4-bit value
```

```
if polarity = 1 then Morph offset value = raw value + 1
if polarity = 0 then Morph offset value = raw value - 8
```

```
Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'
Morph Enabled if  'From value' <> 'Morph offset value'
```

NS3 Organ Live Mode

Offset in file: 0xBB (b3) (NS3 Compact model only)

O = off, 1 = on

NS3 Organ Vibrato On

Offset in file: 0xD3 (b4)

O = off, 1 = on

NS3 Organ Vibrato Mode

Offset in file: 0x34 (b3-1)

```
0 = V1
1 = C1
2 = V2
3 = C2
4 = V3
5 = C3
```

```
if Organ type is Pipe1 or Pipe2, only C1 is allowed
if Organ type is Farfisa, mode C1/V3 are not available
if Organ type is Vox, mode C1/C2/C3 are not available
if Organ type is B3, all mode are available
```

NS3 Organ Percussion On

Offset in file: 0xD3 (b3)

O = off, 1 = on

only if Organ type is B3

NS3 Organ Percussion Volume Soft

Offset in file: 0xD3 (b0)

O = off, 1 = on

only if Organ type is B3

NS3 Organ Percussion Decay Fast

Offset in file: 0xD3 (b1)

O = off, 1 = on

only if Organ type is B3

NS3 Organ Percussion Harmonic Third

Offset in file: 0xD3 (b2)

```
0 = off, 1 = on
```

```
only if Organ type is B3
```

NS3 Panel Enabled And Selection

Offset in file 0x31

```
Enabled (b6-5):
0 = A only
1 = B only
2 = A & B
```

```
Selected Panel (b7):
A = 0, B = 1 (not used here)
```

```
Note: if Dual Keyboard is On, both panel are enabled.
```

NS3 Piano On

Offset in file: 0x43 (b7)

```
0 = off, 1 = on
```

NS3 Piano Kb Zone

Offset in file: 0x43 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Piano Volume

Offset in file: 0x43 (b2-0), 0x44 (b7-4)

See: Organ Volume for detailed explanation.

```
Morph Wheel:
0x44 (b3): polarity (1 = positive, 0 = negative)
0x44 (b2-b0), 0x45 (b7-b4): 7-bit raw value
```

```
Morph After Touch:
0x45 (b3): polarity (1 = positive, 0 = negative)
0x45 (b2-b0), 0x46 (b7-b4): 7-bit raw value
```

```
Morph Control Pedal:
0x46 (b3): polarity (1 = positive, 0 = negative)
0x46 (b2-b0), 0x47 (b7-b4): 7-bit raw value
```

NS3 Piano Octave Shift

Offset in file: 0x47 (b3-0)

```
Octave Shift = value - 6
```

NS3 Piano Pitch Stick

Offset in file: 0x48 (b7)

```
0 = off, 1 = on
```

NS3 Piano Sustain Pedal

Offset in file: 0x48 (b6)

```
0 = off, 1 = on
```

NS3 Piano Type

Offset in file: 0x48 (b5-3)

```
0 = Grand
1 = Upright
2 = Electric
3 = Clav
4 = Digital
5 = Misc
```

NS3 Piano Model

Offset in file: 0x48 (b2-0) and 0x49 (b7-6)

```
0x00 0x00: model 1
0x00 0x01: model 2
.. and so on
0x02 0x01: model 10
```

NS3 Piano Name

Offset in file: 0x49 (b3-0) to 0x4D (b7-3)

```
32-bit Nord Sample ID
```

NS3 Piano Timbre

Offset in file: 0x4E (b5-3)

```
Grand, Upright, Digital, Misc Piano, and Harpsichord:
0 = None
1 = Soft
2 = Mid
3 = Bright

Electric Piano
0 = None
1 = Soft
2 = Mid
3 = Bright
4 = Dyno1
5 = Dyno2

Clavinet
0 = None
1 = Soft
2 = Treble
3 = Soft+Treble
4 = Brilliant
5 = Soft+Brill
6 = Treble+Brill
7 = Soft+Trb+Brill
```

NS3 Piano KB Touch

Offset in file: 0x4D (b0) and 0x4E (b7)

```
0 = Normal
1 = KB Touch 1
2 = Touch 2
3 = Touch 3
```

NS3 Piano Layer Detune

Offset in file: 0x34 (b6-5)

```
0 =  Off
1 =  1
2 =  2
3 =  3
```

```
Note: This parameter is common for both Panel. Layer Detune setting cannot be different
for each panel, only offset 0x34 is used.
```

NS3 Piano Soft Release

Offset in file: 0x4D (b4)

```
0 = off, 1 = on
```

```
Not available on Clavinet and Digital Piano
```

NS3 Piano Pedal Noise

Offset in file: 0x4D (b2)

```
0 = off, 1 = on
```

```
Only on Grand, Upright, and Electric piano.
```

NS3 Piano String Resonance

Offset in file: 0x4D (b3)

```
0 = off, 1 = on
```

```
Only on Grand and Upright piano.
```

NS3 File Version

Offset in file: 0x14 and 0x15

```
16-bit integer value in Little Endian format, ex 304 = v3.04
```

```
Notes:
From [https://www.nordkeyboards.com/products/nord-stage-3/nord-stage-3-update-history](https://www.nord
```

```
Programs stored with OS version
OS version         Program version
v0.92 (2017-06-15)  v3.00
v1.36 (2018-02-07)  v3.01
v1.50 (2018-10-22)  v3.02
vx.xx               v3.03
vx.xx               v3.04
```

NS3 File Format

Offset in file: 0x04

0 = header type 0 - legacy mode no CRC (Byte 0x18 to 0x2B are missing) 1 = header type 1 - default mode
with additional bytes 0x18 to 0x2B (20 bytes).

NS3 Transpose

Offset in file: 0x38 (b7-3)

Enabled: 0x38 (b7) Value: 0x38 (b6-3)

```
7xxx xxxx : Transpose Off/On
x654 3xxx : Transpose value


Test1:  F8 38 : Transpose Off
Test2:  0D 80 : Transpose -6 semi
Test3:  0D 88 : Transpose -5 semi
Test4:  0D A8 : Transpose -1 semi
Test5:  0D B8 : Transpose +1 semi
Test6:  0D D8 : Transpose +5 semi
Test7:  0D E0 : Transpose +6 semi
```

NS3 Split

0ffset in file: 0x31 (b4 to b0) to 0x34 (b7 only)

```
|  0X31     |   0x32    |   0x33    |   0x34    | description
| xxx4 3210 | 7654 3210 | 7654 3210 | 7xxx xxxx |
| xxx4 xxxx | xxxx xxxx | xxxx xxxx | xxxx xxxx | split off/on
| xxxx 321x | xxxx xxxx | xxxx xxxx | xxxx xxxx | low off/on, mid off/on, high off/on
| xxxx xxx0 | 765x xxxx | xxxx xxxx | xxxx xxxx | low note (0 = F2, 1 = C3, 9 = C7)
| xxxx xxxx | xxx4 321x | xxxx xxxx | xxxx xxxx | mid note
| xxxx xxxx | xxxx xxx0 | 765x xxxx | xxxx xxxx | high note
| xxxx xxxx | xxxx xxxx | xxx5 4xxx | xxxx xxxx | low width (0 = 1, 1 = 6, 2 = 12)
| xxxx xxxx | xxxx xxxx | xxxx x32x | xxxx xxxx | mid width
| xxxx xxxx | xxxx xxxx | xxxx xxx0 | 7xxx xxxx | high width


Test1:  06 07 20 01 : Split Off

Test2:  16 07 20 01 : Width Off 1   1
                      Note  --  C4  C7

Test3:  1E 07 20 01 : Width 1   1   1
                      Note  F2  C4  C7

Test4:  1E 07 28 01 : Width 6   1   1
                      Note  F2  C4  C7

Test5:  1E 07 30 01 : Width 12  1   1
                      Note  F2  C4  C7

Test6:  18 07 30 01 : Width 12  Off Off
                      Note  F2  --  --

Test7:  18 27 30 01 : Width 12  Off Off
                      Note  C3  --  --

Test8:  18 47 30 01 : Width 12  Off Off
                      Note  F3  --  --

Test9:  18 67 30 01 : Width 12  Off Off
                      Note  C4  --  --

Test10: 18 87 30 01 : Width 12  Off Off
                      Note  F4  --  --

Test11: 18 A7 30 01 : Width 12  Off Off
                      Note  C5  --  --
```

```
Test12: 18 C7 30 01 : Width 12  Off Off
                      Note  F5  --  --

Test13: 18 E7 30 01 : Width 12  Off Off
                      Note  C6  --  --

Test14: 19 07 30 01 : Width 12  Off Off
                      Note  F6  --  --

Test15: 19 27 30 01 : Width 12  Off Off
                      Note  C7  --  --

Test16: 1B 27 30 01 : Width 12  Off 1     ! From test 15 to 16 only High Width was changed manually !
                      Note  F6  --  C7    ! Note Low in file is C7 but fixed on display to F6...

Test17: 1B 27 30 81 : Width 12  Off 6
                      Note  F6  --  C7

Test18: 1B 27 31 01 : Width 12  Off 12
                      Note  F6  --  C7

Test19: 1C 23 30 01 : Width 12  1   Off
                      Note  C3  F3  --    ! Note Mid in file is C3 but fixed on display to F3 !
```

NS3 Master Clock Rate

Offset in file: 0x38 (b2-0) 0x39 (b7-3)

`bpm = value + 30`

NS3 Dual Keyboard

Offset in file 0x3A (b3)

```
0 = Off
1 = On
```

`Note: if Dual Keyboard is On, both panel are enabled.`

NS3 Dual Keyboard Style

Offset in file 0x3A (b1-0)

```
0 = Panel
1 = Organ
2 = Piano
3 = Synth
```

NS3 Program Category

Offset in file: 0x10

```
 0 = Acoustic
 1 = Bass
 2 = Wind
 4 = Fantasy
 5 = FX
 6 = Lead
 7 = Organ
 8 = Pad
10 = Pluck
11 = String
```

```
12 = Synth
13 = Vocal
14 = User
17 = None
21 = Grand
22 = Upright
23 = EPiano1
24 = EPiano2
27 = Clavinet
28 = Harpsi
30 = Arpeggio
255 = Undefined
```

NS3 Synth Filter Type

Offset in file: 0x98 (b4-2)

```
0 = LP12
1 = LP24
2 = Mini Moog
3 = LP+HP
4 = BP24
5 = HP24
```

NS3 Synth Filter Kb Track

Offset in file: 0xA5 (b5-4)

```
0 = Off
1 = 1/3
2 = 2/3
3 = 1
```

NS3 Synth Filter Drive

Offset in file: 0xA5 (b3-2)

```
0 = Off
1 = 1
2 = 2
3 = 3
```

NS3 Synth Filter LFO Amount

Offset in file: 0xA0 (b3-0) and 0xA1 (b7-5)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 0 / 10

Morph Wheel:
0xA1 (b4): polarity (1 = positive, 0 = negative)
0xA1 (b3-b0), 0xA2 (b7-b5): 7-bit raw value

Morph After Touch:
0xA2 (b4): polarity (1 = positive, 0 = negative)
0xA2 (b3-b0), 0xA3 (b7-b5): 7-bit raw value

Morph Control Pedal:
0xA3 (b4): polarity (1 = positive, 0 = negative)
0xA3 (b3-b0), 0xA4 (b7-b5): 7-bit raw value
```

NS3 Synth Filter Vel Mod Env Amount

Offset in file: 0xA4 (b4-0) and 0xA5 (b7-6)

```
Filter modulation (vel/env mod) is using this single 7-bit value to define two settings with a single k
Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range:
0   = 10.0 (100% left value) 'Vel Amount'
60  = 0.0 for both values
120 = 10.0 (100% right value) 'Mod Env Amount'
```

NS3 Synth Filter Freq

Offset in file: 0x98 (b1-0) and 0x99 (b7-3)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 14 Hz / 21 kHz
  0 = 14 Hz
  1 = 15 Hz
  2 = 15 Hz
  3 = 16 Hz
  4 = 17 Hz
  5 = 18 Hz
  6 = 19 Hz
  7 = 21 Hz
  8 = 22 Hz
  9 = 23 Hz
 10 = 24 Hz
 11 = 26 Hz
 12 = 28 Hz
 13 = 29 Hz
 14 = 31 Hz
 15 = 33 Hz
 16 = 35 Hz
 17 = 37 Hz
 18 = 39 Hz
 19 = 41 Hz
 20 = 44 Hz
 21 = 46 Hz
 22 = 49 Hz
 23 = 52 Hz
 24 = 55 Hz
 25 = 58 Hz
 26 = 62 Hz
 27 = 65 Hz
 28 = 69 Hz
 29 = 73 Hz
 30 = 78 Hz
 31 = 82 Hz
 32 = 87 Hz
 33 = 92 Hz
 34 = 98 Hz
 35 = 104 Hz
 36 = 110 Hz
 37 = 117 Hz
 38 = 123 Hz
 39 = 131 Hz
 40 = 139 Hz
 41 = 147 Hz
 42 = 156 Hz
 43 = 165 Hz
 44 = 175 Hz
 45 = 185 Hz
```

```
46 = 196 Hz
47 = 208 Hz
48 = 220 Hz
49 = 233 Hz
50 = 247 Hz
51 = 262 Hz
52 = 277 Hz
53 = 294 Hz
54 = 311 Hz
55 = 330 Hz
56 = 349 Hz
57 = 370 Hz
58 = 392 Hz
59 = 415 Hz
60 = 440 Hz
61 = 466 Hz
62 = 494 Hz
63 = 523 Hz
64 = 554 Hz
65 = 587 Hz
66 = 622 Hz
67 = 659 Hz
68 = 698 Hz
69 = 740 Hz
70 = 784 Hz
71 = 831 Hz
72 = 880 Hz
73 = 932 Hz
74 = 988 Hz
75 = 1.0 kHz
76 = 1.1 kHz
77 = 1.2 kHz
78 = 1.2 kHz
79 = 1.3 kHz
80 = 1.4 kHz
81 = 1.5 kHz
82 = 1.6 kHz
83 = 1.7 kHz
84 = 1.8 kHz
85 = 1.9 kHz
86 = 2.0 kHz
87 = 2.1 kHz
88 = 2.2 kHz
89 = 2.3 kHz
90 = 2.5 kHz
91 = 2.6 kHz
92 = 2.8 kHz
93 = 3.0 kHz
94 = 3.1 kHz
95 = 3.3 kHz
96 = 3.5 kHz
97 = 3.7 kHz
98 = 4.0 kHz
99 = 4.2 kHz
100 = 4.4 kHz
101 = 4.7 kHz
102 = 5.0 kHz
103 = 5.3 kHz
104 = 5.6 kHz
105 = 5.9 kHz
106 = 6.3 kHz
```

```
107 = 6.6 kHz
108 = 7.0 kHz
109 = 7.5 kHz
110 = 7.9 kHz
111 = 8.4 kHz
112 = 8.9 kHz
113 = 9.4 kHz
114 = 10 kHz
115 = 11 kHz
116 = 11 kHz
117 = 12 kHz
118 = 13 kHz
119 = 13 kHz
120 = 14 kHz
121 = 15 kHz
122 = 16 kHz
123 = 17 kHz
124 = 18 kHz
125 = 19 kHz
126 = 20 kHz
127 = 21 kHz


* Morph Wheel:
0x99 (b2): polarity (1 = positive, 0 = negative)
0x99 (b1-b0), 0x9A (b7-b3): 7-bit raw value

Morph After Touch:
0x9A (b2): polarity (1 = positive, 0 = negative)
0x9A (b1-b0), 0x9B (b7-b3): 7-bit raw value


Morph Control Pedal:
0x9B (b2): polarity (1 = positive, 0 = negative)
0x9B (b1-b0), 0x9C (b7-b3): 7-bit raw value
```

NS3 Synth Filter HP Freq Res

Offset in file: 0x9C (b2-0) and 0x9D (b7-4)

```
for 'LP+HP' filter
  => Frequency High Pass value: 0/127 value = 14 Hz / 21 kHz
  0 = 14 Hz
  1 = 15 Hz
  2 = 15 Hz
  3 = 16 Hz
  4 = 17 Hz
  5 = 18 Hz
  6 = 19 Hz
  7 = 21 Hz
  8 = 22 Hz
  9 = 23 Hz
  10 = 24 Hz
  11 = 26 Hz
  12 = 28 Hz
  13 = 29 Hz
  14 = 31 Hz
  15 = 33 Hz
  16 = 35 Hz
  17 = 37 Hz
  18 = 39 Hz
  19 = 41 Hz
```

```
20 = 44 Hz
21 = 46 Hz
22 = 49 Hz
23 = 52 Hz
24 = 55 Hz
25 = 58 Hz
26 = 62 Hz
27 = 65 Hz
28 = 69 Hz
29 = 73 Hz
30 = 78 Hz
31 = 82 Hz
32 = 87 Hz
33 = 92 Hz
34 = 98 Hz
35 = 104 Hz
36 = 110 Hz
37 = 117 Hz
38 = 123 Hz
39 = 131 Hz
40 = 139 Hz
41 = 147 Hz
42 = 156 Hz
43 = 165 Hz
44 = 175 Hz
45 = 185 Hz
46 = 196 Hz
47 = 208 Hz
48 = 220 Hz
49 = 233 Hz
50 = 247 Hz
51 = 262 Hz
52 = 277 Hz
53 = 294 Hz
54 = 311 Hz
55 = 330 Hz
56 = 349 Hz
57 = 370 Hz
58 = 392 Hz
59 = 415 Hz
60 = 440 Hz
61 = 466 Hz
62 = 494 Hz
63 = 523 Hz
64 = 554 Hz
65 = 587 Hz
66 = 622 Hz
67 = 659 Hz
68 = 698 Hz
69 = 740 Hz
70 = 784 Hz
71 = 831 Hz
72 = 880 Hz
73 = 932 Hz
74 = 988 Hz
75 = 1.0 kHz
76 = 1.1 kHz
77 = 1.2 kHz
78 = 1.2 kHz
79 = 1.3 kHz
80 = 1.4 kHz
```

```
 81 = 1.5 kHz
 82 = 1.6 kHz
 83 = 1.7 kHz
 84 = 1.8 kHz
 85 = 1.9 kHz
 86 = 2.0 kHz
 87 = 2.1 kHz
 88 = 2.2 kHz
 89 = 2.3 kHz
 90 = 2.5 kHz
 91 = 2.6 kHz
 92 = 2.8 kHz
 93 = 3.0 kHz
 94 = 3.1 kHz
 95 = 3.3 kHz
 96 = 3.5 kHz
 97 = 3.7 kHz
 98 = 4.0 kHz
 99 = 4.2 kHz
100 = 4.4 kHz
101 = 4.7 kHz
102 = 5.0 kHz
103 = 5.3 kHz
104 = 5.6 kHz
105 = 5.9 kHz
106 = 6.3 kHz
107 = 6.6 kHz
108 = 7.0 kHz
109 = 7.5 kHz
110 = 7.9 kHz
111 = 8.4 kHz
112 = 8.9 kHz
113 = 9.4 kHz
114 = 10 kHz
115 = 11 kHz
116 = 11 kHz
117 = 12 kHz
118 = 13 kHz
119 = 13 kHz
120 = 14 kHz
121 = 15 kHz
122 = 16 kHz
123 = 17 kHz
124 = 18 kHz
125 = 19 kHz
126 = 20 kHz
127 = 21 kHz
```

```
for all other filters
  => Resonance:  0/127 value = 0 / 10
```

NS3 Synth On

Offset in file: 0x52 (b7)

```
0 = off, 1 = on
```

NS3 Synth Kb Zone

Offset in file: 0x52 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Synth Volume

Offset in file: 0x52 (b2-0) and 0x53 (b7-4)

See: Organ Volume for detailed explanation.

```
Morph Wheel:
0x53 (b3): polarity (1 = positive, 0 = negative)
0x53 (b2-b0), 0x54 (b7-b4): 7-bit raw value

Morph After Touch:
0x54 (b3): polarity (1 = positive, 0 = negative)
0x54 (b2-b0), 0x55 (b7-b4): 7-bit raw value

Morph Control Pedal:
0x55 (b3): polarity (1 = positive, 0 = negative)
0x55 (b2-b0), 0x56 (b7-b4): 7-bit raw value
```

NS3 Synth Octave Shift

Offset in file: 0x56 (b3-0)

```
Octave Shift = value - 6
```

NS3 Synth Pitch Stick

Offset in file: 0x57 (b7)

```
0 = off, 1 = on
```

NS3 Synth Sustain Pedal

Offset in file: 0x57 (b6)

```
0 = off, 1 = on
```

NS3 Synth Kb Hold

Offset in file: 0x80 (b7)

```
0 = off, 1 = on
```

NS3 Synth Voice

Offset in file: 0x84 (b0) and 0x85 (b7)

```
0 = Poly
1 = Legato
2 = Mono
```

NS3 Synth Glide

Offset in file: 0x85 (b6 to b0) 7 bits, range 0/10

```
0/127 value = 0 / 10
```

NS3 Synth Unison

Offset in file: 0x86 (b7/6)

```
0 = Off
1 = 1
2 = 2
3 = 3
```

NS3 Synth Vibrato

Offset in file: 0x86 (b5/4/3)

```
0 = Off
1 = Delay 1
2 = Delay 2
3 = Delay 3
4 = Wheel
5 = After Touch
```

NS3 Synth Oscillator Type

Offset in file: 0x8D (b1/0) and 0x8E (b7)

```
0 = Classic
1 = Wave
2 = Formant
3 = Super
4 = Sample
```

NS3 Synth Oscillator 1 Wave Form

Offset in file: 0x8E (b3-0) and 0x8F (b7/6)

```
ID | Classic  | Wave             | Formant         | Super
-- | -------- | ---------------- | --------------- | -------------------
 0 | Sine     | Wave 2nd Harm    | Format Wave Aaa | Super Wave Saw
 1 | Triangle | Wave 3rd Harm    | Format Wave Eee | Super Wave Saw 2
 2 | Saw      | Wave 4th Harm    | Format Wave Iii | Super Wave Square
 3 | Square   | Wave 5th Harm    | Format Wave Ooo | Super Wave Square 2
 4 | Pulse 33 | Wave 6th Harm    | Format Wave Uuu | Super Wave Bright
 5 | Pulse 10 | Wave 7th Harm    | Format Wave Yyy | Super Wave Bright 2
 6 | ESaw     | Wave 8th Harm    | Format Wave AO  | Super Wave Strings
 7 | ESquare  | Wave Organ 1     | Format Wave AE  | Super Wave Organ
 8 |          | Wave Organ 2     | Format Wave OE  |
 9 |          | Wave Principal   |
10 |          | Wave Flute 1     |
11 |          | Wave Flute 2     |
12 |          | Wave Clarinet 1  |
13 |          | Wave Clarinet 2  |
14 |          | Wave Alto Sax    |
15 |          | Wave Tenor Sax   |
16 |          | Wave 2nd Spectra |
17 |          | Wave 3rd Spectra |
18 |          | Wave 4th Spectra |
19 |          | Wave 5th Spectra |
20 |          | Wave 6th Spectra |
21 |          | Wave 7th Spectra |
22 |          | Wave 8th Spectra |
23 |          | Wave Saw Random  |
24 |          | Wave Saw Bright  |
25 |          | Wave Sqr Bright  |
26 |          | Wave Saw NoFund  |
27 |          | Wave EPiano 1    |
28 |          | Wave EPiano 2    |
29 |          | Wave EPiano 3    |
30 |          | Wave DX 1        |
31 |          | Wave DX 2        |
32 |          | Wave Full Tines  |
33 |          | Wave Ac Piano    |
34 |          | Wave Ice 1       |
35 |          | Wave Ice 2       |
```

```
36 |           | Wave Clavinet 1    |
37 |           | Wave Clavinet 2    |
38 |           | Wave Clavinet 3    |
39 |           | Wave Triplets      |
40 |           | Wave Bell          |
41 |           | Wave Bar 1         |
42 |           | Wave Bar 2         |
43 |           | Wave Tines         |
44 |           | Wave Marimba       |
45 |           | Wave Tubular Bells |
```

NS3 Synth Oscillator Config

Offset in file: 0x8F (b4-1)

```
0 = None
1 = Pitch
2 = Shape
3 = Sync
4 = Detune
5 = MixSin
6 = MixTri
7 = MixSaw
8 = MixSqr
9 = MixBell
10 = MixNs1
11 = MixNs2
12 = FM1
13 = FM2
14 = RM
```

NS3 Synth Oscillator Control

Offset in file: 0x90 (b2/1/0) and 0x91 (b7/6/5/4)

See: Organ Volume for detailed Morph explanation.

```
Type                  Midi value conversion
Pitch (1)             0/127 => 0/24
Shape (2)             0/127 => 0/100 %
Sync (3)              0/127 => 0/10
Detune (4)            0/127 => 0/4
Mix* (5 to 11)        0/127 => 100/0 to 0/100
FM & RM (12 to 14)    0/127 => 0/100 %


Morph Wheel:
0x91 (b3): polarity (1 = positive, 0 = negative)
0x91 (b2-b0), 0x92 (b7-b4): 7-bit raw value


Morph After Touch:
0x92 (b3): polarity (1 = positive, 0 = negative)
0x92 (b2-b0), 0x93 (b7-b4): 7-bit raw value


Morph Control Pedal:
0x93 (b3): polarity (1 = positive, 0 = negative)
0x93 (b2-b0), 0x94 (b7-b4): 7-bit raw value
```

NS3 Synth Pitch

Offset in file: 0x8f (b0) and 0x90 (b7-3)

```
Midi value = 6-bit value + b0 forced to zero to have a standard Midi 7-bit value
value conversion: -12 (Sub) to +48
```

NS3 Synth LFO Mod Env

Offset in file: 0x94 (b3-0) and 0x95 (b7-5)

```
Osc modulation (lfo/env mod) is using this single 7-bit value to define two settings with a single knob
Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range:
0   = 10.0 (100% left value) 'LFO Amount'
60  = 0.0 for both values
120 = 10.0 (100% right value) 'Mod Env Amount'
```

NS3 Synth Fast Attack

Offset in file: 0xAC (b2)

```
0 = off, 1 = on
```

NS3 Synth Mod Env Attack

Offset in file: 0x8B (b7-1)

```
0/127 value = 0.5 ms / 45 s
  0 = 0.5 ms
  1 = 0.6 ms
  2 = 0.7 ms
  3 = 0.9 ms
  4 = 1.1 ms
  5 = 1.3 ms
  6 = 1.5 ms
  7 = 1.8 ms
  8 = 2.1 ms
  9 = 2.5 ms
 10 = 3.0 ms
 11 = 3.5 ms
 12 = 4.0 ms
 13 = 4.7 ms
 14 = 5.5 ms
 15 = 6.3 ms
 16 = 7.3 ms
 17 = 8.4 ms
 18 = 9.7 ms
 19 = 11 ms
 20 = 13 ms
 21 = 14 ms
 22 = 16 ms
 23 = 19 ms
 24 = 21 ms
 25 = 24 ms
 26 = 27 ms
 27 = 31 ms
 28 = 34 ms
 29 = 39 ms
 30 = 43 ms
 31 = 49 ms
 32 = 54 ms
 33 = 61 ms
 34 = 68 ms
 35 = 75 ms
 36 = 84 ms
 37 = 93 ms
 38 = 103 ms
 39 = 114 ms
 40 = 126 ms
 41 = 139 ms
```

```
42 = 153 ms
43 = 169 ms
44 = 186 ms
45 = 204 ms
46 = 224 ms
47 = 246 ms
48 = 269 ms
49 = 295 ms
50 = 322 ms
51 = 352 ms
52 = 384 ms
53 = 419 ms
54 = 456 ms
55 = 496 ms
56 = 540 ms
57 = 586 ms
58 = 636 ms
59 = 690 ms
60 = 748 ms
61 = 810 ms
62 = 876 ms
63 = 947 ms
64 = 1.02 s
65 = 1.10 s
66 = 1.19 s
67 = 1.28 s
68 = 1.38 s
69 = 1.49 s
70 = 1.60 s
71 = 1.72 s
72 = 1.85 s
73 = 1.99 s
74 = 2.13 s
75 = 2.28 s
76 = 2.45 s
77 = 2.62 s
78 = 2.81 s
79 = 3.00 s
80 = 3.21 s
81 = 3.43 s
82 = 3.66 s
83 = 3.91 s
84 = 4.17 s
85 = 4.45 s
86 = 4.74 s
87 = 5.05 s
88 = 5.37 s
89 = 5.72 s
90 = 6.08 s
91 = 6.47 s
92 = 6.87 s
93 = 7.30 s
94 = 7.75 s
95 = 8.22 s
96 = 8.72 s
97 = 9.25 s
98 = 9.80 s
99 = 10 s
100 = 11 s
101 = 12 s
102 = 12 s
```

```
103 = 13 s
104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Decay

Offset in file: 0x8B (b0) and 0x8C (b7-2)

```
0/127 value = 3.0 ms / 45 s (Sustain)
  0 = 3.0 ms
  1 = 3.5 ms
  2 = 4.0 ms
  3 = 4.6 ms
  4 = 5.3 ms
  5 = 6.0 ms
  6 = 6.9 ms
  7 = 7.9 ms
  8 = 9.0 ms
  9 = 10 ms
 10 = 12 ms
 11 = 13 ms
 12 = 15 ms
 13 = 17 ms
 14 = 19 ms
 15 = 21 ms
 16 = 23 ms
 17 = 26 ms
 18 = 29 ms
 19 = 33 ms
 20 = 36 ms
 21 = 41 ms
 22 = 45 ms
 23 = 50 ms
 24 = 55 ms
 25 = 61 ms
 26 = 68 ms
 27 = 75 ms
 28 = 82 ms
 29 = 91 ms
```

```
30 = 100 ms
31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms
36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1.05 s
60 = 1.13 s
61 = 1.21 s
62 = 1.30 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.70 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.10 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.50 s
89 = 6.88 s
90 = 7.27 s
```

```
 91 = 7.68 s
 92 = 8.11 s
 93 = 8.57 s
 94 = 9.04 s
 95 = 9.54 s
 96 = 10 s
 97 = 11 s
 98 = 11 s
 99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Release

Offset in file: 0x8C (b1-0) and 0x8D (b7-3)

```
0/127 value = 3.0 ms / 45 s (Inf)
  0 = 3.0 ms
  1 = 3.5 ms
  2 = 4.0 ms
  3 = 4.6 ms
  4 = 5.3 ms
  5 = 6.0 ms
  6 = 6.9 ms
  7 = 7.9 ms
  8 = 9.0 ms
  9 = 10 ms
 10 = 12 ms
 11 = 13 ms
 12 = 15 ms
 13 = 17 ms
 14 = 19 ms
 15 = 21 ms
 16 = 23 ms
 17 = 26 ms
```

```
18 = 29 ms
19 = 33 ms
20 = 36 ms
21 = 41 ms
22 = 45 ms
23 = 50 ms
24 = 55 ms
25 = 61 ms
26 = 68 ms
27 = 75 ms
28 = 82 ms
29 = 91 ms
30 = 100 ms
31 = 110 ms
32 = 120 ms
33 = 132 ms
34 = 144 ms
35 = 158 ms
36 = 173 ms
37 = 188 ms
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1.05 s
60 = 1.13 s
61 = 1.21 s
62 = 1.30 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.70 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
```

```
79 = 3.86 s
80 = 4.10 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.50 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Velocity

Offset in file: 0x8D (b2)

```
0 = off, 1 = on
```

NS3 Synth Amp Env Attack

Offset in file: 0xA5 (b1-0) and 0xA6 (b7-3)

```
0/127 value = 0.5 ms / 45 s
  0 = 0.5 ms
```

```
 1 = 0.6 ms
 2 = 0.7 ms
 3 = 0.9 ms
 4 = 1.1 ms
 5 = 1.3 ms
 6 = 1.5 ms
 7 = 1.8 ms
 8 = 2.1 ms
 9 = 2.5 ms
10 = 3.0 ms
11 = 3.5 ms
12 = 4.0 ms
13 = 4.7 ms
14 = 5.5 ms
15 = 6.3 ms
16 = 7.3 ms
17 = 8.4 ms
18 = 9.7 ms
19 = 11 ms
20 = 13 ms
21 = 14 ms
22 = 16 ms
23 = 19 ms
24 = 21 ms
25 = 24 ms
26 = 27 ms
27 = 31 ms
28 = 34 ms
29 = 39 ms
30 = 43 ms
31 = 49 ms
32 = 54 ms
33 = 61 ms
34 = 68 ms
35 = 75 ms
36 = 84 ms
37 = 93 ms
38 = 103 ms
39 = 114 ms
40 = 126 ms
41 = 139 ms
42 = 153 ms
43 = 169 ms
44 = 186 ms
45 = 204 ms
46 = 224 ms
47 = 246 ms
48 = 269 ms
49 = 295 ms
50 = 322 ms
51 = 352 ms
52 = 384 ms
53 = 419 ms
54 = 456 ms
55 = 496 ms
56 = 540 ms
57 = 586 ms
58 = 636 ms
59 = 690 ms
60 = 748 ms
61 = 810 ms
```

```
 62 = 876 ms
 63 = 947 ms
 64 = 1.02 s
 65 = 1.10 s
 66 = 1.19 s
 67 = 1.28 s
 68 = 1.38 s
 69 = 1.49 s
 70 = 1.60 s
 71 = 1.72 s
 72 = 1.85 s
 73 = 1.99 s
 74 = 2.13 s
 75 = 2.28 s
 76 = 2.45 s
 77 = 2.62 s
 78 = 2.81 s
 79 = 3.00 s
 80 = 3.21 s
 81 = 3.43 s
 82 = 3.66 s
 83 = 3.91 s
 84 = 4.17 s
 85 = 4.45 s
 86 = 4.74 s
 87 = 5.05 s
 88 = 5.37 s
 89 = 5.72 s
 90 = 6.08 s
 91 = 6.47 s
 92 = 6.87 s
 93 = 7.30 s
 94 = 7.75 s
 95 = 8.22 s
 96 = 8.72 s
 97 = 9.25 s
 98 = 9.80 s
 99 = 10 s
100 = 11 s
101 = 12 s
102 = 12 s
103 = 13 s
104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
```

```
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Decay

Offset in file: 0xA6 (b2-0) and 0xA7 (b7-4)

```
0/127 value = 3.0 ms / 45 s (Sustain)
  0 = 3.0 ms
  1 = 3.5 ms
  2 = 4.0 ms
  3 = 4.6 ms
  4 = 5.3 ms
  5 = 6.0 ms
  6 = 6.9 ms
  7 = 7.9 ms
  8 = 9.0 ms
  9 = 10 ms
 10 = 12 ms
 11 = 13 ms
 12 = 15 ms
 13 = 17 ms
 14 = 19 ms
 15 = 21 ms
 16 = 23 ms
 17 = 26 ms
 18 = 29 ms
 19 = 33 ms
 20 = 36 ms
 21 = 41 ms
 22 = 45 ms
 23 = 50 ms
 24 = 55 ms
 25 = 61 ms
 26 = 68 ms
 27 = 75 ms
 28 = 82 ms
 29 = 91 ms
 30 = 100 ms
 31 = 110 ms
 32 = 120 ms
 33 = 132 ms
 34 = 144 ms
 35 = 158 ms
 36 = 173 ms
 37 = 188 ms
 38 = 206 ms
 39 = 224 ms
 40 = 244 ms
 41 = 265 ms
 42 = 288 ms
 43 = 313 ms
 44 = 340 ms
 45 = 368 ms
 46 = 399 ms
 47 = 432 ms
 48 = 467 ms
 49 = 505 ms
```

```
 50 = 545 ms
 51 = 588 ms
 52 = 634 ms
 53 = 683 ms
 54 = 736 ms
 55 = 792 ms
 56 = 851 ms
 57 = 915 ms
 58 = 983 ms
 59 = 1.05 s
 60 = 1.13 s
 61 = 1.21 s
 62 = 1.30 s
 63 = 1.39 s
 64 = 1.49 s
 65 = 1.59 s
 66 = 1.70 s
 67 = 1.82 s
 68 = 1.94 s
 69 = 2.07 s
 70 = 2.21 s
 71 = 2.36 s
 72 = 2.51 s
 73 = 2.67 s
 74 = 2.85 s
 75 = 3.03 s
 76 = 3.22 s
 77 = 3.42 s
 78 = 3.64 s
 79 = 3.86 s
 80 = 4.10 s
 81 = 4.35 s
 82 = 4.61 s
 83 = 4.89 s
 84 = 5.18 s
 85 = 5.49 s
 86 = 5.81 s
 87 = 6.15 s
 88 = 6.50 s
 89 = 6.88 s
 90 = 7.27 s
 91 = 7.68 s
 92 = 8.11 s
 93 = 8.57 s
 94 = 9.04 s
 95 = 9.54 s
 96 = 10 s
 97 = 11 s
 98 = 11 s
 99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
```

```
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Release

Offset in file: 0xA7 (b3-0) and 0xA8 (b7-5)

```
0/127 value = 3.0 ms / 45 s
  0 = 3.0 ms
  1 = 3.5 ms
  2 = 4.0 ms
  3 = 4.6 ms
  4 = 5.3 ms
  5 = 6.0 ms
  6 = 6.9 ms
  7 = 7.9 ms
  8 = 9.0 ms
  9 = 10 ms
 10 = 12 ms
 11 = 13 ms
 12 = 15 ms
 13 = 17 ms
 14 = 19 ms
 15 = 21 ms
 16 = 23 ms
 17 = 26 ms
 18 = 29 ms
 19 = 33 ms
 20 = 36 ms
 21 = 41 ms
 22 = 45 ms
 23 = 50 ms
 24 = 55 ms
 25 = 61 ms
 26 = 68 ms
 27 = 75 ms
 28 = 82 ms
 29 = 91 ms
 30 = 100 ms
 31 = 110 ms
 32 = 120 ms
 33 = 132 ms
 34 = 144 ms
 35 = 158 ms
 36 = 173 ms
 37 = 188 ms
```

```
38 = 206 ms
39 = 224 ms
40 = 244 ms
41 = 265 ms
42 = 288 ms
43 = 313 ms
44 = 340 ms
45 = 368 ms
46 = 399 ms
47 = 432 ms
48 = 467 ms
49 = 505 ms
50 = 545 ms
51 = 588 ms
52 = 634 ms
53 = 683 ms
54 = 736 ms
55 = 792 ms
56 = 851 ms
57 = 915 ms
58 = 983 ms
59 = 1.05 s
60 = 1.13 s
61 = 1.21 s
62 = 1.30 s
63 = 1.39 s
64 = 1.49 s
65 = 1.59 s
66 = 1.70 s
67 = 1.82 s
68 = 1.94 s
69 = 2.07 s
70 = 2.21 s
71 = 2.36 s
72 = 2.51 s
73 = 2.67 s
74 = 2.85 s
75 = 3.03 s
76 = 3.22 s
77 = 3.42 s
78 = 3.64 s
79 = 3.86 s
80 = 4.10 s
81 = 4.35 s
82 = 4.61 s
83 = 4.89 s
84 = 5.18 s
85 = 5.49 s
86 = 5.81 s
87 = 6.15 s
88 = 6.50 s
89 = 6.88 s
90 = 7.27 s
91 = 7.68 s
92 = 8.11 s
93 = 8.57 s
94 = 9.04 s
95 = 9.54 s
96 = 10 s
97 = 11 s
98 = 11 s
```

```
 99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Velocity

Offset in file: 0xA8 (b4-3)

```
0 = Off
1 = 1
2 = 2
3 = 3
```

NS3 Synth Lfo Wave

Offset in file: 0x86 (b2-0)

```
0 = Triangle
1 = Saw
2 = Neg Saw
3 = Square
4 = S/H
```

NS3 Synth Lfo Rate

Offset in file: 0x87 (b6-0)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 0.03 Hz / 523 Hz
  0 = 0.03 Hz
  1 = 0.03 Hz
  2 = 0.03 Hz
  3 = 0.04 Hz
  4 = 0.04 Hz
  5 = 0.04 Hz
  6 = 0.05 Hz
```

```
 7 = 0.05 Hz
 8 = 0.05 Hz
 9 = 0.06 Hz
10 = 0.06 Hz
11 = 0.07 Hz
12 = 0.07 Hz
13 = 0.08 Hz
14 = 0.09 Hz
15 = 0.09 Hz
16 = 0.10 Hz
17 = 0.11 Hz
18 = 0.12 Hz
19 = 0.13 Hz
20 = 0.14 Hz
21 = 0.15 Hz
22 = 0.16 Hz
23 = 0.17 Hz
24 = 0.19 Hz
25 = 0.20 Hz
26 = 0.22 Hz
27 = 0.24 Hz
28 = 0.26 Hz
29 = 0.28 Hz
30 = 0.30 Hz
31 = 0.32 Hz
32 = 0.35 Hz
33 = 0.38 Hz
34 = 0.41 Hz
35 = 0.44 Hz
36 = 0.47 Hz
37 = 0.51 Hz
38 = 0.55 Hz
39 = 0.60 Hz
40 = 0.64 Hz
41 = 0.70 Hz
42 = 0.75 Hz
43 = 0.81 Hz
44 = 0.88 Hz
45 = 0.95 Hz
46 = 1.0 Hz
47 = 1.1 Hz
48 = 1.2 Hz
49 = 1.3 Hz
50 = 1.4 Hz
51 = 1.5 Hz
52 = 1.6 Hz
53 = 1.8 Hz
54 = 1.9 Hz
55 = 2.0 Hz
56 = 2.2 Hz
57 = 2.4 Hz
58 = 2.6 Hz
59 = 2.8 Hz
60 = 3.0 Hz
61 = 3.2 Hz
62 = 3.5 Hz
63 = 3.8 Hz
64 = 4.1 Hz
65 = 4.4 Hz
66 = 4.8 Hz
67 = 5.2 Hz
```

```
68 = 5.6 Hz
69 = 6.0 Hz
70 = 6.5 Hz
71 = 7.0 Hz
72 = 7.6 Hz
73 = 8.2 Hz
74 = 8.8 Hz
75 = 9.5 Hz
76 = 10 Hz
77 = 11 Hz
78 = 12 Hz
79 = 13 Hz
80 = 14 Hz
81 = 15 Hz
82 = 16 Hz
83 = 18 Hz
84 = 19 Hz
85 = 21 Hz
86 = 22 Hz
87 = 24 Hz
88 = 26 Hz
89 = 28 Hz
90 = 30 Hz
91 = 33 Hz
92 = 35 Hz
93 = 38 Hz
94 = 41 Hz
95 = 45 Hz
96 = 48 Hz
97 = 52 Hz
98 = 56 Hz
99 = 61 Hz
100 = 65 Hz
101 = 71 Hz
102 = 76 Hz
103 = 82 Hz
104 = 89 Hz
105 = 96 Hz
106 = 104 Hz
107 = 112 Hz
108 = 121 Hz
109 = 131 Hz
110 = 141 Hz
111 = 153 Hz
112 = 165 Hz
113 = 178 Hz
114 = 192 Hz
115 = 208 Hz
116 = 224 Hz
117 = 242 Hz
118 = 262 Hz
119 = 283 Hz
120 = 305 Hz
121 = 330 Hz
122 = 356 Hz
123 = 385 Hz
124 = 415 Hz
125 = 449 Hz
126 = 484 Hz
127 = 523 Hz
```

```
if LFO Master Clock is On, 0/127 value = 4/1 to 1/64 Master Clock Division
  0 = 4/1
  1 = 4/1
  2 = 4/1
  3 = 4/1
  4 = 4/1
  5 = 4/1
  6 = 4/1
  7 = 4/1
  8 = 4/1T
  9 = 4/1T
 10 = 4/1T
 11 = 4/1T
 12 = 4/1T
 13 = 4/1T
 14 = 4/1T
 15 = 4/1T
 16 = 2/1
 17 = 2/1
 18 = 2/1
 19 = 2/1
 20 = 2/1
 21 = 2/1
 22 = 2/1
 23 = 2/1T
 24 = 2/1T
 25 = 2/1T
 26 = 2/1T
 27 = 2/1T
 28 = 2/1T
 29 = 2/1T
 30 = 2/1T
 31 = 1/1
 32 = 1/1
 33 = 1/1
 34 = 1/1
 35 = 1/1
 36 = 1/1
 37 = 1/1
 38 = 1/1T
 39 = 1/1T
 40 = 1/1T
 41 = 1/1T
 42 = 1/1T
 43 = 1/1T
 44 = 1/1T
 45 = 1/1T
 46 = 1/2
 47 = 1/2
 48 = 1/2
 49 = 1/2
 50 = 1/2
 51 = 1/2
 52 = 1/2
 53 = 1/2T
 54 = 1/2T
 55 = 1/2T
 56 = 1/2T
 57 = 1/2T
 58 = 1/2T
```

```
 59 = 1/2T
 60 = 1/2T
 61 = 1/4
 62 = 1/4
 63 = 1/4
 64 = 1/4
 65 = 1/4
 66 = 1/4
 67 = 1/4
 68 = 1/4T
 69 = 1/4T
 70 = 1/4T
 71 = 1/4T
 72 = 1/4T
 73 = 1/4T
 74 = 1/4T
 75 = 1/4T
 76 = 1/8
 77 = 1/8
 78 = 1/8
 79 = 1/8
 80 = 1/8
 81 = 1/8
 82 = 1/8
 83 = 1/8T
 84 = 1/8T
 85 = 1/8T
 86 = 1/8T
 87 = 1/8T
 88 = 1/8T
 89 = 1/8T
 90 = 1/8T
 91 = 1/16
 92 = 1/16
 93 = 1/16
 94 = 1/16
 95 = 1/16
 96 = 1/16
 97 = 1/16
 98 = 1/16T
 99 = 1/16T
100 = 1/16T
101 = 1/16T
102 = 1/16T
103 = 1/16T
104 = 1/16T
105 = 1/16T
106 = 1/32
107 = 1/32
108 = 1/32
109 = 1/32
110 = 1/32
111 = 1/32
112 = 1/32
113 = 1/32T
114 = 1/32T
115 = 1/32T
116 = 1/32T
117 = 1/32T
118 = 1/32T
119 = 1/32T
```

```
120 = 1/32T
121 = 1/64
122 = 1/64
123 = 1/64
124 = 1/64
125 = 1/64
126 = 1/64
127 = 1/64
```

```
Morph Wheel:
0x88 (b7): polarity (1 = positive, 0 = negative)
0x88 (b6-b0): 7-bit raw value

Morph After Touch:
0x89 (b7): polarity (1 = positive, 0 = negative)
0x89 (b6-b0): 7-bit raw value

Morph Control Pedal:
0x8A (b7): polarity (1 = positive, 0 = negative)
0x8A (b6-b0): 7-bit raw value
```

NS3 Synth Lfo Master Clock

Offset in file: 0x87 (b7)

`0 = off, 1 = on`

NS3 Synth Arp On

Offset in file: 0x80 (b6)

`0 = off, 1 = on`

NS3 Synth Arp Rate

Offset in file: 0x81 (b7-1)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 16 bpm / Fast 5
  0 = 16 bpm
  1 = 16 bpm
  2 = 18 bpm
  3 = 20 bpm
  4 = 24 bpm
  5 = 26 bpm
  6 = 28 bpm
  7 = 30 bpm
  8 = 34 bpm
  9 = 36 bpm
 10 = 38 bpm
 11 = 42 bpm
 12 = 44 bpm
 13 = 46 bpm
 14 = 48 bpm
 15 = 50 bpm
 16 = 54 bpm
 17 = 56 bpm
 18 = 58 bpm
 19 = 60 bpm
 20 = 62 bpm
 21 = 64 bpm
```

```
22 = 66 bpm
23 = 68 bpm
24 = 70 bpm
25 = 72 bpm
26 = 74 bpm
27 = 76 bpm
28 = 78 bpm
29 = 78 bpm
30 = 80 bpm
31 = 82 bpm
32 = 84 bpm
33 = 86 bpm
34 = 86 bpm
35 = 88 bpm
36 = 90 bpm
37 = 92 bpm
38 = 94 bpm
39 = 94 bpm
40 = 96 bpm
41 = 98 bpm
42 = 100 bpm
43 = 100 bpm
44 = 102 bpm
45 = 104 bpm
46 = 106 bpm
47 = 108 bpm
48 = 108 bpm
49 = 110 bpm
50 = 112 bpm
51 = 114 bpm
52 = 116 bpm
53 = 118 bpm
54 = 120 bpm
55 = 122 bpm
56 = 124 bpm
57 = 126 bpm
58 = 128 bpm
59 = 130 bpm
60 = 132 bpm
61 = 134 bpm
62 = 138 bpm
63 = 140 bpm
64 = 142 bpm
65 = 146 bpm
66 = 148 bpm
67 = 152 bpm
68 = 154 bpm
69 = 158 bpm
70 = 162 bpm
71 = 166 bpm
72 = 170 bpm
73 = 174 bpm
74 = 178 bpm
75 = 182 bpm
76 = 186 bpm
77 = 190 bpm
78 = 196 bpm
79 = 200 bpm
80 = 204 bpm
81 = 210 bpm
82 = 216 bpm
```

```
   83 = 220 bpm
   84 = 226 bpm
   85 = 232 bpm
   86 = 238 bpm
   87 = 244 bpm
   88 = 252 bpm
   89 = 258 bpm
   90 = 266 bpm
   91 = 274 bpm
   92 = 282 bpm
   93 = 290 bpm
   94 = 298 bpm
   95 = 308 bpm
   96 = 318 bpm
   97 = 328 bpm
   98 = 338 bpm
   99 = 350 bpm
  100 = 362 bpm
  101 = 376 bpm
  102 = 392 bpm
  103 = 410 bpm
  104 = 428 bpm
  105 = 450 bpm
  106 = 472 bpm
  107 = 494 bpm
  108 = 520 bpm
  109 = 546 bpm
  110 = 574 bpm
  111 = 602 bpm
  112 = 632 bpm
  113 = 662 bpm
  114 = 696 bpm
  115 = 728 bpm
  116 = 762 bpm
  117 = 798 bpm
  118 = 834 bpm
  119 = 872 bpm
  120 = 910 bpm
  121 = 950 bpm
  122 = 990 bpm
  123 = Fast 1
  124 = Fast 2
  125 = Fast 3
  126 = Fast 4
  127 = Fast 5


if Arpeggiator Master Clock is On, 0/127 value = 1/2 to 1/32 Master Clock Division
    0 = 1/2
    1 = 1/2
    2 = 1/2
    3 = 1/2
    4 = 1/2
    5 = 1/2
    6 = 1/2
    7 = 1/2
    8 = 1/2
    9 = 1/2
   10 = 1/2
   11 = 1/2
   12 = 1/2
```

```
13 = 1/2
14 = 1/2
15 = 1/2T
16 = 1/2T
17 = 1/2T
18 = 1/2T
19 = 1/2T
20 = 1/2T
21 = 1/2T
22 = 1/2T
23 = 1/2T
24 = 1/2T
25 = 1/2T
26 = 1/2T
27 = 1/2T
28 = 1/2T
29 = 1/4
30 = 1/4
31 = 1/4
32 = 1/4
33 = 1/4
34 = 1/4
35 = 1/4
36 = 1/4
37 = 1/4
38 = 1/4
39 = 1/4
40 = 1/4
41 = 1/4
42 = 1/4
43 = 1/4T
44 = 1/4T
45 = 1/4T
46 = 1/4T
47 = 1/4T
48 = 1/4T
49 = 1/4T
50 = 1/4T
51 = 1/4T
52 = 1/4T
53 = 1/4T
54 = 1/4T
55 = 1/4T
56 = 1/4T
57 = 1/8
58 = 1/8
59 = 1/8
60 = 1/8
61 = 1/8
62 = 1/8
63 = 1/8
64 = 1/8
65 = 1/8
66 = 1/8
67 = 1/8
68 = 1/8
69 = 1/8
70 = 1/8
71 = 1/8
72 = 1/8T
73 = 1/8T
```

```
 74 = 1/8T
 75 = 1/8T
 76 = 1/8T
 77 = 1/8T
 78 = 1/8T
 79 = 1/8T
 80 = 1/8T
 81 = 1/8T
 82 = 1/8T
 83 = 1/8T
 84 = 1/8T
 85 = 1/8T
 86 = 1/16
 87 = 1/16
 88 = 1/16
 89 = 1/16
 90 = 1/16
 91 = 1/16
 92 = 1/16
 93 = 1/16
 94 = 1/16
 95 = 1/16
 96 = 1/16
 97 = 1/16
 98 = 1/16
 99 = 1/16
 100 = 1/16T
 101 = 1/16T
 102 = 1/16T
 103 = 1/16T
 104 = 1/16T
 105 = 1/16T
 106 = 1/16T
 107 = 1/16T
 108 = 1/16T
 109 = 1/16T
 110 = 1/16T
 111 = 1/16T
 112 = 1/16T
 113 = 1/16T
 114 = 1/32
 115 = 1/32
 116 = 1/32
 117 = 1/32
 118 = 1/32
 119 = 1/32
 120 = 1/32
 121 = 1/32
 122 = 1/32
 123 = 1/32
 124 = 1/32
 125 = 1/32
 126 = 1/32
 127 = 1/32


Morph Wheel:
0x81 (b0): polarity (1 = positive, 0 = negative)
0x82 (b7-b1): 7-bit raw value

Morph After Touch:
```

```
0x82 (b0): polarity (1 = positive, 0 = negative)
0x83 (b7-b1): 7-bit raw value

Morph Control Pedal:
0x83 (b0): polarity (1 = positive, 0 = negative)
0x84 (b7-b1): 7-bit raw value
```

NS3 Synth Arp Kb Sync

Offset in file: 0x80 (b5)

```
0 = off, 1 = on
```

NS3 Synth Arp Master Clock

Offset in file: 0x80 (b0)

```
0 = off, 1 = on
```

NS3 Synth Arp Range

Offset in file: 0x80 (b4-3)

```
0 = 1 Octave
1 = 2 Octaves
2 = 3 Octaves
3 = 4 Octaves
```

NS3 Synth Arp Pattern

Offset in file: 0x80 (b2-1)

```
0 = Up
1 = Down
2 = Up/Down
3 = Random
```