Unofficial Nord Stage 2 and 3 Program File Documentation

christian.florentz@gmail.com

Let's get started

This file documents the Nord Stage program file structure. It is handmade by NUF users and is not officially supported by Nord Keyboards / Clavia DMI AB. While we certainly hope this document is useful, none of the authors or contributors place any guarantees as to the accuracy of the data.

We contacted Nord Keyboards / Clavia DMI AB support about this project, and the answer was that they are fine with this project, and it can be published:)

https://ns3-program-viewer.herokuapp.com web application is the project behind this initiative. Source is located here: https://github.com/Chris55/ns3-program-viewer

Summary

- Disclaimer
- Contributors
- License
- Revision
- Nord Stage 2 File Structure
- Nord Stage 3 File Structure

Disclaimer

We are not affiliated, associated, endorsed by, or in any way officially connected with Nord Keyboards / Clavia DMI AB, or any of its subsidiaries or its affiliates. The official Nord Keyboards website can be found at https://www.nordkeyboards.com The names Nord and Clavia as well as related names, marks, emblems and images are registered trademarks of their respective owners.

Contributors

- Christian Florentz (@florence)
- Andreas Gallenmueller (@gaaal)
- Thanks to other NUF members: @cookie, @gordon, @rpossemo, @hobster

Revision

rev	date	description
0.1	23-Sep-2020	Draft version
0.2	$26 ext{-Sep-}2020$	Added Delay section
1.0	$27 ext{-}Sep-2020$	Added Amp Sim / Eq section and bumped to v1.0
1.1	xx-xxx-2020	Fixed NS3 Organ mapping (0x00DB was missing)
		Added NS3 missing Organ Preset II options
		Fixed NS3 Organ Morph implementation
		Added NS3 Synth Preset
		Fixed typo in offsets 0x011B, 0x011D, 0x011F, and 0x119
		Draft added Stage 2

License Rev 1.1 draft

License

This mapping is provided as-is under the MIT license.

Copyright (c) 2020 Christian Florentz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Nord Stage 3 File Structure

This mapping corresponds to the Nord Stage 3 program file (file extension ns3f).

The file version used is 3.04 (generated with OS v2.54), and the file length is 592 bytes. Some older versions have a length of 574 bytes and a smaller header.

Offset 0x04 defines the file format.

Each memory offset corresponds to an 8-bit value.

```
0x01 \text{ (hex)} = 00000001 \text{ -> bit } 0 \text{ is '1'}

0x84 \text{ (hex)} = 10000100 \text{ -> bit } 7 \text{ and } 2 \text{ are '1'}
```

In the documentation --xxxxx (b5-0) means Bit5 to Bit0.

offset	bits	description
0x0000	ccccccc	ascii C - 0x43, 4-byte Clavia ID
0x0001	ccccccc	ascii B - $0x42$
0x0002	ccccccc	ascii I - $0x49$
0x0003	ccccccc	ascii N - 0x4E
0x0004	ffffffff	(f) file format
0x0005		0
0x0006		0
0x0007		0
8000x0	ccccccc	ascii n - 0x6E, 4-byte NS3 Program file ID
0x0009	ccccccc	ascii s - $0x73$,
A000x0	ccccccc	ascii $3 - 0x33$,
0x000B	ccccccc	ascii f - $0x66$,
0x000C	bbbbbbbb	(b) bank lsb $(0 = A, 1 = B)$
0x000D		0
0x000E	11111111	(l) location lsb $(0 = 11, 1 = 12)$
0x000F		0
0x0010	ccccccc	(c) program category
0x0011		
0x0012		
0x0013		
0x0014	iiiiiiii	(i) file version (16-bit)
0x0015	iiiiiiii	
0x0016		
0x0017		
0x0018	ccccccc	(c) CRC1 (32-bit)
0x0019	ccccccc	
0x001A	ccccccc	
0x001B	ccccccc	
0x001C		
0x001D		
0x001E		
0x001F		
0x0020		
0x0021		
0x0022		
0x0023		
0x0024		
0x0025		
0x0026		
0x0027		
0x0028		
0x0029		
0x002A		
0x002B		
0x002C		0
0x002D		0

offset	bits	description
0x002E		version 16-bit integer value in Big Endian format
	VVVVVVV	version 10-bit integer value in Dig Endian format
0x002F	vvvvvvv	11
0x0030		
0x0031	pppsssss	(p) panel, (s) split
0x0032	SSSSSSSS	
0x0033	SSSSSSSS	
0x0034	sddpvvvr	(d) piano layer detune, (p) organ pitch stick, (v) organ vibrato mode, (r) rotary speaker speed
0x0035	mwwwaaap	(m) rotary speaker stop mode, (w) rotary speaker speed morph wheel, (a) rotary speaker speed morph after touch, (p) rotary speaker speed morph control pedal
0x0036	pp	
0x0037		
0x0038	tttttccc	(t) transpose, (c) master clock rate
0x0039	ccccddd	(d) rotary speaker drive
0x003A	ddddk-ss	(k) dual keyboard, (s) dual keyboard style
0x003B		
0x003C		
0x003D		
0x003E		
0x003F		
0x0040		
0x0041		
0x0042		
0x0043	ozzzzvvv	(o) piano on, (z) piano kb zone, (v) piano volume
0x0044	VVVVWWWW	(w) piano volume morph wheel
0x0045	wwwwaaaa	(a) piano volume morph after touch
0x0046	aaaapppp	(p) piano volume morph control pedal
0x0047	ppppoooo	(o) piano octave shift
0x0047	pstttmmm	(p) piano pitch stick, (s) piano sustain pedal, (t) piano type, (m) piano model
0x0049	mmvviiii	(v) piano sample variation, (i) piano sample name
0x0045	iiiiiiii	(v) plano sample variation, (i) plano sample name
0x004R	iiiiiiii	
0x004B	iiiiiiiii	
0x0040	iiiisrpk	(s) piano soft release,(r) piano string resonance, (p) piano pedal noise, (k) piano kb
	_	touch
0x004E	k-ttt	(t) piano timbre
0x004F		
0x0050		
0x0051		
0x0052	OZZZZVVV	(o) synth on, (z) synth kb zone, (v) synth volume
0x0053	VVVVWWWW	(w) synth volume morph wheel
0x0054	wwwwaaaa	(a) synth volume morph after touch
0x0055	aaaapppp	(p) synth volume morph control pedal
0x0056	ppppoooo	(o) synth octave shift
0x0057	psiiiiii	(p) synth pitch stick, (s) synth sustain pedal, (i) synth preset location
0x0058	iiiicccc	(c) synth preset name
0x0059	ccccccc	
0x005A	ccccccc	
0x005B	ccccccc	
0x005C	ccccccc	
0x005D	ccccccc	
0x005E	ccccccc	
0x005F	ccccccc	
0x0060	ccccccc	
0x0061	ccccccc	
0x0062	ccccccc	
0x0063	ccccccc	
0x0064	ccccccc	
0x0065	ccccccc	

offset	bits	description
0x0066	ccccccc	
0x0067	ccccccc	
0x0068	ccccccc	
0x0069	ccccccc	
0x006A	ccccccc	
0x006B	ccccccc	
0x006C	ccccccc	
0x006D	ccccccc	
0x006E	cccc	
0x006F		
0x0070		
0x0071		
0x0072		
0x0073		
0x0074		
0x0075		
0x0076		
0x0077		
0x0078	cccc	(i) CRC2 (32-bit)
0x0079	ccccccc	
0x007A	ccccccc	
0x007B	ccccccc	
0x007C	cccc	
0x007D		
0x007E		
0x007F		
0x0080	hosrrppc	(h) synth kh hold, (o) synth arp on, (o) synth arp kb sync, (r) synth arp range, (p)
		synth arp pattern, (c) synth arp master clock
0x0081	rrrrrrw	(r) synth arp rate, (w) synth arp rate morph wheel
0x0082	wwwwwwwa	(a) synth arp rate morph after touch
0x0083	aaaaaaap	(p) synth arp rate morph control pedal
0x0084	pppppppv	(v) synth voice
0x0085	vggggggg	(g) synth glide
0x0086	uuvvvlll	(g) synth unison, (v) synth vibrato, (l) synth lfo wave
0x0087	mrrrrrrr	(m) synth lfo master clock, (r) synth lfo rate
0x0088	WWWWWWW	(w) synth lfo rate morph wheel
0x0089	aaaaaaaa	(a) synth lfo rate morph after touch
A800x0	pppppppp	(r) synth lfo rate control pedal
0x008B	aaaaaaad	(a) synth mod env attack, (d) synth mod env decay
0x008C	ddddddrr	(a) synth mod env release
0x008D	rrrrvtt	(v) synth mod env velocity, (t) synth oscillator type
0x008E	twwwwwww	(w) synth oscillator 1 wave form
0x008F	ww-ccccp	(c) synth oscillator config, (c) synth pitch
0x0090	ppppplll	(l) synth oscillator control
0x0091	1111wwww	(w) synth oscillator control morph wheel
0x0092	wwwwaaaa	(a) synth oscillator control morph after touch
0x0093	aaaapppp	(p) synth oscillator control morph control pedal
0x0094	ppppllll	(l) synth Ifo mod env
0x0095 0x0096	lllwwwww wwwaaaaa	(w) synth lfo mod env morph wheel (a) synth lfo mod env morph after touch
0x0096 0x0097		(a) synth no mod env morph after touch (p) synth lfo mod env morph control pedal
0x0097 0x0098	aaappppp ppptttff	(t) synth filter type, (f) synth filter freq
0x0098	fffffwww	(w) synth filter freq morph wheel
0x0099 0x009A	wwwwwaaa	(a) synth filter freq morph after touch
0x009A 0x009B	aaaaappp	(a) synth inter freq morph after touch (b) synth filter freq morph control pedal
0x009B	ppppphhh	(h) synth filter hp freq res
0x009C	hhhhwwww	(w) synth filter hp freq res morph wheel
0x009E	wwwwaaaa	(a) synth filter hp freq res morph after touch
0x009F	aaaapppp	(p) synth filter hp freq res morph control pedal
		(r) -v

offset	bits	description
0x00A0	ppppllll	(l) synth filter lfo amount
0x00A1	lllwwwww	(w) synth filter lfo amount morph wheel
0x00A2	wwwaaaaa	(a) synth filter lfo amount morph after touch
0x00A3	aaappppp	(p) synth filter lfo amount morph control pedal
0x00A4	pppmmmmm	(m) synth filter vel mod env amount
0x00A5	mmttddaa	(t) synth filter kb track, (d) synth filter drive, (a) synth amp env attack
0x00A6	aaaaaddd	(d) synth amp env decay
0x00A7	ddddrrrr	(r) synth amp env release
0x00A8	rrrvvsss	(r) synth amp env velocity, (s) synth sample id
0x00A9	SSSSSSS	(1) by non-tamp on volocity, (b) by non-tample re
OxOOAA	SSSSSSS	
0x00AB	SSSSSSS	
0x00AC	sssssf	(f) synth fast attack
OxOOAD		0
0x00AE		0
0x00AF		0
0x00H1		0
0x00B0		0
0x00B1 0x00B2		0
0x00B2		0
0x00B4		0
0x00B1		07
0x00B6	OZZZZVVV	(o) organ on, (z) organ kb zone, (v) organ volume
0x00B7	VVVVWWWW	(w) organ volume morph wheel
0x00B8	wwwwaaaa	(a) organ volume morph after touch
0x00B9	aaaapppp	(p) organ volume morph control pedal
0x00BA	ppppoooo	(o) organ octave shift
0x00BB	stttlp	(s) organ sustain-pedal,(t) organ type, (l) organ live mode, (p) organ preset 2 on
0x00BC		0
0x00BD		1A
0x00BE	1111wwww	organ preset 1 drawbar (1), (w) organ preset 1 drawbar 1 morph wheel
0x00BF	waaaaapp	(a) organ preset 1 drawbar 1 morph after touch, (p) organ preset 1 drawbar 2 morph
0110021	aaaaapp	control pedal
0x00C0	ppp2222w	organ preset 1 drawbar (2), (w) organ preset 1 drawbar 2 morph wheel
0x00C1	wwwwaaaa	(a) organ preset 1 drawbar 2 morph after touch
0x00C2	appppp33	(p) organ preset 1 drawbar 2 morph control pedal, organ preset 1 drawbar (3),
0x00C3	33wwwwwa	(w) organ preset 1 drawbar 3 morph wheel, (a) organ preset 1 drawbar 3 morph
		after touch
0x00C4	aaaapppp	(p) organ preset 1 drawbar 3 morph control pedal
0x00C5	p4444www	organ preset 1 drawbar (4), (w) organ preset 1 drawbar 4 morph wheel
0x00C6	wwaaaaap	(a) organ preset 1 drawbar 4 morph after touch, (p) organ preset 1 drawbar 4 morph
	•	control pedal,
0x00C7	pppp5555	organ preset 1 drawbar (5),
0x00C8	wwwwwaaa	(w) organ preset 1 drawbar 5 morph wheel, (a) organ preset 1 drawbar 5 morph
		after touch
0x00C9	aappppp6	(p) organ preset 1 drawbar 5 morph control pedal, organ preset 1 drawbar (6),
0x00CA	666wwwww	(w) organ preset 1 drawbar 6 morph wheel
0x00CB	aaaaappp	(a) organ preset 1 drawbar 6 morph after touch, (p) organ preset 1 drawbar 6 morph
		control pedal
0x00CC	pp7777ww	organ preset 1 drawbar (7), (w) organ preset 1 drawbar 7 morph wheel
0x00CD	wwwaaaaa	(a) organ preset 1 drawbar 7 morph after touch
0x00CE	ppppp888	(p) organ preset 1 drawbar 7 morph control pedal, organ preset 1 drawbar (8),
0x00CF	8wwwwwaa	(w) organ preset 1 drawbar 8 morph wheel, (a) organ preset 1 drawbar 8 morph
		after touch
0x00D0	aaappppp	(p) organ preset 1 drawbar 8 morph control pedal
0x00D1	9999www	organ preset 1 drawbar (9), (w) organ preset 1 drawbar 9 morph wheel
0x00D2	waaaaacc	(a) organ preset 1 drawbar 9 morph after touch, (c) organ preset 1 drawbar 9 morph
		control pedal

offset	bits	description
0x00D3	cccvphds	(v) organ vibrato on, (p) organ percussion on, (h) organ percussion harmonic third, (d) organ percussion decay fast, (s) organ percussion volume soft
0x00D4		
0x00D5		
0x00D6		0
0x00D7		
0x00D8		1A
0x00D9	1111wwww	organ preset 2 drawbar (1), (w) organ preset 2 drawbar 1 morph wheel
0x00DA	waaaaapp	(a) organ preset 2 drawbar 1 morph after touch, (p) organ preset 2 drawbar 2 morph control pedal
0x00DB	ppp2222w	organ preset 2 drawbar (2), (w) organ preset 2 drawbar 2 morph wheel
0x00DC	wwwwaaaa	(a) organ preset 2 drawbar 2 morph after touch
0x00DD	appppp33	(p) organ preset 2 drawbar 2 morph control pedal, organ preset 2 drawbar (3),
0x00DE	ЗЗwwwwwa	(w) organ preset 2 drawbar 3 morph wheel, (a) organ preset 2 drawbar 3 morph after touch
0x00DF	aaaapppp	(p) organ preset 2 drawbar 3 morph control pedal
0x00E0	p4444www	organ preset 2 drawbar (4), (w) organ preset 2 drawbar 4 morph wheel
0x00E1	wwaaaaap	(a) organ preset 2 drawbar 4 morph after touch, (p) organ preset 2 drawbar 4 morph control pedal,
0x00E2	pppp5555	organ preset 2 drawbar (5),
0x00E3	wwwwwaaa	(w) organ preset 2 drawbar 5 morph wheel, (a) organ preset 2 drawbar 5 morph after touch
0x00E4	aappppp6	(p) organ preset 2 drawbar 5 morph control pedal, organ preset 2 drawbar (6),
0x00E5	666wwwww	(w) organ preset 2 drawbar 6 morph wheel
0x00E6	aaaaappp	(a) organ preset 2 drawbar 6 morph after touch, (p) organ preset 2 drawbar 6 morph control pedal
0x00E7	pp7777ww	organ preset 2 drawbar (7), (w) organ preset 2 drawbar 7 morph wheel
0x00E8	wwwaaaaa	(a) organ preset 2 drawbar 7 morph after touch
0x00E9	ppppp888	(p) organ preset 2 drawbar 7 morph control pedal, organ preset 2 drawbar (8),
OxOOEA	8wwwwwaa	(w) organ preset 2 drawbar 8 morph wheel, (a) organ preset 2 drawbar 8 morph after touch
0x00EB	aaappppp	(p) organ preset 2 drawbar 8 morph control pedal
0x00EC	9999wwww	organ preset 2 drawbar (9), (w) organ preset 2 drawbar 9 morph wheel
0x00ED	waaaaacc	(a) organ preset 2 drawbar 9 morph after touch, (c) organ preset 2 drawbar 9 morph control pedal
0x00EE	cccvphds	(v) organ preset 2 vibrato on, (p) organ preset 2 percussion on, (v) organ preset 2 percussion harmonic third, (v) organ preset 2 percussion decay fast, (v) organ preset 2 percussion volume soft
0x00EF		
0x00F0		
0x00F1		
0x00F2		
0x00F3		
0x00F4	ozzzss	(o) extern on, (z) extern kb zone, (s) extern octave shift
0x00F5	s	
0x00F6	psmm	(p) extern pitch stick, (s) extern sustain pedal, (m) extern midi control
0x00F7	A	(v) extern midi cc
0x00F8	VVVVVWW	(w) extern midi cc morph wheel
0x00F9	wwwwwwaa	(a) extern midi cc morph after touch
OxOOFA	aaaaaapp	(p) extern midi cc morph control pedal
0x00FB	pppppp	
0x00FC		
0x00FD	A	(v) extern midi program
0x00FE	wwwwwwaa	(a) extern midi program after touch
0x00FF	aaaaaapp	(p) extern midi program control pedal
0x0100	pppppp	
0x0101	V	(v) extern volume
0x0102	VVVVVWW	(w) extern volume morph wheel
0x0103	wwwwwwaa	(a) extern volume morph after touch

offset	bits	description
0x0104	aaaaaapp	(p) extern volume morph control pedal
0x0105	pppppp	
0x0106		
0x0107		
0x0108		
0x0109		
0x010A		
0x010B	ossnrrtt	(o) rotary speaker on, (s) rotary speaker source, (n) effect 1 on, (r) effect-1-source, (t) effect 1 type
0x010C	tcrrrrrr	(c) effect 1 master clock, (r) effect 1 rate
0x010D	rwwwwww	(w) effect 1 rate morph wheel
0x010E	waaaaaaa	(a) effect 1 rate morph after touch
0x010F	appppppp	(p) effect 1 rate morph control pedal
0x0110	paaaaaaa	(a) effect 1 amount
0x0111	WWWWWWW	(w) effect 1 amount morph wheel
0x0112	aaaaaaaa	(a) effect 1 amount morph after touch
0x0113	pppppppp	(p) effect 1 amount morph control pedal
0x0114	osstttrr	(o) effect 2 on, (s) effect 2 source, (t) effect 2 type, (r) effect 2 rate
0x0115	rrrraaa	(a) effect 2 amount
0x0116	aaaawwww	(w) effect 2 amount morph wheel
0x0117	wwwwaaaa	(a) effect 2 amount morph after touch
0x0118	aaaapppp	(p) effect 2 amount morph control pedal
0x0119	ppppossm	(o) delay on, (s) delay source, (m) delay master clock
0x011A	ttttttx	(t) delay tempo, (x) delay tempo lsw
0x011B	XXXXXWW	(w) delay tempo morph wheel
0x011C	WWWWWWXX	(x) delay tempo morph wheel lsw
0x011D	xxxxxaaa	(a) delay tempo morph after touch
0x011E	aaaaaxxx	(x) delay tempo morph after touch lsw
0x011F	xxxxcccc	(c) delay tempo morph control pedal
0x0120	ccccxxxx	(x) delay tempo morph control pedal lsw
0x0121	xxxmmmmm	(t) delay mix
0x0122	mmwwwww	(w) delay mix morph wheel
0x0123	wwaaaaaa	(a) delay mix morph after touch
0x0124	aapppppp	(p) delay mix morph control pedal
0x0125	ppoffbbb	(o) delay ping pong, (f) delay filter, (b) delay feedback
0x0126	bbbbwwww	(w) delay feedback morph wheel
0x0127	wwwwaaaa	(a) delay feedback morph after touch
0x0128	aaaapppp	(p) delay feedback morph control pedal
0x0129	ppppaoss	(a) delay analog mode, (o) amp sim eq on, (s) amp sim eq source
0x012A	aaattttt	(a) amp sim eq amp type, (a) amp sim eq treble
0x012B	ttmmmmmm	(m) amp sim eq mid res
0x012C	mbbbbbbb	(m) amp sim eq bass dry wet
0x012D	fffffffw	(f) amp sim eq mid flt freq
0x012E	wwwwwwa	(f) amp sim eq mid flt freq morph wheel
0x012F	aaaaaaap	(f) amp sim eq mid flt freq morph after touch
0x0130	pppppppd	(f) amp sim eq mid flt freq morph control pedal, (d) amp sim eq drive
0x0131	ddddddww	(w) amp sim eq drive morph wheel
0x0132	wwwwwwaa	(a) amp sim eq drive morph after touch
0x0133	aaaaaapp	(p) amp sim eq drive morph control pedal
0x0134	ppppppot	(o) reverb on, (t) reverb type
0x0135	ttbrrrrr	(o) reverb bright, (r) reverb amount
0x0136	rrwwwww	(w) reverb amount morph wheel
0x0137	wwaaaaaa	(a) reverb amount morph after touch
0x0138	aapppppp	(p) reverb amount morph control pedal
0x0139	рроссссс	(o) compressor on, (c) compressor amount
0x013A	ccf	(f) compressor fast
0x013B		Piano Panel B, same as offset 0x34, offset from Panel A is 0x107 (263 bytes)
0x013C		(200 %) (000)

Unofficial Nord Stage 2 and 3 Program File Documentation

offset	bits	description
0x0240		
0x0241		end of Panel B
0x0242		0
0x0243		0
0x0244		0
0x0245		0
0x0246		0
0x0247		0
0x0248		0
0x0249		0
0x024A		5
0x024B		0
0x024C		0
0x024D		0
0x024E		0
0x024F		0

NS3 Extern On

Offset in file: 0xF4 (b7)

0 = off, 1 = on

NS3 Extern Kb Zone

Offset in file: 0xF4 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Extern Octave Shift

Offset in file: 0xF4 (b1-0) and 0xF5 (b7)

Octave Shift = value - 6

NS3 Extern Pitch Stick

Offset in file: 0xF6 (b7)

0 = off, 1 = on

NS3 Extern Sustain Pedal

Offset in file: 0xF6 (b6)

0 = off, 1 = on

NS3 Extern Midi Control

Offset in file: 0xF6 (b1-0)

O = Midi CC

1 = Program

2 = Volume

NS3 Extern Midi CC

Offset in file: 0xF7 (b0) and 0xF8 (b7-2)

07-bit value = 0/127

NS3 Extern Midi Program

Offset in file: 0xFD (b0) and 0xFE (b7-2)

07-bit value = 0/127

NS3 Extern Volume

Offset in file: 0x101 (b0) and 0x102 (b7-2)

07-bit value = 0/127

NS3 Amp Sim Eq On

Offset in file: 0x129 (b2)

0 = off, 1 = on

NS3 Amp Sim Eq Source

```
Offset in file: 0x10B (b3-2)
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Amp Sim Eq Amp Type

```
Offset in file: 0x12A (b7-5)

0 = Clean

1 = Twin

2 = JC

3 = Small

4 = LP24

5 = HP24
```

NS3 Amp Sim Eq Treble

27 = -8.2 dB 28 = -8.0 dB 29 = -7.8 dB 30 = -7.5 dB 31 = -7.2 dB 32 = -7.0 dB 33 = -6.8 dB 34 = -6.5 dB 35 = -6.2 dB 36 = -6.0 dB

```
Offset in file: 0x12A (b4-0) and 0x12B (b7-6)
```

```
treble (fixed 4 kHz) frequency boost/cut table:
   0 = -15.0 \text{ dB}
   1 = -14.8 \text{ dB}
   2 = -14.5 \text{ dB}
   3 = -14.2 \text{ dB}
   4 = -14.0 \text{ dB}
   5 = -13.8 \text{ dB}
   6 = -13.5 \text{ dB}
   7 = -13.2 \text{ dB}
   8 = -13.0 \text{ dB}
   9 = -12.8 \text{ dB}
   10 = -12.5 \text{ dB}
   11 = -12.2 \text{ dB}
   12 = -12.0 \text{ dB}
   13 = -11.8 \text{ dB}
   14 = -11.5 \text{ dB}
   15 = -11.2 \text{ dB}
   16 = -11.0 \text{ dB}
   17 = -10.8 \text{ dB}
   18 = -10.5 \text{ dB}
   19 = -10.2 \text{ dB}
   20 = -10.0 \text{ dB}
   21 = -9.8 \text{ dB}
   22 = -9.5 \text{ dB}
   23 = -9.2 \text{ dB}
   24 = -9.0 \text{ dB}
   25 = -8.8 \text{ dB}
   26 = -8.5 \text{ dB}
```

- 37 = -5.8 dB38 = -5.5 dB
- 39 = -5.2 dB
- 40 = -5.0 dB
- 41 = -4.8 dB
- 42 = -4.5 dB
- 43 = -4.2 dB
- 44 = -4.0 dB
- 45 = -3.8 dB
- 46 = -3.5 dB
- 47 = -3.2 dB
- 48 = -3.0 dB
- 49 = -2.8 dB
- 50 = -2.5 dB
- 51 = -2.2 dB52 = -2.0 dB
- 53 = -1.8 dB
- 54 = -1.5 dB
- 55 = -1.2 dB
- 56 = -1.0 dB
- 57 = -0.8 dB58 = -0.5 dB
- 59 = -0.2 dB
- 60 = 0.0 dB
- 61 = +0.2 dB
- 62 = +0.5 dB
- 63 = +0.8 dB
- 64 = +1.0 dB
- 65 = +1.2 dB
- 66 = +1.5 dB
- 67 = +1.8 dB
- 68 = +2.0 dB
- 69 = +2.2 dB
- 70 = +2.5 dB
- 71 = +2.8 dB
- 72 = +3.0 dB
- 73 = +3.2 dB
- 74 = +3.5 dB
- 75 = +3.8 dB
- 76 = +4.0 dB
- 77 = +4.2 dB
- 78 = +4.5 dB
- 79 = +4.8 dB
- 80 = +5.0 dB
- 81 = +5.2 dB
- 82 = +5.5 dB83 = +5.8 dB
- 84 = +6.0 dB
- 85 = +6.2 dB
- 86 = +6.5 dB
- 87 = +6.8 dB
- 88 = +7.0 dB
- 89 = +7.2 dB
- 90 = +7.5 dB91 = +7.8 dB
- 92 = +8.0 dB
- 93 = +8.2 dB
- 94 = +8.5 dB
- 95 = +8.8 dB
- 96 = +9.0 dB
- 97 = +9.2 dB

```
98 = +9.5 \text{ dB}
99 = +9.8 \text{ dB}
100 = +10.0 \text{ dB}
101 = +10.2 dB
102 = +10.5 \text{ dB}
103 = +10.8 \text{ dB}
104 = +11.0 \text{ dB}
105 = +11.2 dB
106 = +11.5 \text{ dB}
107 = +11.8 \text{ dB}
108 = +12.0 \text{ dB}
109 = +12.2 \text{ dB}
110 = +12.5 \text{ dB}
111 = +12.8 \text{ dB}
112 = +13.0 \text{ dB}
113 = +13.2 \text{ dB}
114 = +13.5 \text{ dB}
115 = +13.8 \text{ dB}
116 = +14.0 \text{ dB}
117 = +14.2 \text{ dB}
118 = +14.5 \text{ dB}
119 = +14.8 \text{ dB}
120 = +15.0 \text{ dB}
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF
```

NS3 Amp Sim Eq Mid Res

```
Offset in file: 0x12B (b5-0) and 0x12C (b7)
```

```
if Amp Type is LP24 or HP24 filter resonance = 0 to 10
else middle frequency boost/cut table:
   0 = -15.0 \text{ dB}
   1 = -14.8 \text{ dB}
   2 = -14.5 \text{ dB}
   3 = -14.2 \text{ dB}
   4 = -14.0 \text{ dB}
   5 = -13.8 \text{ dB}
   6 = -13.5 \text{ dB}
   7 = -13.2 \text{ dB}
   8 = -13.0 \text{ dB}
   9 = -12.8 \text{ dB}
   10 = -12.5 \text{ dB}
   11 = -12.2 \text{ dB}
   12 = -12.0 \text{ dB}
   13 = -11.8 \text{ dB}
   14 = -11.5 \text{ dB}
   15 = -11.2 \text{ dB}
   16 = -11.0 \text{ dB}
   17 = -10.8 \text{ dB}
   18 = -10.5 \text{ dB}
   19 = -10.2 \text{ dB}
   20 = -10.0 \text{ dB}
   21 = -9.8 \text{ dB}
   22 = -9.5 \text{ dB}
   23 = -9.2 \text{ dB}
```

- 24 = -9.0 dB25 = -8.8 dB
- 26 = -8.5 dB
- 27 = -8.2 dB
- 28 = -8.0 dB
- 29 = -7.8 dB
- 30 = -7.5 dB
- 31 = -7.2 dB
- 32 = -7.0 dB
- 33 = -6.8 dB
- 34 = -6.5 dB
- 35 = -6.2 dB
- 36 = -6.0 dB
- 37 = -5.8 dB
- 38 = -5.5 dB
- 39 = -5.2 dB
- 40 = -5.0 dB
- 41 = -4.8 dB
- 42 = -4.5 dB
- 43 = -4.2 dB
- 44 = -4.0 dB
- 45 = -3.8 dB
- 46 = -3.5 dB
- 47 = -3.2 dB
- 48 = -3.0 dB
- 49 = -2.8 dB
- 50 = -2.5 dB
- 51 = -2.2 dB
- 52 = -2.0 dB53 = -1.8 dB
- 54 = -1.5 dB
- 55 = -1.2 dB
- 56 = -1.0 dB
- 57 = -0.8 dB
- 58 = -0.5 dB
- 59 = -0.2 dB
- 60 = 0.0 dB
- 61 = +0.2 dB
- 62 = +0.5 dB
- 63 = +0.8 dB
- 64 = +1.0 dB65 = +1.2 dB
- 66 = +1.5 dB
- 67 = +1.8 dB
- 68 = +2.0 dB
- 69 = +2.2 dB
- 70 = +2.5 dB
- 71 = +2.8 dB
- 72 = +3.0 dB
- 73 = +3.2 dB
- 74 = +3.5 dB75 = +3.8 dB
- 76 = +4.0 dB
- 77 = +4.2 dB
- 78 = +4.5 dB
- 79 = +4.8 dB
- 80 = +5.0 dB81 = +5.2 dB
- 82 = +5.5 dB
- 83 = +5.8 dB
- 84 = +6.0 dB

```
85 = +6.2 \text{ dB}
   86 = +6.5 \text{ dB}
   87 = +6.8 \text{ dB}
   88 = +7.0 \text{ dB}
   89 = +7.2 \text{ dB}
   90 = +7.5 \text{ dB}
   91 = +7.8 \text{ dB}
   92 = +8.0 \text{ dB}
   93 = +8.2 \text{ dB}
   94 = +8.5 \text{ dB}
   95 = +8.8 \text{ dB}
   96 = +9.0 \text{ dB}
   97 = +9.2 \text{ dB}
   98 = +9.5 \text{ dB}
   99 = +9.8 \text{ dB}
   100 = +10.0 \text{ dB}
   101 = +10.2 \text{ dB}
   102 = +10.5 \text{ dB}
   103 = +10.8 \text{ dB}
   104 = +11.0 \text{ dB}
   105 = +11.2 \text{ dB}
   106 = +11.5 \text{ dB}
   107 = +11.8 \text{ dB}
   108 = +12.0 \text{ dB}
   109 = +12.2 \text{ dB}
   110 = +12.5 \text{ dB}
   111 = +12.8 \text{ dB}
   112 = +13.0 \text{ dB}
   113 = +13.2 \text{ dB}
   114 = +13.5 \text{ dB}
   115 = +13.8 \text{ dB}
   116 = +14.0 \text{ dB}
   117 = +14.2 \text{ dB}
   118 = +14.5 \text{ dB}
   119 = +14.8 \text{ dB}
   120 = +15.0 \text{ dB}
   121 = UNDEF
   122 = UNDEF
   123 = UNDEF
   124 = UNDEF
   125 = UNDEF
   126 = UNDEF
   127 = UNDEF
NS3 Amp Sim Eq Bass Dry Wet
Offset in file: 0x12C (b6-0)
```

10 = -12.5 dB

```
if Amp Type is LP24 or HP24 filter dry / wet = 0 to 10
else bass (fixed 100 Hz) frequency boost/cut table:
  0 = -15.0 \text{ dB}
  1 = -14.8 \text{ dB}
  2 = -14.5 \text{ dB}
  3 = -14.2 \text{ dB}
  4 = -14.0 \text{ dB}
  5 = -13.8 \text{ dB}
  6 = -13.5 \text{ dB}
  7 = -13.2 \text{ dB}
  8 = -13.0 \text{ dB}
  9 = -12.8 \text{ dB}
```

- 11 = -12.2 dB
- 12 = -12.0 dB
- 13 = -11.8 dB
- 14 = -11.5 dB
- 15 = -11.2 dB
- 16 = -11.0 dB
- 17 = -10.8 dB
- 18 = -10.5 dB
- 19 = -10.2 dB
- 10.2 db
- 20 = -10.0 dB
- 21 = -9.8 dB
- 22 = -9.5 dB
- 23 = -9.2 dB
- 24 = -9.0 dB
- 25 = -8.8 dB
- 26 = -8.5 dB
- 27 = -8.2 dB
- 28 = -8.0 dB
- 29 = -7.8 dB
- 30 = -7.5 dB
- 31 = -7.2 dB
- 32 = -7.0 dB
- 33 = -6.8 dB
- 34 = -6.5 dB
- 35 = -6.2 dB
- 36 = -6.0 dB
- 37 = -5.8 dB
- 38 = -5.5 dB
- 39 = -5.2 dB
- 40 = -5.0 dB
- 41 = -4.8 dB
- 42 = -4.5 dB
- 43 = -4.2 dB
- 44 = -4.0 dB
- 45 = -3.8 dB
- 46 = -3.5 dB
- 47 = -3.2 dB
- 48 = -3.0 dB
- 49 = -2.8 dB
- 50 = -2.5 dB
- 51 = -2.2 dB52 = -2.0 dB
- 53 = -1.8 dB
- 54 = -1.5 dB
- 55 = -1.2 dB
- 56 = -1.0 dB
- 57 = -0.8 dB
- 58 = -0.5 dB
- 59 = -0.2 dB
- 60 = 0.0 dB
- 61 = +0.2 dB
- 62 = +0.5 dB63 = +0.8 dB
- 64 = +1.0 dB
- 65 = +1.2 dB
- 66 = +1.5 dB
- 67 = +1.8 dB
- 68 = +2.0 dB
- 69 = +2.2 dB70 = +2.5 dB
- 71 = +2.8 dB

72 = +3.0 dB73 = +3.2 dB74 = +3.5 dB75 = +3.8 dB76 = +4.0 dB77 = +4.2 dB78 = +4.5 dB79 = +4.8 dB80 = +5.0 dB81 = +5.2 dB82 = +5.5 dB83 = +5.8 dB84 = +6.0 dB85 = +6.2 dB86 = +6.5 dB87 = +6.8 dB88 = +7.0 dB89 = +7.2 dB90 = +7.5 dB91 = +7.8 dB92 = +8.0 dB93 = +8.2 dB94 = +8.5 dB95 = +8.8 dB96 = +9.0 dB97 = +9.2 dB98 = +9.5 dB99 = +9.8 dB100 = +10.0 dB101 = +10.2 dB102 = +10.5 dB103 = +10.8 dB104 = +11.0 dB105 = +11.2 dB106 = +11.5 dB107 = +11.8 dB108 = +12.0 dB109 = +12.2 dB110 = +12.5 dB111 = +12.8 dB112 = +13.0 dB113 = +13.2 dB114 = +13.5 dB115 = +13.8 dB116 = +14.0 dB117 = +14.2 dB118 = +14.5 dB119 = +14.8 dB120 = +15.0 dB121 = UNDEF122 = UNDEF 123 = UNDEF 124 = UNDEF125 = UNDEF 126 = UNDEF

NS3 Amp Sim Eq Mid Flt Freq

Offset in file: 0x12D (b7-1)

127 = UNDEF

See: Organ Volume for detailed Morph explanation.

7-bit value 0/127 = 200 Hz to 8.0 kHz

- 0 = 200 Hz
- 1 = 205 Hz
- 2 = 210 Hz
- 3 = 215 Hz
- 4 = 221 Hz
- 5 = 226 Hz
- 6 = 232 Hz
- 7 = 238 Hz
- 8 = 244 Hz
- ---
- 9 = 250 Hz
- 10 = 257 Hz11 = 263 Hz
- 11 205 112
- 12 = 270 Hz
- 13 = 277 Hz14 = 284 Hz
- 14 204 112
- 15 = 291 Hz
- 16 = 299 Hz
- 17 = 306 Hz
- 18 = 314 Hz
- 19 = 322 Hz
- 20 = 330 Hz
- 21 = 339 Hz
- 22 = 347 Hz
- 23 = 356 Hz
- 24 = 365 Hz25 = 375 Hz
- 26 = 384 Hz
- 27 = 394 Hz
- 28 = 404 Hz
- 29 = 414 Hz
- 30 = 425 Hz
- 31 = 436 Hz
- 32 = 447 Hz33 = 458 Hz
- 34 = 470 Hz
- 35 = 482 Hz
- 36 = 494 Hz
- 37 = 507 Hz
- 38 = 520 Hz
- 39 = 533 Hz
- 40 = 546 Hz
- 41 = 560 Hz
- 42 = 575 Hz
- 43 = 589 Hz
- 44 = 604 Hz
- 45 = 620 Hz
- 46 = 635 Hz47 = 652 Hz
- 48 = 668 Hz
- 49 = 685 Hz
- 50 = 703 Hz
- 51 = 721 Hz
- 52 = 739 Hz
- 53 = 758 Hz 54 = 777 Hz
- 55 = 797 Hz
- 56 = 817 Hz

- 57 = 838 Hz
- 58 = 859 Hz
- 59 = 881 Hz
- 60 = 904 Hz
- 61 = 927 Hz
- 62 = 950 Hz
- 63 = 975 Hz
- 64 = 999 Hz
- 65 = 1.0 kHz
- 66 = 1.1 kHz
- 67 = 1.1 kHz
- 68 = 1.1 kHz
- 69 = 1.2 kHz
- 70 = 1.2 kHz
- 71 = 1.3 kHz
- 72 = 1.3 kHz
- 73 = 1.3 kHz
- 74 = 1.4 kHz
- 75 = 1.4 kHz
- 76 = 1.5 kHz
- 77 = 1.5 kHz
- 78 = 1.6 kHz
- 79 = 1.6 kHz
- 80 = 1.7 kHz
- 81 = 1.8 kHz
- 82 = 1.8 kHz
- 83 = 1.9 kHz
- 84 = 1.9 kHz
- 85 = 2.0 kHz
- 86 = 2.1 kHz
- 87 = 2.1 kHz
- 88 = 2.2 kHz
- 89 = 2.3 kHz
- 90 = 2.4 kHz
- 91 = 2.4 kHz
- 92 = 2.5 kHz93 = 2.6 kHz
- 94 = 2.7 kHz
- 95 = 2.8 kHz
- 96 = 2.9 kHz97 = 3.0 kHz
- 98 = 3.1 kHz
- 99 = 3.2 kHz
- 100 = 3.3 kHz
- 101 = 3.4 kHz
- 102 = 3.5 kHz
- 103 = 3.6 kHz
- 104 = 3.7 kHz
- 105 = 3.9 kHz
- 106 = 4.0 kHz
- 107 = 4.1 kHz108 = 4.3 kHz
- 109 = 4.4 kHz
- 110 = 4.6 kHz
- 111 = 4.7 kHz
- 112 = 4.9 kHz
- 113 = 5.0 kHz114 = 5.2 kHz
- 115 = 5.4 kHz
- 116 = 5.6 kHz
- 117 = 5.8 kHz

```
118 = 5.9 \text{ kHz}
  119 = 6.1 \text{ kHz}
  120 = 6.3 \text{ kHz}
  121 = 6.6 \text{ kHz}
  122 = 6.8 \text{ kHz}
  123 = 7.0 \text{ kHz}
  124 = 7.2 \text{ kHz}
  125 = 7.5 \text{ kHz}
  126 = 7.7 \text{ kHz}
  127 = 8.0 \text{ kHz}
Morph Wheel:
0x12D (b0): polarity (1 = positive, 0 = negative)
0x12E (b7-b1): 7-bit raw value
Morph After Touch:
0x12E (b0): polarity (1 = positive, 0 = negative)
0x12F (b7-b1): 7-bit raw value
Morph Control Pedal:
0x12F (b0): polarity (1 = positive, 0 = negative)
0x130 (b7-b1): 7-bit raw value
NS3 Amp Sim Eq Drive
Offset in file: 0x130 (b0) and 0x131 (b7-2)
See: Organ Volume for detailed Morph explanation.
7-bit value 0/127 = 0 to 10.0
Morph Wheel:
0x131 (b1): polarity (1 = positive, 0 = negative)
0x131 (b0) and 0x132 (b7-2): 7-bit raw value
Morph After Touch:
0x132 (b1): polarity (1 = positive, 0 = negative)
0x132 (b0) and 0x133 (b7-2): 7-bit raw value
Morph Control Pedal:
0x133 (b1): polarity (1 = positive, 0 = negative)
0x133 (b0) and 0x134 (b7-2): 7-bit raw value
NS3 Compressor On
Offset in file: 0x139 (b5)
0 = off, 1 = on
```

NS3 Compressor Amount

Offset in file: 0x139 (b4-0) and 0x13A (b7-6)7-bit value 0/127 = 0/10

NS3 Compressor Fast

Offset in file: 0x13A (b5)0 = off, 1 = on NS3 Delay On Rev 1.1 draft

NS3 Delay On

```
Offset in file: 0x119 (b3)
0 = off, 1 = on
```

NS3 Delay Source

```
Offset in file: 0x119 (b2-1)
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Delay Master Clock

```
Offset in file: 0x119 (b0)
0 = off, 1 = on
```

```
NS3 Delay Tempo
Offset in file:
tempo is using 14-bit
MSW 0x11A (b7-1): 7-bit value
0/127 = 1.5 \text{ s} to 20 ms (same as MIDI #CC 94, see table below)
LSW 0x11A (b0) and 0x11B (b7-2): 7-bit value
LSW used for fine tempo value (only used with Tag Tempo)
When Tempo knob is used, LSW is always 0, possible MSW value:
  0 = 1500, 1.5 \text{ s } 40 \text{ bpm } (1/4)
   1 = 1420, 1.42 \text{ s} 42 \text{ bpm} (1/4)
  2 = 1360, 1.36 \text{ s} 44 \text{ bpm} (1/4)
  3 = 1300, 1.30 \text{ s} 46 \text{ bpm} (1/4)
   4 = 1250, 1.25 \text{ s} 48 \text{ bpm} (1/4)
  5 = 1200, 1.20 \text{ s } 50 \text{ bpm } (1/4)
   6 = 1150, 1.15 \text{ s } 52 \text{ bpm } (1/4)
  7 = 1100, 1.11 \text{ s } 54 \text{ bpm } (1/4)
   8 = 1070, 1.07 \text{ s } 56 \text{ bpm } (1/4)
  9 = 1030, 1.03 \text{ s} 58 \text{ bpm} (1/4)
   10 = 1000, 1.00 \text{ s} 60 \text{ bpm} (1/4)
   11 = 952,952 \text{ ms } 63 \text{ bpm } (1/4)
   12 = 909,909 \text{ ms } 66 \text{ bpm } (1/4)
   13 = 870,870 \text{ ms } 69 \text{ bpm } (1/4)
   14 = 833,833 \text{ ms } 72 \text{ bpm } (1/4)
   15 = 789,789 \text{ ms } 76 \text{ bpm } (1/4)
   16 = 750,750 \text{ ms } 80 \text{ bpm } (1/4)
   17 = 732,732 \text{ ms } 82 \text{ bpm } (1/4)
   18 = 714,714 \text{ ms } 84 \text{ bpm } (1/4)
   20 = 682,682 \text{ ms } 88 \text{ bpm } (1/4)
  21 = 667,667 \text{ ms } 90 \text{ bpm } (1/4)
   22 = 652,652 \text{ ms } 92 \text{ bpm } (1/4)
   19 = 698,698 \text{ ms } 86 \text{ bpm } (1/4)
   23 = 638,638 \text{ ms } 94 \text{ bpm } (1/4)
```

```
24 = 625,625 \text{ ms } 96 \text{ bpm } (1/4)
25 = 612,612 \text{ ms } 98 \text{ bpm } (1/4)
26 = 600,600 \text{ ms } 100 \text{ bpm } (1/4)
27 = 588,588 \text{ ms } 102 \text{ bpm } (1/4)
28 = 577,577 \text{ ms } 104 \text{ bpm } (1/4)
29 = 566,566 \text{ ms } 106 \text{ bpm } (1/4)
30 = 556,556 \text{ ms } 108 \text{ bpm } (1/4)
31 = 545,545 \text{ ms } 110 \text{ bpm } (1/4)
32 = 541,541 \text{ ms } 111 \text{ bpm } (1/4)
33 = 536,536 \text{ ms } 112 \text{ bpm } (1/4)
34 = 531,531 \text{ ms } 113 \text{ bpm } (1/4)
35 = 526,526 \text{ ms } 114 \text{ bpm } (1/4)
36 = 522,522 \text{ ms } 115 \text{ bpm } (1/4)
37 = 517,517 \text{ ms } 116 \text{ bpm } (1/4)
38 = 513,513 \text{ ms } 117 \text{ bpm } (1/4)
39 = 508,508 \text{ ms } 118 \text{ bpm } (1/4)
40 = 504,504 \text{ ms } 119 \text{ bpm } (1/4)
41 = 500,500 \text{ ms } 120 \text{ bpm } (1/4)
42 = 496,496 \text{ ms } 121 \text{ bpm } (1/4)
43 = 492,492 \text{ ms } 122 \text{ bpm } (1/4)
44 = 488,488 \text{ ms } 123 \text{ bpm } (1/4)
45 = 484,484 \text{ ms } 124 \text{ bpm } (1/4)
46 = 480,480 \text{ ms } 125 \text{ bpm } (1/4)
47 = 476,476 \text{ ms } 126 \text{ bpm } (1/4)
48 = 472,472 \text{ ms } 127 \text{ bpm } (1/4)
49 = 469,469 \text{ ms } 128 \text{ bpm } (1/4)
50 = 465,465 \text{ ms } 129 \text{ bpm } (1/4)
51 = 462,462 \text{ ms } 130 \text{ bpm } (1/4)
52 = 458,458 \text{ ms } 131 \text{ bpm } (1/4)
53 = 455,455 \text{ ms } 132 \text{ bpm } (1/4)
54 = 451,451 \text{ ms } 133 \text{ bpm } (1/4)
55 = 448,448 \text{ ms } 134 \text{ bpm } (1/4)
56 = 444,444 \text{ ms } 135 \text{ bpm } (1/4)
57 = 441,441 \text{ ms } 136 \text{ bpm } (1/4)
58 = 438,438 \text{ ms } 137 \text{ bpm } (1/4)
59 = 435,435 \text{ ms } 138 \text{ bpm } (1/4)
60 = 432,432 \text{ ms } 139 \text{ bpm } (1/4)
61 = 429,429 \text{ ms } 140 \text{ bpm } (1/4)
62 = 423,423 \text{ ms } 142 \text{ bpm } (1/4)
63 = 417,417 \text{ ms } 144 \text{ bpm } (1/4)
64 = 411,411 \text{ ms } 146 \text{ bpm } (1/4)
65 = 405,405 \text{ ms } 148 \text{ bpm } (1/4)
66 = 400,400 \text{ ms } 150 \text{ bpm } (1/4)
67 = 395,395 \text{ ms } 152 \text{ bpm } (1/4)
68 = 390,390 \text{ ms } 154 \text{ bpm } (1/4)
69 = 385,385 \text{ ms } 156 \text{ bpm } (1/4)
70 = 380,380 \text{ ms } 158 \text{ bpm } (1/4)
71 = 375,375 \text{ ms } 80 \text{ bpm } (1/8)
72 = 366,366 \text{ ms } 82 \text{ bpm } (1/8)
73 = 357,357 \text{ ms } 84 \text{ bpm } (1/8)
74 = 349,349 \text{ ms } 86 \text{ bpm } (1/8)
75 = 341,341 \text{ ms } 88 \text{ bpm } (1/8)
76 = 333,333 \text{ ms } 90 \text{ bpm } (1/8)
77 = 326,326 \text{ ms } 92 \text{ bpm } (1/8)
78 = 319,319 \text{ ms } 94 \text{ bpm } (1/8)
79 = 313,313 \text{ ms } 96 \text{ bpm } (1/8)
80 = 306,306 \text{ ms } 98 \text{ bpm } (1/8)
81 = 300,300 \text{ ms } 100 \text{ bpm } (1/8)
82 = 288,288 \text{ ms } 104 \text{ bpm } (1/8)
83 = 278,278 \text{ ms } 108 \text{ bpm } (1/8)
84 = 268,268 \text{ ms } 112 \text{ bpm } (1/8)
```

```
85 = 259,259 \text{ ms } 116 \text{ bpm } (1/8)
  86 = 250,250 \text{ ms } 120 \text{ bpm } (1/8)
  87 = 238,238 \text{ ms } 126 \text{ bpm } (1/8)
   88 = 227,227 \text{ ms } 132 \text{ bpm } (1/8)
   89 = 217,217 \text{ ms } 138 \text{ bpm } (1/8)
   90 = 197,197 \text{ ms } 152 \text{ bpm } (1/8)
   91 = 188,188 \text{ ms } 80 \text{ bpm } (1/16)
   92 = 179,179 \text{ ms } 84 \text{ bpm } (1/16)
  93 = 170,170 \text{ ms } 88 \text{ bpm } (1/16)
   94 = 163,163 \text{ ms } 92 \text{ bpm } (1/16)
  95 = 156,156 \text{ ms } 96 \text{ bpm } (1/16)
  96 = 150,150 \text{ ms } 100 \text{ bpm } (1/16)
   97 = 144,144 \text{ ms } 104 \text{ bpm } (1/16)
   98 = 139,139 \text{ ms } 108 \text{ bpm } (1/16)
   99 = 134,134 \text{ ms } 112 \text{ bpm } (1/16)
   100 = 129,129 \text{ ms } 116 \text{ bpm } (1/16)
   101 = 125,125 \text{ ms } 120 \text{ bpm } (1/16)
   102 = 119,119 \text{ ms } 126 \text{ bpm } (1/16)
   103 = 114,114 \text{ ms } 132 \text{ bpm } (1/16)
   104 = 109,109 \text{ ms } 138 \text{ bpm } (1/16)
   105 = 104,104 \text{ ms } 144 \text{ bpm } (1/16)
   106 = 99,99 \text{ ms } 152 \text{ bpm } (1/16)
   107 = 94,94 \text{ ms } 160 \text{ bpm } (1/16)
   108 = 83,83 \text{ ms } 180 \text{ bpm } (1/16)
   109 = 75,75 \text{ ms } 200 \text{ bpm } (1/16)
   110 = 68,68 \text{ ms } 220 \text{ bpm } (1/16)
   111 = 63,63 \text{ ms } 240 \text{ bpm } (1/16)
   112 = 58,58 \text{ ms } 260 \text{ bpm } (1/16)
   113 = 54,54 \text{ ms } 280 \text{ bpm } (1/16)
   114 = 50,50 \text{ ms } 300 \text{ bpm } (1/16)
   115 = 47,47 \text{ ms } 320 \text{ bpm } (1/16)
   116 = 44,44 \text{ ms } 340 \text{ bpm } (1/16)
   117 = 42,42 \text{ ms } 360 \text{ bpm } (1/16)
   118 = 39,39 \text{ ms } 380 \text{ bpm } (1/16)
   119 = 38,38 \text{ ms } 400 \text{ bpm } (1/16)
   120 = 34,34 \text{ ms } 440 \text{ bpm } (1/16)
   121 = 31,31 \text{ ms } 480 \text{ bpm } (1/16)
   122 = 30,30 \text{ ms } 500 \text{ bpm } (1/16)
   123 = 28,28 \text{ ms } 540 \text{ bpm } (1/16)
   124 = 26,26 \text{ ms } 580 \text{ bpm } (1/16)
  125 = 24,24 \text{ ms } 620 \text{ bpm } (1/16)
   126 = 22,22 \text{ ms } 680 \text{ bpm } (1/16)
   127 = 20,20 \text{ ms } 750 \text{ bpm } (1/16)
A linear interpolation is done to define the fine tempo value.
  0 = 1/2
   1 = 1/2
```

Note: When Tap Tempo is used, LSW is different from 0.

```
if 'Delay Master Clock' is enabled 7-bit value 0/127 = 1/2 to 1/64
  2 = 1/2
 3 = 1/2
  4 = 1/2
 5 = 1/2
  6 = 1/2
  7 = 1/2
 8 = 1/4D
  9 = 1/4D
  10 = 1/4D
  11 = 1/4D
```

- 12 = 1/4D
- 13 = 1/4D
- 14 = 1/4D
- 15 = 1/4D
- 16 = 1/2T
- 17 = 1/2T
- 18 = 1/2T
- 19 = 1/2T
- -- --
- 20 = 1/2T
- 21 = 1/2T
- 22 = 1/2T
- 23 = 1/4S
- 24 = 1/4S
- 25 = 1/4S
- 26 = 1/4S
- 27 = 1/4S
- 28 = 1/4S
- 29 = 1/4S
- 30 = 1/4S
- 31 = 1/4
- 32 = 1/4
- 33 = 1/4
- 33 1/4
- 34 = 1/4
- 35 = 1/4
- 36 = 1/4
- 37 = 1/4
- 38 = 1/8D
- 39 = 1/8D
- 40 = 1/8D
- 41 = 1/8D
- 42 = 1/8D
- 43 = 1/8D
- 44 = 1/8D
- 45 = 1/8D
- 46 = 1/4T47 = 1/4T
- 48 = 1/4T
- 49 = 1/4T
- 50 = 1/4T
- 51 = 1/4T
- 52 = 1/4T
- 53 = 1/8S
- 54 = 1/8S55 = 1/8S
- 55 = 1/8556 = 1/85
- 57 = 1/8S
- 58 = 1/8S
- 59 = 1/8S
- 60 = 1/8S
- 61 = 1/8
- 62 = 1/863 = 1/8
- 64 = 1/8
- 65 = 1/8
- 66 = 1/8
- 67 = 1/8
- 68 = 1/16D
- 69 = 1/16D
- 70 = 1/16D
- 71 = 1/16D
- 72 = 1/16D

```
73 = 1/16D
74 = 1/16D
75 = 1/16D
76 = 1/8T
77 = 1/8T
78 = 1/8T
79 = 1/8T
80 = 1/8T
81 = 1/8T
82 = 1/8T
83 = 1/16S
84 = 1/16S
85 = 1/16S
86 = 1/16S
87 = 1/16S
88 = 1/16S
89 = 1/16S
90 = 1/16S
91 = 1/16
92 = 1/16
93 = 1/16
94 = 1/16
95 = 1/16
96 = 1/16
97 = 1/16
98 = 1/16T
99 = 1/16T
100 = 1/16T
101 = 1/16T
102 = 1/16T
103 = 1/16T
104 = 1/16T
105 = 1/16T
106 = 1/32
107 = 1/32
108 = 1/32
109 = 1/32
110 = 1/32
111 = 1/32
112 = 1/32
113 = 1/32T
114 = 1/32T
115 = 1/32T
116 = 1/32T
117 = 1/32T
118 = 1/32T
119 = 1/32T
120 = 1/32T
121 = 1/64
122 = 1/64
123 = 1/64
124 = 1/64
125 = 1/64
126 = 1/64
127 = 1/64
```

Morph Wheel:

```
0x11B (b1): polarity (1 = positive, 0 = negative) 0x11B (b0), 0x11C (b7-0), and 0x11D (b7-3): 14-bit raw value
```

```
Morph After Touch:

Ox11D (b2): polarity (1 = positive, 0 = negative)

Ox11D (b1-0), Ox11E (b7-0), and Ox11F (b7-4): 14-bit raw value

Morph Control Pedal:

Ox11F (b3): polarity (1 = positive, 0 = negative)

Ox11F (b2-0), Ox12O (b7-0), and Ox121 (b7-5): 14-bit raw value

if polarity = 1 then Morph offset value = raw value + 1

if polarity = 0 then Morph offset value = raw value - 16383

Final 'To' Morph value = 'From value (original tempo)' + 'Morph offset value'

Morph Enabled if 'From value' <> 'Morph offset value'
```

NS3 Delay Ping Pong

```
Offset in file: 0x125 (b5)

0 = off, 1 = on
```

NS3 Delay Filter

```
Offset in file: 0x125 (b4-3)

0 = Bypass

1 = LP

2 = HP

3 = BP
```

NS3 Delay Analog Mode

```
Offset in file: 0x129 (b3)

0 = off, 1 = on
```

NS3 Delay Feedback

```
Offset in file: 0x125 (b2-0) and 0x126 (b7-4)

See: Organ Volume for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:
0x126 (b3): polarity (1 = positive, 0 = negative)
0x126 (b2-b0) and 0x127 (b7-4): 7-bit raw value

Morph After Touch:
0x127 (b3): polarity (1 = positive, 0 = negative)
0x127 (b2-b0) and 0x128 (b7-4): 7-bit raw value

Morph Control Pedal:
0x128 (b3): polarity (1 = positive, 0 = negative)
0x128 (b2-b0) and 0x129 (b7-4): 7-bit raw value
```

NS3 Delay Mix Rev 1.1 draft

NS3 Delay Mix

```
Offset in file: 0x121 (b4-0) and 0x122 (b7-6)

See: Organ Volume for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:
0x122 (b5): polarity (1 = positive, 0 = negative)
0x122 (b4-b0) and 0x123 (b7-6): 7-bit raw value

Morph After Touch:
0x123 (b5): polarity (1 = positive, 0 = negative)
0x123 (b5): polarity (1 = positive, 0 = negative)
0x123 (b4-b0) and 0x124 (b7-6): 7-bit raw value

Morph Control Pedal:
0x124 (b5): polarity (1 = positive, 0 = negative)
0x124 (b4-b0) and 0x125 (b7-6): 7-bit raw value

NS3 Effect 1 On

Offset in file: 0x10B (b4)
```

NS3 Effect 1 Source

0 = off, 1 = on

```
Offset in file: 0x10B (b3-2)
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Effect 1 Type

```
Offset in file: 0x10B (b1-0) and 0x10C (b7)

0 = A-Pan

1 = Trem

2 = RM

3 = WA-WA

4 = A-WA1

5 = A-WA2
```

NS3 Effect 1 Amount

```
Offset in file: 0x110 (b6-0)

See: Organ Volume for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:
0x111 (b7): polarity (1 = positive, 0 = negative)
0x111 (b6-b0): 7-bit raw value

Morph After Touch:
0x112 (b7): polarity (1 = positive, 0 = negative)
0x112 (b6-b0): 7-bit raw value
```

NS3 Effect 1 Rate Rev 1.1 draft

```
Morph Control Pedal:
0x113 (b7): polarity (1 = positive, 0 = negative)
0x113 (b6-b0): 7-bit raw value
NS3 Effect 1 Rate
Offset in file: 0x10C (b5-0) and 0x10D (b7)
See: Organ Volume for detailed Morph explanation.
7-bit value 0/127 = 0/10
if 'Effect 1 Master Clock' is enabled 7-bit value 0/127 = 4/1 to 1/32
 0 = 4/1
  1 = 4/1
  2 = 4/1
  3 = 4/1
  4 = 4/1
  5 = 4/1
  6 = 4/1
  7 = 4/1
  8 = 4/1
  9 = 4/1T
  10 = 4/1T
  11 = 4/1T
  12 = 4/1T
  13 = 4/1T
  14 = 4/1T
  15 = 4/1T
  16 = 4/1T
  17 = 4/1T
  18 = 2/1
  19 = 2/1
  20 = 2/1
  21 = 2/1
  22 = 2/1
  23 = 2/1
  24 = 2/1
  25 = 2/1
  26 = 2/1T
  27 = 2/1T
  28 = 2/1T
  29 = 2/1T
  30 = 2/1T
  31 = 2/1T
  32 = 2/1T
  33 = 2/1T
  34 = 2/1T
  35 = 1/1
  36 = 1/1
  37 = 1/1
  38 = 1/1
  39 = 1/1
  40 = 1/1
  41 = 1/1
  42 = 1/1
  43 = 1/1T
  44 = 1/1T
  45 = 1/1T
  46 = 1/1T
  47 = 1/1T
  48 = 1/1T
```

- 49 = 1/1T
- 50 = 1/1T
- 51 = 1/1T
- 52 = 1/2
- 53 = 1/2
- 54 = 1/2
- 55 = 1/2
- 56 = 1/2
- 57 = 1/2
- 58 = 1/2
- 59 = 1/2
- 60 = 1/2T
- 61 = 1/2T
- 62 = 1/2T
- 63 = 1/2T
- 64 = 1/2T
- 65 = 1/2T
- 66 = 1/2T
- 67 = 1/2T
- 68 = 1/2T
- 69 = 1/4
- 70 = 1/4
- 71 = 1/4
- 72 = 1/4
- 73 = 1/474 = 1/4
- 75 = 1/4
- 76 = 1/4
- 77 = 1/4T78 = 1/4T
- 79 = 1/4T
- 80 = 1/4T
- 81 = 1/4T
- 82 = 1/4T
- 83 = 1/4T
- 84 = 1/4T
- 85 = 1/4T
- 86 = 1/8
- 87 = 1/8
- 88 = 1/8
- 89 = 1/890 = 1/8
- 91 = 1/8
- 92 = 1/8
- 93 = 1/8
- 94 = 1/8T
- 95 = 1/8T
- 96 = 1/8T
- 97 = 1/8T98 = 1/8T
- 99 = 1/8T
- 100 = 1/8T
- 101 = 1/8T
- 102 = 1/8T
- 103 = 1/16104 = 1/16
- 105 = 1/16
- 106 = 1/16
- 107 = 1/16
- 108 = 1/16109 = 1/16

```
110 = 1/16
  111 = 1/16T
  112 = 1/16T
  113 = 1/16T
  114 = 1/16T
  115 = 1/16T
  116 = 1/16T
  117 = 1/16T
  118 = 1/16T
  119 = 1/16T
  120 = 1/32
  121 = 1/32
  122 = 1/32
  123 = 1/32
  124 = 1/32
  125 = 1/32
  126 = 1/32
  127 = 1/32
Morph Wheel:
0x10D (b6): polarity (1 = positive, 0 = negative)
0x10D (b5-b0) and 0x10E (b7): 7-bit raw value
Morph After Touch:
0x10E (b6): polarity (1 = positive, 0 = negative)
0x10E (b5-b0) and 0x10F (b7): 7-bit raw value
Morph Control Pedal:
0x10F (b6): polarity (1 = positive, 0 = negative)
0x10F (b5-b0) and 0x110 (b7): 7-bit raw value
NS3 Effect 1 Master Clock
Offset in file: 0x10C (b6)
0 = off, 1 = on
```

NS3 Effect 2 On

```
Offset in file: 0x114 (b7)

0 = off, 1 = on
```

NS3 Effect 2 Source

```
Offset in file: 0x114 (b6-5)
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Effect 2 Type

```
Offset in file: 0x114 (b4-2)

0 = PHAS1

1 = PHAS2
```

2 = FLANG

```
3 = VIBE
4 = CHOR1
5 = CHOR2
NS3 Effect 2 Amount
Offset in file: 0x115 (b2-0) and 0x116 (b7-4)
See: Organ Volume for detailed Morph explanation.
7-bit value 0/127 = 0/10
Morph Wheel:
0x116 (b3): polarity (1 = positive, 0 = negative)
0x116 (b2-b0) and 0x117 (b7-4): 7-bit raw value
Morph After Touch:
0x117 (b3): polarity (1 = positive, 0 = negative)
0x117 (b2-b0) and 0x118 (b7-4): 7-bit raw value
Morph Control Pedal:
0x118 (b3): polarity (1 = positive, 0 = negative)
0x118 (b2-b0) and 0x119 (b7-4): 7-bit raw value
NS3 Effect 2 Rate
Offset in file: 0x114 (b1-0) &nd 0x115 (b7-3)
7-bit value 0/127 = 0/10
NS3 Reverb On
Offset in file: 0x114 (b7)
0 = off, 1 = on
NS3 Reverb Type
Offset in file: 0x134 (b0) and 0x135 (b7-6)
0 = Room 1
1 = Room 2
2 = Stage 1
3 = Stage 2
4 = Hall 1
5 = Hall 2
NS3 Reverb Amount
Offset in file: 0x135 (b4-0) and 0x136 (b7-6)
See: Organ Volume for detailed Morph explanation.
7-bit value 0/127 = 0/10
Morph Wheel:
0x136 (b5): polarity (1 = positive, 0 = negative)
0x136 (b4-b0) and 0x137 (b7-6): 7-bit raw value
Morph After Touch:
```

0x137 (b5): polarity (1 = positive, 0 = negative) 0x137 (b4-b0) and 0x138 (b7-6): 7-bit raw value

```
Morph Control Pedal:

0x138 (b5): polarity (1 = positive, 0 = negative)

0x138 (b4-b0) and 0x139 (b7-6): 7-bit raw value
```

NS3 Reverb Bright

```
Offset in file: 0x135 (b5)

0 = off, 1 = on
```

NS3 Rotary Speaker On

```
Offset in file: 0x10b (bit7)
0 = off, 1 = on
```

NS3 Rotary Speaker Source

```
Offset in file: 0x10b (b6 and b5)
0 = 0rgan, 1, Piano, 2 = Synth
```

NS3 Rotary Speaker Drive

```
Offset in file: 0x39 (b2 to b0) and 0x3a (b7 to b4) 7-bit value 0/127 converted to 0/10 Note: Panel A value is used for panel A & B
```

NS3 Rotary Speaker Stop Mode

```
Offset in file: 0x35 \; (bit7)

0 = enabled (Speed Stop), 1 = disabled (Speed Slow)

Note: Panel A value is used for panel A & B
```

NS3 Rotary Speaker Speed

```
Offset in file: 0x34 (bit0)

0 = Slow/Stop, 1 = Fast

Morph Wheel: 0x35 (b6-4)

Morph After Touch: 0x35 (b3-1)

Morph Control Pedal: 0x35 (b0) and 0x36 (b7-6)

011 = 0x03 = morph off

100 = 0x04 = morph on

Note: Panel A value is used for panel A & B
```

NS3 Organ On

```
Offset in file: 0xB6 (b7)

0 = off, 1 = on
```

NS3 Organ Kb Zone

```
Offset in file: 0xB6 (b6-3)

0 = "o---"

1 = "-o--"

2 = "--o-"

4 = "oo--"

5 = "-oo-"

6 = "--oo"

7 = "ooo-"

8 = "-ooo"

9 = "oooo"
```

NS3 Organ Volume

40 = -20.1 dB

Offset in file:

```
Volume:
0xB6 (b2-b0), 0xB7 (b7-4): 7-bit = 0/127 range
  0 = 0ff
   1 = -84.2 \text{ dB}
   2 = -72.1 \text{ dB}
   3 = -65.1 \text{ dB}
   4 = -60.1 \text{ dB}
   5 = -56.2 \text{ dB}
   6 = -53.0 \text{ dB}
   7 = -50.3 \text{ dB}
   8 = -48.0 \text{ dB}
   9 = -46.0 \text{ dB}
   10 = -44.2 \text{ dB}
   11 = -42.5 \text{ dB}
   12 = -41.0 \text{ dB}
   13 = -39.6 \text{ dB}
   14 = -38.3 \text{ dB}
   15 = -37.1 \text{ dB}
   16 = -36.0 \text{ dB}
   17 = -34.9 \text{ dB}
   18 = -33.9 \text{ dB}
   19 = -33.0 \text{ dB}
   20 = -32.1 \text{ dB}
   21 = -31.1 \text{ dB}
   22 = -30.5 \text{ dB}
   23 = -29.7 \text{ dB}
   24 = -28.9 \text{ dB}
   25 = -28.2 \text{ dB}
   26 = -27.6 \text{ dB}
   27 = -26.9 \text{ dB}
   28 = -26.3 \text{ dB}
   29 = -25.7 \text{ dB}
   30 = -25.1 \text{ dB}
   31 = -24.5 \text{ dB}
   32 = -23.9 \text{ dB}
   33 = -23.4 \text{ dB}
   34 = -22.9 \text{ dB}
   35 = -22.4 \text{ dB}
   36 = -21.9 \text{ dB}
   37 = -21.4 \text{ dB}
   38 = -21.0 \text{ dB}
   39 = -20.5 \, dB
```

- 41 = -19.6 dB
- 42 = -19.2 dB
- 43 = -18.8 dB
- 44 = -18.4 dB
- 45 = -18.0 dB
- 46 = -17.6 dB
- 47 = -17.3 dB
- 48 = -16.9 dB
- 49 = -16.5 dB
- 50 = -16.2 dB
- 51 = -15.8 dB
- 52 = -15.5 dB
- 53 = -15.2 dB
- 54 = -14.9 dB
- 55 = -14.5 dB
- 56 = -14.2 dB
- 57 = -13.9 dB
- 58 = -13.6 dB59 = -13.3 dB
- 60 = -13.0 dB
- 61 = -12.7 dB
- 62 = -12.5 dB
- 63 = -12.2 dB
- 64 = -11.9 dB
- 65 = -11.6 dB
- 66 = -11.4 dB
- 67 = -11.1 dB
- 68 = -10.9 dB
- 69 = -10.6 dB
- 70 = -10.3 dB
- 71 = -10.1 dB
- 72 = -9.9 dB73 = -9.6 dB
- 74 = -9.4 dB
- 75 = -9.1 dB
- 76 = -8.9 dB
- 77 = -8.7 dB
- 78 = -8.5 dB
- 79 = -8.2 dB
- 80 = -8.0 dB81 = -7.8 dB
- 82 = -7.6 dB
- 83 = -7.4 dB
- 84 = -7.2 dB
- 85 = -7.0 dB
- 86 = -6.8 dB
- 87 = -6.6 dB
- 88 = -6.4 dB
- 89 = -6.2 dB
- 90 = -6.0 dB
- 91 = -5.8 dB
- 92 = -5.6 dB
- 93 = -5.4 dB
- 94 = -5.2 dB
- 95 = -5.0 dB96 = -4.9 dB
- 97 = -4.7 dB
- 98 = -4.5 dB
- 99 = -4.3 dB
- 100 = -4.2 dB
- 101 = -4.0 dB

```
102 = -3.8 \text{ dB}
  103 = -3.6 \text{ dB}
  104 = -3.5 \text{ dB}
  105 = -3.3 \text{ dB}
  106 = -3.1 \text{ dB}
  107 = -3.0 \text{ dB}
  108 = -2.8 \text{ dB}
  109 = -2.7 \text{ dB}
  110 = -2.5 \text{ dB}
  111 = -2.3 \text{ dB}
  112 = -2.2 \text{ dB}
  113 = -2.0 \text{ dB}
  114 = -1.9 \text{ dB}
  115 = -1.7 \text{ dB}
  116 = -1.6 \text{ dB}
  117 = -1.4 \text{ dB}
  118 = -1.3 \text{ dB}
  119 = -1.1 \text{ dB}
  120 = -1.0 \text{ dB}
  121 = -0.8 \text{ dB}
  122 = -0.7 \text{ dB}
  123 = -0.6 \text{ dB}
  124 = -0.4 \text{ dB}
  125 = -0.3 \text{ dB}
  126 = -0.1 \text{ dB}
  127 = 0.0 \text{ dB}
Morph Wheel:
0xB7 (b3): polarity (1 = positive, 0 = negative)
0xB7 (b2-b0), 0xB8 (b7-b4): 7-bit raw value
Morph After Touch:
0xB8 (b3): polarity (1 = positive, 0 = negative)
0xB8 (b2-b0), 0xB9 (b7-b4): 7-bit raw value
Morph Control Pedal:
0xB9 (b3): polarity (1 = positive, 0 = negative)
0xB9 (b2-b0), 0xBA (b7-b4): 7-bit raw value
if polarity = 1 then Morph offset value = raw value + 1
if polarity = 0 then Morph offset value = raw value - 127
Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'
Morph Enabled if 'From value' <> 'Morph offset value'
NS3 Organ Octave Shift
Octave Shift = value - 6
```

```
Offset in file: 0xBA (b3-0)
```

NS3 Organ Pitch Stick

```
Offset in file: 0x34 (b4)
0 = off, 1 = on
```

NS3 Organ Sustain Pedal

```
Offset in file: 0xBB (b7)
0 = off, 1 = on
```

NS3 Organ Type

Offset in file: 0xBB (b6-4)

0 = B3

1 = Vox

2 = Farfisa

3 = Pipe1

4 = Pipe2

NS3 Organ Drawbars Preset 1

Offset in file: 0xBE

Drawbar value range is 0/8.

For Vox Organ each value is converted to 0/1: 0 (if value < 4) else 1

For Farfisa Organ drawbar 8 is not used and forced to 0

Drawbar 1: 0xBE (b7-4)

Morph Wheel: 0xBE (b3-0) and 0xBF (b7)

Morph After Touch: 0xBF (b6-2)

Morph Control Pedal: 0xBF (b1-0) and 0xC0 (b7-5)

Drawbar 2: 0xC0 (b4-1)

Morph Wheel: 0xCO (b0) and 0xC1 (b7-4) Morph After Touch: 0xC1 (b3-0) and 0xC2 (b7)

Morph Control Pedal: 0xC2 (b6-2)

Drawbar 3: 0xC2 (b1-0) and 0xC3 (b7-6)

Morph Wheel: 0xC3 (b5-1)

Morph After Touch: 0xC3 (b0) and 0xC4 (b7-4) Morph Control Pedal: 0xC4 (b3-0) and 0xC5 (b7)

Drawbar 4: 0xC5 (b6-3)

Morph Wheel: 0xC5 (b2-0) and 0xC6 (b7-6)

Morph After Touch: 0xC6 (b5-b1)

Morph Control Pedal: 0xC6 (b0) and 0xC7 (b7-4)

Drawbar 5: 0xC7 (b3-0)

Morph Wheel: 0xC8 (b7-3)

Morph After Touch: 0xC8 (b2-0) and 0xC9 (b7-6)

Morph Control Pedal: 0xC9 (b5-1)

Drawbar 6: 0xC9 (b0) and 0xCA (b7-5)

Morph Wheel: 0xCA (b4-0)
Morph After Touch: 0xCB (b7-3)

Morph Control Pedal: 0xCB (b2-0) and 0xCC (b7-6)

Drawbar 7: 0xCC (b5-2)

Morph Wheel: 0xCC (b1-0) and 0xCD (b7-5)

Morph After Touch: 0xCD (b4-0) Morph Control Pedal: 0xCE (b7-3)

Drawbar 8: 0xCE (b2-0) and 0xCF (b7)

Morph Wheel: 0xCF (b6-2)

Morph After Touch: 0xCF (b1-0) and 0xD0 (b7-5)

Morph Control Pedal: 0xD0 (b4-0)

Drawbar 9: 0xD1 (b7-4)

Morph Wheel: 0xD1 (b3-0) and 0xBF (b7)

Morph After Touch: 0xD2 (b6-2)

Morph Control Pedal: 0xD2 (b1-0) and 0xD3 (b7-5)

```
Morph value is on 5-bit
b4 is polarity
b3-0 is raw 4-bit value
if polarity = 1 then Morph offset value = 8 - raw value
if polarity = 0 then Morph offset value = raw value - 8
Final 'To' Morph value =
'From value (original volume)' + 'Morph offset value' (0/8 range)
Morph Enabled if 'From value' <> 'Morph offset value'
NS3 Organ Vibrato On
Offset in file: 0xD3 (b4)
0 = off, 1 = on
NS3 Organ Vibrato Mode
Offset in file: 0x34 (b3-1)
0 = V1
```

1 = C1

2 = V2

3 = C2

4 = V3 5 = C3

if Organ type is Pipe1 or Pipe2, only C1 is allowed if Organ type is Farfisa, mode C1/V3 are not available if Organ type is Vox, mode C1/C2/C3 are not available if Organ type is B3, all mode are available

NS3 Organ Percussion On

```
Offset in file: 0xD3 (b3)
0 = off, 1 = on
only if Organ type is B3
```

NS3 Organ Percussion Volume Soft

```
Offset in file: 0xD3 (b0)
0 = off, 1 = on
only if Organ type is B3
```

NS3 Organ Percussion Decay Fast

```
Offset in file: 0xD3 (b1)
0 = off, 1 = on
only if Organ type is B3
```

NS3 Organ Percussion Harmonic Third

Offset in file: 0xD3 (b2)

0 = off, 1 = on

only if Organ type is B3

NS3 Organ Preset 2 On

Offset in file: 0xBB (b2)

0 = off, 1 = on

NS3 Organ Preset 2 Drawbars

Offset in file: 0xD9

Drawbar value range is 0/8.

For Vox Organ each value is converted to 0/1: 0 (if value < 4) else 1

For Farfisa Organ drawbar 8 is not used and forced to 0

Drawbar 1: 0xD9 (b7-4)

Morph Wheel: 0xD9 (b3-0) and 0xDA (b7)

Morph After Touch: 0xDA (b6-2)

Morph Control Pedal: 0xDA (b1-0) and 0xDB (b7-5)

Drawbar 2: 0xDB (b4-1)

0xDB (b0) and 0xDC (b7-4) Morph Wheel:

Morph After Touch: 0xDC (b3-0) and 0xDD (b7)

Morph Control Pedal: 0xDD (b6-2)

Drawbar 3: 0xDD (b1-0) and 0xDE (b7-6)

Morph Wheel: 0xDE (b5-1)

Morph After Touch: 0xDE (b0) and 0xDF (b7-4)

Morph Control Pedal: 0xDF (b3-0) and 0xE0 (b7)

Drawbar 4: 0xE0 (b6-3)

0xE0 (b2-0) and 0xE1 (b7-6) Morph Wheel:

Morph After Touch: 0xE1 (b5-b1)

Morph Control Pedal: 0xE1 (b0) and 0xE2 (b7-4)

Drawbar 5: 0xE2 (b3-0)

Morph Wheel: 0xE3 (b7-3)

Morph After Touch: 0xE3 (b2-0) and 0xE4 (b7-6)

Morph Control Pedal: 0xE4 (b5-1)

Drawbar 6: 0xE4 (b0) and 0xE5 (b7-5)

Morph Wheel: 0xE5 (b4-0) Morph After Touch: 0xE6 (b7-3)

Morph Control Pedal: 0xE6 (b2-0) and 0xE7 (b7-6)

Drawbar 7: 0xE7 (b5-2)

0xE7 (b1-0) and 0xE8 (b7-5) Morph Wheel:

0xE8 (b4-0)Morph After Touch: Morph Control Pedal: 0xE9 (b7-3)

Drawbar 8: 0xE9 (b2-0) and 0xEA (b7)

Morph Wheel: 0xEA (b6-2)

Morph After Touch: 0xEA (b1-0) and 0xEB (b7-5)

Morph Control Pedal: 0xEB (b4-0)

Drawbar 9: 0xEC (b7-4)

0xEC (b3-0) and 0xED (b7) Morph Wheel:

Morph After Touch: 0xED (b6-2)

Morph Control Pedal: 0xED (b1-0) and 0xEE (b7-5)

```
Morph value is on 5-bit
b4 is polarity
b3-0 is raw 4-bit value

if polarity = 1 then Morph offset value = 8 - raw value
if polarity = 0 then Morph offset value = raw value - 8

Final 'To' Morph value =
'From value (original volume)' + 'Morph offset value' (0/8 range)

Morph Enabled if 'From value' <> 'Morph offset value'
```

NS3 Organ Preset 2 Vibrato On

```
Offset in file: 0xEE (b4)

0 = off, 1 = on
```

NS3 Organ Preset 2 Percussion On

```
Offset in file: 0xEE (b3)

0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Preset 2 Percussion Volume Soft

```
Offset in file: 0xEE (b0)

0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Preset 2 Percussion Decay Fast

```
Offset in file: 0xEE (b1)

0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Preset 2 Percussion Harmonic Third

```
Offset in file: 0xEE (b2)

O = off, 1 = on

only if Organ type is B3
```

NS3 Organ Live Mode

```
Offset in file: 0xBB (b3) (NS3 Compact model only)
0 = off, 1 = on
```

NS3 Panel Enabled And Selection

```
Offset in file 0x31
Enabled (b6-5):
0 = A only
1 = B only
2 = A & B
```

NS3 Piano On Rev 1.1 draft

```
Selected Panel (b7):
A = 0, B = 1 (not used here)
```

Note: if Dual Keyboard is On, both panel are enabled.

NS3 Piano On

```
Offset in file: 0x43 (b7)

0 = off, 1 = on
```

NS3 Piano Kb Zone

Offset in file: 0x43 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Piano Volume

```
Offset in file: 0x43 (b2-0), 0x44 (b7-4)
```

See: Organ Volume for detailed explanation.

```
Morph Wheel:
```

```
0x44 (b3): polarity (1 = positive, 0 = negative) 0x44 (b2-b0), 0x45 (b7-b4): 7-bit raw value
```

```
Morph After Touch:
```

```
0x45 (b3): polarity (1 = positive, 0 = negative) 0x45 (b2-b0), 0x46 (b7-b4): 7-bit raw value
```

```
Morph Control Pedal:
```

```
0x46 (b3): polarity (1 = positive, 0 = negative) 0x46 (b2-b0), 0x47 (b7-b4): 7-bit raw value
```

NS3 Piano Octave Shift

```
Offset in file: 0x47 (b3-0)
Octave Shift = value - 6
```

NS3 Piano Pitch Stick

```
Offset in file: 0x48 (b7)
```

0 = off, 1 = on

NS3 Piano Sustain Pedal

```
Offset in file: 0x48 (b6)
```

0 = off, 1 = on

NS3 Piano Type

Offset in file: 0x48 (b5-3)

- 0 = Grand
- 1 = Upright
- 2 = Electric
- 3 = Clav
- 4 = Digital
- 5 = Misc

NS3 Piano Model

Offset in file: 0x48 (b2-0) and 0x49 (b7-6) 0x00 0x00: model 1 0x00 0x01: model 2 ... and so on

0x02 0x01: model 10

NS3 Piano Name

Offset in file: 0x49 (b3-0) to 0x4D (b7-3) 32-bit piano sample hash code

NS3 Piano Timbre

Offset in file: 0x4E (b5-3)

Grand, Upright, Digital, Misc Piano, and Harpsichord:

0 = None

1 = Soft

2 = Mid

3 = Bright

Electric Piano

0 = None

1 = Soft

2 = Mid

3 = Bright

4 = Dyno1

5 = Dyno2

Clavinet

0 = None

1 = Soft

2 = Treble

3 = Soft+Treble

4 = Brilliant

5 = Soft+Brill

6 = Treble+Brill

7 = Soft+Trb+Brill

NS3 Piano KB Touch

Offset in file: 0x4D (b0) and 0x4E (b7)

0 = Normal

1 = KB Touch 1

2 = Touch 2

3 = Touch 3

NS3 Piano Layer Detune

Offset in file: 0x34 (b6-5)

0 = 0ff

1 = 1

2 = 2

3 = 3

Note: This parameter is common for both Panel. Layer Detune setting cannot be different for each panel, only offset 0x34 is used.

NS3 Piano Soft Release

```
Offset in file: 0x4D (b4)
```

```
0 = off, 1 = on
```

Not available on Clavinet and Digital Piano

NS3 Piano Pedal Noise

```
Offset in file: 0x4D (b2)
```

```
0 = off, 1 = on
```

Only on Grand, Upright, and Electric piano.

NS3 Piano String Resonance

```
Offset in file: 0x4D (b3)
```

```
0 = off, 1 = on
```

Only on Grand and Upright piano.

NS3 File Version

Offset in file: 0x14 and 0x15

16-bit integer value in Little Endian format, ex 304 = v3.04

Notes:

From [https://www.nordkeyboards.com/products/nord-stage-3/nord-stage-3-update-history](https://www.nord

Programs stored with OS version

OS vei	rsion	Program	version
v0.92	(2017-06-15)	v3.00	
v1.36	(2018-02-07)	v3.01	
v1.50	(2018-10-22)	v3.02	
vx.xx		v3.03	
vx.xx		v3.04	

NS3 File Format

Offset in file: 0x04

0 = header type 0 - legacy mode no CRC (Byte 0x18 to 0x2B are missing) 1 = header type 1 - default mode with additional bytes 0x18 to 0x2B (20 bytes).

NS3 Transpose

Offset in file: 0x38 (b7-3)

Enabled: 0x38 (b7) Value: 0x38 (b6-3)

7xxx xxxx : Transpose Off/On
x654 3xxx : Transpose value

```
Test1: F8 38 : Transpose Off
Test2: OD 80 : Transpose -6 semi
Test3: OD 88 : Transpose -5 semi
Test4: OD A8 : Transpose -1 semi
Test5: OD B8 : Transpose +1 semi
Test6: OD D8 : Transpose +5 semi
Test7: OD E0 : Transpose +6 semi
```

NS3 Split Rev 1.1 draft

NS3 Split

```
Offset in file: 0x31 (b4 to b0) to 0x34 (b7 only)
0X31
              0x32
                        0x33 |
                                  0x34
                                        | description
| xxx4 3210 | 7654 3210 | 7654 3210 | 7xxx xxxx |
| xxx4 xxxx | xxxx xxxx | xxxx xxxx | xxxx xxxx | split off/on
| xxxx xxx0 | 765x xxxx | xxxx xxxx | xxxx xxxx | 10w note (0 = F2, 1 = C3, 9 = C7)
| xxxx xxxx | xxx4 321x | xxxx xxxx | xxxx xxxx | mid note
| xxxx xxxx | xxxx xxx0 | 765x xxxx | xxxx xxxx | high note
| xxxx xxxx | xxxx xxxx | xxxx xxx0 | 7xxx xxxx | high width
Test1: 06 07 20 01 : Split Off
     16 07 20 01 : Width Off 1
                  Note -- C4
Test3:
      1E 07 20 01 : Width 1
                  Note F2 C4 C7
      1E 07 28 01 : Width 6
Test4:
                          1
                              1
                  Note F2 C4
Test5:
     1E 07 30 01 : Width 12 1
                              1
                  Note F2 C4
      18 07 30 01 : Width 12 Off Off
                  Note F2
Test7: 18 27 30 01 : Width 12 Off Off
                  Note C3
     18 47 30 01 : Width 12 Off Off
Test8:
                  Note F3
Test9:
     18 67 30 01 : Width 12 Off Off
                  Note C4
Test10: 18 87 30 01 : Width 12 Off Off
                  Note F4
Test11: 18 A7 30 01 : Width 12
                          Off Off
                  Note C5
Test12: 18 C7 30 01 : Width 12 Off Off
                  Note F5
Test13: 18 E7 30 01 : Width 12 Off Off
                  Note C6
Test14: 19 07 30 01 : Width 12 Off Off
                  Note F6
Test15: 19 27 30 01 : Width 12 Off Off
                  Note C7
Test16: 1B 27 30 01 : Width 12 Off 1
                                   ! From test 15 to 16 only High Width was changed manually !
```

Note F6 -- C7

! Note Low in file is C7 but fixed on display to F6...

NS3 Master Clock Rate

```
Offset in file: 0x38 (b2-0) 0x39 (b7-3)
bpm = value + 30
```

NS3 Dual Keyboard

```
Offset in file 0x3A (b3)
```

0 = Off 1 = On

Note: if Dual Keyboard is On, both panel are enabled.

NS3 Dual Keyboard Style

Offset in file 0x3A (b1-0)

0 = Panel

1 = Organ

2 = Piano

3 = Synth

NS3 Program Category

Offset in file: 0x10

0 = Acoustic

1 = Bass

2 = Wind

4 = Fantasy

5 = FX

6 = Lead

7 = Organ

8 = Pad

10 = Pluck

11 = String

12 = Synth

13 = Vocal

14 = User

17 = None

21 = Grand

22 = Upright

23 = EPiano1

24 = EPiano2 27 = Clavinet

28 = Harpsi

30 = Arpeggio

255 = Undefined

NS3 Synth Filter Type

Offset in file: 0x98 (b4-2)

```
0 = LP12

1 = LP24

2 = Mini Moog

3 = LP+HP

4 = BP24

5 = HP24
```

NS3 Synth Filter Kb Track

```
Offset in file: 0xA5 (b5-4)

0 = 0ff

1 = 1/3

2 = 2/3

3 = 1
```

NS3 Synth Filter Drive

```
Offset in file: 0xA5 (b3-2)

0 = 0ff

1 = 1

2 = 2

3 = 3
```

NS3 Synth Filter LFO Amount

```
Offset in file: 0xA0 (b3-0) and 0xA1 (b7-5)

See: Organ Volume for detailed Morph explanation.

0/127 value = 0 / 10

Morph Wheel:

0xA1 (b4): polarity (1 = positive, 0 = negative)

0xA1 (b3-b0), 0xA2 (b7-b5): 7-bit raw value

Morph After Touch:

0xA2 (b4): polarity (1 = positive, 0 = negative)

0xA2 (b3-b0), 0xA3 (b7-b5): 7-bit raw value

Morph Control Pedal:

0xA3 (b4): polarity (1 = positive, 0 = negative)

0xA3 (b4): polarity (1 = positive, 0 = negative)

0xA3 (b3-b0), 0xA4 (b7-b5): 7-bit raw value
```

NS3 Synth Filter Vel Mod Env Amount

```
Offset in file: 0xA4 (b4-0) and 0xA5 (b7-6)
```

```
Filter modulation (vel/env mod) is using this single 7-bit value to define two settings with a single k Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range:

0 = 10.0 (100% left value) 'Vel Amount'

60 = 0.0 for both values
```

```
NS3 Synth Filter Freq
```

```
Offset in file: 0x98 (b1-0) and 0x99 (b7-3)
```

See: Organ Volume for detailed Morph explanation.

120 = 10.0 (100% right value) 'Mod Env Amount'

```
0/127 value = 14 Hz / 21 kHz

0 = 14 Hz

1 = 15 Hz

2 = 15 Hz
```

- 3 = 16 Hz
- 4 = 17 Hz
- 5 = 18 Hz
- 6 = 19 Hz
- 7 = 21 Hz
- 8 = 22 Hz
- 9 = 23 Hz
- 10 = 24 Hz
- 11 = 26 Hz
- 12 = 28 Hz
- 13 = 29 Hz
- 14 = 31 Hz
- 15 = 33 Hz
- 16 = 35 Hz
- 17 = 37 Hz
- 18 = 39 Hz
- 19 = 41 Hz
- 20 = 44 Hz21 = 46 Hz
- 22 = 49 Hz
- 23 = 52 Hz
- 24 = 55 Hz
- 25 = 58 Hz
- 26 = 62 Hz
- 27 = 65 Hz
- 28 = 69 Hz
- 29 = 73 Hz
- 30 = 78 Hz
- 31 = 82 Hz
- 32 = 87 Hz
- 33 = 92 Hz
- 34 = 98 Hz
- 35 = 104 Hz36 = 110 Hz
- 37 = 117 Hz
- 38 = 123 Hz
- 39 = 131 Hz
- 40 = 139 Hz
- 41 = 147 Hz
- 42 = 156 Hz
- 43 = 165 Hz
- 44 = 175 Hz
- 45 = 185 Hz
- 46 = 196 Hz47 = 208 Hz
- 48 = 220 Hz
- 49 = 233 Hz
- 50 = 247 Hz
- 51 = 262 Hz
- 52 = 277 Hz
- 53 = 294 Hz
- 54 = 311 Hz55 = 330 Hz
- 56 = 349 Hz
- 57 = 370 Hz
- 58 = 392 Hz
- 59 = 415 Hz
- 60 = 440 Hz61 = 466 Hz
- 62 = 494 Hz
- 63 = 523 Hz

- 64 = 554 Hz
- 65 = 587 Hz
- 66 = 622 Hz
- 67 = 659 Hz
- 68 = 698 Hz
- 69 = 740 Hz
- 70 = 784 Hz
- 71 = 831 Hz
- 72 = 880 Hz
- 73 = 932 Hz
- 74 = 988 Hz
- 75 = 1.0 kHz
- 76 = 1.1 kHz
- 77 = 1.2 kHz
- 78 = 1.2 kHz79 = 1.3 kHz
- 80 = 1.4 kHz81 = 1.5 kHz
- 82 = 1.6 kHz
- 83 = 1.7 kHz
- 84 = 1.8 kHz
- 85 = 1.9 kHz
- 86 = 2.0 kHz
- 87 = 2.1 kHz
- 88 = 2.2 kHz
- 89 = 2.3 kHz
- 90 = 2.5 kHz
- 91 = 2.6 kHz
- 92 = 2.8 kHz
- 93 = 3.0 kHz
- 94 = 3.1 kHz
- 95 = 3.3 kHz
- 96 = 3.5 kHz
- 97 = 3.7 kHz
- 98 = 4.0 kHz
- 99 = 4.2 kHz
- 100 = 4.4 kHz
- 101 = 4.7 kHz
- 102 = 5.0 kHz
- 103 = 5.3 kHz
- 104 = 5.6 kHz
- 105 = 5.9 kHz106 = 6.3 kHz
- 107 = 6.6 kHz
- 108 = 7.0 kHz
- 109 = 7.5 kHz
- 110 = 7.9 kHz
- 111 = 8.4 kHz
- 112 = 8.9 kHz
- 113 = 9.4 kHz
- 114 = 10 kHz115 = 11 kHz
- 116 = 11 kHz
- 117 = 12 kHz
- 118 = 13 kHz
- 119 = 13 kHz
- 120 = 14 kHz121 = 15 kHz
- 122 = 16 kHz
- 123 = 17 kHz
- 124 = 18 kHz

```
125 = 19 \text{ kHz}
  126 = 20 \text{ kHz}
  127 = 21 \text{ kHz}
* Morph Wheel:
0x99 (b2): polarity (1 = positive, 0 = negative)
0x99 (b1-b0), 0x9A (b7-b3): 7-bit raw value
Morph After Touch:
0x9A (b2): polarity (1 = positive, 0 = negative)
0x9A (b1-b0), 0x9B (b7-b3): 7-bit raw value
Morph Control Pedal:
0x9B (b2): polarity (1 = positive, 0 = negative)
0x9B (b1-b0), 0x9C (b7-b3): 7-bit raw value
NS3 Synth Filter HP Freq Res
Offset in file: 0x9C (b2-0) and 0x9D (b7-4)
for 'LP+HP' filter
  => Frequency High Pass value: 0/127 value = 14 Hz / 21 kHz
  0 = 14 \text{ Hz}
  1 = 15 \text{ Hz}
  2 = 15 \text{ Hz}
  3 = 16 \text{ Hz}
  4 = 17 \text{ Hz}
  5 = 18 \text{ Hz}
  6 = 19 \text{ Hz}
  7 = 21 \text{ Hz}
  8 = 22 \text{ Hz}
  9 = 23 \text{ Hz}
  10 = 24 \text{ Hz}
  11 = 26 \text{ Hz}
  12 = 28 \text{ Hz}
  13 = 29 \text{ Hz}
  14 = 31 \text{ Hz}
  15 = 33 \text{ Hz}
  16 = 35 \text{ Hz}
  17 = 37 \text{ Hz}
  18 = 39 \text{ Hz}
  19 = 41 \text{ Hz}
  20 = 44 \text{ Hz}
  21 = 46 \text{ Hz}
  22 = 49 \text{ Hz}
  23 = 52 \text{ Hz}
  24 = 55 \text{ Hz}
  25 = 58 \text{ Hz}
  26 = 62 \text{ Hz}
  27 = 65 \text{ Hz}
  28 = 69 \text{ Hz}
  29 = 73 \text{ Hz}
  30 = 78 \text{ Hz}
  31 = 82 \text{ Hz}
  32 = 87 \text{ Hz}
  33 = 92 \text{ Hz}
  34 = 98 \text{ Hz}
  35 = 104 \text{ Hz}
  36 = 110 \text{ Hz}
  37 = 117 \text{ Hz}
```

- 38 = 123 Hz
- 39 = 131 Hz
- 40 = 139 Hz
- 41 = 147 Hz
- 42 = 156 Hz
- 43 = 165 Hz
- 44 = 175 Hz
- 45 = 185 Hz
- 46 = 196 Hz
- 47 = 208 Hz
- 48 = 220 Hz
- 49 = 233 Hz
- 50 = 247 Hz
- 51 = 262 Hz
- 52 = 277 Hz
- 53 = 294 Hz
- -- ---
- 54 = 311 Hz
- 55 = 330 Hz
- 56 = 349 Hz
- 57 = 370 Hz
- 58 = 392 Hz
- 59 = 415 Hz
- 60 = 440 Hz
- 61 = 466 Hz
- 62 = 494 Hz
- 63 = 523 Hz
- 64 = 554 Hz
- 65 = 587 Hz
- 66 = 622 Hz
- 67 = 659 Hz68 = 698 Hz
- 69 = 740 Hz
- 70 = 784 Hz
- 71 = 831 Hz
- 72 = 880 Hz
- 73 = 932 Hz
- 74 = 988 Hz
- 75 = 1.0 kHz76 = 1.1 kHz
- 70 1.1 KHZ
- 77 = 1.2 kHz78 = 1.2 kHz
- 79 = 1.3 kHz
- 80 = 1.4 kHz
- 81 = 1.5 kHz
- 82 = 1.6 kHz
- 83 = 1.7 kHz
- 84 = 1.8 kHz
- 85 = 1.9 kHz86 = 2.0 kHz
- 87 = 2.1 kHz
- 88 = 2.2 kHz
- 89 = 2.3 kHz
- 90 = 2.5 kHz
- 91 = 2.6 kHz92 = 2.8 kHz
- 93 = 3.0 kHz
- 94 = 3.1 kHz
- 95 = 3.3 kHz
- 96 = 3.5 kHz97 = 3.7 kHz
- 98 = 4.0 kHz

```
99 = 4.2 \text{ kHz}
   100 = 4.4 \text{ kHz}
   101 = 4.7 \text{ kHz}
   102 = 5.0 \text{ kHz}
   103 = 5.3 \text{ kHz}
   104 = 5.6 \text{ kHz}
   105 = 5.9 \text{ kHz}
   106 = 6.3 \text{ kHz}
   107 = 6.6 \text{ kHz}
   108 = 7.0 \text{ kHz}
   109 = 7.5 \text{ kHz}
   110 = 7.9 \text{ kHz}
   111 = 8.4 \text{ kHz}
   112 = 8.9 \text{ kHz}
   113 = 9.4 \text{ kHz}
   114 = 10 \text{ kHz}
   115 = 11 \text{ kHz}
   116 = 11 \text{ kHz}
   117 = 12 \text{ kHz}
   118 = 13 \text{ kHz}
   119 = 13 \text{ kHz}
   120 = 14 \text{ kHz}
   121 = 15 \text{ kHz}
   122 = 16 \text{ kHz}
   123 = 17 \text{ kHz}
   124 = 18 \text{ kHz}
   125 = 19 \text{ kHz}
   126 = 20 \text{ kHz}
   127 = 21 \text{ kHz}
for all other filters
   => Resonance: 0/127 value = 0 / 10
NS3 Synth Sample ID
```

Offset in file: 0xA8 (b2-0) to 0xAC (b7-b3) 32-bit synth sample hash code.

NS3 Synth On

```
Offset in file: 0x52 (b7)
0 = off, 1 = on
```

NS3 Synth Kb Zone

```
Offset in file: 0x52 (b6-3)
```

See: Organ Kb Zone for detailed explanation.

NS3 Synth Volume

```
Offset in file: 0x52 (b2-0) and 0x53 (b7-4)
See: Organ Volume for detailed explanation.
Morph Wheel:
0x53 (b3): polarity (1 = positive, 0 = negative)
0x53 (b2-b0), 0x54 (b7-b4): 7-bit raw value
Morph After Touch:
0x54 (b3): polarity (1 = positive, 0 = negative)
```

```
0x54 (b2-b0), 0x55 (b7-b4): 7-bit raw value
Morph Control Pedal:
0x55 (b3): polarity (1 = positive, 0 = negative)
0x55 (b2-b0), 0x56 (b7-b4): 7-bit raw value
```

NS3 Synth Octave Shift

```
Offset in file: 0x56 (b3-0)
Octave Shift = value - 6
```

NS3 Synth Pitch Stick

```
Offset in file: 0x57 (b7)

0 = off, 1 = on
```

NS3 Synth Sustain Pedal

```
Offset in file: 0x57 (b6)

0 = off, 1 = on
```

NS3 Synth Kb Hold

```
Offset in file: 0x80 (b7)

0 = off, 1 = on
```

NS3 Synth Voice

```
Offset in file: 0x84 (b0) and 0x85 (b7)

0 = Poly

1 = Legato

2 = Mono
```

NS3 Synth Glide

```
Offset in file: 0x85 (b6-0) 7 bits, range 0/10 0/127 value = 0/10
```

NS3 Synth Unison

```
Offset in file: 0x86 (b7-6)
0 = Off
```

NS3 Synth Vibrato

```
Offset in file: 0x86 (b5-3)

0 = Off

1 = Delay 1

2 = Delay 2

3 = Delay 3

4 = Wheel
```

5 = After Touch

NS3 Synth Oscillator Type

Offset in file: 0x8D (b1-0) and 0x8E (b7)

- 0 = Classic
- 1 = Wave
- 2 = Formant
- 3 = Super
- 4 = Sample

NS3 Synth Oscillator 1 Wave Form

Offset in file: 0x8E (b3-0) and 0x8F (b7/6)

ID	Classic	Wave	Formant	Super
0	Sine	Wave 2nd Harm	Format Wave Aaa	Super Wave Saw
1			Format Wave Eee	
2				Super Wave Square
3	Square			Super Wave Square 2
	-			Super Wave Bright
				Super Wave Bright 2
6	ESaw			Super Wave Strings
7	ESquare			Super Wave Organ
8		Wave Organ 2	Format Wave OE	
9		Wave Principal	I	
10		Wave Flute 1	I	
11		Wave Flute 2	l	
12		Wave Clarinet 1	l	
13		Wave Clarinet 2	I	
14		Wave Alto Sax	l	
15		Wave Tenor Sax	l	
16		Wave 2nd Spectra	l	
17		Wave 3rd Spectra	l	
18		Wave 4th Spectra	l	
19		Wave 5th Spectra	l	
20		Wave 6th Spectra		
21		Wave 7th Spectra		
22		Wave 8th Spectra		
23		Wave Saw Random		
24		Wave Saw Bright	l	
25		Wave Sqr Bright	l	
26		Wave Saw NoFund	l	
27		Wave EPiano 1	l	
28		Wave EPiano 2	l	
29		Wave EPiano 3	l	
30		Wave DX 1	l	
31		Wave DX 2	l	
32		Wave Full Tines	l	
33		Wave Ac Piano	1	
34		Wave Ice 1	1	
35		Wave Ice 2	1	
36		Wave Clavinet 1	1	
37		Wave Clavinet 2		
38		Wave Clavinet 3		
39		Wave Triplets		
40		Wave Bell	1	
41		Wave Bar 1	1	
42		Wave Bar 2	1	
43		Wave Tines		
44		Wave Marimba	<u> </u>	
45		Wave Tubular Bells	I	

NS3 Synth Oscillator Config

```
Offset in file: 0x8F (b4-1)
0 = None
1 = Pitch
2 = Shape
3 = Sync
4 = Detune
5 = MixSin
6 = MixTri
7 = MixSaw
8 = MixSqr
9 = MixBell
10 = MixNs1
11 = MixNs2
12 = FM1
13 = FM2
14 = RM
```

NS3 Synth Oscillator Control

Offset in file: 0x90 (b2-0) and 0x91 (b7-4)

See: Organ Volume for detailed Morph explanation.

```
Туре
                        Midi value conversion
Pitch (1)
                        0/127 \Rightarrow 0/24
Shape (2)
                        0/127 \Rightarrow 0/100 \%
Sync (3)
                        0/127 \Rightarrow 0/10
Detune (4)
                        0/127 \Rightarrow 0/4
Mix* (5 to 11)
                        0/127 \Rightarrow 100/0 \text{ to } 0/100
FM & RM (12 to 14)
                        0/127 => 0/100 %
Morph Wheel:
0x91 (b3): polarity (1 = positive, 0 = negative)
0x91 (b2-b0), 0x92 (b7-b4): 7-bit raw value
Morph After Touch:
0x92 (b3): polarity (1 = positive, 0 = negative)
0x92 (b2-b0), 0x93 (b7-b4): 7-bit raw value
Morph Control Pedal:
0x93 (b3): polarity (1 = positive, 0 = negative)
0x93 (b2-b0), 0x94 (b7-b4): 7-bit raw value
```

NS3 Synth Pitch

```
Offset in file: 0x8f\ (b0) and 0x90\ (b7-3) Midi value = 6-bit value + b0 forced to zero to have a standard Midi 7-bit value value conversion: -12 (Sub) to +48
```

NS3 Synth LFO Mod Env

```
Offset in file: 0x94 (b3-0) and 0x95 (b7-5)
```

120 = 10.0 (100% right value) 'Mod Env Amount'

```
Osc modulation (lfo/env mod) is using this single 7-bit value to define two settings with a single knob
Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range:
0 = 10.0 (100% left value) 'LFO Amount'
60 = 0.0 for both values
```

NS3 Synth Fast Attack

Offset in file: 0xAC (b2)

0 = off, 1 = on

NS3 Synth Mod Env Attack

Offset in file: 0x8B (b7-1)

```
0/127 \text{ value} = 0.5 \text{ ms} / 45 \text{ s}
```

- 0 = 0.5 ms
- 1 = 0.6 ms
- 2 = 0.7 ms
- 3 = 0.9 ms
- 4 = 1.1 ms
- 5 = 1.3 ms
- 6 = 1.5 ms
- 7 = 1.8 ms
- 8 = 2.1 ms
- 0 2.1 ms
- 9 = 2.5 ms
- 10 = 3.0 ms
- 11 = 3.5 ms
- 12 = 4.0 ms
-
- 13 = 4.7 ms
- 14 = 5.5 ms
- 15 = 6.3 ms16 = 7.3 ms
- 17 = 8.4 ms
- 18 = 9.7 ms
- 19 = 11 ms
- 20 = 13 ms
- 21 = 14 ms
- 22 = 16 ms
- 23 = 19 ms
- 24 = 21 ms
- 25 = 24 ms
- 26 = 27 ms27 = 31 ms
- 28 = 34 ms
- 29 = 39 ms
- 30 = 43 ms
- 31 = 49 ms
- 32 = 54 ms
- 33 = 61 ms
- 34 = 68 ms
- 35 = 75 ms
- 36 = 84 ms
- 37 = 93 ms
- 38 = 103 ms
- 39 = 114 ms
- 40 = 126 ms
- 41 = 139 ms
- 42 = 153 ms43 = 169 ms
- 44 = 186 ms
- 45 = 204 ms
- 46 = 224 ms
- 47 = 246 ms
- 48 = 269 ms
- 49 = 295 ms
- 50 = 322 ms

- 51 = 352 ms52 = 384 ms53 = 419 ms54 = 456 ms55 = 496 ms56 = 540 ms57 = 586 ms58 = 636 ms59 = 690 ms60 = 748 ms61 = 810 ms62 = 876 ms63 = 947 ms64 = 1.02 s65 = 1.10 s66 = 1.19 s67 = 1.28 s68 = 1.38 s69 = 1.49 s70 = 1.60 s71 = 1.72 s72 = 1.85 s73 = 1.99 s74 = 2.13 s75 = 2.28 s76 = 2.45 s77 = 2.62 s78 = 2.81 s79 = 3.00 s80 = 3.21 s81 = 3.43 s82 = 3.66 s83 = 3.91 s84 = 4.17 s85 = 4.45 s86 = 4.74 s87 = 5.05 s88 = 5.37 s89 = 5.72 s90 = 6.08 s91 = 6.47 s92 = 6.87 s93 = 7.30 s94 = 7.75 s95 = 8.22 s96 = 8.72 s97 = 9.25 s98 = 9.80 s99 = 10 s100 = 11 s101 = 12 s102 = 12 s103 = 13 s104 = 14 s105 = 15 s106 = 15 s107 = 16 s108 = 17 s109 = 18 s110 = 19 s111 = 20 s
- Unofficial Nord Stage 2 and 3 Program File Documentation

```
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Decay

Offset in file: 0x8B (b0) and 0x8C (b7-2)

```
0/127 value = 3.0 ms / 45 s (Sustain)
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
   10 = 12 \text{ ms}
   11 = 13 \text{ ms}
   12 = 15 \text{ ms}
   13 = 17 \text{ ms}
   14 = 19 \text{ ms}
   15 = 21 \text{ ms}
   16 = 23 \text{ ms}
   17 = 26 \text{ ms}
   18 = 29 \text{ ms}
   19 = 33 \text{ ms}
   20 = 36 \text{ ms}
   21 = 41 \text{ ms}
   22 = 45 \text{ ms}
   23 = 50 \text{ ms}
   24 = 55 \text{ ms}
   25 = 61 \text{ ms}
   26 = 68 \text{ ms}
   27 = 75 \text{ ms}
   28 = 82 \text{ ms}
   29 = 91 \text{ ms}
   30 = 100 \text{ ms}
   31 = 110 \text{ ms}
   32 = 120 \text{ ms}
   33 = 132 \text{ ms}
   34 = 144 \text{ ms}
   35 = 158 \text{ ms}
   36 = 173 \text{ ms}
   37 = 188 \text{ ms}
   38 = 206 \text{ ms}
```

39 = 224 ms40 = 244 ms41 = 265 ms42 = 288 ms43 = 313 ms44 = 340 ms45 = 368 ms46 = 399 ms47 = 432 ms48 = 467 ms49 = 505 ms50 = 545 ms51 = 588 ms52 = 634 ms53 = 683 ms54 = 736 ms55 = 792 ms56 = 851 ms57 = 915 ms58 = 983 ms59 = 1.05 s60 = 1.13 s61 = 1.21 s62 = 1.30 s63 = 1.39 s64 = 1.49 s65 = 1.59 s66 = 1.70 s67 = 1.82 s68 = 1.94 s69 = 2.07 s70 = 2.21 s71 = 2.36 s72 = 2.51 s73 = 2.67 s74 = 2.85 s75 = 3.03 s76 = 3.22 s77 = 3.42 s78 = 3.64 s79 = 3.86 s80 = 4.10 s81 = 4.35 s82 = 4.61 s83 = 4.89 s84 = 5.18 s85 = 5.49 s86 = 5.81 s87 = 6.15 s88 = 6.50 s89 = 6.88 s90 = 7.27 s91 = 7.68 s92 = 8.11 s93 = 8.57 s94 = 9.04 s95 = 9.54 s96 = 10 s97 = 11 s98 = 11 s

99 = 12 s

Unofficial Nord Stage 2 and 3 Program File Documentation

```
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Release

```
Offset in file: 0x8C (b1-0) and 0x8D (b7-3)
```

```
0/127 \text{ value} = 3.0 \text{ ms} / 45 \text{ s} (Inf)
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
   10 = 12 \text{ ms}
   11 = 13 \text{ ms}
   12 = 15 \text{ ms}
   13 = 17 \text{ ms}
   14 = 19 \text{ ms}
   15 = 21 \text{ ms}
   16 = 23 \text{ ms}
   17 = 26 \text{ ms}
   18 = 29 \text{ ms}
   19 = 33 \text{ ms}
   20 = 36 \text{ ms}
   21 = 41 \text{ ms}
   22 = 45 \text{ ms}
   23 = 50 \text{ ms}
   24 = 55 \text{ ms}
   25 = 61 \text{ ms}
   26 = 68 \text{ ms}
```

27 = 75 ms28 = 82 ms29 = 91 ms30 = 100 ms31 = 110 ms32 = 120 ms33 = 132 ms34 = 144 ms35 = 158 ms36 = 173 ms37 = 188 ms38 = 206 ms39 = 224 ms40 = 244 ms41 = 265 ms42 = 288 ms43 = 313 ms44 = 340 ms45 = 368 ms46 = 399 ms47 = 432 ms48 = 467 ms49 = 505 ms50 = 545 ms51 = 588 ms52 = 634 ms53 = 683 ms54 = 736 ms55 = 792 ms56 = 851 ms57 = 915 ms58 = 983 ms59 = 1.05 s60 = 1.13 s61 = 1.21 s62 = 1.30 s63 = 1.39 s64 = 1.49 s65 = 1.59 s66 = 1.70 s67 = 1.82 s68 = 1.94 s69 = 2.07 s70 = 2.21 s71 = 2.36 s72 = 2.51 s73 = 2.67 s74 = 2.85 s75 = 3.03 s76 = 3.22 s77 = 3.42 s78 = 3.64 s79 = 3.86 s80 = 4.10 s81 = 4.35 s82 = 4.61 s83 = 4.89 s84 = 5.18 s85 = 5.49 s86 = 5.81 s

87 = 6.15 s

```
88 = 6.50 \text{ s}
89 = 6.88 \text{ s}
90 = 7.27 \text{ s}
91 = 7.68 \text{ s}
92 = 8.11 \text{ s}
93 = 8.57 s
94 = 9.04 s
95 = 9.54 \text{ s}
96 = 10 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Velocity

```
Offset in file: 0x8D (b2)

0 = off, 1 = on
```

NS3 Synth Amp Env Attack

```
Offset in file: 0xA5 (b1-0) and 0xA6 (b7-3)
```

```
0/127 value = 0.5 ms / 45 s

0 = 0.5 ms

1 = 0.6 ms

2 = 0.7 ms

3 = 0.9 ms

4 = 1.1 ms

5 = 1.3 ms

6 = 1.5 ms

7 = 1.8 ms

8 = 2.1 ms

9 = 2.5 ms
```

- 10 = 3.0 ms
- 11 = 3.5 ms
- 12 = 4.0 ms
- 13 = 4.7 ms
- 14 = 5.5 ms
- 15 = 6.3 ms
- 16 = 7.3 ms
- 17 = 8.4 ms
- 18 = 9.7 ms
- 19 = 11 ms
- 20 = 13 ms
- 21 = 14 ms
- 22 = 16 ms
- 23 = 19 ms
- 24 = 21 ms
- 25 = 24 ms
- 26 = 27 ms
- 27 = 31 ms
- 28 = 34 ms
- 29 = 39 ms
- 30 = 43 ms
- 31 = 49 ms
- 32 = 54 ms
- 33 = 61 ms
- 34 = 68 ms
- 35 = 75 ms
- 36 = 84 ms37 = 93 ms
- 38 = 103 ms
- 39 = 114 ms
- 40 = 126 ms
- 41 = 139 ms
- 42 = 153 ms
- 43 = 169 ms
- 44 = 186 ms
- 45 = 204 ms46 = 224 ms
- 47 = 246 ms
- 48 = 269 ms
- 49 = 295 ms
- 50 = 322 ms
- 51 = 352 ms
- 52 = 384 ms
- 53 = 419 ms
- 54 = 456 ms
- 55 = 496 ms
- 56 = 540 ms57 = 586 ms
- 58 = 636 ms
- 59 = 690 ms
- 60 = 748 ms
- 61 = 810 ms
- 62 = 876 ms63 = 947 ms
- 64 = 1.02 s
- 65 = 1.10 s66 = 1.19 s
- 67 = 1.28 s
- 68 = 1.38 s
- 69 = 1.49 s
- 70 = 1.60 s

71 = 1.72 s72 = 1.85 s73 = 1.99 s74 = 2.13 s75 = 2.28 s76 = 2.45 s77 = 2.62 s78 = 2.81 s79 = 3.00 s80 = 3.21 s81 = 3.43 s82 = 3.66 s83 = 3.91 s84 = 4.17 s85 = 4.45 s86 = 4.74 s87 = 5.05 s88 = 5.37 s89 = 5.72 s90 = 6.08 s91 = 6.47 s92 = 6.87 s93 = 7.30 s94 = 7.75 s95 = 8.22 s96 = 8.72 s97 = 9.25 s98 = 9.80 s99 = 10 s100 = 11 s101 = 12 s102 = 12 s103 = 13 s104 = 14 s105 = 15 s106 = 15 s107 = 16 s108 = 17 s109 = 18 s110 = 19 s111 = 20 s112 = 21 s113 = 22 s114 = 24 s115 = 25 s116 = 26 s117 = 27 s118 = 29 s119 = 30 s120 = 32 s121 = 34 s122 = 35 s123 = 37 s124 = 39 s125 = 41 s126 = 43 s

NS3 Synth Amp Env Decay

127 = 45 s

Offset in file: 0xA6 (b2-0) and 0xA7 (b7-4)

```
0/127 value = 3.0 ms / 45 s (Sustain)
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
   10 = 12 \text{ ms}
   11 = 13 \text{ ms}
   12 = 15 \text{ ms}
   13 = 17 \text{ ms}
   14 = 19 \text{ ms}
   15 = 21 \text{ ms}
   16 = 23 \text{ ms}
   17 = 26 \text{ ms}
   18 = 29 \text{ ms}
   19 = 33 \text{ ms}
   20 = 36 \text{ ms}
   21 = 41 \text{ ms}
   22 = 45 \text{ ms}
   23 = 50 \text{ ms}
   24 = 55 \text{ ms}
   25 = 61 \text{ ms}
   26 = 68 \text{ ms}
   27 = 75 \text{ ms}
   28 = 82 ms
   29 = 91 \text{ ms}
   30 = 100 \text{ ms}
   31 = 110 \text{ ms}
   32 = 120 \text{ ms}
   33 = 132 \text{ ms}
   34 = 144 \text{ ms}
   35 = 158 \text{ ms}
   36 = 173 \text{ ms}
   37 = 188 \text{ ms}
   38 = 206 \text{ ms}
   39 = 224 \text{ ms}
   40 = 244 \text{ ms}
   41 = 265 \text{ ms}
   42 = 288 \text{ ms}
   43 = 313 \text{ ms}
   44 = 340 \text{ ms}
   45 = 368 \text{ ms}
   46 = 399 \text{ ms}
   47 = 432 \text{ ms}
   48 = 467 \text{ ms}
   49 = 505 \text{ ms}
   50 = 545 \text{ ms}
   51 = 588 \text{ ms}
   52 = 634 \text{ ms}
   53 = 683 \text{ ms}
   54 = 736 \text{ ms}
   55 = 792 \text{ ms}
   56 = 851 \text{ ms}
   57 = 915 \text{ ms}
   58 = 983 \text{ ms}
```

59 = 1.05 s

- 60 = 1.13 s61 = 1.21 s62 = 1.30 s63 = 1.39 s64 = 1.49 s65 = 1.59 s66 = 1.70 s67 = 1.82 s68 = 1.94 s69 = 2.07 s70 = 2.21 s71 = 2.36 s72 = 2.51 s73 = 2.67 s74 = 2.85 s75 = 3.03 s76 = 3.22 s77 = 3.42 s78 = 3.64 s79 = 3.86 s80 = 4.10 s81 = 4.35 s82 = 4.61 s83 = 4.89 s84 = 5.18 s85 = 5.49 s86 = 5.81 s87 = 6.15 s88 = 6.50 s89 = 6.88 s90 = 7.27 s91 = 7.68 s92 = 8.11 s93 = 8.57 s94 = 9.04 s95 = 9.54 s96 = 10 s97 = 11 s98 = 11 s99 = 12 s100 = 12 s101 = 13 s102 = 14 s103 = 14 s104 = 15 s105 = 16 s106 = 17 s107 = 18 s108 = 19 s109 = 20 s110 = 20 s111 = 22 s112 = 23 s113 = 24 s114 = 25 s115 = 26 s116 = 27 s117 = 29 s118 = 30 s119 = 31 s120 = 33 s
- Unofficial Nord Stage 2 and 3 Program File Documentation

```
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Release

```
Offset in file: 0xA7 (b3-0) and 0xA8 (b7-5)
```

```
0/127 \text{ value} = 3.0 \text{ ms} / 45 \text{ s}
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
   10 = 12 \text{ ms}
   11 = 13 \text{ ms}
   12 = 15 \text{ ms}
   13 = 17 \text{ ms}
   14 = 19 \text{ ms}
   15 = 21 \text{ ms}
   16 = 23 \text{ ms}
   17 = 26 \text{ ms}
   18 = 29 \text{ ms}
   19 = 33 \text{ ms}
   20 = 36 \text{ ms}
   21 = 41 \text{ ms}
   22 = 45 \text{ ms}
   23 = 50 \text{ ms}
   24 = 55 \text{ ms}
   25 = 61 \text{ ms}
   26 = 68 \text{ ms}
   27 = 75 \text{ ms}
   28 = 82 \text{ ms}
   29 = 91 \text{ ms}
   30 = 100 \text{ ms}
   31 = 110 \text{ ms}
   32 = 120 \text{ ms}
   33 = 132 \text{ ms}
   34 = 144 \text{ ms}
   35 = 158 \text{ ms}
   36 = 173 \text{ ms}
   37 = 188 \text{ ms}
   38 = 206 \text{ ms}
   39 = 224 \text{ ms}
   40 = 244 \text{ ms}
   41 = 265 \text{ ms}
   42 = 288 \text{ ms}
   43 = 313 \text{ ms}
   44 = 340 \text{ ms}
   45 = 368 \text{ ms}
   46 = 399 \text{ ms}
```

47 = 432 ms

48 = 467 ms49 = 505 ms50 = 545 ms51 = 588 ms52 = 634 ms53 = 683 ms54 = 736 ms55 = 792 ms56 = 851 ms57 = 915 ms58 = 983 ms59 = 1.05 s60 = 1.13 s61 = 1.21 s62 = 1.30 s63 = 1.39 s64 = 1.49 s65 = 1.59 s66 = 1.70 s67 = 1.82 s68 = 1.94 s69 = 2.07 s70 = 2.21 s71 = 2.36 s72 = 2.51 s73 = 2.67 s74 = 2.85 s75 = 3.03 s76 = 3.22 s77 = 3.42 s78 = 3.64 s79 = 3.86 s80 = 4.10 s81 = 4.35 s82 = 4.61 s83 = 4.89 s84 = 5.18 s85 = 5.49 s86 = 5.81 s87 = 6.15 s88 = 6.50 s89 = 6.88 s90 = 7.27 s91 = 7.68 s92 = 8.11 s93 = 8.57 s94 = 9.04 s95 = 9.54 s96 = 10 s97 = 11 s98 = 11 s99 = 12 s100 = 12 s101 = 13 s102 = 14 s103 = 14 s104 = 15 s105 = 16 s106 = 17 s107 = 18 s108 = 19 s

```
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Velocity

```
Offset in file: 0xA8 (b4-3)

0 = 0ff

1 = 1

2 = 2
```

3 = 3

NS3 Synth Lfo Wave

```
Offset in file: 0x86 (b2-0)

0 = Triangle

1 = Saw

2 = Neg Saw

3 = Square

4 = S/H
```

NS3 Synth Lfo Rate

```
Offset in file: 0x87 (b6-0)
```

See: Organ Volume for detailed Morph explanation.

```
0/127 \text{ value} = 0.03 \text{ Hz} / 523 \text{ Hz}
   0 = 0.03 \text{ Hz}
   1 = 0.03 \text{ Hz}
   2 = 0.03 \text{ Hz}
   3 = 0.04 \text{ Hz}
   4 = 0.04 \text{ Hz}
   5 = 0.04 \text{ Hz}
   6 = 0.05 \text{ Hz}
   7 = 0.05 \text{ Hz}
   8 = 0.05 \text{ Hz}
   9 = 0.06 \text{ Hz}
   10 = 0.06 \text{ Hz}
   11 = 0.07 \text{ Hz}
   12 = 0.07 \text{ Hz}
   13 = 0.08 \text{ Hz}
   14 = 0.09 \text{ Hz}
   15 = 0.09 \text{ Hz}
   16 = 0.10 \text{ Hz}
```

- 17 = 0.11 Hz
- 18 = 0.12 Hz
- 19 = 0.13 Hz
- 20 = 0.14 Hz
- 21 = 0.15 Hz
- 22 = 0.16 Hz
- 23 = 0.17 Hz
- 24 = 0.19 Hz
- 25 = 0.20 Hz
- 26 = 0.22 Hz
- 27 = 0.24 Hz
- 28 = 0.26 Hz
- 29 = 0.28 Hz
- 30 = 0.30 Hz31 = 0.32 Hz
- 32 = 0.35 Hz
- 33 = 0.38 Hz34 = 0.41 Hz
- 35 = 0.44 Hz
- 36 = 0.47 Hz
- 37 = 0.51 Hz
- 38 = 0.55 Hz
- 39 = 0.60 Hz
- 40 = 0.64 Hz
- 41 = 0.70 Hz
- 42 = 0.75 Hz
- 43 = 0.81 Hz
- 44 = 0.88 Hz
- 45 = 0.95 Hz
- 46 = 1.0 Hz
- 47 = 1.1 Hz48 = 1.2 Hz
- 49 = 1.3 Hz
- 50 = 1.4 Hz
- 51 = 1.5 Hz
- 52 = 1.6 Hz
- 53 = 1.8 Hz
- 54 = 1.9 Hz
- 55 = 2.0 Hz
- 56 = 2.2 Hz
- 57 = 2.4 Hz
- 58 = 2.6 Hz59 = 2.8 Hz
- 60 = 3.0 Hz
- 61 = 3.2 Hz
- 62 = 3.5 Hz
- 63 = 3.8 Hz
- 64 = 4.1 Hz
- 65 = 4.4 Hz
- 66 = 4.8 Hz
- 67 = 5.2 Hz
- 68 = 5.6 Hz
- 69 = 6.0 Hz70 = 6.5 Hz
- 71 = 7.0 Hz
- 72 = 7.6 Hz
- 73 = 8.2 Hz
- 74 = 8.8 Hz
- 75 = 9.5 Hz76 = 10 Hz
- 77 = 11 Hz

7 = 4/1

```
78 = 12 \text{ Hz}
   79 = 13 \text{ Hz}
  80 = 14 \text{ Hz}
   81 = 15 \text{ Hz}
   82 = 16 \text{ Hz}
   83 = 18 \text{ Hz}
   84 = 19 \text{ Hz}
   85 = 21 \text{ Hz}
   86 = 22 \text{ Hz}
   87 = 24 \text{ Hz}
   88 = 26 \text{ Hz}
   89 = 28 \text{ Hz}
   90 = 30 \text{ Hz}
   91 = 33 \text{ Hz}
  92 = 35 \text{ Hz}
  93 = 38 \text{ Hz}
  94 = 41 \text{ Hz}
  95 = 45 \text{ Hz}
  96 = 48 \text{ Hz}
   97 = 52 \text{ Hz}
   98 = 56 \text{ Hz}
   99 = 61 \text{ Hz}
   100 = 65 \text{ Hz}
   101 = 71 \text{ Hz}
   102 = 76 \text{ Hz}
   103 = 82 \text{ Hz}
   104 = 89 \text{ Hz}
   105 = 96 \text{ Hz}
   106 = 104 \text{ Hz}
   107 = 112 \text{ Hz}
   108 = 121 \text{ Hz}
   109 = 131 \text{ Hz}
   110 = 141 \text{ Hz}
   111 = 153 \text{ Hz}
   112 = 165 \text{ Hz}
   113 = 178 \text{ Hz}
   114 = 192 \text{ Hz}
   115 = 208 \text{ Hz}
   116 = 224 \text{ Hz}
   117 = 242 \text{ Hz}
   118 = 262 \text{ Hz}
   119 = 283 \text{ Hz}
   120 = 305 \text{ Hz}
   121 = 330 \text{ Hz}
   122 = 356 \text{ Hz}
   123 = 385 \text{ Hz}
   124 = 415 \text{ Hz}
   125 = 449 \text{ Hz}
   126 = 484 \text{ Hz}
   127 = 523 \text{ Hz}
if LFO Master Clock is On, 0/127 value = 4/1 to 1/64 Master Clock Division
  0 = 4/1
   1 = 4/1
   2 = 4/1
   3 = 4/1
   4 = 4/1
  5 = 4/1
   6 = 4/1
```

- 8 = 4/1T
- 9 = 4/1T
- 10 = 4/1T
- 11 = 4/1T
- 12 = 4/1T
- 13 = 4/1T
- 14 = 4/1T
- 15 = 4/1T
- 16 = 2/1
- 17 = 2/1
- 18 = 2/1
- 19 = 2/1
- 20 = 2/1
- 21 = 2/1
- 22 = 2/1
- 23 = 2/1T
- 24 = 2/1T
- 25 = 2/1T26 = 2/1T
- 27 = 2/1T
- 28 = 2/1T29 = 2/1T
- 30 = 2/1T
- 31 = 1/132 = 1/1
- 33 = 1/1
- 34 = 1/1
- 35 = 1/1
- 36 = 1/1
- 37 = 1/1
- 38 = 1/1T
- 39 = 1/1T
- 40 = 1/1T
- 41 = 1/1T
- 42 = 1/1T
- 43 = 1/1T
- 44 = 1/1T
- 45 = 1/1T
- 46 = 1/2
- 47 = 1/2
- 48 = 1/2
- 49 = 1/250 = 1/2
- 51 = 1/2
- 52 = 1/2
- 53 = 1/2T
- 54 = 1/2T
- 55 = 1/2T
- 56 = 1/2T
- 57 = 1/2T
- 58 = 1/2T59 = 1/2T
- 60 = 1/2T
- 61 = 1/4
- 62 = 1/4
- 63 = 1/4
- 64 = 1/465 = 1/4
- 66 = 1/4
- 67 = 1/4
- 68 = 1/4T

- 69 = 1/4T
- 70 = 1/4T
- 71 = 1/4T
- 72 = 1/4T
- 73 = 1/4T
- 74 = 1/4T
- 75 = 1/4T
- 76 = 1/8
- 77 = 1/8
- 11 1/0
- 78 = 1/8
- 79 = 1/8
- 80 = 1/8
- 81 = 1/8
- 82 = 1/8
- 83 = 1/8T
- 84 = 1/8T
- 85 = 1/8T
- 86 = 1/8T
- 87 = 1/8T
- 88 = 1/8T
- 89 = 1/8T
- 90 = 1/8T
- 91 = 1/16
- 92 = 1/16
- 93 = 1/16
- 94 = 1/16
- 95 = 1/16
- 96 = 1/16
- 97 = 1/16
- 98 = 1/16T
- 99 = 1/16T
- 100 = 1/16T
- 101 = 1/16T
- 102 = 1/16T
- 103 = 1/16T
- 104 = 1/16T
- 105 = 1/16T106 = 1/32
- 107 = 1/32
- 108 = 1/32
- 109 = 1/32
- 110 = 1/32
- 111 = 1/32
- 112 = 1/32
- 113 = 1/32T
- 114 = 1/32T
- 115 = 1/32T
- 116 = 1/32T
- 117 = 1/32T
- 118 = 1/32T
- 119 = 1/32T120 = 1/32T
- 121 = 1/64
- 122 = 1/64
- 123 = 1/64
- 124 = 1/64
- 125 = 1/64 126 = 1/64
- 127 = 1/64

```
NS3 Synth Lfo Master Clock
Morph Wheel:
0x88 (b7): polarity (1 = positive, 0 = negative)
0x88 (b6-b0): 7-bit raw value
Morph After Touch:
0x89 (b7): polarity (1 = positive, 0 = negative)
0x89 (b6-b0): 7-bit raw value
Morph Control Pedal:
0x8A (b7): polarity (1 = positive, 0 = negative)
0x8A (b6-b0): 7-bit raw value
NS3 Synth Lfo Master Clock
Offset in file: 0x87 (b7)
0 = off, 1 = on
NS3 Synth Arp On
Offset in file: 0x80 (b6)
0 = off, 1 = on
NS3 Synth Arp Rate
Offset in file: 0x81 (b7-1)
See: Organ Volume for detailed Morph explanation.
```

```
0/127 value = 16 bpm / Fast 5
   0 = 16 \text{ bpm}
   1 = 16 \text{ bpm}
   2 = 18 \text{ bpm}
   3 = 20 \text{ bpm}
   4 = 24 \text{ bpm}
   5 = 26 \text{ bpm}
   6 = 28 \text{ bpm}
   7 = 30 \text{ bpm}
   8 = 34 \text{ bpm}
   9 = 36 \text{ bpm}
   10 = 38 \text{ bpm}
   11 = 42 \text{ bpm}
   12 = 44 \text{ bpm}
   13 = 46 \text{ bpm}
   14 = 48 \text{ bpm}
   15 = 50 \text{ bpm}
   16 = 54 \text{ bpm}
   17 = 56 \text{ bpm}
   18 = 58 \text{ bpm}
   19 = 60 \text{ bpm}
   20 = 62 \text{ bpm}
   21 = 64 \text{ bpm}
   22 = 66 \text{ bpm}
   23 = 68 \text{ bpm}
   24 = 70 \text{ bpm}
   25 = 72 \text{ bpm}
   26 = 74 \text{ bpm}
   27 = 76 \text{ bpm}
   28 = 78 \text{ bpm}
   29 = 78 \text{ bpm}
   30 = 80 \text{ bpm}
```

31 = 82 bpm

- 32 = 84 bpm
- 33 = 86 bpm
- 34 = 86 bpm
- 35 = 88 bpm
- 36 = 90 bpm
- 37 = 92 bpm
- 38 = 94 bpm
- 39 = 94 bpm
- 40 = 96 bpm
- 41 = 98 bpm
- 42 = 100 bpm
- 43 = 100 bpm
- 44 = 102 bpm
- 45 = 104 bpm
- 46 = 106 bpm
- 47 = 108 bpm
- 48 = 108 bpm
- 49 = 110 bpm50 = 112 bpm
- 51 = 114 bpm
- 52 = 116 bpm
- 53 = 118 bpm
- 54 = 120 bpm
- 55 = 122 bpm
- 56 = 124 bpm
- 57 = 126 bpm
- 58 = 128 bpm
- 59 = 130 bpm
- 60 = 132 bpm
- 61 = 134 bpm
- 62 = 138 bpm
- 63 = 140 bpm
- 64 = 142 bpm
- 65 = 146 bpm
- 66 = 148 bpm
- 67 = 152 bpm
- 68 = 154 bpm
- 69 = 158 bpm
- 70 = 162 bpm
- 71 = 166 bpm72 = 170 bpm
- 73 = 174 bpm
- 74 = 178 bpm
- 75 = 182 bpm
- 76 = 186 bpm
- 77 = 190 bpm
- 78 = 196 bpm
- 79 = 200 bpm
- 80 = 204 bpm
- 81 = 210 bpm
- 82 = 216 bpm83 = 220 bpm
- 84 = 226 bpm
- 85 = 232 bpm
- 86 = 238 bpm
- 87 = 244 bpm
- 88 = 252 bpm
- 89 = 258 bpm
- 90 = 266 bpm
- 91 = 274 bpm
- 92 = 282 bpm

22 = 1/2T

```
93 = 290 \text{ bpm}
  94 = 298 \text{ bpm}
  95 = 308 \text{ bpm}
  96 = 318 \text{ bpm}
   97 = 328 \text{ bpm}
   98 = 338 \text{ bpm}
   99 = 350 \text{ bpm}
   100 = 362 \text{ bpm}
   101 = 376 \text{ bpm}
   102 = 392 \text{ bpm}
   103 = 410 \text{ bpm}
   104 = 428 \text{ bpm}
   105 = 450 \text{ bpm}
   106 = 472 \text{ bpm}
   107 = 494 \text{ bpm}
   108 = 520 \text{ bpm}
   109 = 546 \text{ bpm}
   110 = 574 \text{ bpm}
   111 = 602 \text{ bpm}
   112 = 632 \text{ bpm}
   113 = 662 \text{ bpm}
   114 = 696 \text{ bpm}
   115 = 728 \text{ bpm}
   116 = 762 \text{ bpm}
   117 = 798 \text{ bpm}
   118 = 834 \text{ bpm}
   119 = 872 \text{ bpm}
   120 = 910 \text{ bpm}
   121 = 950 \text{ bpm}
   122 = 990 \text{ bpm}
   123 = Fast 1
   124 = Fast 2
   125 = Fast 3
   126 = Fast 4
   127 = Fast 5
if Arpeggiator Master Clock is On, 0/127 value = 1/2 to 1/32 Master Clock Division
  0 = 1/2
   1 = 1/2
  2 = 1/2
  3 = 1/2
   4 = 1/2
```

5 = 1/26 = 1/27 = 1/28 = 1/29 = 1/210 = 1/211 = 1/212 = 1/213 = 1/214 = 1/215 = 1/2T16 = 1/2T17 = 1/2T18 = 1/2T19 = 1/2T20 = 1/2T21 = 1/2T

- 23 = 1/2T
- 24 = 1/2T
- 25 = 1/2T
- 26 = 1/2T
- 27 = 1/2T
- 28 = 1/2T
- 29 = 1/4
- 30 = 1/4
- 31 = 1/4
- 32 = 1/4
- 33 = 1/4
- 34 = 1/4
- 35 = 1/4
- 36 = 1/4
- 37 = 1/4
- 38 = 1/4
- 39 = 1/4
- 40 = 1/4
- 41 = 1/4
- 42 = 1/4
- 43 = 1/4T
- 44 = 1/4T
- 45 = 1/4T
- 46 = 1/4T
- 47 = 1/4T48 = 1/4T
- 49 = 1/4T
- 50 = 1/4T
- 51 = 1/4T
- 52 = 1/4T
- 53 = 1/4T
- 54 = 1/4T
- 55 = 1/4T
- 56 = 1/4T
- 57 = 1/858 = 1/8
- 59 = 1/8
- 60 = 1/8
- 61 = 1/8
- 62 = 1/8
- 63 = 1/8
- 64 = 1/8
- 65 = 1/8
- 66 = 1/867 = 1/8
- 68 = 1/8
- 69 = 1/8
- 70 = 1/8
- 71 = 1/8
- 72 = 1/8T
- 73 = 1/8T
- 74 = 1/8T
- 75 = 1/8T76 = 1/8T
- 77 = 1/8T
- 78 = 1/8T
- 79 = 1/8T
- 80 = 1/8T
- 81 = 1/8T
- 82 = 1/8T
- 83 = 1/8T

```
84 = 1/8T
  85 = 1/8T
  86 = 1/16
  87 = 1/16
  88 = 1/16
  89 = 1/16
  90 = 1/16
  91 = 1/16
  92 = 1/16
  93 = 1/16
  94 = 1/16
  95 = 1/16
  96 = 1/16
  97 = 1/16
  98 = 1/16
  99 = 1/16
  100 = 1/16T
  101 = 1/16T
  102 = 1/16T
  103 = 1/16T
  104 = 1/16T
  105 = 1/16T
  106 = 1/16T
  107 = 1/16T
  108 = 1/16T
  109 = 1/16T
  110 = 1/16T
  111 = 1/16T
  112 = 1/16T
  113 = 1/16T
  114 = 1/32
  115 = 1/32
  116 = 1/32
  117 = 1/32
  118 = 1/32
  119 = 1/32
  120 = 1/32
  121 = 1/32
  122 = 1/32
  123 = 1/32
  124 = 1/32
  125 = 1/32
  126 = 1/32
  127 = 1/32
Morph Wheel:
0x81 (b0): polarity (1 = positive, 0 = negative)
0x82 (b7-b1): 7-bit raw value
Morph After Touch:
0x82 (b0): polarity (1 = positive, 0 = negative)
0x83 (b7-b1): 7-bit raw value
Morph Control Pedal:
0x83 (b0): polarity (1 = positive, 0 = negative)
0x84 (b7-b1): 7-bit raw value
```

NS3 Synth Arp Kb Sync

Offset in file: 0x80 (b5)

```
0 = off, 1 = on
```

NS3 Synth Arp Master Clock

```
Offset in file: 0x80 (b0)

0 = off, 1 = on
```

NS3 Synth Arp Range

```
Offset in file: 0x80 (b4-3)

0 = 1 Octave

1 = 2 Octaves

2 = 3 Octaves

3 = 4 Octaves
```

NS3 Synth Arp Pattern

```
Offset in file: 0x80 (b2-1)

0 = Up

1 = Down

2 = Up/Down

3 = Random
```

NS3 Synth Preset Location

```
Offset in file: 0x57 (b5-0) and 0x58 (b7-4)

Preset location:
0-399: user preset
400-799: sample preset
```

NS3 Synth Preset Name

```
Offset in file: 0x58~(b3-0) to 0x6E~(b7-4)
User Preset names are limited to 16 characters, Sample Preset name are up to 22 characters.

character 1: (offset + 3) & 0x7f
character 2: (offset + 2) & 0xff
character 3: (offset + 1) & 0xff
character 4: ((offset + 0) & 0xff) + 1
character 5: (offset + 3 + 4) & 0x7f
character 6: (offset + 2 + 4) & 0xff
```

Nord Stage 2 File Structure

offset	bits	description
		-
0x0000	ccccccc	ascii C - 0x43, 4-byte Clavia ID
0x0001	ccccccc	ascii B - 0x42
0x0002	ccccccc	ascii I - 0x49
0x0003	ccccccc	ascii N - 0x4E
0x0004	ffffffff	(f) file format
0x0005		0
0x0006		0
0x0007		
0x0008	ccccccc	ascii n - 0x6E, 4-byte NS2 Program file ID
0x0009	ccccccc	ascii s - $0x73$,
0x000A	ccccccc	ascii 2 - 0x32,
0x000B	ccccccc	ascii p - $0x70$,
0x000C	bbbbbbbb	
0x000D		0
0x000E	11111111	
0x000F		0
0x0010		
0x0011		
0x0012		
0x0013		(*) (1
0x0014	11111111	(i) file version (16-bit)
0x0015	iiiiiiii	
0x0016		
0x0017		CDC1 (20.1 1)
0x0018	ccccccc	CRC1 (32-bit)
0x0019	ccccccc	
0x001A	ccccccc	
0x001B	ccccccc	
0x001C		
0x001D		
0x001E		
0x001F		
0x0020 0x0021		
0x0022		
0x0023 0x0024		
0x0024 0x0025		
0x0025		
0x0020		
0x0027		
0x0020		
0x0023		
0x002R		
0x002B		
0x002C		
0x002E		
0x002E		
0x0030	-p	(p) organ pitch stick
0x0030	P 	(L) 2-9mi bront poton
0x0031		
0x0032		
0x0033	mm	(m) organ model
0x0034	vvvhds	(v) organ b3 vibrato mode, (h) organ b3 harmonic third, (d) organ b3 decay fast, (s)
0.0000	v v viius	organ b3 volume soft
0x0036		
0x0037	-vvo	(v) organ vox vibrato mode, (o) organ vox vibrato on
		() () () () () () () () () ()

offset	bits	description
0x0038		
0x0039	-vvo	(v) organ farfisa vibrato mode, (o) organ farfisa vibrato on
0x003A		(.)8
0x003B	ddd	(o) piano slot detune
0x003C		(*) r
0x003D		
0x003E		
0x003F		
0x0040		
0x0041		
0x0042		
0x0043	OWWWWWWW	(o) organ on, (w) organ volume morph wheel
0x0044	waaaaaaa	(a) organ volume morph after touch
0x0045	acccccc	(c) organ volume morph control pedal
0x0046	CVVVVVV	(v) organ volume
0x0047	zzzoooos	(z) organ kb zone, (o) organ octave shift, (s) organ sustain pedal
0x0048	OWWWWWWW	(o) piano on, (w) piano volume morph wheel
0x0049	waaaaaaa	(a) piano volume morph after touch
0x004A	acccccc	(c) piano volume morph control pedal
0x004B	CAAAAAAA	(v) piano volume
0x004C	zzzoooop	(z) piano split zones, (o) piano octave shift, (p) piano pitch stick
0x004D	SOWWWWWW	(s) piano sustain pedal, (o) synth on, (w) synth volume morph wheel
0x004E	wwaaaaaa	(a) synth volume morph after touch
0x004F	aacccccc	(c) synth volume morph control pedal
0x0050	CCAAAAAA	(v) synth volume
0x0051	VZZZ	(z) synth kb zone
0x0052	ps	(p) synth pitch stick, (s) synth sustain pedal
0x0053		
0x0054		
0x0055		
0x0056		
0x0057		
0x0058		
0x0059	lg	(l) organ latch pedal, (g) organ kb gate
0x005A	lgtk	(l) piano latch pedal, (g) piano kb gate, (t) synth latch pedal, (k) synth kb gate
0x005B	1-	(h) h2 II
0x005C	b	(b) organ b3 preset II
0x005D 0x005E	b	(b) organ vox vox II (b) organ farfisa preset II
0x005E	wwwwwaaa	(w) organ b3 preset I drawbar 1 morph wheel, (a) organ b3 preset I drawbar 1
UXUUSF	wwwwwaaa	morph after touch
0x0060	aappppp1	(p) organ b3 preset I drawbar 1 morph control pedal, (1) organ b3 preset I drawbar 1
0x0061	111wwwww	(w) organ b3 preset I drawbar 2 morph wheel
0x0062	aaaaappp	(a) organ b3 preset I drawbar 2 morph after touch, (p) organ b3 preset I drawbar 2
0110002	aaaaappp	morph control pedal
0x0063	pp2222ww	(2) organ b3 preset I drawbar 2, (w) organ b3 preset I drawbar 3 morph wheel
0x0064	wwwaaaaa	(a) organ b3 preset I drawbar 3 morph after touch
0x0065	ppppp333	(p) organ b3 preset I drawbar 3 morph control pedal, (3) organ b3 preset I drawbar
	11111	3,
0x0066	3wwwwwaa	(w) organ b3 preset I drawbar 4 morph wheel, (a) organ b3 preset I drawbar 4 morph after touch
0x0067	aaappppp	(p) organ b3 preset I drawbar 4 morph control pedal
0x0068	4444wwww	(4) organ b3 preset I drawbar 4, (w) organ b3 preset I drawbar 5 morph wheel
0x0069	waaaaapp	(a) organ b3 preset I drawbar 5 morph after touch, (p) organ b3 preset I drawbar 5
		morph control pedal
0x006A	ppp5555w	(5) organ b3 preset I drawbar 5, (w) organ b3 preset I drawbar 6 morph wheel
0x006B	wwwwaaaa	(a) organ b3 preset I drawbar 6 morph after touch
0x006C	appppp66	(p) organ b3 preset I drawbar 6 morph control pedal, (6) organ b3 preset I drawbar 6
	1111	

offset	bits	description
0x006D	66wwwwwa	(w) organ b3 preset I drawbar 7 morph wheel, (a) organ b3 preset I drawbar 7
		morph after touch
0x006E	aaaapppp	(p) organ b3 preset I drawbar 7 morph control pedal
0x006F	р7777www	(7) organ b3 preset I drawbar 7, (w) organ b3 preset I drawbar 8 morph wheel
0x0070	wwaaaaap	(a) organ b3 preset I drawbar 8 morph after touch, (p) organ b3 preset I drawbar 8
		morph control pedal
0x0071	pppp8888	(8) organ b3 preset I drawbar 8
0x0072	wwwwwaaa	(w) organ b3 preset I drawbar 9 morph wheel, (a) organ b3 preset I drawbar 9
		morph after touch
0x0073	aappppp9	(p) organ b3 preset I drawbar 9 morph control pedal, (9) organ b3 preset I drawbar 9
0x0074	999vp	(v) organ b3 preset I vibrato chorus, (p) organ b3 preset I percussion
0x0075		
0x0076	wwwwwaaa	(w) organ vox preset I drawbar 1 morph wheel, (a) organ vox preset I drawbar 1
		morph after touch
0x0077	aappppp1	(p) organ vox preset I drawbar 1 morph control pedal, (1) organ vox preset I
		drawbar 1
0x0078	111wwwww	(w) organ vox preset I drawbar 2 morph wheel
0x0079	aaaaappp	(a) organ vox preset I drawbar 2 morph after touch, (p) organ vox preset I drawbar
		2 morph control pedal
0x007A	pp2222ww	(2) organ vox preset I drawbar 2, (w) organ vox preset I drawbar 3 morph wheel
0x007B	wwwaaaaa	(a) organ vox preset I drawbar 3 morph after touch
0x007C	ppppp333	(p) organ vox preset I drawbar 3 morph control pedal, (3) organ vox preset I
		drawbar 3,
0x007D	3wwwwwaa	(w) organ vox preset I drawbar 4 morph wheel, (a) organ vox preset I drawbar 4
		morph after touch
0x007E	aaappppp	(p) organ vox preset I drawbar 4 morph control pedal
0x007F	4444wwww	(4) organ vox preset I drawbar 4, (w) organ vox preset I drawbar 5 morph wheel
0x0080	waaaaapp	(a) organ vox preset I drawbar 5 morph after touch, (p) organ vox preset I drawbar
0x0081	nnnEEEE	5 morph control pedal (5) owen you preset I drawbar 5 (w) owen you preset I drawbar 6 morph wheel
	ppp5555w	(5) organ vox preset I drawbar 5, (w) organ vox preset I drawbar 6 morph wheel
0x0082 0x0083	wwwwaaaa	(a) organ vox preset I drawbar 6 morph after touch (p) organ vox preset I drawbar 6 morph control pedal, (6) organ vox preset I
0X0003	appppp66	drawbar 6
0x0084	66wwwwwa	(w) organ vox preset I drawbar 7 morph wheel, (a) organ vox preset I drawbar 7
070004	oowwwwa	morph after touch
0x0085	aaaapppp	(p) organ vox preset I drawbar 7 morph control pedal
0x0086	p7777www	(7) organ vox preset I drawbar 7, (w) organ vox preset I drawbar 8 morph wheel
0x0087	wwaaaaap	(a) organ vox preset I drawbar 8 morph after touch, (p) organ vox preset I drawbar
0110001	aaaaap	8 morph control pedal
0x0088	pppp8888	(8) organ vox preset I drawbar 8
0x0089	wwwwwaaa	(w) organ vox preset I drawbar 9 morph wheel, (a) organ vox preset I drawbar 9
		morph after touch
A800x0	aappppp9	(p) organ vox preset I drawbar 9 morph control pedal, (9) organ vox preset I
		drawbar 9
0x008B	999	
0x008C		
0x008D	wwaapp1h	(w,a,p,1) organ farfisa preset I drawbar 1, (h,a,p,2) organ farfisa preset I drawbar 2
0x008E	haapp2ww	(w,a,p,3) organ farfisa preset I drawbar 3
0x008F	aapp3wwa	(w,a,p,4) organ farfisa preset I drawbar 4, (w,a,p,3) organ farfisa preset I drawbar 4
0x0090	app4wwaa	(w,a,p,5) organ farfisa preset I drawbar 5
0x0091	pp5wwaad	(w,a,d,6) organ farfisa preset I drawbar 6
0x0092	d6wwaapp	(w,a,p,7) organ farfisa preset I drawbar 7
0x0093	7wwaapp8	(w,a,p,8) organ farfisa preset I drawbar 8
0x0094	wwaapp9-	(w,a,p,9) organ farfisa preset I drawbar 9
0x0095		
0x0096	wwwwwaaa	(w) organ b3 preset II drawbar 1 morph wheel, (a) organ b3 preset II drawbar 1
		morph after touch
0x0097	aappppp1	(p) organ b3 preset II drawbar 1 morph control pedal, (1) organ b3 preset II
		drawbar 1

offset	bits	description
0x0098	111wwwww	(w) organ b3 preset II drawbar 2 morph wheel
0x0099	aaaaappp	(a) organ b3 preset II drawbar 2 morph after touch, (p) organ b3 preset II drawbar
	111	2 morph control pedal
0x009A	pp2222ww	(2) organ b3 preset II drawbar 2, (w) organ b3 preset II drawbar 3 morph wheel
0x009B	wwwaaaaa	(a) organ b3 preset II drawbar 3 morph after touch
0x009C	ppppp333	(p) organ b3 preset II drawbar 3 morph control pedal, (3) organ b3 preset II
		drawbar 3,
0x009D	3wwwwwaa	(w) organ b3 preset II drawbar 4 morph wheel, (a) organ b3 preset II drawbar 4 morph after touch
0x009E	aaappppp	(p) organ b3 preset II drawbar 4 morph control pedal
0x009F	4444wwww	(4) organ b3 preset II drawbar 4, (w) organ b3 preset II drawbar 5 morph wheel
0x00A0	waaaaapp	(a) organ b3 preset II drawbar 5 morph after touch, (p) organ b3 preset II drawbar 5 morph control pedal
0x00A1	ppp5555w	(5) organ b3 preset II drawbar 5, (w) organ b3 preset II drawbar 6 morph wheel
0x00A2	wwwwaaaa	(a) organ b3 preset II drawbar 6 morph after touch
0x00A3	appppp66	(p) organ b3 preset II drawbar 6 morph control pedal, (6) organ b3 preset II
		drawbar 6
0x00A4	66wwwwwa	(w) organ b3 preset II drawbar 7 morph wheel, (a) organ b3 preset II drawbar 7 morph after touch
0x00A5	aaaapppp	(p) organ b3 preset II drawbar 7 morph control pedal
0x00A6	p7777www	(7) organ b3 preset II drawbar 7, (w) organ b3 preset II drawbar 8 morph wheel
0x00A7	wwaaaaap	(a) organ b3 preset II drawbar 8 morph after touch, (p) organ b3 preset II drawbar 8 morph control pedal
8A00x0	pppp8888	(8) organ b3 preset II drawbar 8
0x00A9	wwwwwaaa	(w) organ b3 preset II drawbar 9 morph wheel, (a) organ b3 preset II drawbar 9 morph after touch
OxOOAA	aappppp9	(p) organ b3 preset II drawbar 9 morph control pedal, (9) organ b3 preset II drawbar 9
0x00AB	999vp	(v) organ b3 preset II vibrato chorus, (p) organ b3 preset II percussion
0x00AC		
OxOOAD	wwwwwaaa	(w) organ vox preset II drawbar 1 morph wheel, (a) organ vox preset II drawbar 1 morph after touch
0x00AE	aappppp1	(p) organ vox preset II drawbar 1 morph control pedal, (1) organ vox preset II drawbar 1
OxOOAF	111wwwww	(w) organ vox preset II drawbar 2 morph wheel
0x00B0	aaaaappp	(a) organ vox preset II drawbar 2 morph after touch, (p) organ vox preset II drawbar 2 morph control pedal
0x00B1	pp2222ww	(2) organ vox preset II drawbar 2, (w) organ vox preset II drawbar 3 morph wheel
0x00B2	wwwaaaaa	(a) organ vox preset II drawbar 3 morph after touch
0x00B3	ppppp333	(p) organ vox preset II drawbar 3 morph control pedal, (3) organ vox preset II drawbar 3,
0x00B4	Зwwwwwaa	(w) organ vox preset II drawbar 4 morph wheel, (a) organ vox preset II drawbar 4 morph after touch
0x00B5	aaappppp	(p) organ vox preset II drawbar 4 morph control pedal
0x00B6	4444wwww	(4) organ vox preset II drawbar 4, (w) organ vox preset II drawbar 5 morph wheel
0x00B7	waaaaapp	(a) organ vox preset II drawbar 5 morph after touch, (p) organ vox preset II drawbar 5 morph control pedal
0x00B8	ppp5555w	(5) organ vox preset II drawbar 5, (w) organ vox preset II drawbar 6 morph wheel
0x00B9	wwwwaaaa	(a) organ vox preset II drawbar 6 morph after touch
OxOOBA	appppp66	(p) organ vox preset II drawbar 6 morph control pedal, (6) organ vox preset II drawbar 6
0x00BB	66wwwwwa	(w) organ vox preset II drawbar 7 morph wheel, (a) organ vox preset II drawbar 7 morph after touch
0x00BC	aaaapppp	(p) organ vox preset II drawbar 7 morph control pedal
0x00BD	p7777www	(7) organ vox preset II drawbar 7, (w) organ vox preset II drawbar 8 morph wheel
0x00BE	wwaaaaap	(a) organ vox preset II drawbar 8 morph after touch, (p) organ vox preset II
0x00BF	-	drawbar 8 morph control pedal (8) organ vox preset II drawbar 8
JAUUDF	pppp8888	(0) organ vox present it drawbat o

offset	bits	description
0x00C0	wwwwwaaa	(w) organ vox preset II drawbar 9 morph wheel, (a) organ vox preset II drawbar 9 morph after touch
0x00C1	aappppp9	(p) organ vox preset II drawbar 9 morph control pedal, (9) organ vox preset II drawbar 9
0x00C2	999	
0x00C3		
0x00C4	wwaapp1h	(w,a,p,1) organ farfisa preset II drawbar 1, (h,a,p,2) organ farfisa preset II drawbar 2
0x00C5	haapp2ww	(w,a,p,3) organ farfisa preset II drawbar 3
0x00C6	aapp3wwa	(w,a,p,4) organ farfisa preset II drawbar 4, (w,a,p,3) organ farfisa preset II drawbar 4
0x00C7	app4wwaa	(w,a,p,5) organ farfisa preset II drawbar 5
0x00C8	pp5wwaad	(w,a,d,6) organ farfisa preset II drawbar 6
0x00C9	d6wwaapp	(w,a,p,7) organ farfisa preset II drawbar 7
0x00CA	7wwaapp8	(w,a,p,8) organ farfisa preset II drawbar 8
0x00CB	wwaapp9-	(w,a,p,9) organ farfisa preset II drawbar 9
0x00CC		
0x00CD	ttt	(t) piano type
0x00CE	C	(c) piano clavinet model
0x00CF	clsnddhh	(l) piano long release, (s) piano string resonance, (n) piano pedal noise, (d) piano dynamics, (h) piano clav eq hi
0x00D0	eeiiiiii	(e) piano clav eq, (s) piano sample id
0x00D1	iiiiiiii	
0x00D2	iiiiiiii	
0x00D3	iiiiiiii	
0x00D4	ii	
0x00D5		
0x00D6		
0x00D7		
0x00D8 0x00D9	0	(o) synth arp on
0x00D9 0x00DA	mdddd-rr	(m) synth arp master clock, (d) synth arp master clock divisor, (r) synth arp master
		clock rate
0x00DB	rrrrppn	(p) synth arp master pattern, (n) synth arp master range
0x00DC	nvrrrrh-	(v) synth lfo master clock, (v) synth lfo rate clock divisor, (h) synth kb-hold
0x00DD		
0x00DE	_	(a) and mad any attack (d) and mad any decay
0x00DF	aaaaaaad	(a) synth mod env attack, (d) synth mod env decay
0x00E0 0x00E1	ddddddrr	(r) synth mod env release (v) synth mod env velocity, (m) synth osc mode
0x00E1 0x00E2	rrrrvmm mfffffff	(f) synth mod env velocity, (iii) synth osc mode (f) synth osc waveform
0x00E2	fffwwwww	(w) synth osc wavelorm (w) synth shape morph wheel
0x00E3	wwwaaaaa	(a) synth shape morph after touch
0x00E4 0x00E5	aaaccccc	(c) synth shape morph control pedal
0x00E6	cccsssss	(s) synth shape
0x00E7	ssmmmmmm	(m) synth shape mod
0x00E8	m	
0x00E9		
0x00EA		
0x00EB		
0x00EC	sw	(s) synth skip sample attack, (w) synth filter freq morph wheel
0x00ED	wwwwwwwa	(a) synth filter freq morph after touch
0x00EE	aaaaaaac	(c) synth filter freq morph control pedal
0x00EF	ccccccf	(f) synth filter freq
0x00F0	ffffffrr	(r) synth filter resonance
0x00F1	rrrr222	(m) synth freq mod 2
0x00F2	22221111	(l) synth freq mod 1
0x00F3	111kttta	(t) synth filter kb track, (t) synth filter type, (a) synth amp env attack
0x00F4	aaaaaadd	(d) synth amp env decay
0x00F5	dddddrrr	(r) synth amp env release
0x00F6	rrrvttt	(v) synth amp env velocity, (t) synth lfo rate

offset	bits	description
0x00F7	ttttwwii	(w) synth lfo waveform, (i) synth sample id
0x00F8	11111111	(<i>v</i>) <i>by 1011 110 marciolin</i> , (<i>t</i>) <i>by 1011 battle</i> 10
0x00F9	11111111	
0x00FA	11111111	
0x00FB	iiiiiiirr	(r) synth glide rate
0x00FC	rrrrmmu	(m) synth glide-voice-mode, (u) synth unison
0x00FD	uuvvv	(v) synth vibrato
0x00FE		(1) 23-2-2-1
0x00FF		
0x0100		
0x0101		
0x0102		
0x0103		
0x0104		
0x0105		
0x0106		
0x0107		
0x0108		
0x0109		
0x010A		
0x010B		
0x010C		
0x010D		
0x010E		
0x010F		
0x0110		
0x0111		
0x0112		
0x0113		
0x0114		
0x0115		
0x0116 0x0117		
0x0117 0x0118		
0x0110		
0x011A		
0x011B		
0x011C		
0x011D		
0x011E		
0x011F		
0x0120		
0x0121		
0x0122		
0x0123		
0x0124		
0x0125		
0x0126		
0x0127		
0x0128		
0x0129		Piano Slot B, same as offset 0x30, offset from Slot A is 0xf9 (249 bytes)
0x012A		
0x012B		
0x012C 0x012D		
0x012D 0x012E		
0x012E 0x012F		
0x0121		
0x0131		

offset	bits	description
0x0132		
0x0133		
0x0134		
0x0135		
0x0136		
0x0137		
0x0138		
0x0139		
0x013A		
0x013B		
0x013C		
• • •		
0x0220		
0x0221		
0x0222		
0x0223		
0x0224		
0x0225		
0x0226		
0x0227		
0x0228		
0x0229		
0x022A		
0x022B 0x022C		
0x022C 0x022D		
0x022D 0x022E		
0x022E 0x022F		
0x022F 0x0230		
0x0230 0x0231		
0x0231		
0x0232		
0x0234		

NS2 Organ B3 Preset 2

Offset in file: 0x5c (b7)0 = off, 1 = on

NS2 Organ B3 Preset 1 Vibrato Chorus

Offset in file: 0x74 (b4)

0 = off, 1 = on

NS2 Organ B3 Preset 1 Percussion

Offset in file: 0x74 (b3)

0 = off, 1 = on

NS2 Organ B3 Preset 2 Vibrato Chorus

Offset in file: 0xab (b4)

0 = off, 1 = on

NS2 Organ B3 Preset 2 Percussion

Offset in file: 0xab (b3)

0 = off, 1 = on

NS2 Organ B3 Vibrato Mode

Offset in file: 0x35 (b7-5)

0 = V1

1 = C1

2 = V2

3 = C2

4 = V3

5 = C3

NS2 Organ Vox Preset 2

Offset in file: 0x5d (b7)

0 = off, 1 = on

NS2 Organ Vox Vibrato On

Offset in file: 0x37 (b4)

0 = off, 1 = on

(common for Preset I & II)

NS2 Organ Vox Vibrato Mode

Offset in file: 0x37 (b6-5)

0 = Less (V1)

1 = More (V2)

2 = Original (V3)

NS2 Organ Farfisa Preset 2

Offset in file: 0x5e (b7)

0 = off, 1 = on

NS2 Organ Farfisa Vibrato On

```
Offset in file: 0x39 (b4)

0 = off, 1 = on

(common for Preset I & II)
```

NS2 Organ Farfisa Vibrato Mode

```
Offset in file: 0x39 (b6-5)

0 = Light/Slow (V1)

1 = Light/Fast (V2)

2 = Heavy/Slow (C2)

3 = Heavy/Fast (C3)
```

NS2 Organ On

```
Offset in file: 0x43 (b7)

0 = off, 1 = on
```

NS2 Organ Kb Zone

```
Offset in file: 0x47 (b7-5)

0 = L0

1 = L0 UP

2 = UP

3 = UP HI

4 = HI

5 = L0 UP HI
```

NS2 Organ Volume

Offset in file: 0x46 (b6-0)

```
Volume:
```

```
0 = Off

1 = -84.2 dB

2 = -72.1 dB

3 = -65.1 dB

4 = -60.1 dB

5 = -56.2 dB

6 = -53.0 dB

7 = -50.3 dB

8 = -48.0 dB

9 = -46.0 dB
```

10 = -44.2 dB11 = -42.5 dB

12 = -41.0 dB

13 = -39.6 dB 14 = -38.3 dB

15 = -37.1 dB

16 = -36.0 dB17 = -34.9 dB

17 = -34.9 dB18 = -33.9 dB

19 = -33.0 dB20 = -32.1 dB

20 = -32.1 dB21 = -31.1 dB

22 = -30.5 dB

23 = -29.7 dB24 = -28.9 dB

25 = -28.2 dB

- 26 = -27.6 dB
- 27 = -26.9 dB
- 28 = -26.3 dB
- 29 = -25.7 dB
- 30 = -25.1 dB
- 31 = -24.5 dB
- 32 = -23.9 dB
- 33 = -23.4 dB
- 34 = -22.9 dB
- 35 = -22.4 dB
- 36 = -21.9 dB
- 37 = -21.4 dB
- 38 = -21.0 dB
- 39 = -20.5 dB
- 40 = -20.1 dB
- 41 = -19.6 dB
- 42 = -19.2 dB
- 43 = -18.8 dB
- 44 = -18.4 dB
- 45 = -18.0 dB
- 46 = -17.6 dB
- 47 = -17.3 dB
- 48 = -16.9 dB
- 49 = -16.5 dB
- 50 = -16.2 dB
- 51 = -15.8 dB
- 52 = -15.5 dB
- 53 = -15.2 dB
- 54 = -14.9 dB
- 55 = -14.5 dB
- 56 = -14.2 dB
- 57 = -13.9 dB58 = -13.6 dB
- 59 = -13.3 dB
- 60 = -13.0 dB
- 61 = -12.7 dB
- 62 = -12.5 dB
- 63 = -12.2 dB
- 64 = -11.9 dB
- 65 = -11.6 dB
- 66 = -11.4 dB
- 67 = -11.1 dB
- 68 = -10.9 dB
- 69 = -10.6 dB
- 70 = -10.3 dB71 = -10.1 dB
- 72 = -9.9 dB73 = -9.6 dB
- 74 = -9.4 dB
- 75 = -9.1 dB
- 76 = -8.9 dB
- 77 = -8.7 dB
- 78 = -8.5 dB
- 79 = -8.2 dB
- 80 = -8.0 dB
- 81 = -7.8 dB82 = -7.6 dB
- 83 = -7.4 dB
- 84 = -7.2 dB
- 85 = -7.0 dB
- 86 = -6.8 dB

```
87 = -6.6 \text{ dB}
  88 = -6.4 \text{ dB}
  89 = -6.2 \text{ dB}
  90 = -6.0 \text{ dB}
   91 = -5.8 \text{ dB}
   92 = -5.6 \text{ dB}
   93 = -5.4 \text{ dB}
   94 = -5.2 \text{ dB}
   95 = -5.0 \text{ dB}
   96 = -4.9 \text{ dB}
   97 = -4.7 \text{ dB}
   98 = -4.5 \text{ dB}
   99 = -4.3 \text{ dB}
   100 = -4.2 \text{ dB}
   101 = -4.0 \text{ dB}
   102 = -3.8 \text{ dB}
   103 = -3.6 \text{ dB}
   104 = -3.5 \text{ dB}
   105 = -3.3 \text{ dB}
   106 = -3.1 \text{ dB}
   107 = -3.0 \text{ dB}
   108 = -2.8 \text{ dB}
   109 = -2.7 \text{ dB}
   110 = -2.5 \text{ dB}
   111 = -2.3 \text{ dB}
   112 = -2.2 \text{ dB}
   113 = -2.0 \text{ dB}
   114 = -1.9 \text{ dB}
   115 = -1.7 \text{ dB}
   116 = -1.6 \text{ dB}
   117 = -1.4 \text{ dB}
   118 = -1.3 \text{ dB}
   119 = -1.1 \text{ dB}
  120 = -1.0 \text{ dB}
   121 = -0.8 \text{ dB}
   122 = -0.7 \text{ dB}
   123 = -0.6 \text{ dB}
   124 = -0.4 \text{ dB}
   125 = -0.3 \text{ dB}
   126 = -0.1 \text{ dB}
  127 = 0.0 \text{ dB}
Morph Wheel:
offset in file 0x43 (b6-0) and 0x44 (b7)
Morph After Touch:
offset in file 0x44 (b6-0) and 0x45 (b7)
Morph Control Pedal:
offset in file 0x45 (b6-0) and 0x46 (b7)
NS2 Organ Octave Shift
Offset in file: 0x47 (b4-1)
```

```
Octave Shift = value - 7
```

NS2 Organ Pitch Stick

Offset in file: 0x30 (b6)

```
0 = off, 1 = on
```

NS2 Organ Sustain Pedal

```
Offset in file: 0x47 (b0)

0 = off, 1 = on
```

NS2 Organ Latch Pedal

```
Offset in file: 0x59 (b1)

0 = off, 1 = on
```

NS2 Organ Kb Gate

```
Offset in file: 0x59 (b0)

0 = off, 1 = on
```

NS2 Organ Model

```
Offset in file: 0x34 (b7-6)

0 = B3

1 = Vox

2 = Farfisa
```

NS2 Organ Drawbars Preset 1

```
ORGAN B3 DRAWBARS Preset I
all B3 Drawbars are 4-Bit fields, values from 0 - 8
Organ B3 Sub (drawbar 1)
offset in file 0x60 (b0) and 0x61 (b7-5)
    Morph Wheel offset in file 0x5f (b7-3)
               offset in file 0x5f (b2-0) and 0x60 (b7-6)
    Morph Pedal offset in file 0x60 (b5-1)
Organ B3 Sub3 (drawbar 2)
offset in file 0x63 (b5-2)
    Morph Wheel offset in file 0x61 (b4-0)
    Morph AT
                offset in file 0x62 (b7-3)
    Morph Pedal offset in file 0x62 (b2-0) and 0x63 (b7-6)
Organ B3 Fund (drawbar 3)
offset in file 0x65 (b2-0) and 0x66 (b7)
    Morph Wheel offset in file 0x63 (b1-0) and 0x64 (b7-5)
    Morph AT
                offset in file 0x64 (b4-0)
    Morph Pedal offset in file 0x65 (b7-3)
Organ B3 2nd (drawbar 4)
offset in file 0x68 (b7-4)
    Morph Wheel offset in file 0x66 (b6-2)
    Morph AT
                offset in file 0x66 (b1-0) and 0x67 (b7-5)
    Morph Pedal offset in file 0x67 (b4-0)
Organ B3 3rd (drawbar 5)
offset in file 0x6a (b4-1)
    Morph Wheel offset in file 0x68 (b3-0) and 0x69 (b7)
    Morph AT
               offset in file 0x69 (b6-2)
    Morph Pedal offset in file 0x69 (b1-0) and 0x6a (b7-5)
```

```
Organ B3 4th (drawbar 6)
offset in file 0x6c (b1-0) and 0x6d (b7-6)
    Morph Wheel offset in file 0x6a (b0) and 0x6b (b7-4)
               offset in file 0x6b (b3-0) and 0x6c (b7)
    Morph AT
    Morph Pedal offset in file 0x6c (b6-2)
Organ B3 5th (drawbar 7)
offset in file 0x6f (b6-3)
    Morph Wheel offset in file 0x6d (b5-1)
    Morph AT
               offset in file 0x6d (b0) and 0x6e (b7-4)
    Morph Pedal offset in file 0x6e (b3-0) and 0x6f (b7)
Organ B3 6th (drawbar 8)
offset in file 0x71 (b3-0)
    Morph Wheel offset in file 0x6f (b2-0) and 0x70 (b7-6)
               offset in file 0x70 (b5-1)
    Morph AT
    Morph Pedal offset in file 0x70 (b0) and 0x71 (b7-4)
Organ B3 8th (drawbar 9)
offset in file 0x73 (b0) and 0x74 (b7-5)
    Morph Wheel offset in file 0x72 (b7-3)
    Morph AT
               offset in file 0x72 (b2-0) and 0x73 (b7-6)
    Morph Pedal offset in file 0x73 (b5-1)
ORGAN VOX DRAWBARS Preset I
Organ Vox 16' (drawbar 1)
offset in file 0x77 (b0) and 0x78 (b7-5)
Morph Wheel offset in file 0x76 (b7-3)
           offset in file 0x76 (b2-0) and 0x77 (b7-6)
Morph Pedal offset in file 0x77 (b6-1)
Organ Vox 8' (drawbar 2)
offset in file 0x7a (b5-2)
Morph Wheel offset in file 0x78 (b4-0)
Morph AT
          offset in file 0x79 (b7-3)
Morph Pedal offset in file 0x79 (b2-0) and 0x7a (b7-6)
Organ Vox 4' (drawbar 3)
offset in file 0x7c (b2-0) and 0x7d (b7)
Morph Wheel offset in file 0x7a (b1-0) and 0x7b (b7-5)
           offset in file 0x7b (b4-0)
Morph AT
Morph Pedal offset in file 0x7c (b7-3)
Organ Vox 2' (drawbar 4)
offset in file 0x7f (b7-4)
Morph Wheel offset in file 0x7d (b6-2)
Morph AT
           offset in file 0x7d (b1-0) and 0x7e (b7-5)
Morph Pedal offset in file 0x7e (b4-0)
Organ Vox II (drawbar 5)
offset in file 0x81 (b4-1)
Morph Wheel offset in file 0x7f (b3-0) and 0x80 (b7)
Morph AT
           offset in file 0x80 (b6-2)
Morph Pedal offset in file 0x80 (b1-0) and 0x81 (b7-5)
Organ Vox III (drawbar 6)
offset in file 0x83 (b1-0) and 0x84 (b7-6)
Morph Wheel offset in file 0x81 (b0) and 0x82 (b7-4)
Morph AT
           offset in file 0x82 (b3-0) and 0x83 (b7)
```

```
Morph Pedal offset in file 0x83 (b6-2)
Organ Vox IV (drawbar 7)
offset in file 0x86 (b6-3)
Morph Wheel offset in file 0x84 (b5-1)
          offset in file 0x84 (b0) and 0x85 (b7-4)
Morph AT
Morph Pedal offset in file 0x85 (b3-0) and 0x86 (b7)
Organ Vox SIN (drawbar 8)
offset in file 0x88 (b3-0)
Morph Wheel offset in file 0x86 (b2-0) and 0x87 (b7-6)
           offset in file 0x87 (b5-1)
Morph AT
Morph Pedal offset in file 0x87 (b0) and 0x88 (b7-4)
Organ Vox TRI (drawbar 9)
offset in file 0x8a (b0) and 0x8b (b7-5)
Morph Wheel offset in file 0x89 (b7-3)
Morph AT
           offset in file 0x89 (b2-0) and 0x8a (b7-6)
Morph Pedal offset in file 0x8a (b5-1)
ORGAN FARFISA DRAWBARS Preset I
Farfisa drawbars are 1-Bit values, ON or OFF
Organ Farfisa Bass16 (drawbar 1)
offset in file 0x8d (b1)
Morph Wheel offset in file 0x8d (b7-6)
Morph AT
            offset in file 0x8d (b5-4)
Morph Pedal offset in file 0x8d (b3-2)
Organ Farfisa Str16 (drawbar 2)
offset in file 0x8e (b2)
Morph Wheel offset in file 0x8d (b0) and 0x8e (b7)
           offset in file 0x8e (b6-5)
Morph AT
Morph Pedal offset in file 0x8e (b4-3)
Organ Farfisa Flu8 (drawbar 3)
offset in file 0x8f (b3)
Morph Wheel offset in file 0x8e (b1-0)
Morph AT
           offset in file 0x8f (b7-6)
Morph Pedal offset in file 0x8f (b5-4)
Organ Farfisa Oboe8 (drawbar 4)
offset in file 0x90 (b4)
Morph Wheel offset in file 0x8f (b2-1)
            offset in file 0x8f (b0) and 0x90 (b7)
Morph AT
Morph Pedal offset in file 0x90 (b6-5)
Organ Farfisa Trump8 (drawbar 5)
offset in file 0x91 (b5)
Morph Wheel offset in file 0x90 (b3-2)
Morph AT
           offset in file 0x90 (b1-0)
Morph Pedal offset in file 0x91 (b7-6)
Organ Farfisa Str8 (drawbar 6)
offset in file 0x92 (b6)
Morph Wheel offset in file 0x91 (b4-3)
           offset in file 0x91 (b2-1)
Morph AT
Morph Pedal offset in file 0x91 (b0) and 0x92 (b7)
Organ Farfisa Flu4 (drawbar 7)
```

```
offset in file 0x93 (b7)
Morph Wheel offset in file 0x92 (b5-4)
Morph AT
           offset in file 0x92 (b3-2)
Morph Pedal offset in file 0x92 (b1-0)
Organ Farfisa Str4 (drawbar 8)
offset in file 0x93 (b0)
Morph Wheel offset in file 0x93 (b6-5)
Morph AT
          offset in file 0x93 (b4-3)
Morph Pedal offset in file 0x93 (b2-1)
Organ Farfisa 2 2/3 (drawbar 9)
offset in file 0x94 (b1)
Morph Wheel offset in file 0x94 (b7-6)
           offset in file 0x94 (b5-4)
Morph AT
Morph Pedal offset in file 0x94 (b3-2)
```

NS2 Organ B3 Volume Soft

```
Offset in file: 0x35 (b2) 0 = on, 1 = off only if Organ type is B3
```

NS2 Organ B3 Decay Fast

```
Offset in file: 0x35 (b3)

0 = off, 1 = on

only if Organ type is B3
```

NS2 Organ B3 Harmonic Third

```
Offset in file: 0x35 (b4)

0 = off, 1 = on

only if Organ type is B3
```

NS3 Organ Preset 2 On

```
Offset in file: 0xBB (b2)

0 = off, 1 = on
```

NS2 Organ Drawbars Preset 2

```
ORGAN B3 DRAWBARS Preset II
all B3 Drawbars are 4-Bit fields, values from 0 - 8

Organ B3 Sub (drawbar 1)
offset in file 0x97 (b0) and 0x98 (b7-5)
Morph Wheel offset in file 0x96 (b7-3)
Morph AT offset in file 0x96 (b2-0) and 0x97 (b7-6)
Morph Pedal offset in file 0x97 (b5-1)

Organ B3 Sub3 (drawbar 2)
offset in file 0x9a (b5-2)
Morph Wheel offset in file 0x98 (b4-0)
Morph AT offset in file 0x99 (b7-3)
Morph Pedal offset in file 0x99 (b2-0) and 0x9a (b7-6)
```

```
Organ B3 Fund (drawbar 3)
offset in file 0x9c (b2-0) and 0x9d (b7)
Morph Wheel offset in file 0x9a (b1-0) and 0x9b (b7-5)
Morph AT
           offset in file 0x9b (b4-0)
Morph Pedal offset in file 0x9c (b7-3)
Organ B3 2nd (drawbar 4)
offset in file 0x9f (b7-4)
Morph Wheel offset in file 0x9d (b6-2)
Morph AT
           offset in file 0x9d (b1-0) and 0x9e (b7-5)
Morph Pedal offset in file 0x9e (b4-0)
Organ B3 3rd (drawbar 5)
offset in file 0xa1 (b4-1)
Morph Wheel offset in file 0x9f (b3-0) and 0xa0 (b7)
           offset in file 0xa0 (b6-2)
Morph Pedal offset in file 0xa0 (b1-0) and 0xa1 (b7-5)
Organ B3 4th (drawbar 6)
offset in file 0xa3 (b1-0) and 0xa4 (b7-6)
Morph Wheel offset in file 0xa1 (b0) and 0xa2 (b7-4)
           offset in file 0xa2 (b3-0) and 0xa3 (b7)
Morph AT
Morph Pedal offset in file 0xa3 (b6-2)
Organ B3 5th (drawbar 7)
offset in file 0xa6 (b6-3)
Morph Wheel offset in file 0xa4 (b5-1)
Morph AT
           offset in file 0xa4 (b0) and 0xa5 (b7-4)
Morph Pedal offset in file 0xa5 (b3-0) and 0xa6 (b7)
Organ B3 6th (drawbar 8)
offset in file 0xa8 (b3-0)
Morph Wheel offset in file 0xa6 (b2-0) and 0xa7 (b7-6)
           offset in file 0xa7 (b5-1)
Morph AT
Morph Pedal offset in file 0xa7 (b0) and 0xa8 (b7-4)
Organ B3 8th (drawbar 9)
offset in file 0xaa (b0) and 0xab (b7-5)
Morph Wheel offset in file 0xa9 (b7-3)
Morph AT
           offset in file 0xa9 (b2-0) and 0xaa (b7-6)
Morph Pedal offset in file Oxaa (b5-1)
ORGAN VOX DRAWBARS Preset II
Organ Vox 16' (drawbar 1)
offset in file Oxae (b0) and Oxaf (b7-5)
Morph Wheel offset in file Oxad (b7-3)
           offset in file 0xad (b2-0) and 0xae (b7-6)
Morph AT
Morph Pedal offset in file Oxae (b6-1)
Organ Vox 8' (drawbar 2)
offset in file 0xb1 (b5-2)
Morph Wheel offset in file Oxaf (b4-0)
          offset in file 0xb0 (b7-3)
Morph AT
Morph Pedal offset in file 0xb0 (b2-0) and 0xb1 (b7-6)
Organ Vox 4' (drawbar 3)
offset in file 0xb3 (b2-0) and 0xb4 (b7)
Morph Wheel offset in file 0xb1 (b1-0) and 0xb2 (b7-5)
```

```
Morph AT
            offset in file 0xb2 (b4-0)
Morph Pedal offset in file 0xb3 (b7-3)
Organ Vox 2' (drawbar 4)
offset in file 0xb6 (b7-4)
Morph Wheel offset in file 0xb4 (b6-2)
Morph AT
           offset in file 0xb4 (b1-0) and 0xb5 (b7-5)
Morph Pedal offset in file 0xb5 (b4-0)
Organ Vox II (drawbar 5)
offset in file 0xb8 (b4-1)
Morph Wheel offset in file 0xb6 (b3-0) and 0xb7 (b7)
           offset in file 0xb7 (b6-2)
Morph AT
Morph Pedal offset in file 0xb7 (b1-0) and 0xb8 (b7-5)
Organ Vox III (drawbar 6)
offset in file 0xba (b1-0) and 0xbb (b7-6)
Morph Wheel offset in file 0xb8 (b0) and 0xb9 (b7-4)
           offset in file 0xb9 (b3-0) and 0xba (b7)
Morph AT
Morph Pedal offset in file Oxba (b6-2)
Organ Vox IV (drawbar 7)
offset in file 0xbd (b6-3)
Morph Wheel offset in file 0xbb (b5-1)
           offset in file 0xbb (b0) and 0xbc (b7-4)
Morph Pedal offset in file 0xbc (b3-0) and 0xbd (b7)
Organ Vox SIN (drawbar 8)
offset in file 0xbf (b3-0)
Morph Wheel offset in file Oxbd (b2-0) and Oxbe (b7-6)
            offset in file 0xbe (b5-1)
Morph Pedal offset in file Oxbe (b0) and Oxbf (b7-4)
Organ Vox TRI (drawbar 9)
offset in file 0xc1 (b0) and 0xc2 (b7-5)
Morph Wheel offset in file 0xc0 (b7-3)
Morph AT
           offset in file 0xc0 (b2-0) and 0xc1 (b7-6)
Morph Pedal offset in file 0xc1 (b5-1)
ORGAN FARFISA DRAWBARS Preset II
Farfisa drawbars are 1-Bit values, ON or OFF
Organ Farfisa Bass16 (drawbar 1)
offset in file 0xc4 (b1)
Morph Wheel offset in file 0xc4 (b7-6)
Morph AT
           offset in file 0xc4 (b5-4)
Morph Pedal offset in file 0xc4 (b3-2)
Organ Farfisa Str16 (drawbar 2)
offset in file 0xc5 (b2)
Morph Wheel offset in file 0xc4 (b0) and 0xc5 (b7)
Morph AT
           offset in file 0xc5 (b6-5)
Morph Pedal offset in file 0xc5 (b4-3)
Organ Farfisa Flu8 (drawbar 3)
offset in file 0xc6 (b3)
Morph Wheel offset in file 0xc5 (b1-0)
Morph AT
           offset in file 0xc6 (b7-6)
Morph Pedal offset in file 0xc6 (b5-4)
```

```
Organ Farfisa Oboe8 (drawbar 4)
offset in file 0xc7 (b4)
Morph Wheel offset in file 0xc6 (b2-1)
           offset in file 0xc6 (b0) and 0xc7 (b7)
Morph AT
Morph Pedal offset in file 0xc7 (b6-5)
Organ Farfisa Trump8 (drawbar 5)
offset in file 0xc8 (b5)
Morph Wheel offset in file 0xc7 (b3-2)
           offset in file 0xc7 (b1-0)
Morph AT
Morph Pedal offset in file 0xc8 (b7-6)
Organ Farfisa Str8 (drawbar 6)
offset in file 0xc9 (b6)
Morph Wheel offset in file 0xc8 (b4-3)
Morph AT
            offset in file 0xc8 (b2-1)
Morph Pedal offset in file 0xc8 (b0) and 0xc9 (b7)
Organ Farfisa Flu4 (drawbar 7)
offset in file 0xca (b7)
Morph Wheel offset in file 0xc9 (b5-4)
Morph AT
            offset in file 0xc9 (b3-2)
Morph Pedal offset in file 0xc9 (b1-0)
Organ Farfisa Str4 (drawbar 8)
offset in file 0xca (b0)
Morph Wheel offset in file Oxca (b6-5)
Morph AT
            offset in file 0xca (b4-3)
Morph Pedal offset in file Oxca (b2-1)
Organ Farfisa 2 2/3 (drawbar 9)
offset in file 0xcb (b1)
Morph Wheel offset in file 0xcb (b7-6)
           offset in file 0xcb (b5-4)
Morph AT
Morph Pedal offset in file Oxcb (b3-2)
NS2 Piano On
Offset in file: 0x48 (b7)
0 = off, 1 = on
NS2 Piano Kb Zone
Offset in file: 0x4C (b7-5)
0 = L0
1 = LO UP
2 = UP
3 = UP HI
4 = HI
5 = LO UP HI
NS2 Piano Volume
Offset in file: 0x4B (b6-0)
Morph Wheel:
0x48 (b6): polarity (1 = positive, 0 = negative)
0x48 (b5-b0), 0x49 (b7): 7-bit raw value
Morph After Touch:
```

0x49 (b6): polarity (1 = positive, 0 = negative)

```
0x49 (b5-b0), 0x4A (b7): 7-bit raw value

Morph Control Pedal:
0x4A (b6): polarity (1 = positive, 0 = negative)
0x4A (b5-b0), 0x4B (b7): 7-bit raw value

if polarity = 1 then Morph offset value = raw value

if polarity = 0 then Morph offset value = 128 - raw value

Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'

Morph Enabled if 'From value' <> 'Morph offset value'
```

NS2 Piano Octave Shift

```
Offset in file: 0x4C (b4-1)
Octave Shift = value - 7
```

NS2 Piano Pitch Stick

```
Offset in file: 0x4C (b0)

0 = off, 1 = on
```

NS2 Piano Sustain Pedal

```
Offset in file: 0x4D (b7)

0 = off, 1 = on
```

NS2 Piano Latch Pedal

```
Offset in file: 0x5A (b7)

0 = off, 1 = on
```

NS2 Piano Kb Gate

```
Offset in file: 0x5A (b6)

O = off, 1 = on
```

NS2 Piano Type

```
Offset in file: 0xCD (b7-5)
```

```
0 = Grand
1 = Upright
2 = E Piano 1
3 = E Piano 2
4 = Clavinet
5 = Harpsi
```

NS2 Piano Sample ID

```
Offset in file: 0xD0 (b5-0), 0xD1/0xD3 (b7-0), and 0xD4 (b7-6) 32-bit Nord Sample ID
```

NS2 Piano Slot Detune

Offset in file: 0x3B (b7-5)

- 0 = Off
- 1 = 1
- 2 = 2
- 3 = 3
- 4 = 4

NS2 Piano Long Release

Offset in file: 0xCF (b6)

$$0 = off, 1 = on$$

NS2 Piano String Resonance

Offset in file: 0xCF (b5)

$$0 = off, 1 = on$$

Only on Acoustic Grand or Upright Piano

NS2 Piano Pedal Noise

Offset in file: 0xCF (b4)

$$0 = off, 1 = on$$

Only on Acoustic and Electric piano.

NS2 Piano Dynamics

Offset in file: 0xCF (b3-2)

- 0 = 0
- 1 = 1
- 2 = 2
- 3 = 3

NS2 Piano Clavinet Model

Offset in file: 0xCE (b0) and 0xCF (b7)

- 0 = A
- 1 = B
- 2 = C
- 3 = D

NS2 Piano Clavinet Eq Hi

Offset in file: 0xCF (b1-0)

- 0 = Off
- 1 = Treble
- 2 = Brilliant
- 3 = Treble+Brilliant

NS2 Piano Clavinet Eq

Offset in file: 0xD0 (b7-6)

- 0 = Off
- 1 = Soft
- 2 = Medium
- 3 = Soft+Medium

NS2 File Version Rev 1.1 draft

NS2 File Version

Offset in file: 0x14 and 0x15

16-bit integer value in Little Endian format current supported version are 2 to 7

NS2 File Format

Offset in file: 0x04

0 = header type 0 - legacy mode no CRC (Byte 0x18 to 0x2B are missing) 1 = header type 1 - default mode with additional bytes 0x18 to 0x2B (20 bytes).

NS3 Transpose

```
Offset in file: 0x38 (b7-3)
```

Enabled: 0x38 (b7) Value: 0x38 (b6-3)

7xxx xxxx : Transpose Off/On x654 3xxx : Transpose value

Test1: F8 38 : Transpose Off
Test2: OD 80 : Transpose -6 semi
Test3: OD 88 : Transpose -5 semi
Test4: OD A8 : Transpose -1 semi
Test5: OD B8 : Transpose +1 semi
Test6: OD D8 : Transpose +5 semi
Test7: OD E0 : Transpose +6 semi

NS3 Split

Test5:

Offset in file: 0x31 (b4 to b0) to 0x34 (b7 only)

Test1: 06 07 20 01 : Split Off

Test2: 16 07 20 01 : Width Off 1 1 Note -- C4 C7

Test3: 1E 07 20 01 : Width 1 1 1

Note F2 C4 C7

Test4: 1E 07 28 01 : Width 6 1 1

Note F2 C4 C7

1E 07 30 01 : Width 12 1 1

Note F2 C4 C7

Test6: 18 07 30 01 : Width 12 Off Off
Note F2 -- --

1.000 12

Test7: 18 27 30 01 : Width 12 Off Off

```
Note C3
Test8: 18 47 30 01 : Width 12
                               Off Off
                     Note F3
Test9: 18 67 30 01 : Width 12
                               Off Off
                     Note C4
Test10: 18 87 30 01 : Width 12
                               Off Off
                     Note F4
Test11: 18 A7 30 01 : Width 12
                               Off Off
                     Note C5
Test12: 18 C7 30 01 : Width 12
                               Off Off
                     Note F5
Test13: 18 E7 30 01 : Width 12
                               Off Off
                     Note C6
Test14: 19 07 30 01 : Width 12
                               Off Off
                     Note F6
Test15: 19 27 30 01 : Width 12
                               Off Off
                     Note C7
Test16: 1B 27 30 01 : Width 12
                                         ! From test 15 to 16 only High Width was changed manually !
                               Off 1
                     Note F6
                                   C7
                                         ! Note Low in file is C7 but fixed on display to F6...
Test17: 1B 27 30 81 : Width 12
                               Off 6
                     Note F6
Test18: 1B 27 31 01 : Width 12
                     Note F6
Test19: 1C 23 30 01 : Width 12
                               1
                                   Off
                     Note C3 F3
                                        ! Note Mid in file is C3 but fixed on display to F3 !
```

NS3 Master Clock Rate

Offset in file: 0x38 (b2-0) 0x39 (b7-3)

bpm = value + 30

NS3 Dual Keyboard

Offset in file 0x3A (b3)

0 = Off

1 = 0n

Note: if Dual Keyboard is On, both panel are enabled.

NS2 Dual Keyboard Style

Offset in file 0x3A (b1-0)

0 = Panel

1 = Organ

2 = Piano

3 = Synth

NS2 Synth Sample ID

Offset in file: 0xf7 (b1-0) to 0xfb (b7-2) 32-bit synth sample hash code.

NS2 Synth On

Offset in file: 0x4d (b6)0 = off, 1 = on

NS2 Synth Kb Zone

Offset in file: 0x51 (b6-4)

 $0 = \Gamma 0$

1 = LO UP

2 = UP

3 = UP HI

4 = HI

5 = LO UP HI

NS2 Synth Volume

Offset in file: 0x50~(b5-0) and 0x51~(b7)

Morph Wheel:

offset in file 0x4d (b5-0) 0x4e (b7-6)

Morph After Touch:

offset in file 0x4e (b5-0) 0x4f (b7-6)

Morph Control Pedal:

offset in file 0x4f (b5-0) 0x50 (b7-6)

NS3 Synth Octave Shift TODO

Offset in file: 0x56 (b3-0)

Octave Shift = value - 6

NS2 Synth Pitch Stick

Offset in file: 0x52 (b7)

0 = off, 1 = on

NS2 Synth Sustain Pedal

Offset in file: 0x52 (b6)

0 = off, 1 = on

NS2 Piano Latch Pedal

Offset in file: 0x5a (b4)

0 = off, 1 = on

NS2 Piano Kb Gate

Offset in file: 0x5a (b5)

0 = off, 1 = on

NS2 Synth Kb Hold

```
Offset in file: 0xdc (b1)

0 = off, 1 = on
```

NS2 Synth Voice

Offset in file: 0x84 (b0) and 0x85 (b7)

0 = Off
1 = Legato
2 = Mono

NS3 Synth Glide

```
Offset in file: 0x85 (b6-0) 7 bits, range 0/10 0/127 value = 0/10
```

NS3 Synth Unison

Offset in file: 0x86 (b7-6)

0 = Off 1 = 1 2 = 2 3 = 3

NS3 Synth Vibrato

Offset in file: 0x86 (b5-3)

0 = Off 1 = Delay 1 2 = Delay 2 3 = Delay 3 4 = Wheel 5 = After Touch

NS3 Synth Oscillator Type

Offset in file: 0x8D (b1-0) and 0x8E (b7)

0 = Classic
1 = Wave
2 = Formant
3 = Super
4 = Sample

NS3 Synth Oscillator 1 Wave Form

Offset in file: 0x8E (b3-0) and 0x8F (b7/6)

ID		Classic	1	Wave			Formant			1	Super			
	1		1				1				1			
0	1	Sine	1	Wave	2nd	Harm	-	Format	Wave	Aaa	1	Super	Wave	Saw
1	1	Triangle	1	Wave	3rd	Harm	-	Format	Wave	Eee	1	Super	Wave	Saw 2
2	1	Saw		Wave	4 th	Harm		${\tt Format}$	Wave	Iii		Super	Wave	Square
3	1	Square		Wave	5th	Harm		${\tt Format}$	Wave	000		Super	Wave	Square 2
4		Pulse 33		Wave	6th	Harm		${\tt Format}$	Wave	Uuu		Super	Wave	Bright
5	1	Pulse 10		Wave	7th	Harm		${\tt Format}$	Wave	Үуу		Super	Wave	Bright 2
6	1	ESaw		Wave	8th	Harm		${\tt Format}$	Wave	AO		Super	Wave	Strings
7	1	ESquare	1	Wave	Orga	an 1	-	Format	Wave	ΑE	1	Super	Wave	Organ
8	1		1	Wave	Orga	an 2	Ι	Format	Wave	0E	I			

ı
.
.
.
.
.
.
.
- 1
- 1
- 1
ls

NS3 Synth Oscillator Config

Offset in file: 0x8F (b4-1)

```
0 = None
```

- 1 = Pitch
- 2 = Shape
- 3 = Sync
- 4 = Detune
- 5 = MixSin
- 6 = MixTri
- 7 = MixSaw
 8 = MixSqr
- 9 = MixBell
- 10 = MixNs1
- 11 = MixNs2
- 12 = FM1
- 13 = FM2
- 14 = RM

NS3 Synth Oscillator Control

Offset in file: 0x90 (b2-0) and 0x91 (b7-4)

NS3 Synth Pitch Rev 1.1 draft

See: Organ Volume for detailed Morph explanation.

```
Туре
                        Midi value conversion
Pitch (1)
                        0/127 \Rightarrow 0/24
                        0/127 => 0/100 %
Shape (2)
Sync (3)
                        0/127 \Rightarrow 0/10
Detune (4)
                        0/127 \Rightarrow 0/4
Mix* (5 to 11)
                        0/127 \Rightarrow 100/0 \text{ to } 0/100
FM & RM (12 to 14)
                        0/127 => 0/100 %
Morph Wheel:
0x91 (b3): polarity (1 = positive, 0 = negative)
0x91 (b2-b0), 0x92 (b7-b4): 7-bit raw value
Morph After Touch:
0x92 (b3): polarity (1 = positive, 0 = negative)
0x92 (b2-b0), 0x93 (b7-b4): 7-bit raw value
Morph Control Pedal:
0x93 (b3): polarity (1 = positive, 0 = negative)
0x93 (b2-b0), 0x94 (b7-b4): 7-bit raw value
```

NS3 Synth Pitch

Offset in file: 0x8f (b0) and 0x90 (b7-3)

Midi value = 6-bit value + b0 forced to zero to have a standard Midi 7-bit value value conversion: -12 (Sub) to +48

NS3 Synth LFO Mod Env

Offset in file: 0x94 (b3-0) and 0x95 (b7-5)

Osc modulation (lfo/env mod) is using this single 7-bit value to define two settings with a single knob Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range: 0 = 10.0 (100% left value) 'LFO Amount'

60 = 0.0 for both values

120 = 10.0 (100% right value) 'Mod Env Amount'

NS3 Synth Fast Attack

```
Offset in file: 0xAC (b2)
0 = off, 1 = on
```

NS3 Synth Mod Env Attack

```
Offset in file: 0x8B (b7-1)
0/127 \text{ value} = 0.5 \text{ ms} / 45 \text{ s}
   0 = 0.5 \text{ ms}
   1 = 0.6 \text{ ms}
   2 = 0.7 \text{ ms}
   3 = 0.9 \text{ ms}
   4 = 1.1 \text{ ms}
   5 = 1.3 \text{ ms}
   6 = 1.5 \text{ ms}
   7 = 1.8 \text{ ms}
   8 = 2.1 \text{ ms}
   9 = 2.5 \text{ ms}
   10 = 3.0 \text{ ms}
   11 = 3.5 \text{ ms}
    12 = 4.0 \text{ ms}
```

13 = 4.7 ms

- 14 = 5.5 ms
- 15 = 6.3 ms
- 16 = 7.3 ms
- 17 = 8.4 ms
- 18 = 9.7 ms
- 19 = 11 ms
- 20 = 13 ms
- 21 = 14 ms
- 22 = 16 ms
- 23 = 19 ms
- 24 = 21 ms
- 25 = 24 ms
- 26 = 27 ms
- 27 = 31 ms
- 28 = 34 ms
- 29 = 39 ms
- 30 = 43 ms
- 31 = 49 ms
- 32 = 54 ms
- 33 = 61 ms
- 34 = 68 ms
- 35 = 75 ms
- 36 = 84 ms
- 37 = 93 ms
- 38 = 103 ms
- 39 = 114 ms
- 40 = 126 ms
- 41 = 139 ms42 = 153 ms
- 43 = 169 ms
- 44 = 186 ms
- 45 = 204 ms
- 46 = 224 ms
- 47 = 246 ms
- 48 = 269 ms
- 49 = 295 ms
- 50 = 322 ms51 = 352 ms
- 52 = 384 ms
- 53 = 419 ms
- 54 = 456 ms
- 55 = 496 ms
- 56 = 540 ms
- 57 = 586 ms
- 58 = 636 ms59 = 690 ms
- 60 = 748 ms
- 61 = 810 ms
- 62 = 876 ms
- 63 = 947 ms
- 64 = 1.02 s
- 65 = 1.10 s66 = 1.19 s
- 67 = 1.28 s
- 68 = 1.38 s
- 69 = 1.49 s
- 70 = 1.60 s71 = 1.72 s
- 72 = 1.85 s
- 73 = 1.99 s
- 74 = 2.13 s

```
75 = 2.28 \text{ s}
76 = 2.45 \text{ s}
77 = 2.62 \text{ s}
78 = 2.81 \text{ s}
79 = 3.00 \text{ s}
80 = 3.21 \text{ s}
81 = 3.43 \text{ s}
82 = 3.66 \text{ s}
83 = 3.91 s
84 = 4.17 \text{ s}
85 = 4.45 \text{ s}
86 = 4.74 \text{ s}
87 = 5.05 \text{ s}
88 = 5.37 \text{ s}
89 = 5.72 \text{ s}
90 = 6.08 \text{ s}
91 = 6.47 \text{ s}
92 = 6.87 \text{ s}
93 = 7.30 \text{ s}
94 = 7.75 s
95 = 8.22 \text{ s}
96 = 8.72 \text{ s}
97 = 9.25 \text{ s}
98 = 9.80 s
99 = 10 s
100 = 11 s
101 = 12 s
102 = 12 s
103 = 13 s
104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Decay

```
Offset in file: 0x8B (b0) and 0x8C (b7-2)

0/127 value = 3.0 ms / 45 s (Sustain)

0 = 3.0 ms

1 = 3.5 ms
```

- 2 = 4.0 ms
- 3 = 4.6 ms
- 4 = 5.3 ms
- 5 = 6.0 ms
- 6 = 6.9 ms
- 7 = 7.9 ms8 = 9.0 ms
- 9 = 10 ms
- 10 = 12 ms
- 11 = 13 ms
- 12 = 15 ms
- 13 = 17 ms
- 14 = 19 ms
- 15 = 21 ms
- 16 = 23 ms
- 17 = 26 ms
- 18 = 29 ms
- 19 = 33 ms
- 20 = 36 ms
- 21 = 41 ms
- 22 = 45 ms
- 23 = 50 ms
- 24 = 55 ms
- 25 = 61 ms
- 26 = 68 ms
- 27 = 75 ms
- 28 = 82 ms
- 29 = 91 ms
- 30 = 100 ms
- 31 = 110 ms
- 32 = 120 ms
- 33 = 132 ms
- 34 = 144 ms35 = 158 ms
- 36 = 173 ms
- 37 = 188 ms
- 38 = 206 ms
- 39 = 224 ms
- 40 = 244 ms
- 41 = 265 ms
- 42 = 288 ms
- 43 = 313 ms
- 44 = 340 ms
- 45 = 368 ms
- 46 = 399 ms
- 47 = 432 ms
- 48 = 467 ms
- 49 = 505 ms
- 50 = 545 ms51 = 588 ms
- 52 = 634 ms
- 53 = 683 ms
- 54 = 736 ms55 = 792 ms
- 56 = 851 ms
- 57 = 915 ms
- 58 = 983 ms
- 59 = 1.05 s60 = 1.13 s
- 61 = 1.21 s
- 62 = 1.30 s

63 = 1.39 s64 = 1.49 s65 = 1.59 s66 = 1.70 s67 = 1.82 s68 = 1.94 s69 = 2.07 s70 = 2.21 s71 = 2.36 s72 = 2.51 s73 = 2.67 s74 = 2.85 s75 = 3.03 s76 = 3.22 s77 = 3.42 s78 = 3.64 s79 = 3.86 s80 = 4.10 s81 = 4.35 s82 = 4.61 s83 = 4.89 s84 = 5.18 s85 = 5.49 s86 = 5.81 s87 = 6.15 s88 = 6.50 s89 = 6.88 s90 = 7.27 s91 = 7.68 s92 = 8.11 s93 = 8.57 s94 = 9.04 s95 = 9.54 s96 = 10 s97 = 11 s98 = 11 s99 = 12 s100 = 12 s101 = 13 s102 = 14 s103 = 14 s104 = 15 s105 = 16 s106 = 17 s107 = 18 s108 = 19 s109 = 20 s110 = 20 s111 = 22 s112 = 23 s113 = 24 s114 = 25 s115 = 26 s116 = 27 s117 = 29 s118 = 30 s119 = 31 s120 = 33 s121 = 34 s122 = 36 s

123 = 38 s

Unofficial Nord Stage 2 and 3 Program File Documentation

```
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Release

Offset in file: 0x8C (b1-0) and 0x8D (b7-3)

```
0/127 \text{ value} = 3.0 \text{ ms} / 45 \text{ s} (Inf)
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
   10 = 12 \text{ ms}
   11 = 13 \text{ ms}
   12 = 15 \text{ ms}
   13 = 17 \text{ ms}
   14 = 19 \text{ ms}
   15 = 21 \text{ ms}
   16 = 23 \text{ ms}
   17 = 26 \text{ ms}
   18 = 29 \text{ ms}
   19 = 33 \text{ ms}
   20 = 36 \text{ ms}
   21 = 41 \text{ ms}
   22 = 45 \text{ ms}
   23 = 50 \text{ ms}
   24 = 55 \text{ ms}
   25 = 61 \text{ ms}
   26 = 68 \text{ ms}
   27 = 75 \text{ ms}
   28 = 82 \text{ ms}
   29 = 91 \text{ ms}
   30 = 100 \text{ ms}
   31 = 110 \text{ ms}
   32 = 120 \text{ ms}
   33 = 132 \text{ ms}
   34 = 144 \text{ ms}
   35 = 158 \text{ ms}
   36 = 173 \text{ ms}
   37 = 188 \text{ ms}
   38 = 206 \text{ ms}
   39 = 224 \text{ ms}
   40 = 244 \text{ ms}
   41 = 265 \text{ ms}
   42 = 288 \text{ ms}
   43 = 313 \text{ ms}
   44 = 340 \text{ ms}
   45 = 368 \text{ ms}
   46 = 399 \text{ ms}
   47 = 432 \text{ ms}
   48 = 467 \text{ ms}
   49 = 505 \text{ ms}
   50 = 545 \text{ ms}
```

51 = 588 ms52 = 634 ms53 = 683 ms54 = 736 ms55 = 792 ms56 = 851 ms57 = 915 ms58 = 983 ms59 = 1.05 s60 = 1.13 s61 = 1.21 s62 = 1.30 s63 = 1.39 s64 = 1.49 s65 = 1.59 s66 = 1.70 s67 = 1.82 s68 = 1.94 s69 = 2.07 s70 = 2.21 s71 = 2.36 s72 = 2.51 s73 = 2.67 s74 = 2.85 s75 = 3.03 s76 = 3.22 s77 = 3.42 s78 = 3.64 s79 = 3.86 s80 = 4.10 s81 = 4.35 s82 = 4.61 s83 = 4.89 s84 = 5.18 s85 = 5.49 s86 = 5.81 s87 = 6.15 s88 = 6.50 s89 = 6.88 s90 = 7.27 s91 = 7.68 s92 = 8.11 s93 = 8.57 s94 = 9.04 s95 = 9.54 s96 = 10 s97 = 11 s98 = 11 s99 = 12 s100 = 12 s101 = 13 s102 = 14 s103 = 14 s104 = 15 s105 = 16 s106 = 17 s107 = 18 s108 = 19 s109 = 20 s110 = 20 s

111 = 22 s

Unofficial Nord Stage 2 and 3 Program File Documentation

```
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Velocity

```
Offset in file: 0x8D (b2)

0 = off, 1 = on
```

NS3 Synth Amp Env Attack

```
Offset in file: 0xA5 (b1-0) and 0xA6 (b7-3)
```

```
0/127 \text{ value} = 0.5 \text{ ms} / 45 \text{ s}
   0 = 0.5 \text{ ms}
   1 = 0.6 \text{ ms}
   2 = 0.7 \text{ ms}
   3 = 0.9 \text{ ms}
   4 = 1.1 \text{ ms}
   5 = 1.3 \text{ ms}
   6 = 1.5 \text{ ms}
   7 = 1.8 \text{ ms}
   8 = 2.1 \text{ ms}
   9 = 2.5 \text{ ms}
   10 = 3.0 \text{ ms}
   11 = 3.5 \text{ ms}
   12 = 4.0 \text{ ms}
   13 = 4.7 \text{ ms}
   14 = 5.5 \text{ ms}
   15 = 6.3 \text{ ms}
   16 = 7.3 \text{ ms}
   17 = 8.4 \text{ ms}
   18 = 9.7 \text{ ms}
   19 = 11 \text{ ms}
   20 = 13 \text{ ms}
   21 = 14 \text{ ms}
   22 = 16 \text{ ms}
   23 = 19 \text{ ms}
   24 = 21 \text{ ms}
   25 = 24 \text{ ms}
   26 = 27 \text{ ms}
   27 = 31 \text{ ms}
   28 = 34 \text{ ms}
   29 = 39 \text{ ms}
   30 = 43 \text{ ms}
   31 = 49 \text{ ms}
   32 = 54 \text{ ms}
   33 = 61 \text{ ms}
```

- 34 = 68 ms
- 35 = 75 ms
- 36 = 84 ms
- 37 = 93 ms
- 38 = 103 ms
- 39 = 114 ms
- 40 = 126 ms
- 41 = 139 ms
- 42 = 153 ms
- 43 = 169 ms
- 44 = 186 ms
- 45 = 204 ms
- 46 = 224 ms
- 47 = 246 ms
- 48 = 269 ms
- 49 = 295 ms
- 50 = 322 ms
- 51 = 352 ms
- 52 = 384 ms
- 53 = 419 ms
- 54 = 456 ms
- 55 = 496 ms
- 56 = 540 ms
- 57 = 586 ms
- 58 = 636 ms
- 59 = 690 ms
- 60 = 748 ms
- 61 = 810 ms
- 62 = 876 ms
- 63 = 947 ms
- 64 = 1.02 s
- 65 = 1.10 s66 = 1.19 s
- 67 = 1.28 s
- 68 = 1.38 s
- 69 = 1.49 s
- 70 = 1.60 s
- 71 = 1.72 s
- 72 = 1.85 s
- 73 = 1.99 s
- 74 = 2.13 s
- 75 = 2.28 s76 = 2.45 s
- 77 = 2.62 s
- 78 = 2.81 s
- 79 = 3.00 s
- 80 = 3.21 s
- 81 = 3.43 s
- 82 = 3.66 s
- 83 = 3.91 s
- 84 = 4.17 s
- 85 = 4.45 s86 = 4.74 s
- 87 = 5.05 s
- 88 = 5.37 s
- 89 = 5.72 s
- 90 = 6.08 s
- 91 = 6.47 s92 = 6.87 s
- 93 = 7.30 s
- 94 = 7.75 s

```
95 = 8.22 \text{ s}
96 = 8.72 \text{ s}
97 = 9.25 \text{ s}
98 = 9.80 \text{ s}
99 = 10 s
100 = 11 s
101 = 12 s
102 = 12 s
103 = 13 s
104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Decay

```
Offset in file: 0xA6 (b2-0) and 0xA7 (b7-4)
```

```
0/127 value = 3.0 ms / 45 s (Sustain)
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
   10 = 12 \text{ ms}
   11 = 13 \text{ ms}
   12 = 15 \text{ ms}
   13 = 17 \text{ ms}
   14 = 19 \text{ ms}
   15 = 21 \text{ ms}
   16 = 23 \text{ ms}
   17 = 26 \text{ ms}
   18 = 29 \text{ ms}
   19 = 33 \text{ ms}
   20 = 36 \text{ ms}
   21 = 41 \text{ ms}
```

- 22 = 45 ms
- 23 = 50 ms
- 24 = 55 ms
- 25 = 61 ms
- 26 = 68 ms
- 27 = 75 ms
- 28 = 82 ms
- 29 = 91 ms
- 30 = 100 ms
- 31 = 110 ms
- 32 = 120 ms
- 33 = 132 ms
- 34 = 144 ms
- 35 = 158 ms
- 36 = 173 ms
- 37 = 188 ms
- 38 = 206 ms
- 39 = 224 ms
- 40 = 244 ms
- 41 = 265 ms
- 42 = 288 ms
- 43 = 313 ms
- 44 = 340 ms
- 45 = 368 ms
- 46 = 399 ms
- 47 = 432 ms
- 48 = 467 ms
- 49 = 505 ms
- 50 = 545 ms
- 51 = 588 ms
- 52 = 634 ms
- 53 = 683 ms54 = 736 ms
- 55 = 792 ms
- 56 = 851 ms
- 57 = 915 ms
- 58 = 983 ms
- 59 = 1.05 s
- 60 = 1.13 s
- 61 = 1.21 s
- 62 = 1.30 s
- 63 = 1.39 s
- 64 = 1.49 s
- 65 = 1.59 s
- 66 = 1.70 s
- 67 = 1.82 s
- 68 = 1.94 s
- 69 = 2.07 s70 = 2.21 s
- 71 = 2.36 s
- 72 = 2.51 s
- 73 = 2.67 s
- 74 = 2.85 s
- 75 = 3.03 s76 = 3.22 s
- 77 = 3.42 s
- 78 = 3.64 s
- 79 = 3.86 s
- 80 = 4.10 s81 = 4.35 s
- 82 = 4.61 s

```
83 = 4.89 s
  84 = 5.18 s
  85 = 5.49 \text{ s}
  86 = 5.81 \text{ s}
  87 = 6.15 \text{ s}
  88 = 6.50 \text{ s}
  89 = 6.88 \text{ s}
  90 = 7.27 \text{ s}
  91 = 7.68 \text{ s}
  92 = 8.11 \text{ s}
  93 = 8.57 \text{ s}
  94 = 9.04 s
  95 = 9.54 \text{ s}
  96 = 10 s
  97 = 11 s
  98 = 11 s
  99 = 12 s
  100 = 12 s
  101 = 13 s
  102 = 14 s
  103 = 14 s
  104 = 15 s
  105 = 16 s
  106 = 17 s
  107 = 18 s
  108 = 19 s
  109 = 20 s
  110 = 20 s
  111 = 22 s
  112 = 23 s
  113 = 24 s
  114 = 25 s
  115 = 26 s
  116 = 27 s
  117 = 29 s
  118 = 30 s
  119 = 31 s
  120 = 33 s
  121 = 34 s
  122 = 36 s
  123 = 38 s
  124 = 39 s
  125 = 41 s
  126 = 43 s
  127 = 45 s
NS3 Synth Amp Env Release
```

```
Offset in file: 0xA7 (b3-0) and 0xA8 (b7-5)
```

```
0/127 \text{ value} = 3.0 \text{ ms} / 45 \text{ s}
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
```

- 10 = 12 ms
- 11 = 13 ms
- 12 = 15 ms
- 13 = 17 ms
- 14 = 19 ms
- 15 = 21 ms
- 16 = 23 ms
- 17 = 26 ms
- 18 = 29 ms
- 19 = 33 ms
- 20 = 36 ms
- 21 = 41 ms
- 22 = 45 ms
- 23 = 50 ms
- 24 = 55 ms
- 25 = 61 ms
- 26 = 68 ms
- 27 = 75 ms28 = 82 ms
- 29 = 91 ms
- 30 = 100 ms
- 31 = 110 ms
- 32 = 120 ms
- 33 = 132 ms
- 34 = 144 ms
- 35 = 158 ms
- 36 = 173 ms
- 37 = 188 ms
- 38 = 206 ms
- 39 = 224 ms40 = 244 ms
- 41 = 265 ms
- 42 = 288 ms
- 43 = 313 ms
- 44 = 340 ms
- 45 = 368 ms
- 46 = 399 ms47 = 432 ms
- 48 = 467 ms49 = 505 ms
- 50 = 545 ms
- 51 = 588 ms
- 52 = 634 ms
- 53 = 683 ms
- 54 = 736 ms
- 55 = 792 ms
- 56 = 851 ms
- 57 = 915 ms
- 58 = 983 ms
- 59 = 1.05 s
- 60 = 1.13 s61 = 1.21 s
- 62 = 1.30 s
- 63 = 1.39 s
- 64 = 1.49 s
- 65 = 1.59 s
- 66 = 1.70 s67 = 1.82 s
- 68 = 1.94 s
- 69 = 2.07 s
- 70 = 2.21 s

71 = 2.36 s72 = 2.51 s73 = 2.67 s74 = 2.85 s75 = 3.03 s76 = 3.22 s77 = 3.42 s78 = 3.64 s79 = 3.86 s80 = 4.10 s81 = 4.35 s82 = 4.61 s83 = 4.89 s84 = 5.18 s85 = 5.49 s86 = 5.81 s87 = 6.15 s88 = 6.50 s89 = 6.88 s90 = 7.27 s91 = 7.68 s92 = 8.11 s93 = 8.57 s94 = 9.04 s95 = 9.54 s96 = 10 s97 = 11 s98 = 11 s99 = 12 s100 = 12 s101 = 13 s102 = 14 s103 = 14 s104 = 15 s105 = 16 s106 = 17 s107 = 18 s108 = 19 s109 = 20 s110 = 20 s111 = 22 s112 = 23 s113 = 24 s114 = 25 s115 = 26 s116 = 27 s117 = 29 s118 = 30 s119 = 31 s120 = 33 s121 = 34 s122 = 36 s123 = 38 s124 = 39 s125 = 41 s126 = 43 s127 = 45 s

NS3 Synth Amp Env Velocity

Offset in file: 0xA8 (b4-3)

```
0 = Off
```

- 1 = 1
- 2 = 2
- 3 = 3

NS3 Synth Lfo Wave

Offset in file: 0x86 (b2-0)

- 0 = Triangle
- 1 = Saw
- 2 = Neg Saw
- 3 = Square
- 4 = S/H

NS3 Synth Lfo Rate

Offset in file: 0x87 (b6-0)

See: Organ Volume for detailed Morph explanation.

```
0/127 \text{ value} = 0.03 \text{ Hz} / 523 \text{ Hz}
```

- 0 = 0.03 Hz
- 1 = 0.03 Hz
- 2 = 0.03 Hz
- 3 = 0.04 Hz
- 4 = 0.04 Hz
- 5 = 0.04 Hz
- 6 = 0.05 Hz
- 7 = 0.05 Hz
- 8 = 0.05 Hz
- 9 = 0.06 Hz
- 10 = 0.06 Hz
- 11 = 0.07 Hz
- 12 = 0.07 Hz
- 13 = 0.08 Hz
- 14 = 0.09 Hz
- 15 = 0.09 Hz
- 16 = 0.10 Hz17 = 0.11 Hz
- 18 = 0.12 Hz
- 19 = 0.13 Hz
- 20 = 0.14 Hz
- 21 = 0.15 Hz
- 22 = 0.16 Hz23 = 0.17 Hz
- 24 = 0.19 Hz
- 25 = 0.20 Hz
- 26 = 0.22 Hz
- 27 = 0.24 Hz
- 28 = 0.26 Hz29 = 0.28 Hz
- 30 = 0.30 Hz
- 31 = 0.32 Hz
- 32 = 0.35 Hz
- 33 = 0.38 Hz
- 34 = 0.41 Hz35 = 0.44 Hz
- 36 = 0.47 Hz
- 37 = 0.51 Hz
- 38 = 0.55 Hz
- 39 = 0.60 Hz

- 40 = 0.64 Hz
- 41 = 0.70 Hz
- 42 = 0.75 Hz
- 43 = 0.81 Hz
- 44 = 0.88 Hz
- 45 = 0.95 Hz
- 46 = 1.0 Hz
- 47 = 1.1 Hz
- 48 = 1.2 Hz
- 49 = 1.3 Hz
- 50 = 1.4 Hz
- 51 = 1.5 Hz
- 52 = 1.6 Hz
- 53 = 1.8 Hz
- 54 = 1.9 Hz
- 55 = 2.0 Hz
- -- ---
- 56 = 2.2 Hz
- 57 = 2.4 Hz58 = 2.6 Hz
- 59 = 2.8 Hz
- 60 = 3.0 Hz
- 61 = 3.2 Hz
- 01 3.2 112
- 62 = 3.5 Hz
- 63 = 3.8 Hz
- 64 = 4.1 Hz
- 65 = 4.4 Hz
- 66 = 4.8 Hz
- 67 = 5.2 Hz
- 68 = 5.6 Hz
- 69 = 6.0 Hz70 = 6.5 Hz
- 71 = 7.0 Hz
- 72 = 7.6 Hz
- 73 = 8.2 Hz
- 74 = 8.8 Hz
- 75 = 9.5 Hz
- 76 = 10 Hz
- 77 = 11 Hz78 = 12 Hz
- 79 = 13 Hz
- 80 = 14 Hz
- 81 = 15 Hz
- 82 = 16 Hz
- 83 = 18 Hz
- 84 = 19 Hz
- 85 = 21 Hz
- 86 = 22 Hz
- 87 = 24 Hz
- 88 = 26 Hz
- 89 = 28 Hz
- 90 = 30 Hz91 = 33 Hz
- 92 = 35 Hz
- 93 = 38 Hz
- 94 = 41 Hz
- 95 = 45 Hz
- 96 = 48 Hz
- 97 = 52 Hz
- 98 = 56 Hz
- 99 = 61 Hz
- 100 = 65 Hz

30 = 2/1T

```
101 = 71 \text{ Hz}
  102 = 76 \text{ Hz}
  103 = 82 \text{ Hz}
  104 = 89 \text{ Hz}
  105 = 96 \text{ Hz}
  106 = 104 \text{ Hz}
  107 = 112 \text{ Hz}
  108 = 121 \text{ Hz}
  109 = 131 \text{ Hz}
  110 = 141 \text{ Hz}
  111 = 153 \text{ Hz}
  112 = 165 \text{ Hz}
  113 = 178 \text{ Hz}
  114 = 192 \text{ Hz}
  115 = 208 \text{ Hz}
  116 = 224 \text{ Hz}
  117 = 242 \text{ Hz}
  118 = 262 \text{ Hz}
  119 = 283 \text{ Hz}
  120 = 305 \text{ Hz}
  121 = 330 \text{ Hz}
  122 = 356 \text{ Hz}
  123 = 385 \text{ Hz}
  124 = 415 \text{ Hz}
  125 = 449 \text{ Hz}
  126 = 484 \text{ Hz}
  127 = 523 \text{ Hz}
if LFO Master Clock is On, 0/127 value = 4/1 to 1/64 Master Clock Division
  0 = 4/1
  1 = 4/1
  2 = 4/1
  3 = 4/1
  4 = 4/1
  5 = 4/1
  6 = 4/1
  7 = 4/1
  8 = 4/1T
  9 = 4/1T
  10 = 4/1T
  11 = 4/1T
  12 = 4/1T
  13 = 4/1T
  14 = 4/1T
  15 = 4/1T
  16 = 2/1
  17 = 2/1
  18 = 2/1
  19 = 2/1
  20 = 2/1
  21 = 2/1
  22 = 2/1
  23 = 2/1T
  24 = 2/1T
  25 = 2/1T
  26 = 2/1T
  27 = 2/1T
  28 = 2/1T
  29 = 2/1T
```

- 31 = 1/1
- 32 = 1/1
- 33 = 1/1
- 34 = 1/1
- 35 = 1/1
- 36 = 1/1
- 37 = 1/1
- 38 = 1/1T
- 39 = 1/1T
- 40 = 1/1T
- 41 = 1/1T
- 42 = 1/1T
- 43 = 1/1T
- 44 = 1/1T
- 45 = 1/1T
- 46 = 1/2
- 47 = 1/2
- 48 = 1/2
- 49 = 1/2
- 50 = 1/2
- 51 = 1/2
- 52 = 1/2
- 53 = 1/2T
- 54 = 1/2T
- 55 = 1/2T
- 56 = 1/2T
- 57 = 1/2T
- 58 = 1/2T
- 59 = 1/2T
- 60 = 1/2T
- 61 = 1/4
- 62 = 1/4
- 63 = 1/4
- 64 = 1/4
- 65 = 1/4
- 66 = 1/4
- 67 = 1/468 = 1/4T
- 69 = 1/4T70 = 1/4T
- 71 = 1/4T
- 72 = 1/4T
- 73 = 1/4T
- 74 = 1/4T75 = 1/4T
- 76 = 1/8
- 77 = 1/8
- 78 = 1/8
- 79 = 1/8
- 80 = 1/8
- 81 = 1/8
- 82 = 1/8
- 83 = 1/8T84 = 1/8T
- 85 = 1/8T
- 86 = 1/8T
- 87 = 1/8T
- 88 = 1/8T
- 89 = 1/8T
- 90 = 1/8T91 = 1/16

```
92 = 1/16
 93 = 1/16
 94 = 1/16
  95 = 1/16
  96 = 1/16
  97 = 1/16
  98 = 1/16T
  99 = 1/16T
  100 = 1/16T
  101 = 1/16T
  102 = 1/16T
  103 = 1/16T
  104 = 1/16T
  105 = 1/16T
  106 = 1/32
  107 = 1/32
  108 = 1/32
  109 = 1/32
  110 = 1/32
  111 = 1/32
  112 = 1/32
  113 = 1/32T
  114 = 1/32T
  115 = 1/32T
  116 = 1/32T
  117 = 1/32T
  118 = 1/32T
  119 = 1/32T
  120 = 1/32T
  121 = 1/64
  122 = 1/64
  123 = 1/64
  124 = 1/64
  125 = 1/64
  126 = 1/64
  127 = 1/64
Morph Wheel:
0x88 (b7): polarity (1 = positive, 0 = negative)
0x88 (b6-b0): 7-bit raw value
Morph After Touch:
0x89 (b7): polarity (1 = positive, 0 = negative)
0x89 (b6-b0): 7-bit raw value
Morph Control Pedal:
0x8A (b7): polarity (1 = positive, 0 = negative)
0x8A (b6-b0): 7-bit raw value
NS3 Synth Lfo Master Clock
Offset in file: 0x87 (b7)
0 = off, 1 = on
```

NS3 Synth Arp On

```
Offset in file: 0x80 (b6)
0 = off, 1 = on
```

NS3 Synth Arp Rate

Offset in file: 0x81 (b7-1)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 16 bpm / Fast 5
   0 = 16 \text{ bpm}
   1 = 16 \text{ bpm}
   2 = 18 \text{ bpm}
   3 = 20 \text{ bpm}
   4 = 24 \text{ bpm}
   5 = 26 \text{ bpm}
   6 = 28 \text{ bpm}
   7 = 30 \text{ bpm}
   8 = 34 \text{ bpm}
   9 = 36 \text{ bpm}
   10 = 38 \text{ bpm}
   11 = 42 \text{ bpm}
   12 = 44 \text{ bpm}
   13 = 46 \text{ bpm}
   14 = 48 \text{ bpm}
   15 = 50 \text{ bpm}
   16 = 54 \text{ bpm}
   17 = 56 \text{ bpm}
   18 = 58 \text{ bpm}
   19 = 60 \text{ bpm}
   20 = 62 \text{ bpm}
   21 = 64 \text{ bpm}
   22 = 66 \text{ bpm}
   23 = 68 \text{ bpm}
   24 = 70 \text{ bpm}
   25 = 72 \text{ bpm}
   26 = 74 \text{ bpm}
   27 = 76 \text{ bpm}
   28 = 78 \text{ bpm}
   29 = 78 \text{ bpm}
   30 = 80 \text{ bpm}
   31 = 82 \text{ bpm}
   32 = 84 \text{ bpm}
   33 = 86 \text{ bpm}
   34 = 86 \text{ bpm}
   35 = 88 \text{ bpm}
   36 = 90 \text{ bpm}
   37 = 92 \text{ bpm}
   38 = 94 \text{ bpm}
   39 = 94 \text{ bpm}
   40 = 96 \text{ bpm}
   41 = 98 \text{ bpm}
   42 = 100 \text{ bpm}
   43 = 100 \text{ bpm}
   44 = 102 \text{ bpm}
   45 = 104 \text{ bpm}
   46 = 106 \text{ bpm}
   47 = 108 \text{ bpm}
   48 = 108 \text{ bpm}
   49 = 110 \text{ bpm}
   50 = 112 \text{ bpm}
   51 = 114 \text{ bpm}
   52 = 116 \text{ bpm}
   53 = 118 \text{ bpm}
```

54 = 120 bpm

- 55 = 122 bpm
- 56 = 124 bpm
- 57 = 126 bpm
- 58 = 128 bpm
- 59 = 130 bpm
- 60 = 132 bpm
- 61 = 134 bpm
- 62 = 138 bpm
- 63 = 140 bpm
- 64 = 142 bpm
- 65 = 146 bpm
- 66 = 148 bpm
- 67 = 152 bpm
- 68 = 154 bpm
- 69 = 158 bpm
- 70 = 162 bpm
- 71 = 166 bpm72 = 170 bpm
- 73 = 174 bpm
- 74 = 178 bpm
- 75 = 182 bpm
- 76 = 186 bpm
- 77 = 190 bpm
- 78 = 196 bpm
- 79 = 200 bpm
- 80 = 204 bpm
- 81 = 210 bpm
- 82 = 216 bpm
- 83 = 220 bpm
- 84 = 226 bpm
- 85 = 232 bpm
- 86 = 238 bpm
- 87 = 244 bpm
- 88 = 252 bpm
- 89 = 258 bpm
- 90 = 266 bpm
- 91 = 274 bpm92 = 282 bpm
- 93 = 290 bpm
- 94 = 298 bpm
- 95 = 308 bpm
- 96 = 318 bpm
- 97 = 328 bpm
- 98 = 338 bpm
- 99 = 350 bpm100 = 362 bpm
- 101 = 376 bpm
- 102 = 392 bpm
- 103 = 410 bpm104 = 428 bpm
- 105 = 450 bpm
- 106 = 472 bpm
- 107 = 494 bpm
- 108 = 520 bpm
- 109 = 546 bpm
- 110 = 574 bpm111 = 602 bpm
- 112 = 632 bpm
- 113 = 662 bpm
- 114 = 696 bpm
- 115 = 728 bpm

45 = 1/4T

```
116 = 762 \text{ bpm}
  117 = 798 \text{ bpm}
  118 = 834 \text{ bpm}
  119 = 872 \text{ bpm}
  120 = 910 \text{ bpm}
  121 = 950 \text{ bpm}
  122 = 990 \text{ bpm}
  123 = Fast 1
  124 = Fast 2
  125 = Fast 3
  126 = Fast 4
  127 = Fast 5
if Arpeggiator Master Clock is On, 0/127 value = 1/2 to 1/32 Master Clock Division
  0 = 1/2
  1 = 1/2
  2 = 1/2
  3 = 1/2
  4 = 1/2
  5 = 1/2
  6 = 1/2
  7 = 1/2
  8 = 1/2
  9 = 1/2
  10 = 1/2
  11 = 1/2
  12 = 1/2
  13 = 1/2
  14 = 1/2
  15 = 1/2T
  16 = 1/2T
  17 = 1/2T
  18 = 1/2T
  19 = 1/2T
  20 = 1/2T
  21 = 1/2T
  22 = 1/2T
  23 = 1/2T
  24 = 1/2T
  25 = 1/2T
  26 = 1/2T
  27 = 1/2T
  28 = 1/2T
  29 = 1/4
  30 = 1/4
  31 = 1/4
  32 = 1/4
  33 = 1/4
  34 = 1/4
  35 = 1/4
  36 = 1/4
  37 = 1/4
  38 = 1/4
  39 = 1/4
  40 = 1/4
  41 = 1/4
  42 = 1/4
  43 = 1/4T
  44 = 1/4T
```

- 46 = 1/4T
- 47 = 1/4T
- 48 = 1/4T
- 49 = 1/4T
- 50 = 1/4T
- 51 = 1/4T
- 52 = 1/4T
- 53 = 1/4T
- 54 = 1/4T
- 55 = 1/4T
- 56 = 1/4T
- 57 = 1/8
- 58 = 1/8
- 59 = 1/8
- 60 = 1/8
- 61 = 1/8
- 62 = 1/8
- 63 = 1/8
- 64 = 1/8
- 65 = 1/8
- 66 = 1/8
- 67 = 1/8
- 68 = 1/8
- 69 = 1/8
- 70 = 1/8
- 71 = 1/8
- 72 = 1/8T
- 73 = 1/8T
- 74 = 1/8T
- 75 = 1/8T
- 76 = 1/8T
- 77 = 1/8T
- 78 = 1/8T
- 79 = 1/8T
- 80 = 1/8T
- 81 = 1/8T
- 82 = 1/8T83 = 1/8T
- 84 = 1/8T85 = 1/8T
- 86 = 1/16
- 87 = 1/16
- 88 = 1/16
- 89 = 1/16
- 90 = 1/16
- 91 = 1/1692 = 1/16
- 93 = 1/16
- 94 = 1/16
- 95 = 1/16
- 96 = 1/16
- 97 = 1/16
- 98 = 1/16
- 99 = 1/16
- 100 = 1/16T
- 101 = 1/16T
- 102 = 1/16T103 = 1/16T
- 104 = 1/16T
- 105 = 1/16T
- 106 = 1/16T

```
107 = 1/16T
  108 = 1/16T
  109 = 1/16T
  110 = 1/16T
  111 = 1/16T
  112 = 1/16T
  113 = 1/16T
  114 = 1/32
  115 = 1/32
  116 = 1/32
  117 = 1/32
  118 = 1/32
  119 = 1/32
  120 = 1/32
  121 = 1/32
  122 = 1/32
  123 = 1/32
  124 = 1/32
  125 = 1/32
  126 = 1/32
  127 = 1/32
Morph Wheel:
0x81 (b0): polarity (1 = positive, 0 = negative)
0x82 (b7-b1): 7-bit raw value
Morph After Touch:
0x82 (b0): polarity (1 = positive, 0 = negative)
0x83 (b7-b1): 7-bit raw value
Morph Control Pedal:
0x83 (b0): polarity (1 = positive, 0 = negative)
0x84 (b7-b1): 7-bit raw value
NS3 Synth Arp Kb Sync
Offset in file: 0x80 (b5)
0 = off, 1 = on
NS3 Synth Arp Master Clock
Offset in file: 0x80 (b0)
0 = off, 1 = on
NS3 Synth Arp Range
Offset in file: 0x80 (b4-3)
0 = 1 Octave
1 = 2 \text{ Octaves}
2 = 3 \text{ Octaves}
3 = 4 \text{ Octaves}
```

NS3 Synth Arp Pattern

```
Offset in file: 0x80 (b2-1)
```

0 = Up

1 = Down

2 = Up/Down

Revision Rev 1.1 draft

3 = Random

Let's get started

This file documents the Nord Stage 3 program file structure. It is handmade by NUF users and is not officially supported by Nord Keyboards / Clavia DMI AB. While we certainly hope this document is useful, none of the authors or contributors place any guarantees as to the accuracy of the data.

We contacted Nord Keyboards / Clavia DMI AB support about this project, and the answer was that they are fine with this project, and it can be published:)

https://ns3-program-viewer.herokuapp.com web application is the project behind this initiative. Source is located here: https://github.com/Chris55/ns3-program-viewer

Summary

- Disclaimer
- Contributors
- License
- Revision
- File Structure

Disclaimer

We are not affiliated, associated, endorsed by, or in any way officially connected with Nord Keyboards / Clavia DMI AB, or any of its subsidiaries or its affiliates. The official Nord Keyboards website can be found at https://www.nordkeyboards.com The names Nord and Clavia as well as related names, marks, emblems and images are registered trademarks of their respective owners.

Contributors

- Christian Florentz (@florence)
- Andreas Gallenmueller (@gaaal)
- Thanks to other NUF member(s): @rpossemo

Revision

rev	date	description
0.1	23-Sep-2020	Draft version
0.2	$26 ext{-}Sep-2020$	Added Delay section
1.0	$27 ext{-}Sep-2020$	Added Amp Sim / Eq section and bumped to v1.0 $$

License Rev 1.1 draft

License

This mapping is provided as-is under the MIT license.

Copyright (c) 2020 Christian Florentz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

File Structure Rev 1.1 draft

File Structure

This mapping corresponds to the Nord Stage 3 program file (file extension ns3f).

The file version used is 3.04 (generated with OS v2.54), and the file length is 592 bytes. Some older versions have a length of 574 bytes and a smaller header.

Offset 0x04 defines the file format.

Each memory offset corresponds to an 8-bit value.

```
0x01 \text{ (hex)} = 00000001 \text{ -> bit } 0 \text{ is '1'}

0x84 \text{ (hex)} = 10000100 \text{ -> bit } 7 \text{ and } 2 \text{ are '1'}
```

In the documentation --xxxxx (b5-0) means Bit5 to Bit0.

```
offset
            bits
                     description
0x0000
                     ascii C - 0x43, 4-byte Clavia ID
         ccccccc
                     ascii B - 0x42
0x0001
         ccccccc
                     ascii I - 0x49
0x0002
         ccccccc
0x0003
         ccccccc
                     ascii N - 0x4E
0x0004
                    (f) file format
         ffffffff
0x0005
                     0
0x0006
                     0
0x0007
                     ascii n - 0x6E, 4-byte NS3 Program file ID
8000x0
         \mathsf{ccccccc}
0x0009
         cccccc
                     ascii s - 0x73,
0x000A
         ccccccc
                     ascii 3 - 0x33,
0x000B
                     ascii f - 0x66,
         ccccccc
                     (b) bank lsb (0 = A, 1 = B ...)
0x000C
         bbbbbbbb
0x000D
         _____
                     0
0x000E
         11111111
                     (1) location lsb (0 = 11, 1 = 12...)
0x000F
0x0010
                     (c) program category
         ccccccc
0x0011
         _____
0x0012
0x0013
                     (i) file version (16-bit)
0x0014
         iiiiiiii
0x0015
         iiiiiiii
0x0016
0x0017
0x0018
                     CRC1 (32-bit)
         ccccccc
0x0019
         ccccccc
0x001A
         ccccccc
0x001B
         ccccccc
0x001C
0x001D
0x001E
0x001F
0x0020
0x0021
0x0022
0x0023
0x0024
         _____
         _____
0x0025
0x0026
0x0027
0x0028
0x0029
0x002A
0x002B
                     0
0x002C
         -----
0x002D
         -----
                     0
```

offset	bits	description
0x002E	vvvvvvv	version 16-bit integer value in Big Endian format
0x002F	vvvvvvv	
0x0030		11
0x0031	pppsssss	(p) panel, (s) split
0x0032	SSSSSSS	
0x0033	SSSSSSS	
0x0034	sddpvvvr	(d) piano layer detune, (p) organ pitch stick, (v) organ vibrato mode, (r) rotary speaker speed
0x0035	mwwwaaap	(m) rotary speaker stop mode, (w) rotary speaker speed morph wheel, (a) rotary speaker speed morph after touch, (p) rotary speaker speed morph control pedal
0x0036	pp	
0x0037		
0x0038	tttttccc	(t) transpose, (c) master clock rate
0x0039	ccccddd	(d) rotary speaker drive
0x003A	ddddk-ss	(k) dual keyboard, (s) dual keyboard style
0x003B		
0x003C		
0x003D		
0x003E		
0x003F		
0x0040		
0x0041		
0x0042		
0x0043	OZZZZVVV	(o) piano on, (z) piano kb zone, (v) piano volume
0x0044	VVVVWWW	(w) piano volume morph wheel
0x0045	wwwwaaaa	(a) piano volume morph after touch
0x0046	aaaapppp	(p) piano volume morph control pedal
0x0047	ppppoooo	(o) piano octave shift
0x0048	pstttmmm	(p) piano pitch stick, (s) piano sustain pedal, (t) piano type, (m) piano model
0x0049	mmvviiii	(v) piano sample variation, (i) piano sample name
0x004A	iiiiiiii	
0x004B	iiiiiiii	
0x004C	iiiiiiii	
0x004D	iiiisrpk	(s) piano soft release,(r) piano string resonance, (p) piano pedal noise, (k) piano kb touch
0x004E	k-ttt	(t) piano timbre
0x004F		
0x0050		
0x0051		
0x0052	OZZZZVVV	(o) synth on, (z) synth kb zone, (v) synth volume
0x0053	VVVVWWWW	(w) synth volume morph wheel
0x0054	wwwwaaaa	(a) synth volume morph after touch
0x0055	aaaapppp	(p) synth volume morph control pedal
0x0056	ppppoooo	(o) synth octave shift (b) synth pitch stick (c) synth systein podel (x) user sample name
0x0057	psxxxx	(p) synth pitch stick, (s) synth sustain pedal, (x) user sample name
0x0058	XXXXXXXX	
0x0059 0x005A	XXXXXXXX	
0x005A 0x005B	XXXXXXXX	
0x005B	XXXXXXXX	
0x005C	XXXXXXXX	
0x005D 0x005E	xxxxxxx	
0x005E	XXXXXXXX	
0x005F	XXXXXXXX	
0x0060 0x0061		
0x0061 0x0062	XXXXXXXX	
0x0062 0x0063	xxxxxxxx	
0x0063	XXXXXXXX	
0x0004 0x0065	XXXXXXXX	
0.0000	ΛΛΛΛΛΛΛ	

offset	bits	description
0x0066	xxxxxxx	
0x0067	XXXXXXXX	
0x0068	XXXXXXXX	
0x0069	xxxxxxxx	
0x006A	xxxxxxxx	
0x006B	xxxxxxxx	
0x006C	xxxxxxxx	
0x006D		
0x006E		
0x006F		
0x0070		
0x0071		
0x0072		
0x0073		
0x0074		
0x0075		
0x0076		
0x0077		
0x0078		
0x0079		
0x007A		
0x007B		
0x007C		
0x007D		
0x007E		
0x007F		
0x0080	hosrrppc	(h) synth kh hold, (o) synth arp on, (o) synth arp kb sync, (r) synth arp range, (p)
		synth arp pattern, (c) synth arp master clock
0x0081	rrrrrrw	(r) synth arp rate, (w) synth arp rate morph wheel
0x0082	wwwwwwwa	(a) synth arp rate morph after touch
0x0083	aaaaaaap	(p) synth arp rate morph control pedal
0x0084	pppppppv	(v) synth voice
0x0085	vgggggg	(g) synth glide
0x0086	uuvvvlll	(g) synth unison, (v) synth vibrato, (l) synth lfo wave
0x0087	mrrrrrr	(m) synth lfo master clock, (r) synth lfo rate
0x0088 0x0089	WWWWWWW	(w) synth lfo rate morph wheel (a) synth lfo rate morph after touch
0x0089	aaaaaaaa	(r) synth life rate control pedal
0x000R	pppppppp aaaaaaad	(a) synth mod env attack, (d) synth mod env decay
0x008B	ddddddrr	(a) synth mod env attack, (d) synth mod env decay
0x008D	rrrrvtt	(v) synth mod env velocity, (t) synth oscillator type
0x008E	twwwwww	(w) synth oscillator 1 wave form
0x008F	ww-ccccp	(c) synth oscillator config, (c) synth pitch
0x0090	ppppplll	(l) synth oscillator control
0x0091	llllwwww	(w) synth oscillator control morph wheel
0x0092	wwwwaaaa	(a) synth oscillator control morph after touch
0x0093	aaaapppp	(p) synth oscillator control morph control pedal
0x0094	ppppllll	(l) synth lfo mod env
0x0095	lllwwwww	(w) synth lfo mod env morph wheel
0x0096	wwwaaaaa	(a) synth lfo mod env morph after touch
0x0097	aaappppp	(p) synth lfo mod env morph control pedal
0x0098	ppptttff	(t) synth filter type, (f) synth filter freq
0x0099	fffffwww	(w) synth filter freq morph wheel
0x009A	wwwwwaaa	(a) synth filter freq morph after touch
0x009B	aaaaappp	(p) synth filter freq morph control pedal
0x009C	ppppphhh	(h) synth filter hp freq res
0x009D	hhhhwwww	(w) synth filter hp freq res morph wheel
0x009E	wwwwaaaa	(a) synth filter hp freq res morph after touch
0x009F	aaaapppp	(p) synth filter hp freq res morph control pedal

Ox00A0 ppppllll (l) synth filter Ifo amount Ox00A1 lllwwww (w) synth filter Ifo amount morph wheel Ox00A2 wwwaaaaa (a) synth filter Ifo amount morph after touch Ox00A3 aaappppp (p) synth filter Ifo amount morph control pedal Ox00A4 pppmmmmm (m) synth filter vel mod env amount Ox00A5 mmttddaa (t) synth filter kb track, (d) synth filter drive, (a) synth amp env attack Ox00A6 aaaaaddd (d) synth amp env release Ox00A7 ddddrrrr (r) synth amp env release Ox00A8 rrrvvsss (r) synth amp env velocity, (s) synth sample id Ox00A9 ssssssss Ox00AA ssssssss Ox00AC ssssf (f) synth fast attack Ox00AD 0 Ox00AE 0 Ox00AF 0 Ox00B1 0 Ox00B1 0	
Ox00A1 111wwww (w) synth filter lfo amount morph wheel Ox00A2 wwwaaaaa (a) synth filter lfo amount morph after touch Ox00A3 aaappppp (p) synth filter lfo amount morph control pedal Ox00A4 pppmmmmm (m) synth filter vel mod env amount Ox00A5 mmttddaa (t) synth filter kb track, (d) synth filter drive, (a) synth amp env attack Ox00A6 aaaaaddd (d) synth amp env decay Ox00A7 ddddrrrr (r) synth amp env release Ox00A8 rrrvvsss (r) synth amp env velocity, (s) synth sample id Ox00A9 ssssssss Ox00AA ssssssss Ox00AB ssssssss Ox00AC sssssf (f) synth fast attack Ox00AD 0 Ox00AF 0 Ox00AF 0 Ox00BO 0 Ox00BI 0	
0x00A2wwwaaaaa(a) synth filter lfo amount morph after touch0x00A3aaappppp(p) synth filter lfo amount morph control pedal0x00A4pppmmmm(m) synth filter vel mod env amount0x00A5mmttddaa(t) synth filter kb track, (d) synth filter drive, (a) synth amp env attack0x00A6aaaaaddd(d) synth amp env decay0x00A7ddddrrrr(r) synth amp env release0x00A8rrrvvsss(r) synth amp env velocity, (s) synth sample id0x00A9ssssssss0x00ABssssssss0x00ABssssssss0x00AD	
Ox00A3 aaappppp (p) synth filter lfo amount morph control pedal Ox00A4 pppmmmm (m) synth filter vel mod env amount Ox00A5 mmttddaa (t) synth filter kb track, (d) synth filter drive, (a) synth amp env attack Ox00A6 aaaaaddd (d) synth amp env decay Ox00A7 ddddrrrr (r) synth amp env release Ox00A8 rrrvvsss (r) synth amp env velocity, (s) synth sample id Ox00A9 ssssssss Ox00AA ssssssss Ox00AB ssssssss Ox00AC sssssf (f) synth fast attack Ox00AD 0 Ox00AE 0 Ox00AF 0 Ox00BO 0 Ox00B1 0	
Ox00A4 pppmmmmm (m) synth filter vel mod env amount Ox00A5 mmttddaa (t) synth filter kb track, (d) synth filter drive, (a) synth amp env attack Ox00A6 aaaaaddd (d) synth amp env decay Ox00A7 ddddrrrr (r) synth amp env release Ox00A8 rrrvvsss (r) synth amp env velocity, (s) synth sample id Ox00A9 ssssssss Ox00AA ssssssss Ox00AB ssssssss Ox00AC sssssf (f) synth fast attack Ox00AD 0 Ox00AE 0 Ox00AF 0 Ox00BO 0 Ox00BI 0	
0x00A5 mmttddaa (t) synth filter kb track, (d) synth filter drive, (a) synth amp env attack 0x00A6 aaaaaddd (d) synth amp env decay 0x00A7 ddddrrr (r) synth amp env release 0x00A8 rrrvvsss (r) synth amp env velocity, (s) synth sample id 0x00AB sssssssss 0x00AC sssssf (f) synth fast attack 0x00AD 0 0x00AF 0 0x00BO 0 0x00B1 0	
0x00A6 aaaaaddd (d) synth amp env decay 0x00A7 ddddrrr (r) synth amp env release 0x00A8 rrrvvsss (r) synth amp env velocity, (s) synth sample id 0x00A9 ssssssss 0x00AB ssssssss 0x00AC sssssf (f) synth fast attack 0x00AD 0 0x00AE 0 0x00AF 0 0x00BO 0 0x00B1 0	
0x00A7 ddddrrr (r) synth amp env release 0x00A8 rrrvvsss (r) synth amp env velocity, (s) synth sample id 0x00A9 ssssssss 0x00AA 0x00AB ssssssss 0x00AC sssssf (f) synth fast attack 0x00AD 0 0x00AF 0 0x00BO 0 0x00B1 0	
0x00A8 rrrvvsss (r) synth amp env velocity, (s) synth sample id 0x00A9 ssssssss 0x00AA ssssssss 0x00AB ssssssss 0x00AC sssssf (f) synth fast attack 0x00AD 0 0x00AE 0 0x00AF 0 0x00BO 0 0x00B1 0	
0x00A9 sssssss 0x00AA sssssss 0x00AB ssssssss 0x00AC sssssf (f) synth fast attack 0x00AD 0 0x00AE 0 0x00AF 0 0x00BO 0 0x00B1 0	
0x00AA sssssss 0x00AB ssssssss 0x00AC sssssf (f) synth fast attack 0x00AD 0 0x00AE 0 0x00AF 0 0x00BO 0 0x00B1 0	
0x00AB ssssssss 0x00AC sssssf (f) synth fast attack 0x00AD 0 0x00AE 0 0x00AF 0 0x00BO 0 0x00B1 0	
0x00AC sssssf (f) synth fast attack 0x00AD 0 0x00AE 0 0x00AF 0 0x00B0 0 0x00B1 0	
0x00AD 0 0x00AE 0 0x00AF 0 0x00B0 0 0x00B1 0	
0x00AF 0 0x00B0 0 0x00B1 0	
0x00AF 0 0x00B0 0 0x00B1 0	
0x00B0 0 0x00B1 0	
0x00B1 0	
0x00B2 0	
0x00B3 0	
0x00B4 0	
0x00B5 07	
0x00B6 ozzzzvvv (o) organ on, (z) organ kb zone, (v) organ volume	
0x00B7 vvvvwww (w) organ volume morph wheel	
0x00B8 wwwwaaaa (a) organ volume morph after touch	
0x00B9 aaaapppp (p) organ volume morph control pedal	
0x00BA ppppoooo (o) organ octave shift	
0x00BB stttl (s) organ sustain-pedal,(t) organ type,(l) organ live mode	
0x00BC 0	
0x00BD 1A	
0x00BE 1111www organ preset 1 drawbar (1), (w) organ preset 1 drawbar 1 morph wheel	
0x00BF waaaaapp (a) organ preset 1 drawbar 1 morph after touch, (p) organ preset 1 drawbar 2 m control pedal	orph
0x00C0 ppp2222w organ preset 1 drawbar (2), (w) organ preset 1 drawbar 2 morph wheel	
0x00C1 wwwwaaaa (a) organ preset 1 drawbar 2 morph after touch	
0x00C2 appppp33 (p) organ preset 1 drawbar 2 morph control pedal, organ preset 1 drawbar (3)	
0x00C3 33wwwwa (w) organ preset 1 drawbar 3 morph wheel, (a) organ preset 1 drawbar 3 morph after touch	h
0x00C4 aaaapppp (p) organ preset 1 drawbar 3 morph control pedal	
0x00C5 p4444www organ preset 1 drawbar (4), (w) organ preset 1 drawbar 4 morph wheel	
0x00C6 wwaaaaap (a) organ preset 1 drawbar 4 morph after touch, (p) organ pres	orph
0x00C7 pppp5555 organ preset 1 drawbar (5),	
0x00C8 wwwwwaaa (w) organ preset 1 drawbar 5 morph wheel, (a) organ preset 1 drawbar 5 morph	h
after touch	
0x00C9 aappppp6 (p) organ preset 1 drawbar 5 morph control pedal, organ preset 1 drawbar (6)	
0x00CA 666wwww (w) organ preset 1 drawbar 6 morph wheel	
0x00CB aaaaappp (a) organ preset 1 drawbar 6 morph after touch, (p) organ pres	orph
0x00CC pp7777ww organ preset 1 drawbar (7), (w) organ preset 1 drawbar 7 morph wheel	
0x00CD wwwaaaaa (a) organ preset 1 drawbar 7 morph after touch	
0x00CE ppppp888 (p) organ preset 1 drawbar 7 morph control pedal, organ preset 1 drawbar (8)	
0x00CF 8wwwwaa (w) organ preset 1 drawbar 8 morph wheel, (a) organ preset 1 drawbar 8 morph after touch	h
0x00D0 aaappppp (p) organ preset 1 drawbar 8 morph control pedal	
0x00D1 9999www organ preset 1 drawbar (9), (w) organ preset 1 drawbar 9 morph wheel	
0x00D2 waaaaapp (a) organ preset 1 drawbar 9 morph after touch, (p) organ preset 1 drawbar 9 m	
control pedal	orph

offset	bits	description
0x00D3	pppvphds	(v) organ vibrato on, (p) organ percussion on, (h) organ percussion harmonic third, (d) organ percussion decay fast, (s) organ percussion volume soft
0x00D4		
0x00D5		0
0x00D6		0
0x00D7		0
0x00D8		1A
0x00D9	1111wwww	organ preset 2 drawbar (1), (w) organ preset 2 drawbar 1 morph wheel
0x00DA	waaaaapp	(a) organ preset 2 drawbar 1 morph after touch, (p) organ preset 2 drawbar 2 morph control pedal
0x00DB	ppp2222w	organ preset 2 drawbar (2), (w) organ preset 2 drawbar 2 morph wheel
0x00DC	wwwwaaaa	(a) organ preset 2 drawbar 2 morph after touch
0x00DE	appppp33	(p) organ preset 2 drawbar 2 morph control pedal, organ preset 2 drawbar (3),
0x00DF	ЗЗwwwwwa	(w) organ preset 2 drawbar 3 morph wheel, (a) organ preset 2 drawbar 3 morph after touch
0x00E0	aaaapppp	(p) organ preset 2 drawbar 3 morph control pedal
0x00E1	p4444www	organ preset 2 drawbar (4), (w) organ preset 2 drawbar 4 morph wheel
0x00E2	wwaaaaap	(a) organ preset 2 drawbar 4 morph after touch, (p) organ preset 2 drawbar 4 morph control pedal,
0x00E3	pppp5555	organ preset 2 drawbar (5),
0x00E4	wwwwwaaa	(w) organ preset 2 drawbar 5 morph wheel, (a) organ preset 2 drawbar 5 morph after touch
0x00E5	aappppp6	(p) organ preset 2 drawbar 5 morph control pedal, organ preset 2 drawbar (6),
0x00E6	666wwwww	(w) organ preset 2 drawbar 6 morph wheel
0x00E7	aaaaappp	(a) organ preset 2 drawbar 6 morph after touch, (p) organ preset 2 drawbar 6 morph control pedal
0x00E8	рр7777ww	organ preset 2 drawbar (7), (w) organ preset 2 drawbar 7 morph wheel
0x00E9	wwwaaaaa	(a) organ preset 2 drawbar 7 morph after touch
OxOOEA	ppppp888	(p) organ preset 2 drawbar 7 morph control pedal, organ preset 2 drawbar (8),
0x00EB	8wwwwwaa	(w) organ preset 2 drawbar 8 morph wheel, (a) organ preset 2 drawbar 8 morph after touch
0x00EC	aaappppp	(p) organ preset 2 drawbar 8 morph control pedal
0x00ED	9999wwww	organ preset 2 drawbar (9), (w) organ preset 2 drawbar 9 morph wheel
0x00EE	waaaaapp	(a) organ preset 2 drawbar 9 morph after touch, (p) organ preset 2 drawbar 9 morph control pedal
0x00EF	ppp	
0x00F0		
0x00F1		
0x00F2		
0x00F3		
0x00F4	ozzzss	(o) extern on, (z) extern kb zone, (s) extern octave shift
0x00F5	s	
0x00F6	psmm	(p) extern pitch stick, (s) extern sustain pedal, (m) extern midi control
0x00F7	V	(v) extern midi cc
0x00F8 0x00F9	VVVVVVWW	(w) extern midi cc morph wheel
0x00F9 0x00FA		(a) extern midi cc morph after touch(p) extern midi cc morph control pedal
0x00FA 0x00FB	aaaaaapp	(b) extern findi cc morph control pedal
0x00FC	pppppp	
0x00FD	v	(v) extern midi program
0x00FE	wwwwwaa	(a) extern midi program after touch
0x00FF	aaaaaapp	(p) extern midi program control pedal
0x0100	pppppp	(r)
0x0101	v	(v) extern volume
0x0102	VVVVVWW	(w) extern volume morph wheel
0x0103	wwwwwwaa	(a) extern volume morph after touch
0x0104	aaaaaapp	(p) extern volume morph control pedal
0x0105	pppppp	
0x0106		

offset	bits	description
0x0107		
0x0108		
0x0109		
0x010A		
0x010B	ossnrrtt	(o) rotary speaker on, (s) rotary speaker source, (n) effect 1 on, (r) effect-1-source
		(t) effect 1 type
0x010C	tcrrrrr	(c) effect 1 master clock, (r) effect 1 rate
0x010D	rwwwwwww	(w) effect 1 rate morph wheel
0x010E	waaaaaaa	(a) effect 1 rate morph after touch
0x010F	appppppp	(p) effect 1 rate morph control pedal
0x0110	paaaaaaa	(a) effect 1 amount
0x0111	WWWWWWW	(w) effect 1 amount morph wheel
0x0112	aaaaaaaa	(a) effect 1 amount morph after touch
0x0113	pppppppp	(p) effect 1 amount morph control pedal
0x0114	osstttrr	(o) effect 2 on, (s) effect 2 source, (t) effect 2 type, (r) effect 2 rate
0x0115	rrrraaa	(a) effect 2 amount
0x0116	aaaawwww	(w) effect 2 amount morph wheel
0x0117	wwwwaaaa	(a) effect 2 amount morph after touch
0x0118	aaaapppp	(p) effect 2 amount morph control pedal
0x0119	ppppossc	(o) delay on, (s) delay source, (m) delay master clock
0x011A 0x011B	tttttttx	(t) delay tempo, (x) delay tempo lsw
0x011B	xxxxxxpw	(w) delay tempo morph wheel(x) delay tempo morph wheel lsw
	XXXWWWWXX	
0x011D 0x011E	xxxxxpaa	(a) delay tempo morph after touch(x) delay tempo morph after touch lsw
0x011E 0x011F	aaaaaxxx	(c) delay tempo morph control pedal
0x011r 0x0120	ccccxxxx	(x) delay tempo morph control pedal lsw
0x0120 0x0121	xxxmmmmm	(t) delay mix
0x0121	mmwwwwww	(w) delay mix morph wheel
0x0122	wwaaaaaa	(a) delay mix morph after touch
0x0124	aapppppp	(p) delay mix morph control pedal
0x0121	ppoffbbb	(o) delay ping pong, (f) delay filter, (b) delay feedback
0x0126	bbbbwwww	(w) delay feedback morph wheel
0x0127	wwwwaaaa	(a) delay feedback morph after touch
0x0128	aaaapppp	(p) delay feedback morph control pedal
0x0129	ppppaoss	(a) delay analog mode, (o) amp sim eq on, (s) amp sim eq source
0x012A	aaattttt	(a) amp sim eq amp type, (a) amp sim eq treble
0x012B	ttmmmmmm	(m) amp sim eq mid res
0x012C	mbbbbbbb	(m) amp sim eq bass dry wet
0x012D	fffffffw	(f) amp sim eq mid flt freq
0x012E	wwwwwwa	(f) amp sim eq mid flt freq morph wheel
0x012F	aaaaaaap	(f) amp sim eq mid flt freq morph after touch
0x0130	pppppppd	(f) amp sim eq mid flt freq morph control pedal, (d) amp sim eq drive
0x0131	ddddddww	(w) amp sim eq drive morph wheel
0x0132	wwwwwwaa	(a) amp sim eq drive morph after touch
0x0133	aaaaaapp	(p) amp sim eq drive morph control pedal
0x0134	ppppppot	(o) reverb on, (t) reverb type
0x0135	ttbrrrrr	(o) reverb bright, (r) reverb amount
0x0136	rrwwwwww	(w) reverb amount morph wheel
0x0137	wwaaaaaa	(a) reverb amount morph after touch
0x0138	aapppppp	(p) reverb amount morph control pedal
0x0139	ppoccccc	(o) compressor on, (c) compressor amount
0x013A	ccf	(f) compressor fast
0x013B		Piano Panel B, same as offset 0x34, offset from Panel A is 0x107 (263 bytes)
0x013C		
00040		
0x0240		and of Danal D
0x0241 0x0242		end of Panel B
		U

offset	bits	description
0x0243		0
0x0244		0
0x0245		0
0x0246		0
0x0247		0
0x0248		0
0x0249		0
0x024A		5
0x024B		0
0x024C		0
0x024D		0
0x024E		0
0x024F		0

NS3 Extern On

Offset in file: 0xF4 (b7)

0 = off, 1 = on

NS3 Extern Kb Zone

Offset in file: 0xF4 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Extern Octave Shift

Offset in file: 0xF4 (b1-0) and 0xF5 (b7)

Octave Shift = value - 6

NS3 Extern Pitch Stick

Offset in file: 0xF6 (b7)

0 = off, 1 = on

NS3 Extern Sustain Pedal

Offset in file: 0xF6 (b6)

0 = off, 1 = on

NS3 Extern Midi Control

Offset in file: 0xF6 (b1-0)

O = Midi CC

1 = Program

2 = Volume

NS3 Extern Midi CC

Offset in file: 0xF7 (b0) and 0xF8 (b7-2)

07-bit value = 0/127

NS3 Extern Midi Program

Offset in file: 0xFD (b0) and 0xFE (b7-2)

07-bit value = 0/127

NS3 Extern Volume

Offset in file: 0x101 (b0) and 0x102 (b7-2)

07-bit value = 0/127

NS3 Amp Sim Eq On

Offset in file: 0x129 (b2)

0 = off, 1 = on

NS3 Amp Sim Eq Source

```
Offset in file: 0x10B (b3-2)
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Amp Sim Eq Amp Type

```
Offset in file: 0x12A (b7-5)

0 = Clean

1 = Twin

2 = JC

3 = Small

4 = LP24

5 = HP24
```

NS3 Amp Sim Eq Treble

32 = -7.0 dB 33 = -6.8 dB 34 = -6.5 dB 35 = -6.2 dB 36 = -6.0 dB

```
Offset in file: 0x12A (b4-0) and 0x12B (b7-6)
```

```
treble (fixed 4 kHz) frequency boost/cut table:
   0 = -15.0 \text{ dB}
   1 = -14.8 \text{ dB}
   2 = -14.5 \text{ dB}
   3 = -14.2 \text{ dB}
   4 = -14.0 \text{ dB}
   5 = -13.8 \text{ dB}
   6 = -13.5 \text{ dB}
   7 = -13.2 \text{ dB}
   8 = -13.0 \text{ dB}
   9 = -12.8 \text{ dB}
   10 = -12.5 \text{ dB}
   11 = -12.2 \text{ dB}
   12 = -12.0 \text{ dB}
   13 = -11.8 \text{ dB}
   14 = -11.5 \text{ dB}
   15 = -11.2 \text{ dB}
   16 = -11.0 \text{ dB}
   17 = -10.8 \text{ dB}
   18 = -10.5 \text{ dB}
   19 = -10.2 \text{ dB}
   20 = -10.0 \text{ dB}
   21 = -9.8 \text{ dB}
   22 = -9.5 \text{ dB}
   23 = -9.2 \text{ dB}
   24 = -9.0 \text{ dB}
   25 = -8.8 \text{ dB}
   26 = -8.5 \text{ dB}
   27 = -8.2 \text{ dB}
   28 = -8.0 \text{ dB}
   29 = -7.8 \text{ dB}
   30 = -7.5 \text{ dB}
   31 = -7.2 \text{ dB}
```

- 37 = -5.8 dB38 = -5.5 dB39 = -5.2 dB40 = -5.0 dB41 = -4.8 dB42 = -4.5 dB43 = -4.2 dB44 = -4.0 dB45 = -3.8 dB46 = -3.5 dB47 = -3.2 dB48 = -3.0 dB49 = -2.8 dB50 = -2.5 dB51 = -2.2 dB52 = -2.0 dB53 = -1.8 dB54 = -1.5 dB55 = -1.2 dB56 = -1.0 dB57 = -0.8 dB58 = -0.5 dB59 = -0.2 dB60 = 0.0 dB61 = +0.2 dB62 = +0.5 dB63 = +0.8 dB64 = +1.0 dB65 = +1.2 dB66 = +1.5 dB
- 67 = +1.8 dB
- 68 = +2.0 dB
- 69 = +2.2 dB
- 70 = +2.5 dB
- 71 = +2.8 dB
- 72 = +3.0 dB
- 73 = +3.2 dB
- 74 = +3.5 dB
- 75 = +3.8 dB
- 76 = +4.0 dB
- 77 = +4.2 dB
- 78 = +4.5 dB
- 79 = +4.8 dB
- 80 = +5.0 dB81 = +5.2 dB
- 82 = +5.5 dB
- 83 = +5.8 dB
- 84 = +6.0 dB
- 85 = +6.2 dB
- 86 = +6.5 dB
- 87 = +6.8 dB
- 88 = +7.0 dB
- 89 = +7.2 dB90 = +7.5 dB
- 91 = +7.8 dB
- 92 = +8.0 dB
- 93 = +8.2 dB
- 94 = +8.5 dB
- 95 = +8.8 dB
- 96 = +9.0 dB
- 97 = +9.2 dB

```
98 = +9.5 \text{ dB}
99 = +9.8 \text{ dB}
100 = +10.0 \text{ dB}
101 = +10.2 dB
102 = +10.5 \text{ dB}
103 = +10.8 \text{ dB}
104 = +11.0 \text{ dB}
105 = +11.2 dB
106 = +11.5 \text{ dB}
107 = +11.8 \text{ dB}
108 = +12.0 \text{ dB}
109 = +12.2 \text{ dB}
110 = +12.5 \text{ dB}
111 = +12.8 \text{ dB}
112 = +13.0 \text{ dB}
113 = +13.2 \text{ dB}
114 = +13.5 \text{ dB}
115 = +13.8 \text{ dB}
116 = +14.0 \text{ dB}
117 = +14.2 \text{ dB}
118 = +14.5 \text{ dB}
119 = +14.8 \text{ dB}
120 = +15.0 \text{ dB}
121 = UNDEF
122 = UNDEF
123 = UNDEF
124 = UNDEF
125 = UNDEF
126 = UNDEF
127 = UNDEF
```

NS3 Amp Sim Eq Mid Res

```
Offset in file: 0x12B (b5-0) and 0x12C (b7)
```

```
if Amp Type is LP24 or HP24 filter resonance = 0 to 10
else middle frequency boost/cut table:
   0 = -15.0 \text{ dB}
   1 = -14.8 \text{ dB}
   2 = -14.5 \text{ dB}
   3 = -14.2 \text{ dB}
   4 = -14.0 \text{ dB}
   5 = -13.8 \text{ dB}
   6 = -13.5 \text{ dB}
   7 = -13.2 \text{ dB}
   8 = -13.0 \text{ dB}
   9 = -12.8 \text{ dB}
   10 = -12.5 \text{ dB}
   11 = -12.2 \text{ dB}
   12 = -12.0 \text{ dB}
   13 = -11.8 \text{ dB}
   14 = -11.5 \text{ dB}
   15 = -11.2 \text{ dB}
   16 = -11.0 \text{ dB}
   17 = -10.8 \text{ dB}
   18 = -10.5 \text{ dB}
   19 = -10.2 \text{ dB}
   20 = -10.0 \text{ dB}
   21 = -9.8 \text{ dB}
   22 = -9.5 \text{ dB}
   23 = -9.2 \text{ dB}
```

- 24 = -9.0 dB25 = -8.8 dB
- 26 = -8.5 dB
- 27 = -8.2 dB
- 28 = -8.0 dB
- 20 7.0 42
- 29 = -7.8 dB
- 30 = -7.5 dB
- 31 = -7.2 dB
- 32 = -7.0 dB
- 33 = -6.8 dB
- 34 = -6.5 dB
- 35 = -6.2 dB
- 36 = -6.0 dB
- 37 = -5.8 dB
- 38 = -5.5 dB
- 39 = -5.2 dB
- 40 = -5.0 dB
- 41 = -4.8 dB
- 42 = -4.5 dB
- 43 = -4.2 dB
- 44 = -4.0 dB
- 45 = -3.8 dB
- 46 = -3.5 dB
- 47 = -3.2 dB
- 48 = -3.0 dB
- 49 = -2.8 dB
- 49 2.0 ul
- 50 = -2.5 dB
- 51 = -2.2 dB
- 52 = -2.0 dB
- 53 = -1.8 dB
- 54 = -1.5 dB
- 55 = -1.2 dB56 = -1.0 dB
- 57 = -0.8 dB
- 58 = -0.5 dB
- 59 = -0.2 dB
- 60 = 0.0 dB
- 61 = +0.2 dB
- 62 = +0.5 dB
- 63 = +0.8 dB
- 64 = +1.0 dB65 = +1.2 dB
- 66 = +1.5 dB
- 67 = +1.8 dB
- 68 = +2.0 dB
- 69 = +2.2 dB
- 70 = +2.5 dB
- 71 = +2.8 dB
- 72 = +3.0 dB
- 73 = +3.2 dB
- 74 = +3.5 dB
- 75 = +3.8 dB
- 76 = +4.0 dB77 = +4.2 dB
- 78 = +4.5 dB
- 79 = +4.8 dB
- 80 = +5.0 dB
- 81 = +5.2 dB
- 82 = +5.5 dB
- 83 = +5.8 dB
- 84 = +6.0 dB

```
85 = +6.2 \text{ dB}
   86 = +6.5 \text{ dB}
   87 = +6.8 \text{ dB}
   88 = +7.0 \text{ dB}
   89 = +7.2 \text{ dB}
   90 = +7.5 \text{ dB}
   91 = +7.8 \text{ dB}
   92 = +8.0 \text{ dB}
   93 = +8.2 \text{ dB}
   94 = +8.5 \text{ dB}
   95 = +8.8 \text{ dB}
   96 = +9.0 \text{ dB}
   97 = +9.2 \text{ dB}
   98 = +9.5 \text{ dB}
   99 = +9.8 \text{ dB}
   100 = +10.0 \text{ dB}
   101 = +10.2 \text{ dB}
   102 = +10.5 \text{ dB}
   103 = +10.8 \text{ dB}
   104 = +11.0 \text{ dB}
   105 = +11.2 \text{ dB}
   106 = +11.5 \text{ dB}
   107 = +11.8 \text{ dB}
   108 = +12.0 \text{ dB}
   109 = +12.2 \text{ dB}
   110 = +12.5 \text{ dB}
   111 = +12.8 \text{ dB}
   112 = +13.0 \text{ dB}
   113 = +13.2 \text{ dB}
   114 = +13.5 \text{ dB}
   115 = +13.8 \text{ dB}
   116 = +14.0 \text{ dB}
   117 = +14.2 \text{ dB}
   118 = +14.5 \text{ dB}
   119 = +14.8 \text{ dB}
   120 = +15.0 \text{ dB}
   121 = UNDEF
   122 = UNDEF
   123 = UNDEF
   124 = UNDEF
   125 = UNDEF
   126 = UNDEF
   127 = UNDEF
NS3 Amp Sim Eq Bass Dry Wet
Offset in file: 0x12C (b6-0)
```

```
if Amp Type is LP24 or HP24 filter dry / wet = 0 to 10
else bass (fixed 100 Hz) frequency boost/cut table:
  0 = -15.0 \text{ dB}
  1 = -14.8 \text{ dB}
  2 = -14.5 \text{ dB}
  3 = -14.2 \text{ dB}
  4 = -14.0 \text{ dB}
  5 = -13.8 \text{ dB}
  6 = -13.5 \text{ dB}
  7 = -13.2 \text{ dB}
  8 = -13.0 \text{ dB}
  9 = -12.8 \text{ dB}
  10 = -12.5 \text{ dB}
```

- 11 = -12.2 dB
- 12 = -12.0 dB
- 13 = -11.8 dB
- 14 = -11.5 dB
- 15 = -11.2 dB
- 16 = -11.0 dB
- 17 = -10.8 dB
- 18 = -10.5 dB
- 19 = -10.2 dB
- 20 = -10.0 dB
- 21 = -9.8 dB
- 22 = -9.5 dB
- 23 = -9.2 dB
- 24 = -9.0 dB
- 25 = -8.8 dB
- 26 = -8.5 dB
- 27 = -8.2 dB
- 28 = -8.0 dB
- 29 = -7.8 dB
- 30 = -7.5 dB
- 31 = -7.2 dB
- 32 = -7.0 dB
- 33 = -6.8 dB
- 34 = -6.5 dB
- 35 = -6.2 dB
- 36 = -6.0 dB
- 37 = -5.8 dB
- 38 = -5.5 dB
- 39 = -5.2 dB
- 40 = -5.0 dB
- 41 = -4.8 dB
- 42 = -4.5 dB
- 43 = -4.2 dB
- 44 = -4.0 dB
- 45 = -3.8 dB
- 46 = -3.5 dB
- 47 = -3.2 dB
- 48 = -3.0 dB
- 49 = -2.8 dB
- 50 = -2.5 dB
- 51 = -2.2 dB52 = -2.0 dB
- 53 = -1.8 dB
- 54 = -1.5 dB
- 55 = -1.2 dB
- 56 = -1.0 dB
- 57 = -0.8 dB
- 58 = -0.5 dB
- 59 = -0.2 dB60 = 0.0 dB
- 61 = +0.2 dB62 = +0.5 dB
- 63 = +0.8 dB
- 64 = +1.0 dB
- 65 = +1.2 dB
- 66 = +1.5 dB
- 67 = +1.8 dB
- 68 = +2.0 dB69 = +2.2 dB
- 70 = +2.5 dB
- 71 = +2.8 dB

72 = +3.0 dB73 = +3.2 dB74 = +3.5 dB75 = +3.8 dB76 = +4.0 dB77 = +4.2 dB78 = +4.5 dB79 = +4.8 dB80 = +5.0 dB81 = +5.2 dB82 = +5.5 dB83 = +5.8 dB84 = +6.0 dB85 = +6.2 dB86 = +6.5 dB87 = +6.8 dB88 = +7.0 dB89 = +7.2 dB90 = +7.5 dB91 = +7.8 dB92 = +8.0 dB93 = +8.2 dB94 = +8.5 dB95 = +8.8 dB96 = +9.0 dB97 = +9.2 dB98 = +9.5 dB99 = +9.8 dB100 = +10.0 dB101 = +10.2 dB102 = +10.5 dB103 = +10.8 dB104 = +11.0 dB105 = +11.2 dB106 = +11.5 dB107 = +11.8 dB108 = +12.0 dB109 = +12.2 dB110 = +12.5 dB111 = +12.8 dB112 = +13.0 dB113 = +13.2 dB114 = +13.5 dB115 = +13.8 dB116 = +14.0 dB117 = +14.2 dB118 = +14.5 dB119 = +14.8 dB120 = +15.0 dB121 = UNDEF122 = UNDEF 123 = UNDEF124 = UNDEF 125 = UNDEF 126 = UNDEF

NS3 Amp Sim Eq Mid Flt Freq

Offset in file: 0x12D (b7-1)

127 = UNDEF

See: Organ Volume for detailed Morph explanation.

7-bit value 0/127 = 200 Hz to 8.0 kHz

- 0 = 200 Hz
- 1 = 205 Hz
- 2 = 210 Hz
- 3 = 215 Hz
- 4 = 221 Hz
- 5 = 226 Hz
- 6 = 232 Hz
- 7 = 238 Hz
- 8 = 244 Hz
- 9 = 250 Hz
- 10 = 257 Hz11 = 263 Hz
- 12 = 270 Hz
- 13 = 277 Hz
- 14 = 284 Hz
- 15 = 291 Hz
- 16 = 299 Hz
- 17 = 306 Hz
- 18 = 314 Hz
- 19 = 322 Hz
- 20 = 330 Hz
- 21 = 339 Hz
- 22 = 347 Hz
- 23 = 356 Hz
- 24 = 365 Hz
- 25 = 375 Hz
- 26 = 384 Hz
- 27 = 394 Hz28 = 404 Hz
- 29 = 414 Hz
- 30 = 425 Hz
- 31 = 436 Hz
- 32 = 447 Hz
- 33 = 458 Hz
- 34 = 470 Hz
- 35 = 482 Hz
- 36 = 494 Hz
- 37 = 507 Hz
- 38 = 520 Hz
- 39 = 533 Hz
- 40 = 546 Hz41 = 560 Hz
- 42 = 575 Hz
- 43 = 589 Hz
- 44 = 604 Hz
- 45 = 620 Hz
- 46 = 635 Hz
- 47 = 652 Hz
- 48 = 668 Hz49 = 685 Hz
- 50 = 703 Hz
- 51 = 721 Hz
- 52 = 739 Hz
- 53 = 758 Hz54 = 777 Hz
- 55 = 797 Hz
- 56 = 817 Hz

- 57 = 838 Hz
- 58 = 859 Hz
- 59 = 881 Hz
- 60 = 904 Hz
- 61 = 927 Hz
- 62 = 950 Hz
- 63 = 975 Hz
- 64 = 999 Hz
- 65 = 1.0 kHz
- 66 = 1.1 kHz
- 67 = 1.1 kHz
- 68 = 1.1 kHz
- 69 = 1.2 kHz
- 70 = 1.2 kHz
- 71 = 1.3 kHz
- 72 = 1.3 kHz
- 73 = 1.3 kHz
- 74 = 1.4 kHz
- 75 = 1.4 kHz
- 76 = 1.5 kHz
- 77 = 1.5 kHz
- 78 = 1.6 kHz
- 79 = 1.6 kHz
- 80 = 1.7 kHz
- 81 = 1.8 kHz
- 82 = 1.8 kHz
- 83 = 1.9 kHz
- 84 = 1.9 kHz
- 85 = 2.0 kHz
- 86 = 2.1 kHz
- 87 = 2.1 kHz
- 88 = 2.2 kHz
- 89 = 2.3 kHz90 = 2.4 kHz
- 91 = 2.4 kHz
- 92 = 2.5 kHz
- 93 = 2.6 kHz
- 94 = 2.7 kHz
- 95 = 2.8 kHz
- 96 = 2.9 kHz
- 97 = 3.0 kHz
- 98 = 3.1 kHz
- 99 = 3.2 kHz100 = 3.3 kHz
- 101 = 3.4 kHz
- 102 = 3.5 kHz
- 103 = 3.6 kHz
- 104 = 3.7 kHz
- 105 = 3.9 kHz
- 106 = 4.0 kHz
- 107 = 4.1 kHz
- 108 = 4.3 kHz109 = 4.4 kHz
- 110 = 4.6 kHz
- 111 = 4.7 kHz
- 112 = 4.9 kHz
- 113 = 5.0 kHz
- 114 = 5.2 kHz115 = 5.4 kHz
- 116 = 5.6 kHz
- 117 = 5.8 kHz

```
118 = 5.9 \text{ kHz}
  119 = 6.1 \text{ kHz}
  120 = 6.3 \text{ kHz}
  121 = 6.6 \text{ kHz}
  122 = 6.8 \text{ kHz}
  123 = 7.0 \text{ kHz}
  124 = 7.2 \text{ kHz}
  125 = 7.5 \text{ kHz}
  126 = 7.7 \text{ kHz}
  127 = 8.0 \text{ kHz}
Morph Wheel:
0x12D (b0): polarity (1 = positive, 0 = negative)
0x12E (b7-b1): 7-bit raw value
Morph After Touch:
0x12E (b0): polarity (1 = positive, 0 = negative)
0x12F (b7-b1): 7-bit raw value
Morph Control Pedal:
0x12F (b0): polarity (1 = positive, 0 = negative)
0x130 (b7-b1): 7-bit raw value
NS3 Amp Sim Eq Drive
Offset in file: 0x130 (b0) and 0x131 (b7-2)
See: Organ Volume for detailed Morph explanation.
7-bit value 0/127 = 0 to 10.0
Morph Wheel:
0x131 (b1): polarity (1 = positive, 0 = negative)
0x131 (b0) and 0x132 (b7-2): 7-bit raw value
Morph After Touch:
0x132 (b1): polarity (1 = positive, 0 = negative)
0x132 (b0) and 0x133 (b7-2): 7-bit raw value
Morph Control Pedal:
0x133 (b1): polarity (1 = positive, 0 = negative)
0x133 (b0) and 0x134 (b7-2): 7-bit raw value
NS3 Compressor On
Offset in file: 0x139 (b5)
0 = off, 1 = on
```

NS3 Compressor Amount

Offset in file: 0x139 (b4-0) and 0x13A (b7-6)

7-bit value 0/127 = 0/10

NS3 Compressor Fast

```
Offset in file: 0x13A (b5)

0 = off, 1 = on
```

NS3 Delay On Rev 1.1 draft

NS3 Delay On

```
Offset in file: 0x119 (b3)
0 = off, 1 = on
```

NS3 Delay Source

```
Offset in file: 0x119 (b2-1)
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Delay Master Clock

```
Offset in file: 0x119 (b0)
0 = off, 1 = on
```

```
NS3 Delay Tempo
Offset in file:
tempo is using 14-bit
MSW 0x11A (b7-1): 7-bit value
0/127 = 1.5 \text{ s} to 20 ms (same as MIDI #CC 94, see table below)
LSW 0x11A (b0) and 0x11B (b7-2): 7-bit value
LSW used for fine tempo value (only used with Tag Tempo)
When Tempo knob is used, LSW is always 0, possible MSW value:
  0 = 1500, 1.5 \text{ s } 40 \text{ bpm } (1/4)
   1 = 1420, 1.42 \text{ s} 42 \text{ bpm} (1/4)
  2 = 1360, 1.36 \text{ s} 44 \text{ bpm} (1/4)
  3 = 1300, 1.30 \text{ s} 46 \text{ bpm} (1/4)
   4 = 1250, 1.25 \text{ s} 48 \text{ bpm} (1/4)
  5 = 1200, 1.20 \text{ s } 50 \text{ bpm } (1/4)
   6 = 1150, 1.15 \text{ s } 52 \text{ bpm } (1/4)
  7 = 1100, 1.11 \text{ s } 54 \text{ bpm } (1/4)
   8 = 1070, 1.07 \text{ s } 56 \text{ bpm } (1/4)
  9 = 1030, 1.03 \text{ s} 58 \text{ bpm} (1/4)
   10 = 1000, 1.00 \text{ s} 60 \text{ bpm} (1/4)
   11 = 952,952 \text{ ms } 63 \text{ bpm } (1/4)
   12 = 909,909 \text{ ms } 66 \text{ bpm } (1/4)
   13 = 870,870 \text{ ms } 69 \text{ bpm } (1/4)
   14 = 833,833 \text{ ms } 72 \text{ bpm } (1/4)
   15 = 789,789 \text{ ms } 76 \text{ bpm } (1/4)
   16 = 750,750 \text{ ms } 80 \text{ bpm } (1/4)
   17 = 732,732 \text{ ms } 82 \text{ bpm } (1/4)
   18 = 714,714 \text{ ms } 84 \text{ bpm } (1/4)
   20 = 682,682 \text{ ms } 88 \text{ bpm } (1/4)
  21 = 667,667 \text{ ms } 90 \text{ bpm } (1/4)
  22 = 652,652 \text{ ms } 92 \text{ bpm } (1/4)
   19 = 698,698 \text{ ms } 86 \text{ bpm } (1/4)
   23 = 638,638 \text{ ms } 94 \text{ bpm } (1/4)
```

```
24 = 625,625 \text{ ms } 96 \text{ bpm } (1/4)
25 = 612,612 \text{ ms } 98 \text{ bpm } (1/4)
26 = 600,600 \text{ ms } 100 \text{ bpm } (1/4)
27 = 588,588 \text{ ms } 102 \text{ bpm } (1/4)
28 = 577,577 \text{ ms } 104 \text{ bpm } (1/4)
29 = 566,566 \text{ ms } 106 \text{ bpm } (1/4)
30 = 556,556 \text{ ms } 108 \text{ bpm } (1/4)
31 = 545,545 \text{ ms } 110 \text{ bpm } (1/4)
32 = 541,541 \text{ ms } 111 \text{ bpm } (1/4)
33 = 536,536 \text{ ms } 112 \text{ bpm } (1/4)
34 = 531,531 \text{ ms } 113 \text{ bpm } (1/4)
35 = 526,526 \text{ ms } 114 \text{ bpm } (1/4)
36 = 522,522 \text{ ms } 115 \text{ bpm } (1/4)
37 = 517,517 \text{ ms } 116 \text{ bpm } (1/4)
38 = 513,513 \text{ ms } 117 \text{ bpm } (1/4)
39 = 508,508 \text{ ms } 118 \text{ bpm } (1/4)
40 = 504,504 \text{ ms } 119 \text{ bpm } (1/4)
41 = 500,500 \text{ ms } 120 \text{ bpm } (1/4)
42 = 496,496 \text{ ms } 121 \text{ bpm } (1/4)
43 = 492,492 \text{ ms } 122 \text{ bpm } (1/4)
44 = 488,488 \text{ ms } 123 \text{ bpm } (1/4)
45 = 484,484 \text{ ms } 124 \text{ bpm } (1/4)
46 = 480,480 \text{ ms } 125 \text{ bpm } (1/4)
47 = 476,476 \text{ ms } 126 \text{ bpm } (1/4)
48 = 472,472 \text{ ms } 127 \text{ bpm } (1/4)
49 = 469,469 \text{ ms } 128 \text{ bpm } (1/4)
50 = 465,465 \text{ ms } 129 \text{ bpm } (1/4)
51 = 462,462 \text{ ms } 130 \text{ bpm } (1/4)
52 = 458,458 \text{ ms } 131 \text{ bpm } (1/4)
53 = 455,455 \text{ ms } 132 \text{ bpm } (1/4)
54 = 451,451 \text{ ms } 133 \text{ bpm } (1/4)
55 = 448,448 \text{ ms } 134 \text{ bpm } (1/4)
56 = 444,444 \text{ ms } 135 \text{ bpm } (1/4)
57 = 441,441 \text{ ms } 136 \text{ bpm } (1/4)
58 = 438,438 \text{ ms } 137 \text{ bpm } (1/4)
59 = 435,435 \text{ ms } 138 \text{ bpm } (1/4)
60 = 432,432 \text{ ms } 139 \text{ bpm } (1/4)
61 = 429,429 \text{ ms } 140 \text{ bpm } (1/4)
62 = 423,423 \text{ ms } 142 \text{ bpm } (1/4)
63 = 417,417 \text{ ms } 144 \text{ bpm } (1/4)
64 = 411,411 \text{ ms } 146 \text{ bpm } (1/4)
65 = 405,405 \text{ ms } 148 \text{ bpm } (1/4)
66 = 400,400 \text{ ms } 150 \text{ bpm } (1/4)
67 = 395,395 \text{ ms } 152 \text{ bpm } (1/4)
68 = 390,390 \text{ ms } 154 \text{ bpm } (1/4)
69 = 385,385 \text{ ms } 156 \text{ bpm } (1/4)
70 = 380,380 \text{ ms } 158 \text{ bpm } (1/4)
71 = 375,375 \text{ ms } 80 \text{ bpm } (1/8)
72 = 366,366 \text{ ms } 82 \text{ bpm } (1/8)
73 = 357,357 \text{ ms } 84 \text{ bpm } (1/8)
74 = 349,349 \text{ ms } 86 \text{ bpm } (1/8)
75 = 341,341 \text{ ms } 88 \text{ bpm } (1/8)
76 = 333,333 \text{ ms } 90 \text{ bpm } (1/8)
77 = 326,326 \text{ ms } 92 \text{ bpm } (1/8)
78 = 319,319 \text{ ms } 94 \text{ bpm } (1/8)
79 = 313,313 \text{ ms } 96 \text{ bpm } (1/8)
80 = 306,306 \text{ ms } 98 \text{ bpm } (1/8)
81 = 300,300 \text{ ms } 100 \text{ bpm } (1/8)
82 = 288,288 \text{ ms } 104 \text{ bpm } (1/8)
83 = 278,278 \text{ ms } 108 \text{ bpm } (1/8)
84 = 268,268 \text{ ms } 112 \text{ bpm } (1/8)
```

8 = 1/4D 9 = 1/4D 10 = 1/4D11 = 1/4D

```
85 = 259,259 \text{ ms } 116 \text{ bpm } (1/8)
   86 = 250,250 \text{ ms } 120 \text{ bpm } (1/8)
   87 = 238,238 \text{ ms } 126 \text{ bpm } (1/8)
   88 = 227,227 \text{ ms } 132 \text{ bpm } (1/8)
   89 = 217,217 \text{ ms } 138 \text{ bpm } (1/8)
   90 = 197,197 \text{ ms } 152 \text{ bpm } (1/8)
   91 = 188,188 \text{ ms } 80 \text{ bpm } (1/16)
   92 = 179,179 \text{ ms } 84 \text{ bpm } (1/16)
   93 = 170,170 \text{ ms } 88 \text{ bpm } (1/16)
   94 = 163,163 \text{ ms } 92 \text{ bpm } (1/16)
   95 = 156,156 \text{ ms } 96 \text{ bpm } (1/16)
   96 = 150,150 \text{ ms } 100 \text{ bpm } (1/16)
   97 = 144,144 \text{ ms } 104 \text{ bpm } (1/16)
   98 = 139,139 \text{ ms } 108 \text{ bpm } (1/16)
   99 = 134,134 \text{ ms } 112 \text{ bpm } (1/16)
   100 = 129,129 \text{ ms } 116 \text{ bpm } (1/16)
   101 = 125,125 \text{ ms } 120 \text{ bpm } (1/16)
   102 = 119,119 \text{ ms } 126 \text{ bpm } (1/16)
   103 = 114,114 \text{ ms } 132 \text{ bpm } (1/16)
   104 = 109,109 \text{ ms } 138 \text{ bpm } (1/16)
   105 = 104,104 \text{ ms } 144 \text{ bpm } (1/16)
   106 = 99,99 \text{ ms } 152 \text{ bpm } (1/16)
   107 = 94,94 \text{ ms } 160 \text{ bpm } (1/16)
   108 = 83,83 \text{ ms } 180 \text{ bpm } (1/16)
   109 = 75,75 \text{ ms } 200 \text{ bpm } (1/16)
   110 = 68,68 \text{ ms } 220 \text{ bpm } (1/16)
   111 = 63,63 \text{ ms } 240 \text{ bpm } (1/16)
   112 = 58,58 \text{ ms } 260 \text{ bpm } (1/16)
   113 = 54,54 \text{ ms } 280 \text{ bpm } (1/16)
   114 = 50,50 \text{ ms } 300 \text{ bpm } (1/16)
   115 = 47,47 \text{ ms } 320 \text{ bpm } (1/16)
   116 = 44,44 \text{ ms } 340 \text{ bpm } (1/16)
   117 = 42,42 \text{ ms } 360 \text{ bpm } (1/16)
   118 = 39,39 \text{ ms } 380 \text{ bpm } (1/16)
   119 = 38,38 \text{ ms } 400 \text{ bpm } (1/16)
   120 = 34,34 \text{ ms } 440 \text{ bpm } (1/16)
   121 = 31,31 \text{ ms } 480 \text{ bpm } (1/16)
   122 = 30,30 \text{ ms } 500 \text{ bpm } (1/16)
   123 = 28,28 \text{ ms } 540 \text{ bpm } (1/16)
   124 = 26,26 \text{ ms } 580 \text{ bpm } (1/16)
   125 = 24,24 \text{ ms } 620 \text{ bpm } (1/16)
   126 = 22,22 \text{ ms } 680 \text{ bpm } (1/16)
   127 = 20,20 \text{ ms } 750 \text{ bpm } (1/16)
Note: When Tap Tempo is used, LSW is different from 0.
A linear interpolation is done to define the fine tempo value.
if 'Delay Master Clock' is enabled 7-bit value 0/127 = 1/2 to 1/64
   0 = 1/2
   1 = 1/2
   2 = 1/2
   3 = 1/2
   4 = 1/2
   5 = 1/2
   6 = 1/2
   7 = 1/2
```

- 12 = 1/4D
- 13 = 1/4D
- 14 = 1/4D
- 15 = 1/4D
- 16 = 1/2T
- 17 = 1/2T
- 18 = 1/2T
- 19 = 1/2T
- 20 = 1/2T
- 21 = 1/2T
- 22 = 1/2T
- 23 = 1/4S
- 24 = 1/4S
- 25 = 1/4S
- 26 = 1/4S
- 27 = 1/4S
- 28 = 1/4S
- 29 = 1/4S
- 30 = 1/4S
- 31 = 1/4
- 32 = 1/4
- 33 = 1/4
- 34 = 1/4
- 35 = 1/436 = 1/4
- 37 = 1/4
- 38 = 1/8D
- 39 = 1/8D
- 40 = 1/8D
- 41 = 1/8D
- 42 = 1/8D
- 43 = 1/8D
- 44 = 1/8D
- 45 = 1/8D
- 46 = 1/4T
- 47 = 1/4T
- 48 = 1/4T
- 49 = 1/4T
- 50 = 1/4T
- 51 = 1/4T
- 52 = 1/4T
- 53 = 1/8S54 = 1/8S
- 55 = 1/8S
- 56 = 1/8S
- 57 = 1/8S
- 58 = 1/8S
- 59 = 1/8S
- 60 = 1/8S
- 61 = 1/8
- 62 = 1/863 = 1/8
- 64 = 1/8
- 65 = 1/8
- 66 = 1/8
- 67 = 1/8
- 68 = 1/16D69 = 1/16D
- 70 = 1/16D
- 71 = 1/16D
- 72 = 1/16D

```
73 = 1/16D
74 = 1/16D
75 = 1/16D
76 = 1/8T
77 = 1/8T
78 = 1/8T
79 = 1/8T
80 = 1/8T
81 = 1/8T
82 = 1/8T
83 = 1/16S
84 = 1/16S
85 = 1/16S
86 = 1/16S
87 = 1/16S
88 = 1/16S
89 = 1/16S
90 = 1/16S
91 = 1/16
92 = 1/16
93 = 1/16
94 = 1/16
95 = 1/16
96 = 1/16
97 = 1/16
98 = 1/16T
99 = 1/16T
100 = 1/16T
101 = 1/16T
102 = 1/16T
103 = 1/16T
104 = 1/16T
105 = 1/16T
106 = 1/32
107 = 1/32
108 = 1/32
109 = 1/32
110 = 1/32
111 = 1/32
112 = 1/32
113 = 1/32T
114 = 1/32T
115 = 1/32T
116 = 1/32T
117 = 1/32T
118 = 1/32T
119 = 1/32T
120 = 1/32T
121 = 1/64
122 = 1/64
123 = 1/64
124 = 1/64
125 = 1/64
126 = 1/64
127 = 1/64
```

Morph Wheel:

```
0x11B (b1): polarity (1 = positive, 0 = negative) 0x11B (b0), 0x11C (b7-0), and 0x11D (b7-3): 14-bit raw value
```

```
Morph After Touch:

0x11D (b2): polarity (1 = positive, 0 = negative)

0x11D (b1-0), 0x11E (b7-0), and 0x11F (b7-4): 14-bit raw value

Morph Control Pedal:

0x11F (b3): polarity (1 = positive, 0 = negative)

0x11F (b2-0), 0x120 (b7-0), and 0x121 (b7-5): 14-bit raw value

if polarity = 1 then Morph offset value = raw value + 1

if polarity = 0 then Morph offset value = raw value - 16383

Final 'To' Morph value = 'From value (original tempo)' + 'Morph offset value'

Morph Enabled if 'From value' <> 'Morph offset value'
```

NS3 Delay Ping Pong

```
Offset in file: 0x125 (b5)

0 = off, 1 = on
```

NS3 Delay Filter

```
Offset in file: 0x125 (b4-3)

0 = Bypass

1 = LP

2 = HP

3 = BP
```

NS3 Delay Analog Mode

```
Offset in file: 0x129 (b3)

0 = off, 1 = on
```

NS3 Delay Feedback

```
Offset in file: 0x125 (b2-0) and 0x126 (b7-4)

See: Organ Volume for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:
0x126 (b3): polarity (1 = positive, 0 = negative)
0x126 (b2-b0) and 0x127 (b7-4): 7-bit raw value

Morph After Touch:
0x127 (b3): polarity (1 = positive, 0 = negative)
0x127 (b2-b0) and 0x128 (b7-4): 7-bit raw value

Morph Control Pedal:
0x128 (b3): polarity (1 = positive, 0 = negative)
0x128 (b3): polarity (1 = positive, 0 = negative)
0x128 (b2-b0) and 0x129 (b7-4): 7-bit raw value
```

NS3 Delay Mix Rev 1.1 draft

NS3 Delay Mix

```
Offset in file: 0x121 (b4-0) and 0x122 (b7-6)

See: Organ Volume for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:
0x122 (b5): polarity (1 = positive, 0 = negative)
0x122 (b4-b0) and 0x123 (b7-6): 7-bit raw value

Morph After Touch:
0x123 (b5): polarity (1 = positive, 0 = negative)
0x123 (b4-b0) and 0x124 (b7-6): 7-bit raw value

Morph Control Pedal:
0x124 (b5): polarity (1 = positive, 0 = negative)
0x124 (b5): polarity (1 = positive, 0 = negative)
0x124 (b4-b0) and 0x125 (b7-6): 7-bit raw value

NS3 Effect 1 On

Offset in file: 0x10B (b4)
```

NS3 Effect 1 Source

0 = off, 1 = on

```
Offset in file: 0x10B (b3-2)
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Effect 1 Type

```
Offset in file: 0x10B (b1-0) and 0x10C (b7)

0 = A-Pan

1 = Trem

2 = RM

3 = WA-WA

4 = A-WA1

5 = A-WA2
```

NS3 Effect 1 Amount

```
Offset in file: 0x110 (b6-0)

See: Organ Volume for detailed Morph explanation.

7-bit value 0/127 = 0/10

Morph Wheel:
0x111 (b7): polarity (1 = positive, 0 = negative)
0x111 (b6-b0): 7-bit raw value

Morph After Touch:
0x112 (b7): polarity (1 = positive, 0 = negative)
0x112 (b6-b0): 7-bit raw value
```

NS3 Effect 1 Rate Rev 1.1 draft

```
Morph Control Pedal:
0x113 (b7): polarity (1 = positive, 0 = negative)
0x113 (b6-b0): 7-bit raw value
NS3 Effect 1 Rate
Offset in file: 0x10C (b5-0) and 0x10D (b7)
See: Organ Volume for detailed Morph explanation.
7-bit value 0/127 = 0/10
if 'Effect 1 Master Clock' is enabled 7-bit value 0/127 = 4/1 to 1/32
 0 = 4/1
  1 = 4/1
  2 = 4/1
  3 = 4/1
  4 = 4/1
  5 = 4/1
  6 = 4/1
  7 = 4/1
  8 = 4/1
  9 = 4/1T
  10 = 4/1T
  11 = 4/1T
  12 = 4/1T
  13 = 4/1T
  14 = 4/1T
  15 = 4/1T
  16 = 4/1T
  17 = 4/1T
  18 = 2/1
  19 = 2/1
  20 = 2/1
  21 = 2/1
  22 = 2/1
  23 = 2/1
  24 = 2/1
  25 = 2/1
  26 = 2/1T
  27 = 2/1T
  28 = 2/1T
  29 = 2/1T
  30 = 2/1T
  31 = 2/1T
  32 = 2/1T
  33 = 2/1T
  34 = 2/1T
  35 = 1/1
  36 = 1/1
  37 = 1/1
  38 = 1/1
  39 = 1/1
  40 = 1/1
  41 = 1/1
  42 = 1/1
  43 = 1/1T
  44 = 1/1T
  45 = 1/1T
  46 = 1/1T
  47 = 1/1T
  48 = 1/1T
```

- 49 = 1/1T
- 50 = 1/1T
- 51 = 1/1T
- 52 = 1/2
- 53 = 1/2
- 54 = 1/2
- 55 = 1/2
- 56 = 1/2
- 57 = 1/2
- 58 = 1/2
- 59 = 1/2
- 60 = 1/2T
- 61 = 1/2T
- 62 = 1/2T
- 63 = 1/2T
- 64 = 1/2T
- 65 = 1/2T
- 66 = 1/2T67 = 1/2T
- 68 = 1/2T
- 69 = 1/4
- 70 = 1/4
- 71 = 1/4
- 72 = 1/4
- 73 = 1/4
- 74 = 1/4
- 75 = 1/4
- 76 = 1/4
- 77 = 1/4T
- 78 = 1/4T
- 79 = 1/4T
- 80 = 1/4T
- 81 = 1/4T
- 82 = 1/4T83 = 1/4T
- 84 = 1/4T
- 85 = 1/4T86 = 1/8
- 87 = 1/8
- 88 = 1/8
- 89 = 1/8
- 90 = 1/8
- 91 = 1/8
- 92 = 1/8
- 93 = 1/8
- 94 = 1/8T
- 95 = 1/8T
- 96 = 1/8T
- 97 = 1/8T98 = 1/8T
- 99 = 1/8T
- 100 = 1/8T
- 101 = 1/8T
- 102 = 1/8T
- 103 = 1/16
- 104 = 1/16105 = 1/16
- 106 = 1/16
- 107 = 1/16
- 108 = 1/16
- 109 = 1/16

```
110 = 1/16
  111 = 1/16T
  112 = 1/16T
  113 = 1/16T
  114 = 1/16T
  115 = 1/16T
  116 = 1/16T
  117 = 1/16T
  118 = 1/16T
  119 = 1/16T
  120 = 1/32
  121 = 1/32
  122 = 1/32
  123 = 1/32
  124 = 1/32
  125 = 1/32
  126 = 1/32
  127 = 1/32
Morph Wheel:
0x10D (b6): polarity (1 = positive, 0 = negative)
0x10D (b5-b0) and 0x10E (b7): 7-bit raw value
Morph After Touch:
0x10E (b6): polarity (1 = positive, 0 = negative)
0x10E (b5-b0) and 0x10F (b7): 7-bit raw value
Morph Control Pedal:
0x10F (b6): polarity (1 = positive, 0 = negative)
0x10F (b5-b0) and 0x110 (b7): 7-bit raw value
NS3 Effect 1 Master Clock
Offset in file: 0x10C (b6)
0 = off, 1 = on
```

NS3 Effect 2 On

```
Offset in file: 0x114 (b7)

0 = off, 1 = on
```

NS3 Effect 2 Source

```
Offset in file: 0x114 (b6-5)
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Effect 2 Type

```
Offset in file: 0x114 (b4-2)

0 = PHAS1

1 = PHAS2

2 = FLANG
```

```
3 = VIBE
4 = CHOR1
5 = CHOR2
NS3 Effect 2 Amount
Offset in file: 0x115 (b2-0) and 0x116 (b7-4)
See: Organ Volume for detailed Morph explanation.
7-bit value 0/127 = 0/10
Morph Wheel:
0x116 (b3): polarity (1 = positive, 0 = negative)
0x116 (b2-b0) and 0x117 (b7-4): 7-bit raw value
Morph After Touch:
0x117 (b3): polarity (1 = positive, 0 = negative)
0x117 (b2-b0) and 0x118 (b7-4): 7-bit raw value
Morph Control Pedal:
0x118 (b3): polarity (1 = positive, 0 = negative)
0x118 (b2-b0) and 0x119 (b7-4): 7-bit raw value
NS3 Effect 2 Rate
Offset in file: 0x114 (b1-0) &nd 0x115 (b7-3)
7-bit value 0/127 = 0/10
NS3 Reverb On
Offset in file: 0x114 (b7)
0 = off, 1 = on
NS3 Reverb Type
Offset in file: 0x134 (b0) and 0x135 (b7-6)
0 = Room 1
1 = Room 2
2 = Stage 1
3 = Stage 2
4 = Hall 1
5 = Hall 2
NS3 Reverb Amount
Offset in file: 0x135 (b4-0) and 0x136 (b7-6)
See: Organ Volume for detailed Morph explanation.
7-bit value 0/127 = 0/10
Morph Wheel:
0x136 (b5): polarity (1 = positive, 0 = negative)
0x136 (b4-b0) and 0x137 (b7-6): 7-bit raw value
Morph After Touch:
```

0x137 (b5): polarity (1 = positive, 0 = negative) 0x137 (b4-b0) and 0x138 (b7-6): 7-bit raw value

```
Morph Control Pedal:

0x138 (b5): polarity (1 = positive, 0 = negative)

0x138 (b4-b0) and 0x139 (b7-6): 7-bit raw value
```

NS3 Reverb Bright

```
Offset in file: 0x135 (b5)

0 = off, 1 = on
```

NS3 Rotary Speaker On

```
Offset in file: 0x10b (bit7)

0 = off, 1 = on
```

NS3 Rotary Speaker Source

```
Offset in file: 0x10b (b6 and b5)
0 = Organ, 1, Piano, 2 = Synth
```

NS3 Rotary Speaker Drive

```
Offset in file: 0x39 (b2 to b0) and 0x3a (b7 to b4)
7-bit value 0/127 converted to 0/10
```

Note: Panel A value is used for panel A & B

NS3 Rotary Speaker Stop Mode

```
Offset in file: 0x35~(bit7)

O = enabled (Speed Stop), 1 = disabled (Speed Slow)

Note: Panel A value is used for panel A & B
```

NS3 Rotary Speaker Speed

```
Offset in file: 0x34 (bit0)

0 = Slow/Stop, 1 = Fast

Morph Wheel: 0x35 (b6-4)

Morph After Touch: 0x35 (b3-1)

Morph Control Pedal: 0x35 (b0) and 0x36 (b7-6)

011 = 0x03 = morph off

100 = 0x04 = morph on

Note: Panel A value is used for panel A & B
```

NS3 Organ On

```
Offset in file: 0xB6 (b7)

0 = off, 1 = on
```

NS3 Organ Kb Zone

```
Offset in file: 0xB6 (b6-3)

0 = "o---"

1 = "-o--"

2 = "--o-"

4 = "oo--"

5 = "-oo-"

6 = "--oo"

7 = "ooo-"

8 = "-ooo"

9 = "oooo"
```

NS3 Organ Volume

Offset in file:

40 = -20.1 dB

```
Volume:
0xB6 (b2-b0), 0xB7 (b7-4): 7-bit = 0/127 range
  0 = 0ff
   1 = -84.2 \text{ dB}
   2 = -72.1 \text{ dB}
   3 = -65.1 \text{ dB}
   4 = -60.1 \text{ dB}
   5 = -56.2 \text{ dB}
   6 = -53.0 \text{ dB}
   7 = -50.3 \text{ dB}
   8 = -48.0 \text{ dB}
   9 = -46.0 \text{ dB}
   10 = -44.2 \text{ dB}
   11 = -42.5 \text{ dB}
   12 = -41.0 \text{ dB}
   13 = -39.6 \text{ dB}
   14 = -38.3 \text{ dB}
   15 = -37.1 \text{ dB}
   16 = -36.0 \text{ dB}
   17 = -34.9 \text{ dB}
   18 = -33.9 \text{ dB}
   19 = -33.0 \text{ dB}
   20 = -32.1 \text{ dB}
   21 = -31.1 \text{ dB}
   22 = -30.5 \text{ dB}
   23 = -29.7 \text{ dB}
   24 = -28.9 \text{ dB}
   25 = -28.2 \text{ dB}
   26 = -27.6 \text{ dB}
   27 = -26.9 \text{ dB}
   28 = -26.3 \text{ dB}
   29 = -25.7 \text{ dB}
   30 = -25.1 \text{ dB}
   31 = -24.5 \text{ dB}
   32 = -23.9 \text{ dB}
   33 = -23.4 \text{ dB}
   34 = -22.9 \text{ dB}
   35 = -22.4 \text{ dB}
   36 = -21.9 \text{ dB}
   37 = -21.4 \text{ dB}
   38 = -21.0 \text{ dB}
   39 = -20.5 \, dB
```

- 41 = -19.6 dB
- 42 = -19.2 dB
- 43 = -18.8 dB
- 44 = -18.4 dB
- 45 = -18.0 dB
- 46 = -17.6 dB
- 40 17.0 db
- 47 = -17.3 dB
- 48 = -16.9 dB
- 49 = -16.5 dB
- 50 = -16.2 dB
- 51 = -15.8 dB
- 52 = -15.5 dB
- 53 = -15.2 dB
- 54 = -14.9 dB
- 55 = -14.5 dB
- 56 = -14.2 dB
- -- II.2 QD
- 57 = -13.9 dB58 = -13.6 dB
- 59 = -13.3 dB
- 60 = -13.0 dB
- 61 = -12.7 dB
- 01 12.7 db
- 62 = -12.5 dB
- 63 = -12.2 dB64 = -11.9 dB
- 04 11.5 dE
- 65 = -11.6 dB
- 66 = -11.4 dB
- 67 = -11.1 dB
- 68 = -10.9 dB
- 69 = -10.6 dB
- 70 = -10.3 dB
- 71 = -10.1 dB
- 72 = -9.9 dB73 = -9.6 dB
- 74 = -9.4 dB
- 75 = -9.1 dB
- 76 = -8.9 dB
- 77 = -8.7 dB
- 78 = -8.5 dB
- 79 = -8.2 dB
- 80 = -8.0 dB
- 81 = -7.8 dB
- 82 = -7.6 dB
- 83 = -7.4 dB
- 84 = -7.2 dB
- 85 = -7.0 dB86 = -6.8 dB
- 87 = -6.6 dB
- 88 = -6.4 dB
- 89 = -6.2 dB
- 90 = -6.0 dB
- 91 = -5.8 dB
- 92 = -5.6 dB93 = -5.4 dB
- 94 = -5.2 dB
- 95 = -5.0 dB
- 96 = -4.9 dB
- 97 = -4.7 dB
- 98 = -4.5 dB
- 99 = -4.3 dB
- 100 = -4.2 dB101 = -4.0 dB

```
102 = -3.8 \text{ dB}
  103 = -3.6 \text{ dB}
  104 = -3.5 \text{ dB}
  105 = -3.3 \text{ dB}
  106 = -3.1 \text{ dB}
  107 = -3.0 \text{ dB}
  108 = -2.8 \text{ dB}
  109 = -2.7 \text{ dB}
  110 = -2.5 \text{ dB}
  111 = -2.3 \text{ dB}
  112 = -2.2 \text{ dB}
  113 = -2.0 \text{ dB}
  114 = -1.9 \text{ dB}
  115 = -1.7 \text{ dB}
  116 = -1.6 \text{ dB}
  117 = -1.4 \text{ dB}
  118 = -1.3 \text{ dB}
  119 = -1.1 \text{ dB}
  120 = -1.0 \text{ dB}
  121 = -0.8 \text{ dB}
  122 = -0.7 \text{ dB}
  123 = -0.6 \text{ dB}
  124 = -0.4 \text{ dB}
  125 = -0.3 \text{ dB}
  126 = -0.1 \text{ dB}
  127 = 0.0 \text{ dB}
Morph Wheel:
0xB7 (b3): polarity (1 = positive, 0 = negative)
0xB7 (b2-b0), 0xB8 (b7-b4): 7-bit raw value
Morph After Touch:
0xB8 (b3): polarity (1 = positive, 0 = negative)
0xB8 (b2-b0), 0xB9 (b7-b4): 7-bit raw value
Morph Control Pedal:
0xB9 (b3): polarity (1 = positive, 0 = negative)
0xB9 (b2-b0), 0xBA (b7-b4): 7-bit raw value
if polarity = 1 then Morph offset value = raw value + 1
if polarity = 0 then Morph offset value = raw value - 127
Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'
Morph Enabled if 'From value' <> 'Morph offset value'
NS3 Organ Octave Shift
Octave Shift = value - 6
```

```
Offset in file: 0xBA (b3-0)
```

NS3 Organ Pitch Stick

```
Offset in file: 0x34 (b4)
0 = off, 1 = on
```

NS3 Organ Sustain Pedal

```
Offset in file: 0xBB (b7)
0 = off, 1 = on
```

NS3 Organ Type

Offset in file: 0xBB (b6/5/4)

0 = B3

1 = Vox

2 = Farfisa

3 = Pipe1

4 = Pipe2

NS3 Organ Drawbars Preset 1

Offset in file: 0xBE

Drawbar value range is 0/8.

For Vox Organ each value is converted to 0/1: 0 (if value < 4) else 1

For Farfisa Organ drawbar 8 is not used and forced to 0

Drawbar 1: 0xBE (b7-4)

Morph Wheel: 0xBE (b3-0) and 0xBF (b7)

Morph After Touch: 0xBF (b6-2)

Morph Control Pedal: 0xBF (b1-0) and 0xC0 (b7-5)

Drawbar 2: 0xC0 (b4-1)

Morph Wheel: 0xCO (b0) and 0xC1 (b7-4) Morph After Touch: 0xC1 (b3-0) and 0xC2 (b7)

Morph Control Pedal: 0xC2 (b6-2)

Drawbar 3: 0xC2 (b1-0) and 0xC3 (b7-6)

Morph Wheel: 0xC3 (b5-1)

Morph After Touch: 0xC3 (b0) and 0xC4 (b7-4) Morph Control Pedal: 0xC4 (b3-0) and 0xC5 (b7)

Drawbar 4: 0xC5 (b6-3)

Morph Wheel: 0xC5 (b2-0) and 0xC6 (b7-6)

Morph After Touch: 0xC6 (b5-b1)

Morph Control Pedal: 0xC6 (b0) and 0xC7 (b7-4)

Drawbar 5: 0xC7 (b3-0)

Morph Wheel: 0xC8 (b7-3)

Morph After Touch: 0xC8 (b2-0) and 0xC9 (b7-6)

Morph Control Pedal: 0xC9 (b5-1)

Drawbar 6: 0xC9 (b0) and 0xCA (b7-5)

Morph Wheel: 0xCA (b4-0)
Morph After Touch: 0xCB (b7-3)

Morph Control Pedal: 0xCB (b2-0) and 0xCC (b7-6)

Drawbar 7: 0xCC (b5-2)

Morph Wheel: 0xCC (b1-0) and 0xCD (b7-5)

Morph After Touch: 0xCD (b4-0) Morph Control Pedal: 0xCE (b7-3)

Drawbar 8: 0xCE (b2-0) and 0xCF (b7)

Morph Wheel: 0xCF (b6-2)

Morph After Touch: 0xCF (b1-0) and 0xD0 (b7-5)

Morph Control Pedal: 0xD0 (b4-0)

Drawbar 9: 0xD1 (b7-4)

Morph Wheel: 0xD1 (b3-0) and 0xBF (b7)

Morph After Touch: 0xD2 (b6-2)

Morph Control Pedal: 0xD2 (b1-0) and 0xD3 (b7-5)

```
Morph value is on 5-bit
b4 is polarity
b3-0 is raw 4-bit value
if polarity = 1 then Morph offset value = raw value + 1
if polarity = 0 then Morph offset value = raw value - 8
Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'
Morph Enabled if 'From value' <> 'Morph offset value'
NS3 Organ Drawbars Preset 2
Offset in file: 0xD9
Drawbar value range is 0/8.
For Vox Organ each value is converted to 0/1: 0 (if value < 4) else 1
For Farfisa Organ drawbar 8 is not used and forced to 0
Drawbar 1: 0xD9 (b7-4)
          Morph Wheel:
                               0xD9 (b3-0) and 0xDA (b7)
          Morph After Touch: 0xDA (b6-2)
          Morph Control Pedal: 0xDA (b1-0) and 0xDB (b7-5)
Drawbar 2: 0xDB (b4-1)
          Morph Wheel:
                               0xDB (b0) and 0xDC (b7-4)
          Morph After Touch: 0xDC (b3-0) and 0xDD (b7)
          Morph Control Pedal: 0xDD (b6-2)
Drawbar 3: 0xDD (b1-0) and 0xDE (b7-6)
          Morph Wheel:
                          0xDE (b5-1)
          Morph After Touch: 0xDE (b0) and 0xDF (b7-4)
          Morph Control Pedal: 0xDF (b3-0) and 0xE0 (b7)
Drawbar 4: 0xE0 (b6-3)
          Morph Wheel:
                               0xE0 (b2-0) and 0xE1 (b7-6)
          Morph After Touch: 0xE1 (b5-b1)
          Morph Control Pedal: 0xE1 (b0) and 0xE2 (b7-4)
Drawbar 5: 0xE2 (b3-0)
                               0xE3 (b7-3)
          Morph Wheel:
          Morph After Touch: 0xE3 (b2-0) and 0xE4 (b7-6)
          Morph Control Pedal: 0xE4 (b5-1)
Drawbar 6: 0xE4 (b0) and 0xE5 (b7-5)
          Morph Wheel:
                               0xE5 (b4-0)
          Morph After Touch: 0xE6 (b7-3)
          Morph Control Pedal: 0xE6 (b2-0) and 0xE7 (b7-6)
Drawbar 7: 0xE7 (b5-2)
          Morph Wheel:
                               0xE7 (b1-0) and 0xE8 (b7-5)
          Morph After Touch: 0xE8 (b4-0)
          Morph Control Pedal: 0xE9 (b7-3)
Drawbar 8: 0xE9 (b2-0) and 0xEA (b7)
          Morph Wheel: 0xEA (b6-2)
          Morph After Touch: 0xEA (b1-0) and 0xEB (b7-5)
          Morph Control Pedal: 0xEB (b4-0)
Drawbar 9: 0xEC (b7-4)
                               0xEC (b3-0) and 0xED (b7)
          Morph Wheel:
```

```
Morph After Touch:
                                0xED (b6-2)
           Morph Control Pedal: 0xED (b1-0) and 0xEF (b7-5)
Morph value is on 5-bit
b4 is polarity
b3-0 is raw 4-bit value
if polarity = 1 then Morph offset value = raw value + 1
if polarity = 0 then Morph offset value = raw value - 8
Final 'To' Morph value = 'From value (original volume)' + 'Morph offset value'
Morph Enabled if 'From value' <> 'Morph offset value'
NS3 Organ Live Mode
Offset in file: 0xBB (b3) (NS3 Compact model only)
0 = off, 1 = on
NS3 Organ Vibrato On
Offset in file: 0xD3 (b4)
0 = off, 1 = on
NS3 Organ Vibrato Mode
Offset in file: 0x34 (b3-1)
0 = V1
1 = C1
2 = V2
3 = C2
4 = V3
5 = C3
if Organ type is Pipe1 or Pipe2, only C1 is allowed
if Organ type is Farfisa, mode C1/V3 are not available
if Organ type is Vox, mode C1/C2/C3 are not available
if Organ type is B3, all mode are available
NS3 Organ Percussion On
Offset in file: 0xD3 (b3)
0 = off, 1 = on
only if Organ type is B3
NS3 Organ Percussion Volume Soft
Offset in file: 0xD3 (b0)
0 = off, 1 = on
only if Organ type is B3
NS3 Organ Percussion Decay Fast
Offset in file: 0xD3 (b1)
0 = off, 1 = on
only if Organ type is B3
```

NS3 Organ Percussion Harmonic Third

```
Offset in file: 0xD3 (b2)

0 = off, 1 = on

only if Organ type is B3
```

NS3 Panel Enabled And Selection

```
Offset in file 0x31

Enabled (b6-5):

0 = A only

1 = B only

2 = A & B

Selected Panel (b7):
A = 0, B = 1 (not used here)

Note: if Dual Keyboard is On, both panel are enabled.
```

NS3 Piano On

```
Offset in file: 0x43 (b7)

0 = off, 1 = on
```

NS3 Piano Kb Zone

Offset in file: 0x43 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Piano Volume

```
Offset in file: 0x43 (b2-0), 0x44 (b7-4)

See: Organ Volume for detailed explanation.

Morph Wheel:
0x44 (b3): polarity (1 = positive, 0 = negative)
0x44 (b2-b0), 0x45 (b7-b4): 7-bit raw value

Morph After Touch:
0x45 (b3): polarity (1 = positive, 0 = negative)
0x45 (b2-b0), 0x46 (b7-b4): 7-bit raw value

Morph Control Pedal:
0x46 (b3): polarity (1 = positive, 0 = negative)
0x46 (b2-b0), 0x47 (b7-b4): 7-bit raw value
```

NS3 Piano Octave Shift

```
Offset in file: 0x47 (b3-0)
Octave Shift = value - 6
```

NS3 Piano Pitch Stick

```
Offset in file: 0x48 (b7)

0 = off, 1 = on
```

NS3 Piano Sustain Pedal

```
Offset in file: 0x48 (b6)

0 = off, 1 = on
```

NS3 Piano Type

Offset in file: 0x48 (b5-3)

```
0 = Grand
```

- 1 = Upright
- 2 = Electric
- 3 = Clav
- 4 = Digital
- 5 = Misc

NS3 Piano Model

```
Offset in file: 0x48 (b2-0) and 0x49 (b7-6)
```

0x00 0x00: model 1 0x00 0x01: model 2 .. and so on

0x02 0x01: model 10

NS3 Piano Name

Offset in file: 0x49 (b3-0) to 0x4D (b7-3)

32-bit Nord Sample ID

NS3 Piano Timbre

Offset in file: 0x4E (b5-3)

Grand, Upright, Digital, Misc Piano, and Harpsichord:

- O = None
- 1 = Soft
- 2 = Mid
- 3 = Bright

Electric Piano

- 0 = None
- 1 = Soft
- 2 = Mid
- 3 = Bright
- 4 = Dyno1
- 5 = Dyno2

Clavinet

- 0 = None
- 1 = Soft
- 2 = Treble
- 3 = Soft+Treble
- 4 = Brilliant
 5 = Soft+Brill
- 6 = Treble+Brill
- 7 = Soft+Trb+Brill

NS3 Piano KB Touch

Offset in file: 0x4D (b0) and 0x4E (b7)

```
0 = Normal
```

1 = KB Touch 1

2 = Touch 2

3 = Touch 3

NS3 Piano Layer Detune

Offset in file: 0x34 (b6-5)

0 = 0ff

1 = 1

2 = 2

3 = 3

Note: This parameter is common for both Panel. Layer Detune setting cannot be different for each panel, only offset 0x34 is used.

NS3 Piano Soft Release

```
Offset in file: 0x4D (b4)
```

0 = off, 1 = on

Not available on Clavinet and Digital Piano

NS3 Piano Pedal Noise

Offset in file: 0x4D (b2)

0 = off, 1 = on

Only on Grand, Upright, and Electric piano.

NS3 Piano String Resonance

Offset in file: 0x4D (b3)

0 = off, 1 = on

Only on Grand and Upright piano.

NS3 File Version

Offset in file: 0x14 and 0x15

16-bit integer value in Little Endian format, ex 304 = v3.04

Notes:

From [https://www.nordkeyboards.com/products/nord-stage-3/nord-stage-3-update-history](https://www.nord

Programs stored with OS version

OS version Program version

 v0.92 (2017-06-15)
 v3.00

 v1.36 (2018-02-07)
 v3.01

 v1.50 (2018-10-22)
 v3.02

 vx.xx
 v3.03

 vx.xx
 v3.04

NS3 File Format

Offset in file: 0x04

0 = header type 0 - legacy mode no CRC (Byte 0x18 to 0x2B are missing) 1 = header type 1 - default mode with additional bytes 0x18 to 0x2B (20 bytes).

NS3 Transpose Rev 1.1 draft

NS3 Transpose

Offset in file: 0x38 (b7-3)

Enabled: 0x38 (b7) Value: 0x38 (b6-3)

7xxx xxxx : Transpose Off/On x654 3xxx : Transpose value

Test1: F8 38 : Transpose Off Test2: OD 80 : Transpose -6 semi Test3: OD 88 : Transpose -5 semi Test4: OD A8 : Transpose -1 semi Test5: OD B8 : Transpose +1 semi Test6: OD D8 : Transpose +5 semi Test7: OD EO: Transpose +6 semi

NS3 Split

Offset in file: 0x31 (b4 to b0) to 0x34 (b7 only)

```
1
           0x32
                   0x33 |
               0x34
                               | description
| xxx4 3210 | 7654 3210 | 7654 3210 | 7xxx xxxx |
| xxx4 xxxx | xxxx xxxx | xxxx xxxx | xxxx xxxx | split off/on
| xxxx xxx0 | 765x xxxx | xxxx xxxx | xxxx xxxx | low note (0 = F2, 1 = C3, 9 = C7)
| xxxx xxxx | xxx4 321x | xxxx xxxx | xxxx xxxx | mid note
| xxxx xxxx | xxxx xxx0 | 765x xxxx | xxxx xxxx | high note
| xxxx xxxx | xxxx xxxx | xxxx xxx0 | 7xxx xxxx | high width
Test1: 06 07 20 01 : Split Off
```

Test2: 16 07 20 01 : Width Off 1

Note -- C4

Test3: 1E 07 20 01 : Width 1 1 1 Note F2 C4 C7

Test4: 1E 07 28 01 : Width 6 1 1

Note F2 C4 C7

1E 07 30 01 : Width 12 1 Note F2 C4 C7

Test6: 18 07 30 01 : Width 12 Off Off

Note F2

Test7: 18 27 30 01 : Width 12 Off Off Note C3

Test8: 18 47 30 01 : Width 12 Off Off Note F3

Test9: 18 67 30 01 : Width 12 Off Off

Note C4

Test10: 18 87 30 01 : Width 12 Off Off Note F4

Test11: 18 A7 30 01 : Width 12 Off Off

```
Test12: 18 C7 30 01 : Width 12 Off Off
                     Note F5
Test13: 18 E7 30 01 : Width 12 Off Off
                     Note C6
Test14: 19 07 30 01 : Width 12 Off Off
                     Note F6
Test15: 19 27 30 01 : Width 12
                               Off Off
                     Note C7
Test16: 1B 27 30 01 : Width 12
                               Off 1
                                         ! From test 15 to 16 only High Width was changed manually !
                     Note F6
                                   C7
                                         ! Note Low in file is C7 but fixed on display to F6...
Test17: 1B 27 30 81 : Width 12 Off 6
                     Note F6
Test18: 1B 27 31 01 : Width 12 Off 12
                     Note F6
Test19: 1C 23 30 01: Width 12 1
                                   Off
                     Note C3 F3 --
                                        ! Note Mid in file is C3 but fixed on display to F3 !
```

NS3 Master Clock Rate

Offset in file: 0x38 (b2-0) 0x39 (b7-3)

bpm = value + 30

NS3 Dual Keyboard

Offset in file 0x3A (b3)

0 = Off

1 = 0n

Note: if Dual Keyboard is On, both panel are enabled.

NS3 Dual Keyboard Style

Offset in file 0x3A (b1-0)

0 = Panel

1 = Organ

2 = Piano

3 = Synth

NS3 Program Category

Offset in file: 0x10

0 = Acoustic

1 = Bass

2 = Wind

4 = Fantasy

5 = FX

6 = Lead

7 = Organ

8 = Pad

10 = Pluck

11 = String

```
12 = Synth

13 = Vocal

14 = User

17 = None

21 = Grand

22 = Upright

23 = EPiano1

24 = EPiano2

27 = Clavinet

28 = Harpsi

30 = Arpeggio

255 = Undefined
```

NS3 Synth Filter Type

```
Offset in file: 0x98 (b4-2)

0 = LP12

1 = LP24

2 = Mini Moog

3 = LP+HP

4 = BP24

5 = HP24
```

NS3 Synth Filter Kb Track

```
Offset in file: 0xA5 (b5-4)

0 = 0ff

1 = 1/3

2 = 2/3

3 = 1
```

NS3 Synth Filter Drive

Offset in file: 0xA5 (b3-2)

0 = Off 1 = 1 2 = 2

```
NS3 Synth Filter LFO Amount

Offset in file: 0xA0 (b3-0) and 0xA1 (b7-5)

See: Organ Volume for detailed Morph explanation.

0/127 value = 0 / 10

Morph Wheel:

0xA1 (b4): polarity (1 = positive, 0 = negative)

0xA1 (b3-b0), 0xA2 (b7-b5): 7-bit raw value

Morph After Touch:

0xA2 (b4): polarity (1 = positive, 0 = negative)

0xA2 (b3-b0), 0xA3 (b7-b5): 7-bit raw value

Morph Control Pedal:

0xA3 (b4): polarity (1 = positive, 0 = negative)

0xA3 (b3-b0), 0xA4 (b7-b5): 7-bit raw value
```

NS3 Synth Filter Vel Mod Env Amount

Offset in file: 0xA4 (b4-0) and 0xA5 (b7-6)

Filter modulation (vel/env mod) is using this single 7-bit value to define two settings with a single k Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range:

0 = 10.0 (100% left value) 'Vel Amount'

60 = 0.0 for both values

120 = 10.0 (100% right value) 'Mod Env Amount'

NS3 Synth Filter Freq

Offset in file: 0x98 (b1-0) and 0x99 (b7-3)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 14 Hz / 21 kHz
```

0 = 14 Hz

1 = 15 Hz

2 = 15 Hz

3 = 16 Hz

4 = 17 Hz

5 = 18 Hz

6 = 19 Hz7 = 21 Hz

8 = 22 Hz

9 = 23 Hz

10 = 24 Hz

11 = 26 Hz

12 = 28 Hz

13 = 29 Hz14 = 31 Hz

15 = 33 Hz

16 = 35 Hz

17 = 37 Hz

18 = 39 Hz

19 = 41 Hz

20 = 44 Hz

21 = 46 Hz

22 = 49 Hz23 = 52 Hz

24 = 55 Hz

25 = 58 Hz

26 = 62 Hz

27 = 65 Hz

28 = 69 Hz

20 = 03 Hz29 = 73 Hz

30 = 78 Hz

31 = 82 Hz

32 = 87 Hz

33 = 92 Hz

34 = 98 Hz

35 = 104 Hz

36 = 110 Hz

37 = 117 Hz38 = 123 Hz

39 = 131 Hz

40 = 139 Hz

41 = 147 Hz

42 = 156 Hz

43 = 165 Hz

44 = 175 Hz45 = 185 Hz

- 46 = 196 Hz
- 47 = 208 Hz
- 48 = 220 Hz
- 49 = 233 Hz
- 50 = 247 Hz
- 51 = 262 Hz
- 52 = 277 Hz
- 53 = 294 Hz
- 54 = 311 Hz
- 55 = 330 Hz
- 56 = 349 Hz
- 00 040 112
- 57 = 370 Hz
- 58 = 392 Hz
- 59 = 415 Hz60 = 440 Hz
- -- ---
- 61 = 466 Hz
- 62 = 494 Hz
- 63 = 523 Hz
- 64 = 554 Hz
- 65 = 587 Hz
- 66 = 622 Hz
- 67 = 659 Hz
- 68 = 698 Hz
- 69 = 740 Hz
- 70 = 784 Hz
- 71 = 831 Hz
- 72 = 880 Hz
- 73 = 932 Hz
- 74 = 988 Hz
- 75 = 1.0 kHz
- 76 = 1.1 kHz
- 77 = 1.2 kHz
- 78 = 1.2 kHz79 = 1.3 kHz
- 80 = 1.4 kHz
- 81 = 1.5 kHz
- 82 = 1.6 kHz
- 83 = 1.7 kHz
- 84 = 1.8 kHz
- 85 = 1.9 kHz86 = 2.0 kHz
- 87 = 2.1 kHz
- 88 = 2.2 kHz
- 89 = 2.3 kHz
- 90 = 2.5 kHz
- 91 = 2.6 kHz
- 92 = 2.8 kHz93 = 3.0 kHz
- 94 = 3.1 kHz
- 95 = 3.3 kHz
- 96 = 3.5 kHz
- 97 = 3.7 kHz
- 98 = 4.0 kHz99 = 4.2 kHz
- 100 = 4.4 kHz
- 101 = 4.7 kHz
- 102 = 5.0 kHz
- 103 = 5.3 kHz
- 104 = 5.6 kHz
- 105 = 5.9 kHz106 = 6.3 kHz

```
107 = 6.6 \text{ kHz}
  108 = 7.0 \text{ kHz}
  109 = 7.5 \text{ kHz}
  110 = 7.9 \text{ kHz}
  111 = 8.4 \text{ kHz}
  112 = 8.9 \text{ kHz}
  113 = 9.4 \text{ kHz}
  114 = 10 \text{ kHz}
  115 = 11 \text{ kHz}
  116 = 11 \text{ kHz}
  117 = 12 \text{ kHz}
  118 = 13 \text{ kHz}
  119 = 13 \text{ kHz}
  120 = 14 \text{ kHz}
  121 = 15 \text{ kHz}
  122 = 16 \text{ kHz}
  123 = 17 \text{ kHz}
  124 = 18 \text{ kHz}
  125 = 19 \text{ kHz}
  126 = 20 \text{ kHz}
  127 = 21 \text{ kHz}
* Morph Wheel:
0x99 (b2): polarity (1 = positive, 0 = negative)
0x99 (b1-b0), 0x9A (b7-b3): 7-bit raw value
Morph After Touch:
0x9A (b2): polarity (1 = positive, 0 = negative)
0x9A (b1-b0), 0x9B (b7-b3): 7-bit raw value
Morph Control Pedal:
0x9B (b2): polarity (1 = positive, 0 = negative)
0x9B (b1-b0), 0x9C (b7-b3): 7-bit raw value
NS3 Synth Filter HP Freq Res
Offset in file: 0x9C (b2-0) and 0x9D (b7-4)
for 'LP+HP' filter
  => Frequency High Pass value: 0/127 value = 14 Hz / 21 kHz
  0 = 14 \text{ Hz}
  1 = 15 Hz
  2 = 15 \text{ Hz}
  3 = 16 \text{ Hz}
  4 = 17 \text{ Hz}
  5 = 18 \text{ Hz}
  6 = 19 \text{ Hz}
  7 = 21 \text{ Hz}
  8 = 22 \text{ Hz}
  9 = 23 \text{ Hz}
  10 = 24 \text{ Hz}
  11 = 26 \text{ Hz}
  12 = 28 \text{ Hz}
  13 = 29 \text{ Hz}
  14 = 31 \text{ Hz}
  15 = 33 \text{ Hz}
  16 = 35 \text{ Hz}
  17 = 37 \text{ Hz}
  18 = 39 \text{ Hz}
  19 = 41 \text{ Hz}
```

- 20 = 44 Hz
- 21 = 46 Hz
- 22 = 49 Hz
- 23 = 52 Hz
- 24 = 55 Hz
- 25 = 58 Hz
- 26 = 62 Hz
- 27 = 65 Hz
- 27 = 65 Hz28 = 69 Hz
- 29 = 73 Hz
- 29 13 nz
- 30 = 78 Hz
- 31 = 82 Hz
- 32 = 87 Hz
- 52 67 112
- 33 = 92 Hz
- 34 = 98 Hz
- 35 = 104 Hz
- 36 = 110 Hz
- 37 = 117 Hz
- 38 = 123 Hz
- 39 = 131 Hz
- 40 = 139 Hz
- 41 = 147 Hz
- 42 = 156 Hz
- 43 = 165 Hz
- 44 = 175 Hz
- 45 = 185 Hz
- 46 = 196 Hz
- 47 = 208 Hz
- 48 = 220 Hz49 = 233 Hz
- 50 = 247 Hz
- 51 = 262 Hz
- 52 = 277 Hz
- 53 = 294 Hz
- 54 = 311 Hz
- 55 = 330 Hz
- 56 = 349 Hz
- 57 = 370 Hz58 = 392 Hz
- 30 392 HZ
- 59 = 415 Hz60 = 440 Hz
- 61 = 466 Hz
- 62 = 494 Hz
- 63 = 523 Hz
- 64 = 554 Hz
- 65 = 587 Hz
- 66 = 622 Hz
- 67 = 659 Hz
- 68 = 698 Hz69 = 740 Hz
- 70 = 784 Hz
- 71 = 831 Hz
- 72 = 880 Hz
- 73 = 932 Hz
- 74 = 988 Hz
- 75 = 1.0 kHz
- 76 = 1.1 kHz
- 77 = 1.2 kHz
- 78 = 1.2 kHz79 = 1.3 kHz
- 80 = 1.4 kHz

81 = 1.5 kHz

```
82 = 1.6 \text{ kHz}
  83 = 1.7 \text{ kHz}
   84 = 1.8 \text{ kHz}
   85 = 1.9 \text{ kHz}
   86 = 2.0 \text{ kHz}
   87 = 2.1 \text{ kHz}
   88 = 2.2 \text{ kHz}
   89 = 2.3 \text{ kHz}
   90 = 2.5 \text{ kHz}
   91 = 2.6 \text{ kHz}
   92 = 2.8 \text{ kHz}
   93 = 3.0 \text{ kHz}
   94 = 3.1 \text{ kHz}
   95 = 3.3 \text{ kHz}
   96 = 3.5 \text{ kHz}
   97 = 3.7 \text{ kHz}
   98 = 4.0 \text{ kHz}
   99 = 4.2 \text{ kHz}
   100 = 4.4 \text{ kHz}
   101 = 4.7 \text{ kHz}
   102 = 5.0 \text{ kHz}
   103 = 5.3 \text{ kHz}
   104 = 5.6 \text{ kHz}
   105 = 5.9 \text{ kHz}
   106 = 6.3 \text{ kHz}
   107 = 6.6 \text{ kHz}
   108 = 7.0 \text{ kHz}
   109 = 7.5 \text{ kHz}
   110 = 7.9 \text{ kHz}
   111 = 8.4 \text{ kHz}
   112 = 8.9 \text{ kHz}
   113 = 9.4 \text{ kHz}
   114 = 10 \text{ kHz}
   115 = 11 \text{ kHz}
   116 = 11 \text{ kHz}
   117 = 12 \text{ kHz}
   118 = 13 \text{ kHz}
   119 = 13 \text{ kHz}
   120 = 14 \text{ kHz}
   121 = 15 \text{ kHz}
   122 = 16 \text{ kHz}
   123 = 17 \text{ kHz}
   124 = 18 \text{ kHz}
   125 = 19 \text{ kHz}
   126 = 20 \text{ kHz}
   127 = 21 \text{ kHz}
for all other filters
   => Resonance: 0/127 value = 0 / 10
NS3 Synth On
```

```
Offset in file: 0x52 (b7)
0 = off, 1 = on
```

NS3 Synth Kb Zone

Offset in file: 0x52 (b6-3)

See: Organ Kb Zone for detailed explanation.

NS3 Synth Volume

```
Offset in file: 0x52 (b2-0) and 0x53 (b7-4)

See: Organ Volume for detailed explanation.

Morph Wheel:
0x53 (b3): polarity (1 = positive, 0 = negative)
0x53 (b2-b0), 0x54 (b7-b4): 7-bit raw value

Morph After Touch:
0x54 (b3): polarity (1 = positive, 0 = negative)
0x54 (b2-b0), 0x55 (b7-b4): 7-bit raw value

Morph Control Pedal:
0x55 (b3): polarity (1 = positive, 0 = negative)
```

0x55 (b2-b0), 0x56 (b7-b4): 7-bit raw value

NS3 Synth Octave Shift

```
Offset in file: 0x56 (b3-0)
Octave Shift = value - 6
```

NS3 Synth Pitch Stick

```
Offset in file: 0x57 (b7)

0 = off, 1 = on
```

NS3 Synth Sustain Pedal

```
Offset in file: 0x57 (b6)

0 = off, 1 = on
```

NS3 Synth Kb Hold

```
Offset in file: 0x80 (b7)

0 = off, 1 = on
```

NS3 Synth Voice

```
Offset in file: 0x84 (b0) and 0x85 (b7)

0 = Poly

1 = Legato

2 = Mono
```

NS3 Synth Glide

```
Offset in file: 0x85 (b6 to b0) 7 bits, range 0/10 0/127 value = 0/10
```

NS3 Synth Unison

```
Offset in file: 0x86 (b7/6)

0 = 0ff

1 = 1

2 = 2

3 = 3
```

NS3 Synth Vibrato

Offset in file: 0x86 (b5/4/3)

- 0 = Off
- 1 = Delay 1
- 2 = Delay 2
- 3 = Delay 3
- 4 = Wheel
- 5 = After Touch

NS3 Synth Oscillator Type

Offset in file: 0x8D (b1/0) and 0x8E (b7)

- 0 = Classic
- 1 = Wave
- 2 = Formant
- 3 = Super
- 4 = Sample

NS3 Synth Oscillator 1 Wave Form

Offset in file: 0x8E (b3-0) and 0x8F (b7/6)

ID Cla	assic Wave	I	Formant	t		1	Super			
0 Sin	ie Wave	2nd Harm	Format	Wave	Aaa		Super	Wave	Saw	
1 Tri	langle Wave	3rd Harm	Format	Wave	Eee		Super	Wave	Saw 2	
2 Saw	ı Wave	4th Harm	Format	Wave	Iii		Super	Wave	${\tt Square}$	
3 Squ	ıare Wave	5th Harm	Format	Wave	000		Super	Wave	Square	2
4 Pul	se 33 Wave	6th Harm	Format	Wave	Uuu		Super	Wave	Bright	
5 Pul	se 10 Wave	7th Harm	Format	Wave	Үуу		Super	Wave	${\tt Bright}$	2
6 ESa	w Wave	8th Harm	Format	Wave	AO		Super	Wave	Strings	3
7 ESc	quare Wave	Organ 1	Format	Wave	ΑE		Super	Wave	Organ	
8	Wave	Organ 2	Format	Wave	0E	l				
9	Wave	Principal								
10	Wave	Flute 1								
11	Wave	Flute 2								
12	Wave	Clarinet 1								
13	Wave	Clarinet 2								
14	Wave	Alto Sax								
15	Wave	Tenor Sax								
16	Wave	2nd Spectra								
17		3rd Spectra								
18		4th Spectra								
19		5th Spectra								
20		6th Spectra								
21		7th Spectra								
22		8th Spectra								
23	Wave	Saw Random								
24	Wave	Saw Bright								
25	Wave	Sqr Bright								
26		Saw NoFund								
27	Wave	EPiano 1								
28	Wave	EPiano 2								
29	Wave	EPiano 3								
30	Wave	DX 1								
31	Wave									
32	Wave	Full Tines								
33		Ac Piano								
34		Ice 1								
35	Wave	Ice 2								

36	1	1	Wave	Clavinet 1	1
37	1	1	Wave	Clavinet 2	1
38	1		Wave	Clavinet 3	1
39	1		Wave	Triplets	1
40			Wave	Bell	
41			Wave	Bar 1	
42			Wave	Bar 2	
43	1		Wave	Tines	1
44	1		Wave	Marimba	1
45	1		Wave	Tubular Bells	

NS3 Synth Oscillator Config

```
Offset in file: 0x8F (b4-1)
```

```
0 = None
```

1 = Pitch

2 = Shape

3 = Sync

4 = Detune

5 = MixSin

6 = MixTri

7 = MixSaw

8 = MixSqr

9 = MixBell

10 = MixNs1

11 = MixNs2

12 = FM1

13 = FM2

14 = RM

NS3 Synth Oscillator Control

Offset in file: 0x90 (b2/1/0) and 0x91 (b7/6/5/4)

See: Organ Volume for detailed Morph explanation.

```
Type Midi value conversion
Pitch (1) 0/127 => 0/24
Shape (2) 0/127 => 0/100 %
Sync (3) 0/127 => 0/10
Detune (4) 0/127 => 0/4
```

Mix* (5 to 11) $0/127 \Rightarrow 100/0$ to 0/100

FM & RM (12 to 14) $0/127 \Rightarrow 0/100 \%$

```
Morph Wheel:
```

```
0x91 (b3): polarity (1 = positive, 0 = negative) 0x91 (b2-b0), 0x92 (b7-b4): 7-bit raw value
```

Morph After Touch:

```
0x92 (b3): polarity (1 = positive, 0 = negative)
0x92 (b2-b0), 0x93 (b7-b4): 7-bit raw value
```

Morph Control Pedal:

```
0x93 (b3): polarity (1 = positive, 0 = negative) 0x93 (b2-b0), 0x94 (b7-b4): 7-bit raw value
```

NS3 Synth Pitch

Offset in file: 0x8f (b0) and 0x90 (b7-3)

Midi value = 6-bit value + b0 forced to zero to have a standard Midi 7-bit value value conversion: -12 (Sub) to +48

NS3 Synth LFO Mod Env

```
Offset in file: 0x94 (b3-0) and 0x95 (b7-5)
```

Osc modulation (lfo/env mod) is using this single 7-bit value to define two settings with a single knob Input Value is not the direct midi value as usual, instead it is coded on a special 0/120 range: 0 = 10.0 (100% left value) 'LFO Amount'

60 = 0.0 for both values

120 = 10.0 (100% right value) 'Mod Env Amount'

NS3 Synth Fast Attack

```
Offset in file: 0xAC (b2)
```

0 = off, 1 = on

NS3 Synth Mod Env Attack

```
Offset in file: 0x8B (b7-1)
```

```
0/127 \text{ value} = 0.5 \text{ ms} / 45 \text{ s}
```

- 0 = 0.5 ms
- 1 = 0.6 ms
- 2 = 0.7 ms
- 3 = 0.9 ms
- 4 = 1.1 ms
- 5 = 1.3 ms
- 6 = 1.5 ms
- 7 = 1.8 ms
- 8 = 2.1 ms
- 9 = 2.5 ms
- 10 = 3.0 ms
- 11 = 3.5 ms
- 12 = 4.0 ms
- 13 = 4.7 ms14 = 5.5 ms
- 15 = 6.3 ms
- 16 = 7.3 ms
- 17 = 8.4 ms
- 18 = 9.7 ms
- 19 = 11 ms
- 20 = 13 ms
- 21 = 14 ms
- 22 = 16 ms
- 23 = 19 ms
- 24 = 21 ms25 = 24 ms
- 26 = 27 ms
- 27 = 31 ms
- 28 = 34 ms
- 29 = 39 ms
- 30 = 43 ms
- 31 = 49 ms32 = 54 ms
- 33 = 61 ms
- 34 = 68 ms
- 35 = 75 ms
- 36 = 84 ms
- 37 = 93 ms
- 38 = 103 ms
- 39 = 114 ms40 = 126 ms
- 41 = 139 ms

42 = 153 ms

- 43 = 169 ms44 = 186 ms45 = 204 ms46 = 224 ms47 = 246 ms48 = 269 ms49 = 295 ms50 = 322 ms51 = 352 ms52 = 384 ms53 = 419 ms54 = 456 ms55 = 496 ms56 = 540 ms57 = 586 ms58 = 636 ms59 = 690 ms60 = 748 ms61 = 810 ms62 = 876 ms63 = 947 ms64 = 1.02 s65 = 1.10 s66 = 1.19 s67 = 1.28 s68 = 1.38 s69 = 1.49 s70 = 1.60 s71 = 1.72 s72 = 1.85 s73 = 1.99 s74 = 2.13 s75 = 2.28 s76 = 2.45 s77 = 2.62 s78 = 2.81 s79 = 3.00 s80 = 3.21 s81 = 3.43 s82 = 3.66 s83 = 3.91 s84 = 4.17 s85 = 4.45 s86 = 4.74 s87 = 5.05 s88 = 5.37 s89 = 5.72 s90 = 6.08 s91 = 6.47 s92 = 6.87 s93 = 7.30 s94 = 7.75 s95 = 8.22 s96 = 8.72 s97 = 9.25 s98 = 9.80 s99 = 10 s100 = 11 s101 = 12 s102 = 12 s
- Unofficial Nord Stage 2 and 3 Program File Documentation

```
103 = 13 s
104 = 14 s
105 = 15 s
106 = 15 s
107 = 16 s
108 = 17 s
109 = 18 s
110 = 19 s
111 = 20 s
112 = 21 s
113 = 22 s
114 = 24 s
115 = 25 s
116 = 26 s
117 = 27 s
118 = 29 s
119 = 30 s
120 = 32 s
121 = 34 s
122 = 35 s
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Decay

```
Offset in file: 0x8B (b0) and 0x8C (b7-2)
```

```
0/127 value = 3.0 ms / 45 s (Sustain)
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
   10 = 12 \text{ ms}
   11 = 13 \text{ ms}
   12 = 15 \text{ ms}
   13 = 17 \text{ ms}
   14 = 19 \text{ ms}
   15 = 21 \text{ ms}
   16 = 23 \text{ ms}
   17 = 26 \text{ ms}
   18 = 29 \text{ ms}
   19 = 33 \text{ ms}
   20 = 36 \text{ ms}
   21 = 41 \text{ ms}
   22 = 45 \text{ ms}
   23 = 50 \text{ ms}
   24 = 55 \text{ ms}
   25 = 61 \text{ ms}
   26 = 68 \text{ ms}
   27 = 75 \text{ ms}
   28 = 82 \text{ ms}
   29 = 91 \text{ ms}
```

- 30 = 100 ms31 = 110 ms32 = 120 ms33 = 132 ms34 = 144 ms35 = 158 ms36 = 173 ms37 = 188 ms38 = 206 ms39 = 224 ms40 = 244 ms41 = 265 ms43 = 313 ms
- 42 = 288 ms
- 44 = 340 ms
- 45 = 368 ms46 = 399 ms
- 47 = 432 ms48 = 467 ms
- 49 = 505 ms50 = 545 ms
- 51 = 588 ms
- 52 = 634 ms53 = 683 ms
- 54 = 736 ms
- 55 = 792 ms
- 56 = 851 ms
- 57 = 915 ms58 = 983 ms
- 59 = 1.05 s
- 60 = 1.13 s
- 61 = 1.21 s62 = 1.30 s
- 63 = 1.39 s
- 64 = 1.49 s
- 65 = 1.59 s
- 66 = 1.70 s
- 67 = 1.82 s
- 68 = 1.94 s
- 69 = 2.07 s
- 70 = 2.21 s71 = 2.36 s
- 72 = 2.51 s
- 73 = 2.67 s
- 74 = 2.85 s75 = 3.03 s
- 76 = 3.22 s
- 77 = 3.42 s78 = 3.64 s
- 79 = 3.86 s
- 80 = 4.10 s
- 81 = 4.35 s82 = 4.61 s
- 83 = 4.89 s
- 84 = 5.18 s
- 85 = 5.49 s
- 86 = 5.81 s 87 = 6.15 s
- 88 = 6.50 s
- 89 = 6.88 s
- 90 = 7.27 s

```
91 = 7.68 \text{ s}
92 = 8.11 s
93 = 8.57 \text{ s}
94 = 9.04 \text{ s}
95 = 9.54 \text{ s}
96 = 10 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Release

```
Offset in file: 0x8C (b1-0) and 0x8D (b7-3)
```

```
0/127 \text{ value} = 3.0 \text{ ms} / 45 \text{ s} (Inf)
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
   10 = 12 \text{ ms}
   11 = 13 \text{ ms}
   12 = 15 \text{ ms}
   13 = 17 \text{ ms}
   14 = 19 \text{ ms}
   15 = 21 \text{ ms}
   16 = 23 \text{ ms}
   17 = 26 \text{ ms}
```

- 18 = 29 ms
- 19 = 33 ms
- 20 = 36 ms
- 21 = 41 ms
- 22 = 45 ms
- 23 = 50 ms
- 24 = 55 ms
- 25 = 61 ms
- 26 = 68 ms
- 27 = 75 ms
- 28 = 82 ms
- 29 = 91 ms
- 30 = 100 ms
- 31 = 110 ms
- 32 = 120 ms
- 33 = 132 ms
- 34 = 144 ms
- 35 = 158 ms36 = 173 ms
- 37 = 188 ms
- 38 = 206 ms
- 39 = 224 ms
- 40 = 244 ms
- 41 = 265 ms
- 42 = 288 ms
- 43 = 313 ms
- 44 = 340 ms
- 45 = 368 ms
- 46 = 399 ms
- 47 = 432 ms48 = 467 ms
- 49 = 505 ms
- 50 = 545 ms
- 51 = 588 ms
- 52 = 634 ms
- 53 = 683 ms
- 54 = 736 ms
- 55 = 792 ms
- 56 = 851 ms
- 57 = 915 ms
- 58 = 983 ms
- 59 = 1.05 s
- 60 = 1.13 s61 = 1.21 s
- 62 = 1.30 s
- 63 = 1.39 s
- 64 = 1.49 s
- 65 = 1.59 s
- 66 = 1.70 s
- 67 = 1.82 s
- 68 = 1.94 s
- 69 = 2.07 s70 = 2.21 s
- 71 = 2.36 s
- 72 = 2.51 s
- 73 = 2.67 s
- 74 = 2.85 s
- 75 = 3.03 s76 = 3.22 s
- 77 = 3.42 s
- 78 = 3.64 s

```
79 = 3.86 \text{ s}
80 = 4.10 s
81 = 4.35 \text{ s}
82 = 4.61 s
83 = 4.89 \text{ s}
84 = 5.18 s
85 = 5.49 \text{ s}
86 = 5.81 \text{ s}
87 = 6.15 \text{ s}
88 = 6.50 \text{ s}
89 = 6.88 \text{ s}
90 = 7.27 \text{ s}
91 = 7.68 \text{ s}
92 = 8.11 s
93 = 8.57 \text{ s}
94 = 9.04 s
95 = 9.54 \text{ s}
96 = 10 s
97 = 11 s
98 = 11 s
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Mod Env Velocity

```
Offset in file: 0x8D (b2)

0 = off, 1 = on
```

NS3 Synth Amp Env Attack

```
Offset in file: 0xA5 (b1-0) and 0xA6 (b7-3)
0/127 value = 0.5 ms / 45 s
0 = 0.5 ms
```

- 1 = 0.6 ms
- 2 = 0.7 ms
- 3 = 0.9 ms
- 4 = 1.1 ms
- 5 = 1.3 ms
- 6 = 1.5 ms
- 7 = 1.8 ms
- 8 = 2.1 ms
- 9 = 2.5 ms
- 10 = 3.0 ms
- 11 = 3.5 ms
- 12 = 4.0 ms
- 13 = 4.7 ms
- 14 = 5.5 ms
- 15 = 6.3 ms
- 16 = 7.3 ms
- 17 = 8.4 ms
- 18 = 9.7 ms
- 19 = 11 ms
- 20 = 13 ms
- 21 = 14 ms
- 22 = 16 ms
- 23 = 19 ms
- 24 = 21 ms
- 25 = 24 ms
- 26 = 27 ms
- 27 = 31 ms
- 28 = 34 ms
- 29 = 39 ms
- 30 = 43 ms
- 31 = 49 ms
- 32 = 54 ms
- 33 = 61 ms34 = 68 ms
- 35 = 75 ms
- 36 = 84 ms
- 37 = 93 ms
- 38 = 103 ms
- 39 = 114 ms
- 40 = 126 ms
- 41 = 139 ms
- 42 = 153 ms43 = 169 ms
- 44 = 186 ms
- 45 = 204 ms
- 46 = 224 ms
- 47 = 246 ms
- 48 = 269 ms
- 49 = 295 ms
- 50 = 322 ms
- 51 = 352 ms52 = 384 ms
- 53 = 419 ms
- 54 = 456 ms
- 55 = 496 ms
- 56 = 540 ms
- 57 = 586 ms58 = 636 ms
- 59 = 690 ms
- 60 = 748 ms
- 61 = 810 ms

62 = 876 ms63 = 947 ms64 = 1.02 s65 = 1.10 s66 = 1.19 s67 = 1.28 s68 = 1.38 s69 = 1.49 s70 = 1.60 s71 = 1.72 s72 = 1.85 s73 = 1.99 s74 = 2.13 s75 = 2.28 s76 = 2.45 s77 = 2.62 s78 = 2.81 s79 = 3.00 s80 = 3.21 s81 = 3.43 s82 = 3.66 s83 = 3.91 s84 = 4.17 s85 = 4.45 s86 = 4.74 s87 = 5.05 s88 = 5.37 s89 = 5.72 s90 = 6.08 s91 = 6.47 s92 = 6.87 s93 = 7.30 s94 = 7.75 s95 = 8.22 s96 = 8.72 s97 = 9.25 s98 = 9.80 s99 = 10 s100 = 11 s101 = 12 s102 = 12 s103 = 13 s104 = 14 s105 = 15 s106 = 15 s107 = 16 s108 = 17 s109 = 18 s110 = 19 s111 = 20 s112 = 21 s113 = 22 s114 = 24 s115 = 25 s116 = 26 s117 = 27 s118 = 29 s119 = 30 s120 = 32 s121 = 34 s

122 = 35 s

Unofficial Nord Stage 2 and 3 Program File Documentation

```
123 = 37 s
124 = 39 s
125 = 41 s
126 = 43 s
```

127 = 45 s

NS3 Synth Amp Env Decay

```
Offset in file: 0xA6 (b2-0) and 0xA7 (b7-4)
0/127 value = 3.0 ms / 45 s (Sustain)
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
   10 = 12 \text{ ms}
   11 = 13 \text{ ms}
   12 = 15 \text{ ms}
   13 = 17 \text{ ms}
   14 = 19 \text{ ms}
   15 = 21 \text{ ms}
   16 = 23 \text{ ms}
   17 = 26 \text{ ms}
   18 = 29 \text{ ms}
   19 = 33 \text{ ms}
   20 = 36 \text{ ms}
   21 = 41 \text{ ms}
   22 = 45 \text{ ms}
   23 = 50 \text{ ms}
   24 = 55 \text{ ms}
   25 = 61 \text{ ms}
   26 = 68 \text{ ms}
   27 = 75 \text{ ms}
   28 = 82 \text{ ms}
   29 = 91 \text{ ms}
   30 = 100 \text{ ms}
   31 = 110 \text{ ms}
   32 = 120 \text{ ms}
   33 = 132 \text{ ms}
   34 = 144 \text{ ms}
   35 = 158 \text{ ms}
   36 = 173 \text{ ms}
   37 = 188 \text{ ms}
   38 = 206 \text{ ms}
   39 = 224 \text{ ms}
   40 = 244 \text{ ms}
   41 = 265 \text{ ms}
   42 = 288 \text{ ms}
   43 = 313 \text{ ms}
```

44 = 340 ms 45 = 368 ms 46 = 399 ms 47 = 432 ms 48 = 467 ms 49 = 505 ms

- 50 = 545 ms51 = 588 ms52 = 634 ms53 = 683 ms54 = 736 ms55 = 792 ms56 = 851 ms57 = 915 ms58 = 983 ms59 = 1.05 s60 = 1.13 s61 = 1.21 s62 = 1.30 s63 = 1.39 s64 = 1.49 s65 = 1.59 s66 = 1.70 s67 = 1.82 s68 = 1.94 s69 = 2.07 s70 = 2.21 s71 = 2.36 s72 = 2.51 s73 = 2.67 s74 = 2.85 s75 = 3.03 s76 = 3.22 s77 = 3.42 s78 = 3.64 s79 = 3.86 s80 = 4.10 s81 = 4.35 s82 = 4.61 s83 = 4.89 s84 = 5.18 s85 = 5.49 s86 = 5.81 s87 = 6.15 s88 = 6.50 s89 = 6.88 s90 = 7.27 s91 = 7.68 s92 = 8.11 s93 = 8.57 s94 = 9.04 s95 = 9.54 s96 = 10 s97 = 11 s98 = 11 s99 = 12 s100 = 12 s101 = 13 s102 = 14 s103 = 14 s104 = 15 s105 = 16 s106 = 17 s107 = 18 s108 = 19 s109 = 20 s110 = 20 s
- Unofficial Nord Stage 2 and 3 Program File Documentation

```
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Release

```
Offset in file: 0xA7 (b3-0) and 0xA8 (b7-5)
```

```
0/127 \text{ value} = 3.0 \text{ ms} / 45 \text{ s}
   0 = 3.0 \text{ ms}
   1 = 3.5 \text{ ms}
   2 = 4.0 \text{ ms}
   3 = 4.6 \text{ ms}
   4 = 5.3 \text{ ms}
   5 = 6.0 \text{ ms}
   6 = 6.9 \text{ ms}
   7 = 7.9 \text{ ms}
   8 = 9.0 \text{ ms}
   9 = 10 \text{ ms}
   10 = 12 \text{ ms}
   11 = 13 \text{ ms}
   12 = 15 \text{ ms}
   13 = 17 \text{ ms}
   14 = 19 \text{ ms}
   15 = 21 \text{ ms}
   16 = 23 \text{ ms}
   17 = 26 \text{ ms}
   18 = 29 \text{ ms}
   19 = 33 \text{ ms}
   20 = 36 \text{ ms}
   21 = 41 \text{ ms}
   22 = 45 \text{ ms}
   23 = 50 \text{ ms}
   24 = 55 \text{ ms}
   25 = 61 \text{ ms}
   26 = 68 \text{ ms}
   27 = 75 \text{ ms}
   28 = 82 \text{ ms}
   29 = 91 \text{ ms}
   30 = 100 \text{ ms}
   31 = 110 \text{ ms}
   32 = 120 \text{ ms}
   33 = 132 \text{ ms}
   34 = 144 \text{ ms}
   35 = 158 \text{ ms}
```

36 = 173 ms37 = 188 ms 38 = 206 ms39 = 224 ms40 = 244 ms41 = 265 ms42 = 288 ms43 = 313 ms44 = 340 ms45 = 368 ms46 = 399 ms47 = 432 ms48 = 467 ms49 = 505 ms50 = 545 ms51 = 588 ms52 = 634 ms53 = 683 ms54 = 736 ms55 = 792 ms56 = 851 ms57 = 915 ms58 = 983 ms59 = 1.05 s60 = 1.13 s61 = 1.21 s62 = 1.30 s63 = 1.39 s64 = 1.49 s65 = 1.59 s66 = 1.70 s67 = 1.82 s68 = 1.94 s69 = 2.07 s70 = 2.21 s71 = 2.36 s72 = 2.51 s73 = 2.67 s74 = 2.85 s75 = 3.03 s76 = 3.22 s77 = 3.42 s78 = 3.64 s79 = 3.86 s80 = 4.10 s81 = 4.35 s82 = 4.61 s83 = 4.89 s84 = 5.18 s85 = 5.49 s86 = 5.81 s87 = 6.15 s88 = 6.50 s89 = 6.88 s90 = 7.27 s91 = 7.68 s92 = 8.11 s93 = 8.57 s94 = 9.04 s95 = 9.54 s96 = 10 s97 = 11 s

98 = 11 s

Unofficial Nord Stage 2 and 3 Program File Documentation

```
99 = 12 s
100 = 12 s
101 = 13 s
102 = 14 s
103 = 14 s
104 = 15 s
105 = 16 s
106 = 17 s
107 = 18 s
108 = 19 s
109 = 20 s
110 = 20 s
111 = 22 s
112 = 23 s
113 = 24 s
114 = 25 s
115 = 26 s
116 = 27 s
117 = 29 s
118 = 30 s
119 = 31 s
120 = 33 s
121 = 34 s
122 = 36 s
123 = 38 s
124 = 39 s
125 = 41 s
126 = 43 s
127 = 45 s
```

NS3 Synth Amp Env Velocity

```
Offset in file: 0xA8 (b4-3)
```

```
0 = Off
```

1 = 1

2 = 2

3 = 3

NS3 Synth Lfo Wave

```
Offset in file: 0x86 (b2-0)
```

```
0 = Triangle
```

1 = Saw

2 = Neg Saw

3 = Square

4 = S/H

NS3 Synth Lfo Rate

Offset in file: 0x87 (b6-0)

See: Organ Volume for detailed Morph explanation.

```
0/127 value = 0.03 Hz / 523 Hz

0 = 0.03 Hz

1 = 0.03 Hz

2 = 0.03 Hz

3 = 0.04 Hz

4 = 0.04 Hz

5 = 0.04 Hz

6 = 0.05 Hz
```

- 7 = 0.05 Hz
- 8 = 0.05 Hz
- 9 = 0.06 Hz
- 10 = 0.06 Hz
- 11 = 0.07 Hz
- 12 = 0.07 Hz
- 13 = 0.08 Hz
- 14 = 0.09 Hz
- 15 = 0.09 Hz
- 16 = 0.10 Hz
- 17 = 0.11 Hz
- 18 = 0.12 Hz
- 19 = 0.13 Hz
- 20 = 0.14 Hz
- 21 = 0.15 Hz
- 22 = 0.16 Hz
- 23 = 0.17 Hz
- 24 = 0.19 Hz
- 25 = 0.20 Hz
- 26 = 0.22 Hz
- 27 = 0.24 Hz
- 28 = 0.26 Hz
- 29 = 0.28 Hz
- 30 = 0.30 Hz
- 31 = 0.32 Hz
- 32 = 0.35 Hz
- 33 = 0.38 Hz
- 34 = 0.41 Hz
- 35 = 0.44 Hz
- 36 = 0.47 Hz
- 37 = 0.51 Hz
- 38 = 0.55 Hz
- 39 = 0.60 Hz
- 40 = 0.64 Hz
- 41 = 0.70 Hz
- 42 = 0.75 Hz
- 43 = 0.81 Hz
- 44 = 0.88 Hz
- 45 = 0.95 Hz
- 46 = 1.0 Hz47 = 1.1 Hz
- 48 = 1.2 Hz
- 49 = 1.3 Hz
- 50 = 1.4 Hz
- 51 = 1.5 Hz
- 52 = 1.6 Hz
- 53 = 1.8 Hz
- 54 = 1.9 Hz
- 55 = 2.0 Hz
- 56 = 2.2 Hz
- 57 = 2.4 Hz
- 58 = 2.6 Hz59 = 2.8 Hz
- 60 = 3.0 Hz
- 61 = 3.2 Hz
- 62 = 3.5 Hz
- 63 = 3.8 Hz64 = 4.1 Hz
- 65 = 4.4 Hz
- 66 = 4.8 Hz
- 67 = 5.2 Hz

- 68 = 5.6 Hz
- 69 = 6.0 Hz
- 70 = 6.5 Hz
- 71 = 7.0 Hz
- 72 = 7.6 Hz
- 73 = 8.2 Hz
- 74 = 8.8 Hz
- 75 = 9.5 Hz
- 76 = 10 Hz
- 77 = 11 Hz
- 78 = 12 Hz
- 79 = 13 Hz
- 80 = 14 Hz
- 81 = 15 Hz
- 82 = 16 Hz
- 83 = 18 Hz
- 84 = 19 Hz
- 85 = 21 Hz86 = 22 Hz
- 87 = 24 Hz
- 88 = 26 Hz
- 89 = 28 Hz
- 90 = 30 Hz
- 91 = 33 Hz
- 92 = 35 Hz93 = 38 Hz
- 94 = 41 Hz
- 95 = 45 Hz
- 96 = 48 Hz97 = 52 Hz
- 98 = 56 Hz
- 99 = 61 Hz
- 100 = 65 Hz
- 101 = 71 Hz
- 102 = 76 Hz
- 103 = 82 Hz
- 104 = 89 Hz
- 105 = 96 Hz
- 106 = 104 Hz
- 107 = 112 Hz
- 108 = 121 Hz
- 109 = 131 Hz
- 110 = 141 Hz
- 111 = 153 Hz112 = 165 Hz
- 113 = 178 Hz
- 114 = 192 Hz
- 115 = 208 Hz
- 116 = 224 Hz
- 117 = 242 Hz118 = 262 Hz
- 119 = 283 Hz
- 120 = 305 Hz
- 121 = 330 Hz
- 122 = 356 Hz123 = 385 Hz
- 124 = 415 Hz
- 125 = 449 Hz
- 126 = 484 Hz
- 127 = 523 Hz

58 = 1/2T

```
if LFO Master Clock is On, 0/127 value = 4/1 to 1/64 Master Clock Division
 0 = 4/1
  1 = 4/1
  2 = 4/1
  3 = 4/1
  4 = 4/1
  5 = 4/1
  6 = 4/1
  7 = 4/1
  8 = 4/1T
  9 = 4/1T
  10 = 4/1T
  11 = 4/1T
  12 = 4/1T
  13 = 4/1T
  14 = 4/1T
  15 = 4/1T
  16 = 2/1
  17 = 2/1
  18 = 2/1
  19 = 2/1
  20 = 2/1
  21 = 2/1
  22 = 2/1
  23 = 2/1T
  24 = 2/1T
  25 = 2/1T
  26 = 2/1T
  27 = 2/1T
  28 = 2/1T
  29 = 2/1T
  30 = 2/1T
  31 = 1/1
  32 = 1/1
  33 = 1/1
  34 = 1/1
  35 = 1/1
  36 = 1/1
  37 = 1/1
  38 = 1/1T
  39 = 1/1T
  40 = 1/1T
  41 = 1/1T
  42 = 1/1T
  43 = 1/1T
  44 = 1/1T
  45 = 1/1T
  46 = 1/2
  47 = 1/2
  48 = 1/2
  49 = 1/2
  50 = 1/2
 51 = 1/2
  52 = 1/2
 53 = 1/2T
 54 = 1/2T
 55 = 1/2T
  56 = 1/2T
  57 = 1/2T
```

- 59 = 1/2T
- 60 = 1/2T
- 61 = 1/4
- 62 = 1/4
- 63 = 1/4
- 64 = 1/4
- 65 = 1/4
- 66 = 1/4
- 67 = 1/4
- 68 = 1/4T
- 69 = 1/4T
- 70 = 1/4T
- 71 = 1/4T
- 72 = 1/4T
- 73 = 1/4T
- 74 = 1/4T
- 75 = 1/4T
- 76 = 1/8
- 77 = 1/8
- 78 = 1/8
- 79 = 1/8
- 80 = 1/8
- 81 = 1/8
- 82 = 1/8
- 83 = 1/8T
- 84 = 1/8T
- 85 = 1/8T
- 86 = 1/8T
- 87 = 1/8T
- 88 = 1/8T
- 89 = 1/8T
- 90 = 1/8T
- 91 = 1/16
- 92 = 1/16
- 93 = 1/16
- 94 = 1/16
- 95 = 1/16
- 96 = 1/16
- 97 = 1/16
- 98 = 1/16T
- 99 = 1/16T100 = 1/16T
- 101 = 1/16T
- 102 = 1/16T
- 103 = 1/16T
- 104 = 1/16T
- 105 = 1/16T
- 106 = 1/32
- 107 = 1/32108 = 1/32
- 109 = 1/32
- 110 = 1/32
- 111 = 1/32
- 112 = 1/32
- 113 = 1/32T
- 114 = 1/32T
- 115 = 1/32T116 = 1/32T
- 117 = 1/32T
- 118 = 1/32T
- 119 = 1/32T

```
120 = 1/32T
  121 = 1/64
  122 = 1/64
  123 = 1/64
  124 = 1/64
  125 = 1/64
  126 = 1/64
  127 = 1/64
Morph Wheel:
0x88 (b7): polarity (1 = positive, 0 = negative)
0x88 (b6-b0): 7-bit raw value
Morph After Touch:
0x89 (b7): polarity (1 = positive, 0 = negative)
0x89 (b6-b0): 7-bit raw value
Morph Control Pedal:
0x8A (b7): polarity (1 = positive, 0 = negative)
0x8A (b6-b0): 7-bit raw value
NS3 Synth Lfo Master Clock
Offset in file: 0x87 (b7)
0 = off, 1 = on
NS3 Synth Arp On
Offset in file: 0x80 (b6)
0 = off, 1 = on
NS3 Synth Arp Rate
Offset in file: 0x81 (b7-1)
See: Organ Volume for detailed Morph explanation.
0/127 value = 16 bpm / Fast 5
  0 = 16 \text{ bpm}
  1 = 16 \text{ bpm}
  2 = 18 \text{ bpm}
  3 = 20 \text{ bpm}
  4 = 24 \text{ bpm}
  5 = 26 \text{ bpm}
  6 = 28 \text{ bpm}
  7 = 30 \text{ bpm}
  8 = 34 \text{ bpm}
  9 = 36 \text{ bpm}
  10 = 38 \text{ bpm}
  11 = 42 \text{ bpm}
  12 = 44 \text{ bpm}
  13 = 46 \text{ bpm}
  14 = 48 \text{ bpm}
  15 = 50 \text{ bpm}
  16 = 54 \text{ bpm}
  17 = 56 \text{ bpm}
  18 = 58 \text{ bpm}
  19 = 60 \text{ bpm}
  20 = 62 \text{ bpm}
  21 = 64 \text{ bpm}
```

- 22 = 66 bpm
- 23 = 68 bpm
- 24 = 70 bpm
- 25 = 72 bpm
- 26 = 74 bpm
- 27 = 76 bpm
- 28 = 78 bpm
- 29 = 78 bpm
- 30 = 80 bpm
- 31 = 82 bpm
- 32 = 84 bpm
- 33 = 86 bpm
- 34 = 86 bpm
- 35 = 88 bpm
- 36 = 90 bpm
- 37 = 92 bpm
- 38 = 94 bpm
- 39 = 94 bpm
- 40 = 96 bpm
- 41 = 98 bpm
- 42 = 100 bpm
- 43 = 100 bpm
- 44 = 102 bpm
- 45 = 104 bpm
- 46 = 106 bpm
- 47 = 108 bpm48 = 108 bpm
- 49 = 110 bpm
- 50 = 112 bpm
- 51 = 114 bpm
- 52 = 116 bpm
- 53 = 118 bpm
- 54 = 120 bpm
- 55 = 122 bpm
- 56 = 124 bpm57 = 126 bpm
- 58 = 128 bpm
- 59 = 130 bpm
- 60 = 132 bpm
- 61 = 134 bpm
- 62 = 138 bpm
- 63 = 140 bpm
- 64 = 142 bpm
- 65 = 146 bpm
- 66 = 148 bpm
- 67 = 152 bpm
- 68 = 154 bpm
- 69 = 158 bpm70 = 162 bpm
- 71 = 166 bpm
- 72 = 170 bpm
- 73 = 174 bpm
- 74 = 178 bpm
- 75 = 182 bpm
- 76 = 186 bpm
- 77 = 190 bpm
- 78 = 196 bpm79 = 200 bpm
- 80 = 204 bpm
- 81 = 210 bpm
- 82 = 216 bpm

12 = 1/2

```
83 = 220 \text{ bpm}
  84 = 226 \text{ bpm}
  85 = 232 \text{ bpm}
  86 = 238 \text{ bpm}
  87 = 244 \text{ bpm}
  88 = 252 \text{ bpm}
  89 = 258 \text{ bpm}
  90 = 266 \text{ bpm}
  91 = 274 \text{ bpm}
  92 = 282 \text{ bpm}
  93 = 290 \text{ bpm}
  94 = 298 \text{ bpm}
  95 = 308 \text{ bpm}
  96 = 318 \text{ bpm}
  97 = 328 \text{ bpm}
  98 = 338 \text{ bpm}
  99 = 350 \text{ bpm}
  100 = 362 \text{ bpm}
  101 = 376 \text{ bpm}
  102 = 392 \text{ bpm}
  103 = 410 \text{ bpm}
  104 = 428 \text{ bpm}
  105 = 450 \text{ bpm}
  106 = 472 \text{ bpm}
  107 = 494 \text{ bpm}
  108 = 520 \text{ bpm}
  109 = 546 \text{ bpm}
  110 = 574 \text{ bpm}
  111 = 602 \text{ bpm}
  112 = 632 \text{ bpm}
  113 = 662 \text{ bpm}
  114 = 696 \text{ bpm}
  115 = 728 \text{ bpm}
  116 = 762 \text{ bpm}
  117 = 798 \text{ bpm}
  118 = 834 \text{ bpm}
  119 = 872 \text{ bpm}
  120 = 910 \text{ bpm}
  121 = 950 \text{ bpm}
  122 = 990 \text{ bpm}
  123 = Fast 1
  124 = Fast 2
  125 = Fast 3
  126 = Fast 4
  127 = Fast 5
if Arpeggiator Master Clock is On, 0/127 value = 1/2 to 1/32 Master Clock Division
  0 = 1/2
  1 = 1/2
  2 = 1/2
  3 = 1/2
  4 = 1/2
  5 = 1/2
  6 = 1/2
  7 = 1/2
  8 = 1/2
  9 = 1/2
  10 = 1/2
  11 = 1/2
```

- 13 = 1/2
- 14 = 1/2
- 15 = 1/2T
- 16 = 1/2T
- 17 = 1/2T
- 18 = 1/2T
- 19 = 1/2T
- 20 = 1/2T
- 21 = 1/2T
- 22 = 1/2T
- 23 = 1/2T
- 24 = 1/2T
- 25 = 1/2T
- 26 = 1/2T
- 27 = 1/2T
- 28 = 1/2T
- 29 = 1/4
- 30 = 1/4
- 31 = 1/4
- 32 = 1/4
- 33 = 1/4
- 34 = 1/4
- 35 = 1/4
- 36 = 1/4
- 37 = 1/4
- 38 = 1/4
- 39 = 1/4
- 40 = 1/4
- 41 = 1/4
- 42 = 1/4
- 43 = 1/4T44 = 1/4T
- 45 = 1/4T
- 46 = 1/4T47 = 1/4T
- 48 = 1/4T
- 49 = 1/4T
- 50 = 1/4T
- 51 = 1/4T
- 52 = 1/4T
- 53 = 1/4T
- 54 = 1/4T55 = 1/4T
- 56 = 1/4T
- 57 = 1/8
- 58 = 1/8
- 59 = 1/8
- 60 = 1/8
- 61 = 1/8
- 62 = 1/8
- 63 = 1/8
- 64 = 1/865 = 1/8
- 66 = 1/8
- 67 = 1/8
- 68 = 1/8
- 69 = 1/8
- 70 = 1/871 = 1/8
- 72 = 1/8T
- 73 = 1/8T

```
74 = 1/8T
 75 = 1/8T
 76 = 1/8T
  77 = 1/8T
  78 = 1/8T
  79 = 1/8T
  80 = 1/8T
  81 = 1/8T
  82 = 1/8T
  83 = 1/8T
  84 = 1/8T
  85 = 1/8T
  86 = 1/16
  87 = 1/16
  88 = 1/16
  89 = 1/16
  90 = 1/16
  91 = 1/16
  92 = 1/16
  93 = 1/16
  94 = 1/16
  95 = 1/16
  96 = 1/16
  97 = 1/16
  98 = 1/16
  99 = 1/16
  100 = 1/16T
  101 = 1/16T
  102 = 1/16T
  103 = 1/16T
  104 = 1/16T
  105 = 1/16T
  106 = 1/16T
  107 = 1/16T
  108 = 1/16T
  109 = 1/16T
  110 = 1/16T
  111 = 1/16T
  112 = 1/16T
  113 = 1/16T
  114 = 1/32
  115 = 1/32
  116 = 1/32
  117 = 1/32
  118 = 1/32
  119 = 1/32
  120 = 1/32
  121 = 1/32
  122 = 1/32
  123 = 1/32
  124 = 1/32
  125 = 1/32
  126 = 1/32
  127 = 1/32
Morph Wheel:
0x81 (b0): polarity (1 = positive, 0 = negative)
0x82 (b7-b1): 7-bit raw value
```

Morph After Touch:

```
0x82 (b0): polarity (1 = positive, 0 = negative)
0x83 (b7-b1): 7-bit raw value

Morph Control Pedal:
0x83 (b0): polarity (1 = positive, 0 = negative)
0x84 (b7-b1): 7-bit raw value
```

NS3 Synth Arp Kb Sync

```
Offset in file: 0x80 (b5)

0 = off, 1 = on
```

NS3 Synth Arp Master Clock

```
Offset in file: 0x80 (b0)

0 = off, 1 = on
```

NS3 Synth Arp Range

```
Offset in file: 0x80 (b4-3)
```

0 = 1 Octave
1 = 2 Octaves
2 = 3 Octaves
3 = 4 Octaves

NS3 Synth Arp Pattern

Offset in file: 0x80 (b2-1)

0 = Up
1 = Down
2 = Up/Down
3 = Random