Stochastic Gravitational Wave Background Detection through NANOGrav 15-year Data Set in the View of Massive Gravity

Chris Choi [1], Jacob Magallanes [1], Murman Gurgenidze [1,2], and Tina Kahniashvili [1,2,3]

[1]Carnegie Mellon University, [2]Ilia State University, [3]Abastumani Astrophysical Observatory

Abstract

- Convincing evidence of a stochastic gravitational wave background (SGWB) has been found by the NANOGrav 15-year data set (NG15).
- We evaluate the possibility of its source being from the early universe through the tensor perturbations induced by massive gravity (MG).
- We find values of the graviton mass, mass cutoff time, and Hubble rate of inflation that amplify the energy spectra of primordial GWs to reproduce NG15 within 1-3σ.
- However, it is difficult to obey the BBN and CMB bound without introducing a suppression mechanism or making the graviton mass cutoff time too deep into the matter dominated era.

Background

- First detection of SGWB by NANOGrav collaboration in 2023 [1]
- Most popular explanation is astrophysical: inspiraling supermassive black hole binaries (SBHBs) emitting low-frequency GWs [2].
- More exotic explanations lie in cosmological sources: cosmic strings, domain walls, first-order phase transitions, primordial magnetic fields, primordial GWs, scalar-induced GWs, etc [3].
- We explore the explanation of primordial GWs generated during inflation, amplified by massive gravity.





Massive Gravity

- We consider model of MTMG [4] where graviton mass $M_{\rm GW}$ is step-function of time [5]
- Equation of motion for the two tensor modes:

$$\bar{h}_k'' + \left(k^2 + a^2 M_{\rm GW}^2 - \frac{a''}{a}\right)\bar{h}_k = 0$$

- Scale factor a and graviton mass are defined as follows:

$$a(\tau) = \begin{cases} -1/(H_{\rm inf}\tau) & \tau < \tau_r \\ a_r \tau/\tau_r & \tau > \tau_r \end{cases}$$

$$M_{\rm GW}(\tau) = \begin{cases} m & \tau < \tau_m \\ 0 & \tau > \tau_m \end{cases}$$



Energy Density of GWs

- The present-day energy densities of GWs help us look at how primordial GWs are influenced by deviations from GR
- Energy density is defined as

$$\Omega_{\rm GW} = \frac{1}{\rho_c}\frac{d\rho_{\rm GW}}{d\log k}$$

- In massive gravity, $\Omega_{\rm GW}$ is blue tilted / amplified:

$$\Omega_{{\rm GW},0}(f) = \frac{\pi^2 f^2}{3a_0^2 H_0^2}\frac{\tau_m}{\tau_r}(k\tau_r)^{3-2\nu}\mathcal{P}_{\rm GR}(k)$$

- $\mathcal{P}_{\rm GR}(k)$ is defined in our paper [6] in Eq. 14.
- ν in the exponent is defined as

$$\nu = \sqrt{\frac{9}{4} - \frac{m^2}{H_{\rm inf}^2}}$$



$h_0^2\Omega_{\rm GW,0}$ as a function of f and $M_{\rm GW}$ (left), τ_m (middle), and $H_{\rm inf}$ (right).

Results

Our values for the parameters are

- $M_{\rm GW} = 1.298 H_{\rm inf}$, $H_{\rm inf} = 1.7\,{\rm GeV}$ to stay within 1σ (red curve)
- $M_{\rm GW} = 1.251 H_{\rm inf}$, $H_{\rm inf} = 8.0\,{\rm GeV}$ to stay within 2σ (blue curve)
- $M_{\rm GW} = 1.201 H_{\rm inf}$, $H_{\rm inf} = 50.\,{\rm GeV}$ to stay within 3σ (green curve)
- purple curve – partially produces the signal for large $\Omega_{\rm GW}$ and f
- golden curve – partially produces the signal for small $\Omega_{\rm GW}$ and f

Respecting CMB, BBN bounds and reproducing the signal are mutually exclusive. If we don't respect them, we achieve good agreement with signal with a caveat: τ_m is too deep into the matter dominated era.



Conclusions

- Time-dependent MTMG successfully reproduces NG15
- Certain values of the parameters produce $\Omega_{\rm GW}$ that violate BBN bound, for $f \gtrsim 10^{-6}$ Hz.
- Suppression mechanism, analogous to the damping of the energy density from the free-streaming neutrinos [7], could be introduced
- More complicated functions for $M_{\rm GW}(t)$ are possible; future work can try to place constraints on the time evolution of the mass
- Further observations that place constraints on $H_{\rm inf}, a_r, \tau_r$ would be able to constrain the parameters of this theory

Source Code The NANOGrav 15-Year data is available at NANOGrav, source code to reproduce all of the figures is available in our main GitHub repository, the TeX source for our paper [6] is available here, and the Tex source for this poster is available here.

Acknowledgements We thank Sachiko Kuroyanagi and Shinji Mukohyama for helpful discussions related to [5], Axel Brandenburg, Neil J. Cornish, and Arthur B. Kosowsky for comments, Emma Clarke, Jeffrey S. Hazboun, and William G. Lamb for help with plotting NG15, Sayan Mandal for interpretation, the organizers and participants of the workshop "Unravelling the Universe with Pulsar Timing Arrays", and Stephen Huan for the template for this poster. TK and MG acknowledge partial support from the NASA ATP Award 80NSSC22K0825.

Bibliography

[1] G. Agazie, A. Anumarlapudi, A. M. Archibald, *et al.*, "The nanograv 15 yr data set: Evidence for a gravitational-wave background," *The Astrophysical Journal Letters*, vol. 951, no. 1, p. L8, Jun. 2023. DOI: 10.3847/2041-8213/acdac6. [Online]. Available: https://dx.doi.org/10.3847/2041-8213/acdac6.

[2] S. Burke-Spolaor *et al.*, "The Astrophysics of Nanohertz Gravitational Waves," *Astron. Astrophys. Rev.*, vol. 27, no. 1, p. 5, 2019. DOI: 10.1007/s00159-019-0115-7. arXiv: 1811.08826 [astro-ph.HE].

[3] A. Afzal, G. Agazie, A. Anumarlapudi, *et al.*, "The nanograv 15 yr data set: Search for signals from new physics," *The Astrophysical Journal Letters*, vol. 951, no. 1, p. L11, Jun. 2023. DOI: 10.3847/2041-8213/acdc91. [Online]. Available: https://dx.doi.org/10.3847/2041-8213/acdc91.

[4] A. De Felice and S. Mukohyama, "Minimal theory of massive gravity," *Physics Letters B*, vol. 752, pp. 302–305, Jan. 2016, ISSN: 0370-2693. DOI: 10.1016/j.physletb.2015.11.050. [Online]. Available: http://dx.doi.org/10.1016/j.physletb.2015.11.050.

[5] T. Fujita, S. Kuroyanagi, S. Mizuno, and S. Mukohyama, "Blue-tilted Primordial Gravitational Waves from Massive Gravity," *Phys. Lett. B*, vol. 789, pp. 215–219, 2019. DOI: 10.1016/j.physletb.2018.12.025. arXiv: 1808.02381 [gr-qc].

[6] C. Choi, J. Magallanes, M. Gurgenidze, and T. Kahniashvili, "Stochastic Gravitational Wave Background Detection through NANOGrav 15-year Data Set in the View of Massive Gravity," *arXiv e-prints*, arXiv:2312.03932, arXiv:2312.03932, Dec. 2023. DOI: 10.48550/arXiv.2312.03932. arXiv: 2312.03932 [astro-ph.CO].

[7] R. Durrer and T. Kahniashvili, "CMB anisotropies caused by gravitational waves: A Parameter study," *Helv. Phys. Acta*, vol. 71, pp. 445–457, 1998. arXiv: astro-ph/9702226.