

FAREM-CHONTALES



UNIVERSIDAD
NACIONAL
AUTÓNOMA DE
NICARAGUA,
MANAGUA

UNAN - MANAGUA

Nombre:

Christopher Dariel Castro Pérez

Carrera:

ING. Sistemas de la información

Tercer año

Profesor:

Eliab Selva

Fecha:

25 de abril 2022

1.

SQLQuery1.sql - DE...AN-Chontales (53)) * X DESKTOP-O66L6SS\...hwind - northwind

```
SELECT * FROM Categories
```

```
SELECT CategoryName, CategoryID FROM Categories
```

100 %

Results Messages

	CategoryID	CategoryName	Description	Picture
4	4	Dairy Products	Cheeses	0x151C2F00020000000D000E0014002100FFFFFFFF4269746...
5	5	Grains/Cereals	Breads, crackers, pasta, and cereal	0x151C2F00020000000D000E0014002100FFFFFFFF4269746...
6	6	Meat/Poultry	Prepared meats	0x151C2F00020000000D000E0014002100FFFFFFFF4269746...
7	7	Produce	Dried fruit and bean curd	0x151C2F00020000000D000E0014002100FFFFFFFF4269746...
8	8	Seafood	Seaweed and fish	0x151C2F00020000000D000E0014002100FFFFFFFF4269746...

	CategoryName	CategoryID
1	Beverages	1
2	Condiments	2
3	Confections	3
4	Dairy Products	4
5	Grains/Cereals	5

Query executed successfully. DESKTOP-O66L6SS\SERVIDORSQL... DESKTOP-O66L6SS\UNAN-C... Northwind 00:00:00 16 rows

2.

SQLQuery1.sql - DE...AN-Chontales (53)) * X DESKTOP-O66L6SS\...hwind - northwind*

```
SELECT OrderID, ProductID, UnitPrice
```

```
FROM [Order Details]
```

```
WHERE OrderID = 10251;
```

100 %

Results Messages

	OrderID	ProductID	UnitPrice
1	10251	22	16.80
2	10251	57	15.60
3	10251	65	16.80

3.

SQLQuery1.sql - DE...AN-Chontales (53)) * X DESKTOP-O66L6SS\...hwind - northwind*

```
SELECT CompanyName FROM Customers
```

```
WHERE CompanyName = 'Alfreds Futterkiste';
```

QL Server Object Explorer Toolbar Options

100 %

Results Messages

	CompanyName
1	Alfreds Futterkiste

4.

SQLQuery1.sql - DE...AN-Chontales (53))* X DESKTOP-O66L6SS\...hwind - northwind*

```

SELECT OrderID,ProductID,UnitPrice
FROM [Order Details]
WHERE OrderID = 10251 AND ProductID = 57;

```

100 %

Results Messages

	OrderID	ProductID	UnitPrice
1	10251	57	15.60

5.

SQLQuery1.sql - DE...AN-Chontales (53))* X DESKTOP-O66L6SS\...hwind - northwind*

```

SELECT OrderID,ProductID,UnitPrice
FROM [Order Details]
WHERE OrderID = 10251 or ProductID = 57;

```

100 %

Results Messages

	OrderID	ProductID	UnitPrice
1	10251	22	16.80
2	10251	57	15.60
3	10251	65	16.80
4	10260	57	15.60
5	10282	57	15.60
6	10326	57	15.60
7	10355	57	15.60
8	10368	57	15.60
9	10416	57	15.60
10	10438	57	15.60
11	10535	57	19.50
12	10578	57	19.50
13	10582	57	19.50
14	10597	57	19.50

Query executed successfully. DESKTOP-O66L6SS\SERVIDORSQL... DESKTOP-O66

6.

SQLQuery1.sql - DE...AN-Chontales (53))* X DESKTOP-O66L6SS\...hwind - northwind*

```

SELECT OrderID,ProductID,UnitPrice
FROM [Order Details]
WHERE OrderID >= 11000;

```

100 %

Results Messages

	OrderID	ProductID	UnitPrice
1	11000	4	22.00
2	11000	24	4.50
3	11000	77	13.00
4	11001	7	30.00
5	11001	22	21.00
6	11001	46	12.00
7	11001	55	24.00
8	11002	13	6.00
9	11002	35	18.00
10	11002	42	14.00
11	11002	55	24.00
12	11003	1	18.00
13	11003	40	18.40
14	11003	52	7.00
15	11004	26	31.23
16	11004	76	18.00

Query executed successfully. DESKTOP-O66L6SS\SERVIDORSQL... DESKTOP

7.

SQLQuery1.sql - DE...AN-Chontales (53))* - X DESKTOP-O66L6SS\...hwind - northwind*

```

SELECT OrderID, ProductID, UnitPrice
FROM [Order Details]
WHERE OrderID >= 11000 AND OrderID <= 11003;

```

column OrderID(PK, int, not null)

100 %

Results Messages

	OrderID	ProductID	UnitPrice
1	11000	4	22.00
2	11000	24	4.50
3	11000	77	13.00
4	11001	7	30.00
5	11001	22	21.00
6	11001	46	12.00
7	11001	55	24.00
8	11002	13	6.00
9	11002	35	18.00
10	11002	42	14.00
11	11002	55	24.00
12	11003	1	18.00
13	11003	40	18.40
14	11003	52	7.00

Query executed successfully. | DESKTOP-O66L6SS\SERVIDORSQL... | DESKTOP-O66L6SS\UNAN-C... | Northwind

8.

SQLQuery1.sql - DE...AN-Chontales (53))* - X DESKTOP-O66L6SS\...hwind - northwind*

```

SELECT OrderID, ProductID, UnitPrice
FROM [Order Details]
WHERE OrderID BETWEEN 11000 AND 11003;

```

100 %

Results Messages

	OrderID	ProductID	UnitPrice
1	11000	4	22.00
2	11000	24	4.50
3	11000	77	13.00
4	11001	7	30.00
5	11001	22	21.00
6	11001	46	12.00
7	11001	55	24.00
8	11002	13	6.00
9	11002	35	18.00
10	11002	42	14.00
11	11002	55	24.00
12	11003	1	18.00
13	11003	40	18.40
14	11003	52	7.00

Query executed successfully. | DESKTOP-O66L6SS\SERVIDORSQL... | DESKTOP-O66L6SS\UNAN-C... | Northwind

9.

SQLQuery1.sql - DE...AN-Chontales (53))* - X DESKTOP-O66L6SS\...hwind - northwind*

```

--11
SELECT CompanyName
FROM Customers
WHERE CompanyName LIKE 'A%';

```

100 %

Results Messages

	CompanyName
1	Alfreds Futterkiste
2	Ana Trujillo Emparedados y helados
3	Antonio Moreno Taquería
4	Around the Horn

10.

```
--12
SELECT CompanyName
FROM Customers
WHERE CompanyName LIKE '%ma';
```

	CompanyName
1	Centro comercial Moctezuma

11.

```
SELECT RegionDescription
FROM Region
WHERE RegionDescription LIKE '%TERN%';
```

	RegionDescription
1	Eastern
2	Western

12.

```
--14
SELECT OrderID
FROM [Order Details]
WHERE OrderID LIKE '%0285';
```

	OrderID
1	10285
2	10285
3	10285

13.

SQLQuery1.sql - DE...AN-Chontales (53))* -> X DESKTOP-O66L6SS\...hwind - northwind*

```
--15
SELECT CompanyName
FROM Customers
WHERE CompanyName LIKE '[abc]%';
```

100 %

Results Messages

	CompanyName
1	Alfreds Futterkiste
2	Ana Trujillo Emparedados y helados
3	Antonio Moreno Taquería
4	Around the Horn
5	Berglunds snabbköp
6	Blauer See Delikatessen
7	Blondesddsl père et fils
8	Bólido Comidas preparadas
9	Bon app'
10	Bottom-Dollar Markets
11	R's Beverages

14.

SQLQuery1.sql - DE...AN-Chontales (53))* -> X DESKTOP-O66L6SS\...hwind - northwind*

```
--16
SELECT *
FROM [Order Details]
WHERE OrderID IN (10248,10255,10270);
```

100 %

Results Messages Client Statistics

	OrderID	ProductID	UnitPrice	Quantity	Discount
1	10248	11	14.00	12	0
2	10248	42	9.80	10	0
3	10248	72	34.80	5	0
4	10255	2	15.20	20	0
5	10255	16	13.90	35	0
6	10255	36	15.20	25	0
7	10255	59	44.00	30	0
8	10270	36	15.20	30	0
9	10270	43	36.80	25	0

15.

SQLQuery1.sql - DE...AN-Chontales (53))* -> X DESKTOP-O66L6SS\...hwind - northwind*

```
--17
SELECT *
FROM [Order Details]
WHERE OrderID = 10248 or OrderID= 10255 or OrderID = 10270;
```

100 %

Results Messages Client Statistics

	OrderID	ProductID	UnitPrice	Quantity	Discount
1	10248	11	14.00	12	0
2	10248	42	9.80	10	0
3	10248	72	34.80	5	0
4	10255	2	15.20	20	0
5	10255	16	13.90	35	0
6	10255	36	15.20	25	0
7	10255	59	44.00	30	0
8	10270	36	15.20	30	0
9	10270	43	36.80	25	0

16.

SQLQuery1.sql - DE...Northwind (sa (67))*

```
--19
SELECT CategoryID, CategoryName
FROM Categories
ORDER BY CategoryName ASC;
```

100 %

Results Messages

	CategoryID	CategoryName
1	1	Beverages
2	2	Condiments
3	3	Confections
4	4	Dairy Products
5	5	Grains/Cereals
6	6	Meat/Poultry
7	7	Produce
8	8	Seafood

17.

SQLQuery1.sql - DE...Northwind (sa (67))*

```
--18
SELECT CategoryID, CategoryName
FROM Categories
ORDER BY CategoryName;
```

100 %

Results Messages

	CategoryID	CategoryName
1	1	Beverages
2	2	Condiments
3	3	Confections
4	4	Dairy Products
5	5	Grains/Cereals
6	6	Meat/Poultry
7	7	Produce
8	8	Seafood

18.

SQLQuery1.sql - DE...Northwind (sa (67))*

```
--20
SELECT CategoryID, CategoryName
FROM Categories
ORDER BY CategoryName DESC;
```

100 %

Results Messages

	CategoryID	CategoryName
1	8	Seafood
2	7	Produce
3	6	Meat/Poultry
4	5	Grains/Cereals
5	4	Dairy Products
6	3	Confections
7	2	Condiments
8	1	Beverages

Query executed successfully.

DESKTOP-O66L6SS\SERVERDORSQL...

19.

SQLQuery1.sql - DE...Northwind (sa (67))* -P X

```
--21
SELECT SupplierID, CategoryID
FROM Products;
```

100 %

Results Messages

	SupplierID	CategoryID
1	1	1
2	1	1
3	1	2
4	2	2
5	2	2
6	3	2
7	3	7
8	3	2
9	4	6
10	4	8
11	5	4
12	5	4

Query executed successfully. DESKTOP-O66L6SS\SERVERDORSQL...

20.

SQLQuery1.sql - DE...Northwind (sa (67))* -P X

```
--21
SELECT DISTINCT SupplierID, CategoryID
FROM Products;
```

100 %

Results Messages

	SupplierID	CategoryID
1	1	1
2	1	2
3	2	2
4	3	2
5	3	7
6	4	6
7	4	7
8	4	8
9	5	4
10	6	2
11	6	7
12	6	8

Query executed successfully. DESKTOP-O66L6SS

21.

SQLQuery1.sql - DE...Northwind (sa (67))* -P X

```
--23
SELECT CategoryID AS [Codigo de la categoria],
       CategoryName AS [Nombre de la categoria]
FROM Categories;
```

100 %

Results Messages

	Codigo de la categoria	Nombre de la categoria
1	1	Beverages
2	2	Condiments
3	3	Confections
4	4	Dairy Products
5	5	Grains/Cereals
6	6	Meat/Poultry
7	7	Produce
8	8	Seafood

Query executed successfully. DESKTOP-O66L6SS

22.

SQLQuery1.sql - DE...Northwind (sa (67))*

```
--24
SELECT ProductID, ProductName, UnitPrice, UnitPrice*1.10 AS Aumento
FROM Products;
```

100 %

Results Messages

	ProductID	ProductName	UnitPrice	Aumento
1	1	Chai	18.00	19.800000
2	2	Chang	19.00	20.900000
3	3	Aniseed Syrup	10.00	11.000000
4	4	Chef Anton's Cajun Seasoning	22.00	24.200000
5	5	Chef Anton's Gumbo Mix	21.35	23.485000
6	6	Grandma's Boysenberry Spread	25.00	27.500000
7	7	Uncle Bob's Organic Dried Pears	30.00	33.000000
8	8	Northwoods Cranberry Sauce	40.00	44.000000
9	9	Mishi Kobe Niku	97.00	106.700000
10	10	Ikura	31.00	34.100000
11	11	Queso Cabrales	21.00	23.100000
12	12	Queso Manchego La Pastora	38.00	41.800000

Query executed successfully. DESKTOP-O66L6SS\

23.

SQLQuery1.sql - DE...Northwind (sa (69))*

```
--25
SELECT TOP 3 OrderID, (UnitPrice*Quantity) AS [Venta Total]
FROM [Order Details]
ORDER By [Venta Total] DESC;
```

100 %

Results Messages

	OrderID	Venta Total
1	10865	15810.00
2	10981	15810.00
3	10353	10540.00

Query executed successfully. DESKTOP-O66L6SS\

24.

SQLQuery1.sql - DE...Northwind (sa (69))*

```
--25
SELECT TOP 3 WITH TIES OrderID, (UnitPrice*Quantity) AS [Venta Total]
FROM [Order Details]
ORDER By [Venta Total] DESC;
```

100 %

Results Messages

	OrderID	Venta Total
1	10865	15810.00
2	10981	15810.00
3	10889	10540.00
4	10353	10540.00
5	10417	10540.00

Query executed successfully. DESKTOP-O66L6SS\SEP

25.

SQLQuery1.sql - DE...Northwind (sa (69))*

```
--25
SELECT TOP 25 PERCENT OrderID, (UnitPrice*Quantity) AS [Venta Total]
FROM [Order Details]
ORDER BY [Venta Total] DESC;
```

100 %

Results Messages

	OrderID	Venta Total
1	10865	15810.00
2	10981	15810.00
3	10889	10540.00
4	10353	10540.00
5	10417	10540.00
6	10424	10329.20
7	10897	9903.20
8	10372	8432.00
9	10540	7905.00
10	10816	7905.00
11	10817	7905.00
12	10912	7427.40
13	11030	7427.40

Query executed successfully. DESKTOP-O66L6SS\

26.

SQLQuery1.sql - DE...Northwind (sa (69))*

```
--28
SELECT EmployeeID, LastName
FROM Employees
WHERE LastName like 'D%';
```

100 %

Results Messages

	EmployeeID	LastName
1	1	Davolio
2	9	Dodsworth

27.

SQLQuery1.sql - DE...Northwind (sa (69))*

```
--29
SELECT EmployeeID, LastName
FROM Employees
WHERE LastName like '%N';
```

100 %

Results Messages

	EmployeeID	LastName
1	5	Buchanan
2	8	Callahan

Query executed successfully. DESKTOP-O66L6

28.

SQLQuery1.sql - DE...Northwind (sa (69))*

```
--30
SELECT EmployeeID, LastName, Title
FROM Employees
WHERE Title like '%SA'
```

column LastName(nvarchar, not null)

100 %

	EmployeeID	LastName	Title
1	1	Davolio	Sales Representative
2	2	Fuller	Vice President, Sales
3	3	Leverling	Sales Representative
4	4	Peacock	Sales Representative
5	5	Buchanan	Sales Manager
6	6	Suyama	Sales Representative
7	7	King	Sales Representative
8	8	Callahan	Inside Sales Coordinator
9	9	Dodsworth	Sales Representative

Query executed successfully. | DESKTOP-O66L6SS\S

29.

SQLQuery1.sql - DE...Northwind (sa (69))*

```
--31
SELECT EmployeeID, LastName, Title
FROM Employees
WHERE Title NOT LIKE '%REPRESENTATIVE%';
```

100 %

	EmployeeID	LastName	Title
1	2	Fuller	Vice President, Sales
2	5	Buchanan	Sales Manager
3	8	Callahan	Inside Sales Coordinator

Query executed successfully. | DESKTOP-O66L6SS\S

30.

SQLQuery1.sql - DE...Northwind (sa (69))*

```
--32
SELECT OrderID
FROM [Order Details]
WHERE OrderID LIKE '10248';
```

100 %

	OrderID
1	10248
2	10248
3	10248

Query executed successfully. | DESKTOP-O66L6SS\S

31.

The screenshot shows a SQL Server Enterprise Manager window titled "SQLQuery1.sql - DE...Northwind (sa (69))". The query editor contains the following SQL code:

```
-- 33
SELECT OrderID
FROM [Order Details]
WHERE OrderID LIKE '10[1-5]48';
```

The query results are displayed in a table with the following data:

	OrderID
1	10348
2	10248
3	10348
4	10448
5	10548
6	10448
7	10548
8	10248
9	10248

The status bar at the bottom indicates "Query executed successfully." and the server name is "DESKTOP-O66L6SS".