



Grant Agreement: 644047

Integrated Tool chain for model-based design of CPSs



HUBCAP

HUBCAP Collaboration Platform v4

Technical Note Number: D5.5

Version: 1.0

Type: Other

Date: June 2022

Public Document

[HUBCAP \(au.dk\)](https://hucap.au.dk)

Editors:

Pietro Greco (ENGIT)

Giuseppe Veneziano (ENGIT)

Angelo Marguglio (ENGIT)

Reviewers:

Bogdan Pirvu (ULBS)

Dario Pietraroia (TTS)

Consortium:

Aarhus University	AU	Newcastle University	UNEW
Fortiss GmbH	FOR	Virtual Vehicle Research Center	VV
Fundazione Bruno Kessler	FBK	KTH Royal Institute of Technology	KTH
University "Lucian Blaga" of Sibiu	ULBS	Engineering Ingegneria Informatica S.p.A.	ENGIT
Research Institutes of Sweden AB	RISE	F6S Network Limited	F6S
Politecnico di Milano	POLIMI	Unparallel Innovation	UNP
Controllab Products	CLP	BEIA Consult	BEIA
Verified Systems International GmbH	VSI	Validas	VAL
Technology Transfer Systems srl	TTS		

Document History

Ver.	Date	Author	Description
0.1	16-05-2022	Pietro Greco, Giuseppe Veneziano	ToC and initial material
0.1	24-06-2022	Bogdan Pirvu, Dario Pietraroia	Peer Review
0.2	24-06-2022	Angelo Marguglio	Internal Review
0.3	29-06-2022	Pietro Greco, Giuseppe Veneziano	Refinements
1.0	30-06-2022	AU-TEAM	Document ready for submission

List of Definitions (HUBCAP contextualized)

Term	Definition
Catalogue	Set of entries available in the Collaboration Portal describing CPS tools or models, Guidelines, DIH Services, Companies and Success Stories
Collaboration Platform	Platform resulting from the combination of the <i>Collaboration Portal</i> and <i>Sandboxing Middleware</i>
Collaboration Portal	It is the entry point of the Collaboration Platform. It provides access to a set of functionalities and assets conceived to foster collaboration among project stakeholders. It is based on a ENGIT asset called DIHIWARE.
Model	Archive containing files and directories implementing a CPS model usable inside a sandbox
Operating System	A minimal installation of a Linux or Windows OS ready-to-use inside a sandbox for installing a CPS tool
Repository	List of sandbox-instantiable operating systems, tools and models
Sandbox	Isolated set of running tools, operating systems and models featuring a dedicated local network and a shared storage
Sandbox Viewer	Web page through which it is possible to interact with all the sandbox components
Sandboxing Middleware	Provides a protected environment where CPS tools and models can be safely evaluated inside sandboxes
System Interactive Mode	Every day the HSM switches between two modes: interactive and batch. During the first one a HSM user can interact with a sandbox via the sandbox viewer.
Tool	CPS Software for Model Based Design which has been added to the Tools Repository

List of Acronyms

Acronym	Description
CPS	Cyber Physical Systems
CTA	Call to Action
DIH	Digital Innovation Hub
HCP	HUBCAP Collaboration Portal
HSM	HUBCAP Sandboxing Middleware
IDM	Identity Manager
IPR	Intellectual Property Rights
KPI	Key Performance Indicator
LTS	Long Term Support
MBD	Model-based Design
OAUTH	Open Authorization
OC	Open Call
OIDC	OpenID Connect
OS	Operating System
OSP	One Session Passphrase
PC	Personal Computer
REST	Representational State Transfer
SBM	System Batch Mode
SIM	System Interactive Mode
SME	Small and Medium size Enterprise
UI	User Interface
UIS	User Interactive Session
VM	Virtual Machine
WBS	Work Breakdown Structure

Abstract

This report describes the main results achieved in the last six months of work and in particular focuses on the incremental changes made to the HUBCAP Collaboration Platform (Figure 1) to obtain the new, current **release 4**.




Figure 1 - Collaboration Platform Architectural Overview from D5.4

A **first substantial result** was the **upgrade** of the **Collaboration Portal** subsystem to the latest version of the underlying DIHIWARE environment in order to:

- **solve** the issues identified in the previous release,
- **respond** to user feedback, and
- **provide** a revised and modern user interface.

The main solutions offered in release 4 - grouped along with the corresponding identified issues / improvement opportunities - are shown in the following table (Table 1):

Identified Issues and/or Improvement Opportunities	Solutions in new release 4
Tools and Models Catalogues Search function	<ul style="list-style-type: none"> • A structured content filtering allows to search by a combination of matching criteria for specific fields of models and tools catalogues entries • A simpler and more efficient plain text search functionality is embedded in the models and tools catalogues user interface
Forms robustness and clarity	<ul style="list-style-type: none"> • The data entry forms of models and tools catalogues have been hardened and now offer a more robust, reliable and clear way of entering data
User Interface	<ul style="list-style-type: none"> • An improved, more modern user interface has been implemented
Content Organization	<ul style="list-style-type: none"> • Some easier to use viewers for various content (e.g., Figure 16 - DIH Services catalogue) have been integrated in the new pages' layout

Table 1 - Summary of the identified issues / improvement opportunities with corresponding solutions

In addition to this software upgrade - since the new DIHIWARE version is not backward compatible - it was necessary also to **migrate all the pre-existent data** from the old portal to the new one.

A **second remarkable result**, coming from a great deal of work done on platform **sustainability**, was the agreement and the planning of the creation – during the next six months - of a **replication package**, which will allow the instantiation of a “replica” of the HUBCAP Collaboration Platform surviving after the end of the project on a server managed by a HUBCAP Community.

Other notable results are related to the **Sandboxing Middleware**, whose

- **TLS configuration** has been updated to reflect the latest security standards and maintain a high-level ranking, as verified via the Qualys SSL Labs tool, and

- **interactive access time slot** extended from 10 hours per day to **24/7** after completing the HSM fine-tuning.

Finally, also important is the **work approach** followed to achieve these results, based on paying a lot of attention to end-users, DIHs and OC Winners' **feedback** and on discussing in **ad-hoc multi-lateral** meetings the best answer to users' needs.

Table of Contents

1	Introduction	11
1.1	Sustainability	12
1.2	Upgrade to the new Collaboration Portal and Data Migration.....	13
2	HUBCAP Collaboration Portal: Key Updates and Features Delivered in Release 4.....	15
2.1	Basic Collaboration and Social Functionalities	15
2.1.1	Liferay Social functionalities.....	15
2.1.1.1	Liferay Blog	16
2.1.1.2	Liferay Message Boards.....	18
2.1.1.3	Liferay Wiki.....	20
2.1.1.4	Liferay Calendar.....	22
2.1.1.5	Liferay Documents and Media	22
2.2	Catalogues Manager	25
2.2.1	Updated Tools and Models Catalogues	25
2.2.1.1	Improved Catalogues Search Function.....	25
2.2.1.2	Improvements to the Tools and Models Catalogues Entry Forms.....	26
2.2.2	D-BEST Services Catalogue	27
2.2.3	Success Stories Catalogue	31
2.2.4	New Co-editor capability for catalogues entries.....	33
2.3	User Support	34
2.3.1	User Manuals	34
2.3.2	Visualisation Tree: a first integration	36
2.4	FIWARE Keyrock IDM (IDentity Manager).....	38
3	HUBCAP Sandboxing Middleware	41
3.1	Security: Updated TLS Configurations.....	41
3.2	Interactive Mode Time Slot Extension	41
3.3	User Management.....	41
4	KPIs (Key Performance Indicators)	42
4.1	New Charts for Other KPI Reports	42
4.2	Improvements to Charts	45
5	Next Steps	46

List of Figures

Figure 1 - Collaboration Platform Architectural Overview from D5.4	6
Figure 2 - An initial Work Breakdown Structure	12
Figure 3 - Sample Blog Post	16
Figure 4 - New Blog Entry author's panel	17
Figure 5 - A detail of the social functionalities available in the Blog section	17
Figure 6 - Sample thread in Forum section	18
Figure 7 - Add Message panel (Forum Section)	19
Figure 8 - Wiki section	20
Figure 9 - Wiki page editing panel	21
Figure 10 - Calendar in the Events section	22
Figure 11 - Documents and Media widget for Papers and publications	23
Figure 12 - Documents and Media embedded viewer	24
Figure 13 - Enhanced search functionality for models and tools catalogues	25
Figure 14 - Splitting of Model-based techniques field	26
Figure 15 - Detail of the improved multi-selection combo boxes	27
Figure 16 - New D-BEST Services Visualisation	28
Figure 17 - List of services for the Business category	29
Figure 18 - Service details panel	30
Figure 19 - List of Success Stories	31
Figure 20 - Form for adding of a new Success Story	32
Figure 21 - Success story as it appears to the viewing users	33
Figure 22 - Panel available in the catalogues forms for entering co-editors	34
Figure 23 - New Collaboration Portal home page	34
Figure 24 - Online HSM User Manual table of content	35
Figure 25 - Tools Requirements section of the HSM User Manual	36
Figure 26 - Prototype of visualisation tree	37
Figure 27 - HUBCAP Collaboration Platform welcome page	38
Figure 28 - FIWARE Keyrock home page with login form	39
Figure 29 - Collaboration Portal home page	39
Figure 30 - A+ ranking verified through the Qualys SSL Labs tool	41
Figure 31 - Platform KPIs section	42
Figure 32 - Example of tabular view for a KPI Report	43
Figure 33 - Example of KPI Report in CSV format	43
Figure 34 - Example of chart for a KPI Report	44
Figure 35 - Filtering module conditions fields	45
Figure 36 - Chart data filtered by two conditions on the same field	46

1 Introduction

This report details improvements, new and revised functionalities, initiatives to support users and other novelties introduced by this release 4. In particular:

- Section 1.1 (Sustainability) describes the initial work on **sustainability** as well as the first outcomes
- Section 1.2 (Upgrade to the new Collaboration Portal and Data Migration) details requirements, challenges and solutions for performing these processes
- Section 2.1 (Basic Collaboration and Social Functionalities) goes through the native Liferay widgets, namely: Blog, Forum, Wiki, Calendar and Documents and Media, providing for each of them a short description
- Section 2.2 (Catalogues Manager) illustrates:
 - The updated tools and models catalogues
 - The D-BEST Services catalogue now featuring an improved, **more powerful** and **easier to use** viewer
 - The new Success Stories catalogue, important to inform the community about the **results achieved by the HUBCAP users** through the platform
 - The new co-editor capability offered for models and tools catalogues entries by the Catalogue Manager
- Section 2.3 (User Support) presents a few initiatives to **better support the platform users**:
 - Quick references to the online HSM User Manual, where users can find everything they need to be able to run the experiments fruitfully
 - A prototype for a visualisation tree intended to guide users in the adoption of the CPS assets and/or MDB techniques best suited to their needs
- Section 2.4 (FIWARE Keyrock IDM (IDentity Manager)) describes the HUBCAP Collaboration Platform **authentication** and **authorization rules enforcer**
- Section 3 (HUBCAP Sandboxing Middleware) overviews the **main updates** to the HUBCAP Sandboxing Middleware and support given to its users

- Section 4 (KPIs (Key Performance Indicators)) depicts the **addition of charts** to other KPIs reports and a **new filtering module** for charts
- Section 5 (Next Steps) closes the document by anticipating the creation of a **“replication package”** particularly important to the **future sustainability** of the HUBCAP achievements

1.1 Sustainability

The initial work on **sustainability** has involved some of the WP5 partners as well as other WPs members and external stakeholders. The effort, channelled through a dedicated taskforce, has been multifaceted and traversed different types of activities aiming to find synergies and ways forward. In particular:

- ENGIT and AU performed a **technical pre-analysis** of the assets of other European projects to evaluate any collaboration/integration possibilities
- ENGIT **depicted an initial Work Breakdown Structure** (Figure 2)



Figure 2 - An initial Work Breakdown Structure

to better detect the roles needed to manage a community-led HUBCAP platform from an administrative perspective

- ENGIT **participated in many multi-lateral meetings** with project partners, OC winners and external stakeholders to evaluate different ways for going forward

- ENGIT **planned the creation of a replication package** able to allow the instantiation of another HUBCAP Collaboration Platform - managed by a HUBCAP Community – to exploit the outcomes of the project also after its end.

1.2 Upgrade to the new Collaboration Portal and Data Migration

One of the main achievements of this new release is the **upgrade** of the **Collaboration Portal** subsystem to the latest version of the underlying DIHIWARE environment. This goal, particularly challenging due to the lack of backward compatibility of the new DIHIWARE version, has been achieved through careful planning, testing and putting emphasis on the design of data migration. After the completion of these activities, the users were able to move smoothly and transparently to the new release enjoying enhanced functionalities without losing the previous contents.

1.2.1 Some details about the Collaboration Portal upgrade and data migration

The upgrade and data migration of the Collaboration Portal was challenging because of

- the **pre-existent data** to keep (e.g., the catalogues contents and the users' info with their roles and permissions for the different parts of the platform, included the HSM)
- the **deep coupling** between **Collaboration Portal** and **Sandboxing Middleware** (e.g., specific HSM users' profiles, cross-links between HSM Repositories and HCP Catalogues, Try It Now functionality, and so on)
- the **different representations** of some internal data.

Data-wise, the migration to the new version posed the main requirement of keeping unaltered all the users' contents and roles.

Functionalities-wise, the most important aspect was to maintain operational the interaction between the Collaboration Portal (HCP) and the Sandboxing Middleware (HSM).

Users-wise, all the just mentioned processing had to be completed in a transparent way without requiring any intervention from the HUBCAP Platform clients.

As for the user-provided **content**, effort has been put into transferring the catalogue entries to the new instance ensuring that the updated catalogues internal structures and forms fields would not cause any issues nor hinder future users updates to these entries.

As far as **authorization rules** are concerned, the migration of existing roles and permissions made it necessary to implement some data conversion procedures aimed

at ensuring that all the information required was correctly transferred to the new and updated instance of Identity Manager (section 2.4).

Finally, regarding the **interactions between HCP and HSM**, it was necessary to rewrite some of the parts of the backend software aligning it to the new internal mechanisms and standards.

2 HUBCAP Collaboration Portal: Key Updates and Features Delivered in Release 4

The latest version of the Collaboration Portal subsystem offers several improvements at various levels through the upgrade of its main sub-components:

- **Liferay**
- **Catalogues Manager**
- **Identity Manager**

The **Liferay portal** (<https://liferay.dev/>) is the HUBCAP Collaboration Portal base building block. The new Liferay 7 Community Edition **natively** offers a wide range of more reliable and robust widgets. A selection of the most popular ones – shipped in the original Liferay implementation - has been provided ready to use in release 4 of the HUBCAP Collaboration Portal.

The **Catalogues Manager**, developed by ENGIT and integrated into the HUBCAP Platform, is the main persistence layer of the HUBCAP Collaboration Portal. Here is where information about DIHs, Companies, Tools and Models metadata, Success Stories and Guidelines are stored. The latest release provides enhanced search functions, data entry forms, views and co-editing capabilities.

The **Identity Manager (IDM)**, provided by FIWARE Keyrock (<https://www.fiware.org/>), manages the authentication rules. This version provides good support and a handily configuration of the OpenID Connect authentication layer.

The following sub-sections go through the native Liferay widgets, the improvements to the Catalogue Manager as well as the new and revised D-BEST Services and Success Stories catalogues. After a description of a few initiatives to better support users, the Section 2 is closed by a short description of the IDM component.

2.1 Basic Collaboration and Social Functionalities

2.1.1 Liferay Social functionalities

The Liferay framework offers natively several social functionalities conceived to encourage collaboration, networking and knowledge sharing. The most popular of these functionalities - provided ready-to-use in release 4 of the HUBCAP Collaboration Portal - are described briefly in the following paragraphs.

2.1.1.1 Liferay Blog




Figure 3 - Sample Blog Post

The **Blog section**, available under the Collaboration tab of the top navigation bar, is an excellent way to reach out to other users to share achievements, trends, research results and new initiatives, encouraging at the same time discussions.

Blog posts authors are provided with a rich set of HTML-enabled editing tools through which they can create and edit articles fully controlling the way they are presented to readers (Figure 4).




Figure 4 - New Blog Entry author's panel

Readers, on the other hand, can like or dislike blog posts, comment, reply, subscribe to new posts or comments, and much more (Figure 5).




Figure 5 - A detail of the social functionalities available in the Blog section

2.1.1.2 Liferay Message Boards

The **Forum section**, also available under the Collaboration tab of the top bar, it is one of the main centres of discussion and networking. Here, users can interact with each other asking for help, suggestions, discussing and organizing activities, initiatives, and more in general express their opinions on a range of topics related to the Cyber-Physical Systems and Model-based Design world.





Figure 6 - Sample thread in Forum section

Here, threads authors are offered a BBCode (Bulletin Board Code)-enabled WYSIWYG editor through which they can lay out and publish their initial post, adding links, images and attachments (Figure 7).



The screenshot shows the HUBCAP web interface. At the top is a blue header with a search bar and navigation icons. Below the header is a white navigation bar with the HUBCAP logo and links: Home, Test Before Invest, D-BEST, Innovation Ecosystem, Knowledge, Collaboration, Survey, and KPIs. The main content area is titled 'MESSAGE BOARDS' and 'Add Message'. It contains a form with three sections: 'Subject' with a text input field containing 'Suggestions On How to Customise a Tool VM'; 'Body' with a rich text editor toolbar (Bold, Italic, Underline, Bulleted List, Numbered List, Link, Unlink, Image, Source) and a large text area; and 'Attachments' with a dashed box for file uploads, the text 'Drop Files Here to Upload', and a 'Select Files' button.

Figure 7 - Add Message panel (Forum Section)

After publishing, other users will be able to reply, like or dislike, subscribe to changes and comments.

2.1.1.3 Liferay Wiki

The Wiki, shown in Figure 8 and available under the Collaboration tab of the top bar, allows users to collaboratively build a repository of information, creating pages and linking them to each other. Like most of the known wiki tools, the application allows users to create parent and child pages, so they can arrange structured content and navigate it. Enabled users can post comments and reply to comments staying updated by subscribing to a specific topic and getting a notification whenever a change occurs.




Figure 8 - Wiki section

In this case, wiki pages authors are provided with a [Creole](#) Syntax-enabled editor and have the possibility to add attachments (Figure 9).




Figure 9 - Wiki page editing panel

2.1.1.4 Liferay Calendar

The **Events section**, available under the Knowledge tab of the top bar, allows to access to a Calendar through which it is possible to define and publish events of interest for the community (Figure 10).




Figure 10 - Calendar in the Events section

2.1.1.5 Liferay Documents and Media

The **Papers & Publications section**, available under the Knowledge tab of the top bar, gathers papers, articles and other content produced by the HUBCAP community as part of the work done for public conferences and other dissemination activities. Figure 11 below:





Figure 11 - Documents and Media widget where Papers and publications are stored

The users can read the papers online, download, comment and subscribe to changes (Figure 12).



The screenshot displays the HUBCAP web interface. At the top, a navigation bar includes links for Home, Test Before Invest, D-BEST, Innovation Ecosystem, Knowledge, Collaboration, Survey, and KPIs. Below this, a breadcrumb trail shows the path: < A Cloud-Based Collaboration Platform for Model-Based Design of Cyber-Physical Systems. Two buttons, 'Info' and 'Download (822 KB)', are visible. The main content area features the title 'A Cloud-Based Collaboration Platform for Model-Based Design of Cyber-Physical Systems' in bold. Below the title, the authors are listed: Peter Gorm Larsen¹, Hugo Daniel Macedo¹, John Fitzgerald², Holger Pfeifer³, Martin Benedict⁴, Stefano Tonetta⁵, Angelo Marguglio⁶, Sergio Gusmeroli⁷ and George Suciu Jr.⁸. Each author's name is followed by a small icon representing their institution. The institutions are listed below the authors: ¹DIGIT, Department of Engineering, Aarhus University, Aarhus, Denmark; ²School of Computing, Newcastle University, United Kingdom; ³fortiss, Germany; ⁴Virtual Vehicle, Austria; ⁵Fondazione Bruno Kessler, Italy; ⁶Engineering Ingegneria Informatica S.p.A., Italy; ⁷Politecnico di Milano, Italy; ⁸BELA Covaia, Romania. A list of email addresses is provided at the bottom of the author list. On the left side of the document, a vertical timestamp reads '5 May 2020'. Below the document content, there is a 'Keywords' section, a 'Page 1 / 7' indicator, and a '0 COMMENTS' section with a 'Type your comment here.' input field and a 'Reply' button. A 'Subscribe' button is located in the bottom right corner.

Figure 12 - Documents and Media embedded viewer

2.2 Catalogues Manager

2.2.1 Updated Tools and Models Catalogues

2.2.1.1 Improved Catalogues Search Function

Based on the feedback received from end-users, project partners and survey respondents, release 4 of the HUBCAP Collaboration Portal offers an improved search functionality **specific and embedded in the Catalogue Manager** and available for **Tools, Models, DIHs and Companies catalogues**. Now users can search for the items of interest through a simple plain text search bar. It is sufficient to add a keyword to retrieve the results wanted. In addition, it is also possible to search by specific fields corresponding to specific items metadata. For instance, a user can specifically search by Name, Maturity Level, Licence Type, Provider also deciding whether to combine the conditions using Boolean operators, as shown in the following figure (Figure 13):





Figure 13 - Enhanced search functionality for models and tools catalogues

2.2.1.2 Improvements to the Tools and Models Catalogues Entry Forms

Improvements to the Model-based Techniques field and terms

Based on the feedback from WP6, the Model-based Techniques field available for Models and Tools Catalogues has undergone two major improvements:

- It has been split into three fields (Figure 14):
 - Model-based Techniques
 - Model Type
 - Models Languages, and
- The terms available for *the Model-based Techniques* field as well as those for the new *Model Types* and *Model Languages* fields have been normalized



The screenshot displays a form with three distinct sections, each with a light green header. The first section is titled 'Model-Based Techniques *NEW*' and includes a subtitle 'Model-Based Techniques that can be applied to the model'. Below this is a dropdown menu showing 'Nothing selected'. The second section is titled 'Model Type *NEW*' with a subtitle 'Model Type' and a dropdown menu also showing 'Nothing selected'. The third section is titled 'Model Languages *NEW*' with a subtitle 'Model Languages' and a dropdown menu showing 'Nothing selected'. To the left of the form, a vertical sidebar contains several labels: 'lati', 'No', 'ice', 'No', 'rov', 'om', and 'OF'.

Figure 14 - Splitting of Model-based techniques field

This enables a better, more structured and homogenous classification of tools and models.

Improvements to the Models and Tools Catalogues Data Entry Forms

The old *Model-based techniques* text field and the new *Model Types* and *Model Languages* fields now feature multi-selection combo boxes through which users can select the available terms from a predefined normalized list. These fields are now also

equipped with an **autocomplete-enabled** search bar, making it **easier** and **faster** to find specific terms. See Figure 15 below.




Figure 15 - Detail of the improved multi-selection combo boxes, also showing autocomplete-enabled search

2.2.2 D-BEST Services Catalogue

As for the BEST Services Catalogue two updates can be found in the new release:

1. Addition of the “D” Data Section, hence this catalogue is now referred to as D-BEST catalogue
2. Improved D-BEST Services viewer (Figure 16)

The **new Data category** collects all those services belonging to sub-categories such as:

- Data Acquisition and Sensing
- Data Processing and Analysis
- Decision Making
- Physical-human Action and Interaction
- Data Sharing

The **new D-BEST Services viewer** gives users the possibility to browse services by sub-categories: Data, Business, Ecosystem, Skill and Technology, or by the offering DIH (see combo box in the Figure 16 below).




Figure 16 - New D-BEST Services Visualisation

Once selected a particular category, users are offered the list of corresponding services as well as search functionalities. Specifically, the services can be filtered:

1. By selecting the offering DIH through the corresponding combo box at the top
2. By hiding services of a specific sub-category (by default all sub-categories are shown)
3. By using the Search bar just below the list of sub-categories




Figure 17 - List of services for the Business category

By clicking on the “eye” icon alongside a particular service in the list, users are shown a service details dialog (Figure 18)




Figure 18 - Service details panel

2.2.3 Success Stories Catalogue

The new release also introduces a new catalogue collecting success stories from OC Winners and not only that through the HUBCAP Collaboration Platform functionalities managed to achieve valuable results. Figure 19 show the list of success stories





Figure 19 - List of Success Stories

New success stories can be added through a form that allows to gather information such as Title, Location, and so on.



The screenshot shows a web application interface with a dark blue header and sidebar. The main content area displays a modal window titled "Add Entity" with a close button (X) in the top right corner. Inside the modal, the heading "Success Stories" is centered. Below the heading, there is a form with several sections:

- Title ***: A text input field with the placeholder "Title of the project".
- Location**: A section with four text input fields: "Street", "Postal code", "City", and "Country". Below these is a "Region" dropdown menu and a note: "Please provide information about registered address".
- Geo Point**: A section with two text input fields: "Latitude" and "Longitude". A blue button labeled "GET COORDS" is positioned to the right of the "Longitude" field.
- Subheading**: A text input field with the placeholder "Optional, giving more detail on what the project did".
- Domains of application**: A dropdown menu with the text "Select One:".
- Keywords**: A text input field with the placeholder "Keywords indicating what areas the project addressed".

Figure 20 - Form for adding of a new Success Story

Once entered all the information required, the success stories details will be available to all the other users (Figure 21).

Wheat Yield Prediction (WHY-PRED)

We investigated how to support the farmer with a decision support system to fertilize the right amount at the right moment while minimizing environmental impact.

Quote

"The HUBCAP project enabled us to do the groundwork for developing a decision support system for small and medium sized farming companies. Thanks to the funding we have been enabled to look into this really interesting topic" (David Lumpp, Agricultural engineer @DatenBerg)

Project

+

Experiment / what was done

+

HUBCAP support and platform opportunity

+

Solution partners


Datenberg GmbH

+

Hedwigshof Farm

+

Image



Related DIH

Newcastle University

Related Tools

Related Models

Delete

Edit

Domains of application

- Agriculture, hunting and forestry
- Agriculture, hunting and forestry

Impact

- Agricultural models explored; Logbook needs identified

Company

- Datenberg GmbH

Rough investment

- N/A

Trial date start/stop

- Start: 2021-07-19
- Stop: 2021-12-10

Location

- Haid-und-Neu-Straße - 76131 Karlsruhe - Germany Baden-Württemberg

Contacts

- Maximilian Backenstos
- maximilian.backenstos@datenberg.eu

Figure 21 - Success story as it appears to the viewing users

2.2.4 New Co-editor capability for catalogues entries

The latest version of the Catalogues Manager introduces a **co-editor capability** that allows the author of a catalogue entry to grant other users permissions to modify that entry (Figure 22). In that way, it will be **easier for collaborating users** to update the entries they are working on together.



The image shows a 'Co-Editor Permission' panel. It has a title bar with the text 'Co-Editor Permission' and an 'Edit' button with a pencil icon. Below the title bar, there are two input fields. The first field contains the email 'john.smith@hubcap.eu' and has a '+' button to its right. The second field contains the email 'ken.wilson@hubcap.eu' and has both '+' and '-' buttons to its right.

Figure 22 - Panel available in the catalogues data entry forms for entering co-editors

2.3 User Support

In this release 4 of the HUBCAP Platform, effort has also been put into increasing the level of user support. The following sections show two of the initiatives.

2.3.1 User Manuals

The new Portal home page now features two links (Figure 23) pointing to the Sandboxing Middleware online user manual introduced in the previous release.





Figure 23 - New Collaboration Portal home page featuring two new links to the HSM online manual

The first link, “HSM Manual”, points to the manual table of contents allowing users to find the information they need and available across the various sections. To this regard, the **online manual** also **offers a full-text search** function, making it **even easier to identify the content of interest** (Figure 24).



The screenshot shows the 'HSM User Manual' page. At the top left is a circular logo with five colored segments (red, orange, yellow, green, blue). To its right is the title 'HSM User Manual' and a search bar. Below the title is a breadcrumb trail 'You are here: toc'. The main content area displays a table of contents with numbered sections. Section 3, 'Introduction', is expanded to show its sub-sections. A 'toc' tab and an upward arrow are visible on the right side of the content area.

HSM User Manual

You are here: toc

- 1. Purpose of the document
- 2. Glossary
- 3. Introduction
 - 3.1 HUBCAP Sandboxing Middleware Overview
 - 3.2 User Profiles and Roles
 - 3.3 Features Overview
- 4. Accessing the Sandboxing Middleware
- 5. Tools and Models Evaluation
 - 5.1 Preliminary Operational Notes
 - 5.2 Composition and Launch of a Sandbox
 - 5.2.1 Compose a Sandbox from the Catalogues (Collaboration Portal side)
 - 5.2.2 Compose a Sandbox from the Repositories (Sandboxing Middleware side)
 - 5.2.3 Start a Just Composed Sandbox
 - 5.3 Use of the Sandbox
 - 5.3.1 Interaction among Tools in a Sandbox
 - 5.3.1.1 Interaction through the Sandbox Local Storage
 - 5.3.1.2 Interaction through the Sandbox Local Network
 - 5.3.2 Accessing the selected Models

Figure 24 - Online HSM User Manual table of content

The second link, “HSM Tools Requirements”, instead points to the specific “Tools requirements” sub-section of the user manual. The purpose of it is to make **easily and readily available to tool providers users** the requirements that their tools should meet in order to run within the Sandboxing Middleware at their full potential. See Figure 25 below:




Figure 25 - Tools Requirements section of the HSM User Manual

In case their tools did not meet the requirements, the section also offers some suggestions on how to tune tools, models or experiments.

2.3.2 Visualisation Tree: a first integration

Another initiative aims to **guide users in the adoption of CPS Tools and Models** leveraging a visualisation tree able to describe and take the user through the various sub-disciplines of Model-based design in order to eventually reach tools and models to experiment with. As the users navigate through the nodes of this tree, they get more information about what they might need for their purposes. The current release of the HUBCAP Collaboration Portal offers an implementation prototype available to a restricted set of users (Figure 26):




Figure 26 - Prototype of visualisation tree

2.4 FIWARE Keyrock IDM (IDentity Manager)

The enforcing of authentication rules is delegated to the FIWARE Keyrock (<https://www.fiware.org/>) Identity Manager integrated in the HUBCAP Collaboration Portal.

When users want to access the HUBCAP Collaboration Platform, they authenticate against the IDM. In fact, when from the welcome page, they click on 'Sign in':



Figure 27 - HUBCAP Collaboration Platform welcome page

they are prompted to enter their credentials in the IDM login page (Figure 28)




Figure 28 - FIWARE Keyrock home page with login form

After signing in, users will be redirected to the HUBCAP Collaboration Portal home page (Figure 29):




Figure 29 - Collaboration Portal home page

The component has been configured to satisfy different HUBCAP requirements and offers to a platform administrator functionalities such as:

- Users account registration
- Organizations registration
- Association of the users to organizations
- Users' roles definition
- Registration of applications as clients in the OAuth 2.0 architecture (<https://oauth.net/>)
- **OIDC-secured users authentication** (<https://openid.net/connect/>)

3 HUBCAP Sandboxing Middleware

3.1 Security: Updated TLS Configurations

As for the HUBCAP Sandboxing Middleware, the TLS configurations of the public entry points have been updated in order to keep the ranking previously achieved and verified by the Qualys SSL Labs tool. This online service performs a deep analysis of the configuration of any SSL web server issuing an overall rating and providing details on the quality of the configuration (Figure 30).



Figure 30 - A+ ranking verified through the Qualys SSL Labs tool

3.2 Interactive Mode Time Slot Extension

Moreover, the previous time slot available for users to access the Sandboxing Middleware has been **extended from 10 hours per day to 24/7**, thus removing any kind of pre-existing functional restriction and allowing users to perform their experiments at any time.

3.3 User Management

Throughout the period covered by this report, ENGIT also supported other partners in users management, in particular by **creating new users accounts** and **granting permissions** as required by other WPs leaders.

4 KPIs (Key Performance Indicators)

4.1 New Charts for Other KPI Reports

New charts have been added to the following KPI reports:

- **HUBCAP Sandboxing Middleware (HSM)**
 - HSM Resources Usage per User and Billing
 - HSM Sandboxes Activities Summary
 - HSM Instantiated Operating Systems - Trend
 - HSM Instantiated Tools - Trend
 - HSM Instantiated Models - Trend
 - HSM Tools Connections as Guest – Trend
- **HUBCAP Collaboration Portal (HCP)**
 - HCP Catalogues - Created Entries Trend
 - HCP Catalogues - Entries For Authors Synopsis
 - HCP Catalogues - Entries For Authors Trend

The complete set of KPIs reports - organised in sub-categories - is available to authenticated users on the Collaboration Portal at the following URL: [Platform KPIs](#)



Figure 31 - Platform KPIs section

From there (Figure 31), users can access reports on the Collaboration Portal and Sandboxing Middleware in both **tabular with charts** and **CSV** formats (Figure 32, Figure 33 and Figure 34).

HCP Catalogues - Created Entries Trend


Show entries Search:

Catalogue	Year	Created	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
hubcapmodel	2020	25	0	0	0	0	7	4	0	5	1	5	1	2
hubcapmodel	2021	62	0	0	0	0	9	39	5	0	7	0	1	1
hubcapmodel	2022	8	4	0	3	0	1	0	0	0	0	0	0	0
hubcapmodel	Total	95												
hubcaptool	2020	14	0	0	0	0	6	4	4	0	0	0	0	0
hubcaptool	2021	36	0	1	4	2	6	2	8	4	5	2	2	0
hubcaptool	2022	10	3	5	0	0	2	0	0	0	0	0	0	0
hubcaptool	Total	60												

Showing 1 to 8 of 8 entries Previous Next

[Back](#)

Figure 32 - Example of tabular view for a KPI Report




HUBCAP

Home Test Before Invest D-BEST

Index of /csv

- [HCP Catalog Created Entries Trend.csv](#)
- [HCP Catalog Models Details.csv](#)
- [HCP Catalog Tools Details.csv](#)
- [HCP Catalogues Entries For Authors Synopsis.csv](#)
- [HCP Catalogues Entries For Authors Trend.csv](#)
- [HCP Catalogues Entries For Authors Trend 2021.csv](#)
- [HCP Catalogues Entries For Authors Trend 2022.csv](#)
- [HCP Users Accesses Trend.csv](#)
- [HSM Instantiated Models Trend.csv](#)
- [HSM Instantiated Models Trend 2021.csv](#)
- [HSM Instantiated Models Trend 2022.csv](#)
- [HSM Instantiated Operating Systems Trend.csv](#)
- [HSM Instantiated Operating Systems Trend 2021.csv](#)
- [HSM Instantiated Operating Systems Trend 2022.csv](#)
- [HSM Instantiated Tools Trend.csv](#)
- [HSM Instantiated Tools Trend 2021.csv](#)
- [HSM Instantiated Tools Trend 2022.csv](#)
- [HSM Main Activities Trend.csv](#)
- [HSM Models Repository.csv](#)
- [HSM Operating Systems Repository.csv](#)
- [HSM Resources Usage per Asset and Profitability.csv](#)



HSM Resources Usage per Asset and Profitability 2022.csv - LibreOffice Calc

	A	B	C	D	E	F
	Resources Usage per Asset - Year 2022	CPU time (secs)	Network I/O KB	Storage RW/MB		
1	ST - Shared Storage	17406	23294037	88018		
2	OS - centos7	1833	937382	4728		
3	OS - centos7_XFCE	10563	1591425	10588		
4	OS - ubuntu18_XFCE	328	9098	644		
5	OS - ubuntu20_XFCE	178383	9230974	99128		
6	OS - windows2019	179911	7871202	87948		
7	TO - AirTace Automatic VM	7664	33491	3075		
8	TO - AutoFOCUS3	315	8967	640		
9	TO - Beja Tool Ubuntu 18-04 Demo	1882	70473	8206		
10	TO - Chess	699	18427	4168		
11	TO - CHESS_v1_1_0	18359	825844	38091		
12	TO - COMPASS Tool	24	40	459		
13	TO - CPPS-SimGen	303	8040	621		
14	TO - DDD_model_editor	80	205	730		
15	TO - DDDSimulator_Windows2019	1376	1878996	12870		
16	TO - Demo	83	492	989		
17	TO - ElectricMotorSimulator	13	23	307		
18	TO - INTO-CPS	39	109	931		
19	TO - LIBPE_ELYSIM_demo	333	673	1466		
20	TO - nuxty	156	411528	2731		
21	TO - OCRA	43	50941	946		
22	TO - OpenModelica-nightly	3249	486240	7247		
23	TO - Opacity	2010	201240	8773		
24	TO - PRO-CPS	162712	455196	29885		
25	TO - quaser 0-1-0	697	17102	4495		
26						

Figure 33 - Example of KPI Report in CSV format




Figure 34 - Example of chart where users can toggle the visibility of specific datasets and hover bars to view punctual values

4.2 Improvements to Charts

Another chart-related functionality added to this release allows users to **filter chart content** (Figure 35). Given one of the charts provided with such module, the data displayed can be filtered by:

1. Selecting a column by which to filter
2. Selecting a match operator among: *startsWith*, *contains*, *>*, *<* and *=*
3. Entering the filtering value and clicking on “Filter”




Figure 35 - Filtering module conditions fields

It is also possible to add other filtering conditions by clicking on the “+” button. The conditions will be joined in a wider expression through AND operators (Figure 36). The specific single condition can be removed by clicking on the “x” button.




Figure 36 - Chart data filtered by two conditions on the same field

Finally, through the “Clear” button, it is possible to reset all the conditions and have the original data displayed in the chart.

5 Next Steps

The next months’ WP5 effort will be mainly dedicated to support the sustainability of the HUBCAP Project by creating a **replication package**.

This package – intended as a set of procedures, instructions and software components – will allow the installation and configuration of a new clean HUBCAP Platform instance on a different server. In fact, the current HUBCAP Platform - composed of many sub-systems and sub-components – has been installed and configured manually throughout two and a half years and various refinement iterations, and depend on specific lower-level host server characteristics and configurations.

The replication package creation is not a trivial task and a first, rough plan has been designed to describe the activities that ENGIT will focus on for this purpose. Considering the complexity of the HUBCAP Platform, WP5 decided to organise the **work in phases** in order to develop and test the various package components incrementally and respecting the sequential dependencies among tasks. As a result, this should ease the troubleshooting procedures, reducing the chances of unexpected outcomes.

In the final phases, the AU partner will play the peer **beta tester** role - ENGIT being the internal “producer” - checking the replication package installation in a completely “fresh” host machine.