References

- [1] Lovich-Sapola, Jessica, Maureen Harders, and Jonathan Alter, eds. Mechanical Ventilation. BoD–Books on Demand, 2022.
- [2] Thille AW, Harrois A, Schortgen F, Brun-Buisson C, Brochard L. Outcomes of extubation failure in medical intensive care unit patients. Critical Care Medicine. 2011;39(12):2612-2618
- [3] Boles J-M, Bion J, Connors A, Herridge M, Marsh B, Melot C, et al. Weaning from mechanical ventilation. The European Respiratory Journal. 01 May 2007;29(5):1033-1056
- [4] Peñuelas O, Frutos-Vivar F, Fernández C, Anzueto A, Epstein SK, Apezteguía C, et al. Characteristics and outcomes of ventilated patients according to time to liberation from mechanical ventilation. American Journal of Respiratory and Critical Care Medicine. 15 Aug 2011;184(4):430-437
- [5] Esteban A, Frutos F, Tobin MJ, Alía I, Solsona JF, Valverdu V, et al. A comparison of four methods of weaning patients from mechanical ventilation. The New England Journal of Medicine. 9 Feb 1995;332(6):345-350
- [6] MacIntyre NR. Evidence-based guidelines for weaning and discontinuing ventilatory support. Chest. Dec 2001;120(6):375S-395S
- [7] Wu Y-K, Kao K-C, Hsu K-H, Hsieh M-J, Tsai Y-H. Predictors of successful weaning from prolonged mechanical ventilation in Taiwan. Respiratory Medicine. Aug 2009;103(8):1189-1195
- [8] Papanikolaou J, Makris D, Saranteas T, Karakitsos D, Zintzaras E, Karabinis A, et al. New insights into weaning from mechanical ventilation: left ventricular diastolic dysfunction is a key player. Intensive Care Medicine. Dec 2011;37(12):1976-1985
- [9] Savi A, Teixeira C, Silva JM, Borges LG, Pereira PA, Pinto KB, et al. Weaning predictors do not predict extubation failure in simple-to-wean patients. Journal of Critical Care. 2012 Apr;27(2):221.e1-221.e8
- [10] Richard C, Teboul J-L, Archambaud F, Hebert J-L, Michaut P, Auzepy P. Left ventricular function during weaning of patients with chronic

- obstructive pulmonary disease. Intensive Care Medicine. Mar 1994;20 (3):181-186
- [11] Salam A, Tilluckdharry L, Amoateng-Adjepong Y, Manthous CA. Neurologic status, cough, secretions and extubation outcomes. Intensive Care Medicine. Jul 2004;30(7):1334-1339
- [12] Lai Y-C, Ruan S-Y, Huang C-T, Kuo P-H, Yu C-J. Hemoglobin levels and weaning outcome of mechanical ventilation in difficult-to-wean patients: A retrospective cohort study. Rosenberger P, editor. PLoS One. 28 Aug 2013;8(8):e73743
- [13] Netzer G, Dowdy DW, Harrington T, Chandolu S, Dinglas VD, Shah NG, et al. Fever is associated with delayed ventilator liberation in acute lung injury. Annals of the American Thoracic Society. Dec 2013;10(6): 608-615
- [14] Yang KL, Tobin MJ. A prospective study of indexes predicting the outcome of trials of weaning from mechanical ventilation. The New England Journal of Medicine. 23 May 1991;324(21): 1445-1450
- [15] Conti G, Montini L, Pennisi MA, Cavaliere F, Arcangeli A, Bocci MG, et al. A prospective, blinded evaluation of indexes proposed to predict weaning from mechanical ventilation. Intensive Care Medicine. May 2004;30(5): 830-836
- [16] Epstein SK. Etiology of extubation failure and the predictive value of the rapid shallow breathing index. American Journal of Respiratory and Critical Care Medicine. Aug 1995;152 (2):545-549
- [17] Desai NR, Myers L, Simeone F. Comparison of 3 different methods used to measure the rapid shallow breathing index. Journal of Critical Care. Aug 2012;27(4):418.e1-418.e6
- [18] Cohen J, Kogan A, Sahar G, Lev S, Vidne B, Singer P. Hypophosphatemia following open heart surgery: incidence and consequences. European Journal of Cardio-Thoracic Surgery. 1 Aug 2004;26(2):306-310
- [19] Levy MM, Miyasaki A, Langston D. Work of breathing as a weaning parameter in mechanically ventilated patients. Chest. Oct 1995;108(4): 1018-1020
- [20] Nemer SN, Barbas CSV, Caldeira JB, Guimarães B, Azeredo LM, Gago R, et al. Evaluation of maximal inspiratory pressure, tracheal airway

- occlusion pressure, and its ratio in the weaning outcome. Journal of Critical Care. Sep 2009;24(3):441-446
- [21] Nemer SN, Barbas CS, Caldeira JB, Cárias TC, Santos RG, Almeida LC, et al. A new integrative weaning index of discontinuation from mechanical ventilation. Critical Care. 2009;13(5): R152
- [22] Harikumar G, Egberongbe Y, Nadel S, Wheatley E, Moxham J, Greenough A, et al. Tension–time index as a predictor of extubation outcome in ventilated children. American Journal of Respiratory and Critical Care Medicine. 15 Nov 2009;180(10):982-988
- [23] Tenza-Lozano E, Llamas-Alvarez A, Jaimez-Navarro E, Fernández-Sánchez J. Lung and diaphragm ultrasound as predictors of success in weaning from mechanical ventilation. Critical Ultrasound Journal. Dec 2018;10(1):12
- [24] González-Castro A, Suárez-Lopez V, Gómez-Marcos V, González-Fernandez C, Iglesias-Posadilla D, Burón-Mediavilla J, et al. Valor de la fracción de espacio muerto (Vd/Vt) como predictor de éxito en la extubación. Medicina Intensiva. Dec 2011;35(9):529-538
- [25] Delisle S, Francoeur M, Albert M, Ouellet P, Bellemare P, Arsenault P. Preliminary evaluation of a new index to predict the outcome of a spontaneous breathing trial. Respiratory Care. 1 Oct 2011;56(10):1500-1505
- [26] Subirà C, Hernández G, Vázquez A, Rodríguez-García R, González-Castro A, García C, et al. Effect of pressure support vs T-piece ventilation strategies during spontaneous breathing trials on successful extubation among patients receiving mechanical ventilation: A randomized clinical trial. Journal of the American Medical Association. 11 Jun 2019;321(22):2175
- [27] Ely EW, Baker AM, Dunagan DP, Burke HL, Smith AC, Kelly PT, et al. Effect on the duration of mechanical ventilation of identifying patients capable of breathing spontaneously. The New England Journal of Medicine. 19 Dec 1996;335(25):1864-1869
- [28] Burns KE, Lellouche F, Nisenbaum R, Lessard MR, Friedrich JO. Automated weaning and SBT systems versus non-automated weaning strategies for weaning time in invasively ventilated critically ill adults. In: Cochrane Emergency and Critical Care Group, editor. Cochrane Database of Systematic Reviews [Internet]. 2014. Available from:

- http://doi.wiley.com/10.1002/14651858.CD008638.pub2 [Accessed: 15 June 2021]
- [29] Perren A, Domenighetti G, Mauri S, Genini F, Vizzardi N. Protocoldirected weaning from mechanical ventilation: Clinical outcome in patients randomized for a 30-min or 120-min trial with pressure support ventilation. Intensive Care Medicine. Aug 2002;28(8): 1058-1063
- [30] Smina M, Salam A, Khamiees M, Gada P, Amoateng-Adjepong Y, Manthous CA. Cough peak flows and extubation outcomes. Chest. Jul 2003;124(1):262-268
- [31] Jaber S, Chanques G, Matecki S, Ramonatxo M, Vergne C, Souche B, et al. Post-extubation stridor in intensive care unit patients: Risk factors evaluation and importance of the cuff-leak test. Intensive Care Medicine. Jan 2003;29(1):69-74
- [32] Purro A, Appendini L, DeGaetano A, Gudjonsdottir M, Donner CF, Rossi A. Physiologic determinants of ventilator dependence in long-term mechanically ventilated patients. American Journal of Respiratory and Critical Care Medicine. Apr 2000;161(4 Pt 1):1115-1123
- [33] Hernández G, Vaquero C, Colinas L, Cuena R, González P, Canabal A, et al. Effect of postextubation high-flow nasal cannula vs noninvasive ventilation on reintubation and postextubation respiratory failure in high-risk patients: A randomized clinical trial. Journal of the American Medical Association. 18 Oct 2016;316(15):1565
- [34] Nava S, Gregoretti C, Fanfulla F, Squadrone E, Grassi M, Carlucci A, et al. Noninvasive ventilation to prevent respiratory failure after extubation in high-risk patients. Critical Care Medicine. Nov 2005;33(11):2465-2470
- [35] Keenan SP, Powers C, McCormack DG, Block G. Noninvasive positive-pressure ventilation for postextubation respiratory distress: A randomized controlled trial. Journal of the American Medical Association. 26 Jun 2002;287(24):3238
- [36] Scheinhorn DJ, Chao DC, Hassenpflug MS, Gracey DR. Post-ICU weaning from mechanical ventilation. Chest. Dec 2001;120(6):482S-484S
- [37] Kreit, John W. Mechanical Ventilation: Physiology and Practice. Oxford University Press, 2017.
- [38] Mora Carpio AL, Mora JI. Ventilator Management. [Updated 2023 Mar 27]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing;

2024 Jan-. Available from:

https://www.ncbi.nlm.nih.gov/books/NBK448186/

[39] Fadila M, Rajasurya V, Regunath H. Ventilator Weaning. [Updated 2022 Dec 10]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from:

https://www.ncbi.nlm.nih.gov/books/NBK430712/

[40]Shamil PK, Gupta NK, Ish P, Sen MK, Kumar R, Chakrabarti S, Gupta N. Prediction of Weaning Outcome from Mechanical Ventilation Using Diaphragmatic Rapid Shallow Breathing Index. Indian J Crit Care Med. 2022 Sep;26(9):1000-1005.

[41] Song J, Qian Z, Zhang H, Wang M, Yu Y, Ye C, Hu W, Gong S. Diaphragmatic ultrasonography-based rapid shallow breathing index for predicting weaning outcome during a pressure support ventilation spontaneous breathing trial. BMC Pulm Med. 2022 Sep 07;22(1):337.

[42] Wang Y, Lei L, Yang H, He S, Hao J, Liu T, Chen X, Huang Y, Zhou J, Lin Z, Zheng H, Lin X, Huang W, Liu X, Li Y, Huang L, Qiu W, Ru H, Wang D, Wu J, Zheng H, Zuo L, Zeng P, Zhong J, Rong Y, Fan M, Li J, Cai S, Kou Q, Liu E, Lin Z, Cai J, Yang H, Li F, Wang Y, Lin X, Chen W, Gao Y, Huang S, Sang L, Xu Y, Zhang K. Weaning critically ill patients from mechanical ventilation: a protocol from a multicenter retrospective cohort study. J Thorac Dis. 2022 Jan;14(1):199–206.

[43] University of Toledo Medical Center. "Ventilator Management Protocol," [Internet]. Available from:

https://www.utoledo.edu/coronavirus/docs/UTMC-3364-136-07-09-Ventilator-Management-Protocol-041720.pdf.

[44] University of Florida. "Adult Ventilator Program," [Internet]. Available from:

https://pulmonary.medicine.ufl.edu/files/2019/09/Adult_ventilator_program -11_2018.docx-Final-1.pdf.

[45] Diamond M, Peniston HL, Sanghavi DK, et al. Acute Respiratory Distress Syndrome. [Updated 2024 Jan 31]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: https://www.ncbi.nlm.nih.gov/books/NBK436002/

[46] Correlation of Pao2/Fio2 Ratio with Spo2/Fio2 Ratio in Children on Mechanical Ventilation ZAHRA AHMED1, FARRAH NAZ2, AFSHEEN BATOOL RAZA3, AFSHEEN GUL4 1Paediatric Medicine 2,3Department of

Paediatric Medicine, The Children's Hospital and the Institute of Child Health, Lahore, Pakistan. 4Applied Psychology, Kinnaird College for Women Lahore. Correspondence author: Farrah Naz, Email: farrahnaz09@gmail.com, Cell: 0331-4430145