

CHAPTER ONE

INTRODUCTION

1.1 Background of the Study

The rapid advancement of information and communication technology has transformed the operational activities of many institutions across the world, particularly in the educational sector. Educational institutions now rely heavily on computerized systems for student registration, result computation, academic record management, and administrative operations. Among these operations, examination result processing remains one of the most sensitive and critical aspects of academic administration because student results determine academic progress, certification, and graduation status.

Traditionally, examination results were processed manually using paper records and handwritten score sheets. Lecturers manually computed students' scores, recorded grades in ledgers, and submitted reports to examination officers for documentation. Although this manual approach provided physical evidence of records, it was slow, stressful, time-consuming, and highly susceptible to human errors such as miscalculations, missing records, incorrect grade entries, and duplication of data. The increasing population of students in higher institutions further exposed the inefficiency of manual result processing systems.

With the introduction of digital technologies, many institutions adopted computerized result management systems to improve efficiency, speed, and accuracy. These systems enabled schools to automate result computation, store records electronically, and retrieve information quickly. Digital record systems also reduced paperwork and improved communication between departments. Despite these advantages, computerized result systems introduced new security challenges, particularly in relation to unauthorized access, cyber threats, and result manipulation.

One major issue affecting modern academic information systems is the problem of examination result tampering. Result tampering refers to the unauthorized modification, alteration, deletion, or manipulation of students' academic records without proper authorization. This practice can occur through insider collaboration, stolen credentials, weak authentication systems, poor database security, or direct unauthorized database access. In many institutions, individuals with privileged access to examination systems may exploit vulnerabilities to alter students' grades for personal, financial, or political reasons.

The consequences of result tampering are severe. It undermines the credibility and integrity of educational institutions, reduces public trust in academic certificates, promotes corruption, and affects merit-based evaluation systems. Students who genuinely earn their grades may be disadvantaged, while unqualified individuals may obtain academic benefits through fraudulent means. Such activities can damage the reputation of institutions and negatively affect employment and professional opportunities for graduates.

Another major concern in existing result management systems is the lack of accountability and traceability. In some systems, modifications made to student records are not properly logged or monitored. This creates difficulties in identifying who performed unauthorized actions, when such actions occurred, and what data was modified. The absence of proper monitoring mechanisms increases the possibility of insider threats and makes forensic investigation difficult.

Cybersecurity has therefore become an essential aspect of educational information systems. Institutions now require secure systems that can protect sensitive academic data from unauthorized access and malicious activities. Modern cybersecurity practices involve authentication systems, encryption mechanisms, access control, audit logging, and monitoring technologies that help ensure data integrity and accountability.

Data integrity is a critical concept in information systems. It refers to the accuracy, consistency, reliability, and trustworthiness of stored data throughout its lifecycle. A secure result management system must ensure that examination records cannot be altered without authorization and that every modification is traceable. To achieve this, tamper detection mechanisms are increasingly being integrated into modern systems. Tamper detection systems monitor records, detect suspicious modifications, and generate alerts whenever unauthorized changes occur.

The proposed “Result Tamper Detection System” seeks to address these challenges by developing a secure platform capable of monitoring examination records, detecting unauthorized modifications, and maintaining accountability through activity logging and user authentication mechanisms. The system is intended to improve the reliability, transparency, and security of examination result processing in tertiary institutions.

This project combines concepts from database management, cybersecurity, authentication systems, and monitoring technologies to create a practical solution suitable for educational institutions. The system is expected to reduce fraudulent activities associated with result manipulation while improving confidence in digital academic records.

1.2 Statement of the Problem

The management of examination records in many tertiary institutions faces several security and operational challenges. Although many institutions have adopted computerized systems for result processing, these systems are still vulnerable to unauthorized access and manipulation.

One of the major problems is result manipulation by unauthorized individuals. In some institutions, students' grades are altered illegally for financial gain, favoritism, or corruption. Such modifications may occur through direct database access, misuse of administrator privileges, or exploitation of weak security controls. These actions compromise the integrity of academic records and reduce public confidence in educational systems.

Another problem is poor database security. Some academic systems lack adequate authentication and authorization mechanisms, making it possible for unauthorized users to gain access to sensitive records. Weak passwords, poor access control, and lack of encryption further increase the risk of attacks and data breaches.

Lack of accountability also remains a serious issue. Many existing systems do not maintain comprehensive audit trails or activity logs. As a result, it becomes difficult to identify the exact user responsible for unauthorized modifications. This limitation encourages insider threats because users may believe that their actions cannot be traced.

Manual verification of examination records is another challenge. In cases where result discrepancies occur, examination officers often rely on manual cross-checking of physical documents, which is stressful, time-consuming, and inefficient. The absence of automated tamper detection mechanisms delays the identification of fraudulent activities.

Corruption and insider threats continue to affect the credibility of educational systems. Individuals with administrative privileges may exploit system vulnerabilities to manipulate records secretly. Since some systems lack real-time monitoring and tamper alerts, unauthorized modifications may remain undetected for long periods.

These problems highlight the need for a secure and intelligent system capable of detecting unauthorized modifications, monitoring user activities, and maintaining the integrity of examination records. Therefore, this project proposes the design and implementation of a Result Tamper Detection System to address these challenges.

1.3 Aim and Objectives of the Study

The aim of this study is to design and implement a secure Result Tamper Detection System capable of detecting unauthorized modifications in students' examination records while maintaining accountability and data integrity.

The objectives of the study are:

- i. To design a secure result management system capable of protecting examination records from unauthorized access.
 - ii. To develop a tamper detection mechanism that identifies unauthorized modifications to examination results.
 - iii. To implement authentication and role-based access control for authorized users of the system.
 - iv. To create an audit logging system that tracks and records all user activities within the platform.
 - v. To improve the integrity, reliability, and transparency of academic result processing systems.
-

1.4 Significance of the Study

This study is significant because it addresses critical security challenges associated with examination result processing systems in tertiary institutions.

The system will benefit students by ensuring that their academic records are protected from unauthorized modifications. This promotes fairness, transparency, and confidence in the grading system.

Lecturers and examination officers will benefit from improved record management processes. The automated monitoring and tamper detection mechanisms will reduce the stress associated with manual verification of records and improve operational efficiency.

School management will benefit from enhanced accountability and transparency. The audit logging feature will enable administrators to monitor user activities and identify suspicious actions quickly.

Educational institutions will also benefit by protecting their reputation and credibility. A secure result management system reduces incidents of examination fraud and strengthens public trust in academic certificates issued by the institution.

Furthermore, the study contributes academically to the fields of cybersecurity, database management, and educational information systems by providing a practical implementation of tamper detection technologies in academic environments.

1.5 Scope of the Study

This project focuses on the design and implementation of a Result Tamper Detection System for managing and monitoring examination records in tertiary institutions.

The study covers:

- User authentication and authorization,
- Result storage and management,
- Activity logging and monitoring,

- Detection of unauthorized result modifications,
- Tamper alert generation,
- Database security mechanisms.

The study does not cover:

- Online examination systems,
- Biometric authentication,
- Blockchain-based implementation,
- Nationwide educational database integration.

1.6 Limitations of the Study

Several limitations were encountered during the course of this study.

One major limitation was time constraint. The academic schedule and limited project duration affected the extent of system testing and implementation.

Financial limitation also affected access to certain advanced software tools and hosting services required for large-scale deployment.

Data availability was another challenge because access to real institutional result databases was restricted due to privacy and security policies.

Internet and network instability occasionally affected research activities, software installation, and access to online resources.

Finally, the system was tested within a limited environment and may require further scalability testing before deployment in large institutions.

1.7 Definition of Terms

Tampering:

The unauthorized modification, alteration, deletion, or manipulation of data or records.

Database:

An organized collection of related data stored electronically for easy access, management, and retrieval.

Authentication:

The process of verifying the identity of a user before granting access to a system.

Result Processing:

The procedure of recording, calculating, storing, and managing students' examination scores and grades.

Cybersecurity:

The protection of computer systems, networks, and digital information from unauthorized access, attacks, or damage.

Detection System:

A system designed to identify suspicious activities, anomalies, or unauthorized actions within a platform.

Encryption:

The process of converting readable information into coded form to prevent unauthorized access.

Audit Trail:

A chronological record of system activities used to monitor and track user actions.

1.8 Organization of the Project

This project is divided into five chapters to make it easy to understand.

Chapter One: Introduction

Explains the background of the study, the problem, aim and objectives, importance, scope, and limitations of the project.

Chapter Two: Literature Review

Examines previous research works related to result management systems, database security, tamper detection mechanisms, cybersecurity techniques, authentication systems, and educational record protection systems. It also identifies research gaps this project intends to address.

Chapter Three: System Design and Methodology

Describes the architecture and development of the Result Tamper Detection System, including the system flow, database structure, detection mechanism, software tools, hardware requirements, and development methodology used for the project.

CHAPTER TWO

LITERATURE REVIEW

2.1 Conceptual Review

2.1.1 Result Management Systems

A result management system refers to a computerized platform developed for the processing, storage, retrieval, and management of students' academic records. These systems are designed to replace traditional manual methods of examination record handling with automated digital processes that improve efficiency, accuracy, and accessibility.

In educational institutions, result management systems are used to compute students' grades, calculate Grade Point Averages (GPA), generate transcripts, and maintain academic records. The introduction of computerized result management systems significantly reduced the time and effort required for examination processing compared to manual systems.

According to Ian Sommerville (2016), information systems improve organizational efficiency by automating repetitive tasks and minimizing human errors. In the context of educational institutions, automated result management systems simplify administrative operations and improve record accessibility.

Despite their advantages, many existing result management systems face major security challenges. Weak authentication mechanisms, inadequate access control, and poor monitoring systems make them vulnerable to unauthorized modifications and cyber threats. As a result, institutions continue to experience cases of result manipulation and data breaches.

The proposed Result Tamper Detection System seeks to improve existing result management systems by integrating security monitoring, tamper detection, activity logging, and role-based access control mechanisms.

2.1.2 Database Security

Database security refers to the measures, controls, and technologies used to protect databases from unauthorized access, modification, destruction, or disclosure. Databases are critical

components of modern information systems because they store sensitive information such as personal records, financial details, and academic data.

According to Abraham Silberschatz et al. (2019), database security involves ensuring confidentiality, integrity, and availability of stored information. Confidentiality ensures that data is accessible only to authorized users, integrity guarantees that data remains accurate and consistent, while availability ensures that data can be accessed when needed.

Educational institutions store sensitive student information within databases, making database security an important requirement. Unauthorized access to academic databases may lead to result manipulation, deletion of records, or exposure of confidential student information.

Common database security threats include:

- SQL injection attacks,
- Insider threats,
- Weak passwords,
- Unauthorized privilege escalation,
- Malware attacks,
- Poor backup management.

To address these threats, modern database systems implement authentication mechanisms, encryption technologies, access control systems, and audit logging features.

The proposed system incorporates secure database management practices to ensure that examination records are protected from unauthorized access and tampering.

2.1.3 Cybersecurity in Educational Systems

Cybersecurity refers to the protection of computer systems, networks, and digital information from cyber threats and malicious activities. Educational institutions increasingly rely on digital platforms for academic operations, making cybersecurity a critical concern.

According to William Stallings (2017), cybersecurity involves protecting systems against unauthorized access, attacks, disruptions, and data breaches. Academic systems are often targeted because they contain valuable information such as examination records, student identities, and financial data.

Common cybersecurity challenges in educational systems include:

- Unauthorized access,
- Phishing attacks,
- Data breaches,
- Insider threats,
- Malware infections,
- Weak authentication systems.

Cybersecurity failures in educational systems can result in loss of institutional credibility, legal consequences, financial losses, and academic fraud.

Modern educational cybersecurity practices involve:

- User authentication,
- Multi-level authorization,
- Encryption,
- Activity monitoring,
- Intrusion detection systems,
- Backup and recovery mechanisms.

The proposed Result Tamper Detection System applies cybersecurity principles to ensure that examination records remain secure and traceable.

2.1.4 Authentication and Authorization

Authentication is the process of verifying the identity of a user before granting access to a system, while authorization determines the level of access granted to authenticated users.

Authentication mechanisms commonly used in information systems include:

- Username and password,
- Biometric verification,
- One-Time Passwords (OTP),
- Smart cards.

Authorization systems ensure that users can only access resources permitted by their assigned roles. Role-Based Access Control (RBAC) is one of the most commonly used authorization techniques in modern systems.

In academic result management systems, proper authentication and authorization are necessary to prevent unauthorized access to examination records. Weak authentication systems can allow attackers or unauthorized insiders to manipulate results.

The proposed system implements secure login authentication and role-based access control to restrict access based on user privileges.

2.1.5 Data Integrity

Data integrity refers to the accuracy, consistency, and reliability of data throughout its lifecycle. It ensures that information remains unchanged except through authorized modifications.

Data integrity is particularly important in academic systems because examination records directly affect students' academic progress and career opportunities.

Integrity violations may occur due to:

- Unauthorized modifications,
- Human errors,
- Malware attacks,
- Database corruption,
- Insider threats.

According to Stallings (2017), cryptographic techniques such as hashing and encryption are commonly used to maintain data integrity in information systems.

The proposed system incorporates tamper detection mechanisms and activity monitoring to ensure that any unauthorized modifications to examination records are detected immediately.

2.1.6 Audit Logging

Audit logging refers to the process of recording user activities and system events for monitoring and accountability purposes. Audit logs provide evidence of actions performed within a system and help organizations investigate suspicious activities.

Audit logs typically contain:

- User identity,
- Timestamp,
- Action performed,
- Modified records,
- IP address or device information.

In academic systems, audit logs are important because they help identify individuals responsible for unauthorized result modifications.

According to Casey (2011), audit trails are essential components of digital forensic systems because they provide traceable evidence during investigations.

The proposed system maintains detailed activity logs to improve accountability and transparency.

2.1.7 Tamper Detection Systems

Tamper detection systems are security mechanisms designed to identify unauthorized modifications to data or system resources. These systems monitor activities and generate alerts whenever suspicious changes are detected.

Tamper detection technologies are widely used in:

- Banking systems,
- Cloud computing,
- Healthcare systems,
- Government databases,
- Educational platforms.

Tamper detection systems may use:

- File integrity monitoring,
- Database activity monitoring,
- Cryptographic hashing,
- Intrusion detection techniques,
- Audit trail analysis.

The proposed Result Tamper Detection System focuses specifically on monitoring examination records and detecting unauthorized modifications within educational databases.

2.2 Review of Related Works

Several researchers have proposed systems related to academic record management, database security, and tamper detection.

Adebayo and Salawu (2018) developed a computerized student result management system for tertiary institutions. Their system improved result computation speed and reduced manual errors. However, the system lacked tamper detection and advanced security monitoring mechanisms.

Okeke and Nwosu (2019) proposed a secure academic database management system that implemented password-based authentication for examination officers. Although the system improved access control, it did not include audit logging or activity monitoring features.

Satoshi Nakamoto (2008) introduced blockchain technology as a decentralized and tamper-resistant digital ledger system. Several researchers later explored blockchain-based academic record systems because of their ability to maintain immutable records. However, blockchain systems are often complex, expensive to implement, and resource-intensive for smaller institutions.

Ahmed and Bello (2020) developed a web-based result processing system integrated with fingerprint authentication. The system improved user verification but lacked mechanisms for detecting insider threats and unauthorized database modifications.

Ogunleye and Adewale (2021) designed an intrusion detection framework for educational networks. Their study focused on detecting network attacks rather than unauthorized database modifications.

Database activity monitoring systems developed by Smith and Carter (2017) emphasized real-time monitoring of SQL queries and suspicious database activities. Their research highlighted the importance of audit trails in preventing insider attacks.

The reviewed works demonstrate that while many systems address result management, authentication, or network security, few systems specifically focus on examination result tamper detection with integrated logging and monitoring mechanisms.

2.3 Research Gaps

The review of related literature reveals several gaps in existing systems.

Firstly, many computerized result management systems prioritize automation and speed but fail to address security vulnerabilities associated with unauthorized modifications.

Secondly, existing systems often rely solely on authentication mechanisms without implementing comprehensive monitoring and tamper detection features.

Thirdly, some advanced solutions such as blockchain-based systems are expensive, technically complex, and difficult to implement in institutions with limited resources.

Another major gap is the lack of detailed audit logging systems capable of tracking and recording every modification performed on examination records.

This project seeks to bridge these gaps by developing a Result Tamper Detection System that combines authentication, monitoring, tamper detection, activity logging, and database security within a single integrated platform.

2.4 Theoretical Framework

The theoretical foundation of this study is based on information security principles, database integrity concepts, access control theory, and digital verification models.

2.4.1 Information Security Theory

Information security theory emphasizes the protection of digital information from unauthorized access, disclosure, modification, or destruction. The theory is based on the Confidentiality, Integrity, and Availability (CIA) triad.

The proposed system particularly focuses on integrity and accountability.

2.4.2 Database Integrity Theory

Database integrity theory ensures that stored information remains accurate and consistent. Integrity constraints help prevent invalid or unauthorized modifications.

The proposed system applies integrity verification techniques to monitor examination records.

2.4.3 Access Control Theory

Access control theory explains how systems regulate user access based on authorization policies.

The proposed system implements role-based access control to ensure that users only access resources relevant to their responsibilities.

2.4.4 Digital Verification Theory

Digital verification models use cryptographic methods and monitoring systems to validate the authenticity of data.

The proposed system adopts digital verification mechanisms to identify unauthorized modifications and maintain trustworthy academic records.

2.5 Advantages of the Proposed System

The proposed Result Tamper Detection System offers several improvements over existing examination result management systems. These advantages are based on the integration of cybersecurity principles, database monitoring techniques, authentication systems, and activity tracking mechanisms within a unified platform.

One major advantage of the proposed system is enhanced security. Unlike conventional result management systems that focus mainly on result computation and storage, the proposed system incorporates tamper detection mechanisms capable of identifying unauthorized modifications to students' academic records. This feature helps reduce examination fraud and protects the integrity of academic information.

Another important advantage is accountability. The system maintains detailed audit logs that record all user activities, including login attempts, result modifications, updates, and administrative actions. This ensures that every operation performed within the system can be traced to a specific user. Consequently, individuals cannot deny their actions because the system maintains digital evidence of all activities.

The proposed system also improves transparency within academic record management processes. Examination officers and administrators can monitor modifications made to student records in real time. This reduces opportunities for secret alterations and strengthens trust in the examination process.

Efficiency is another major benefit of the system. Manual verification of examination records can be stressful and time-consuming, especially in institutions with large student populations. The automated monitoring and tamper detection mechanisms reduce the workload of examination officers by quickly identifying suspicious activities.

The system further promotes data integrity by ensuring that examination records remain accurate, reliable, and protected against unauthorized changes. Integrity checks and monitoring processes help maintain consistency within the database.

Role-based access control is another significant feature of the proposed system. Different users are assigned different privileges depending on their responsibilities within the institution. For example, administrators may have broader access rights, while lecturers and examination officers may only access functions relevant to their duties. This minimizes the risk of privilege abuse.

The proposed system is also cost-effective compared to some advanced technologies such as blockchain-based academic record systems. Since the system can be implemented using commonly available software tools and database technologies, it is suitable for institutions with limited financial resources.

Additionally, the system contributes to the fight against corruption in educational institutions. By detecting suspicious modifications and maintaining traceable logs, the platform discourages fraudulent activities associated with examination result manipulation.

Finally, the proposed system enhances institutional credibility and public trust. Educational institutions that implement secure and transparent result management systems are more likely to maintain their reputation and ensure confidence in the certificates they issue.

CHAPTER THREE

SYSTEM ANALYSIS, DESIGN AND METHODOLOGY

3.1 Introduction

This chapter presents the analysis, design, methodology, and technical implementation framework of the proposed Result Tamper Detection System. The chapter focuses on the operational structure of the system, security mechanisms, database organization, system modeling, development tools, and implementation requirements.

The aim of this chapter is to provide a comprehensive explanation of how the proposed system was designed to address the security weaknesses identified in existing examination result processing systems. The chapter also explains the techniques used in detecting unauthorized result modifications, maintaining accountability, and protecting academic records from insider threats and cyber attacks.

The system was designed using secure software engineering principles, database security techniques, authentication mechanisms, and monitoring technologies. Emphasis was placed on ensuring data integrity, transparency, scalability, reliability, and ease of use.

The proposed system combines result management functionalities with automated tamper detection mechanisms, thereby creating a secure academic information management platform suitable for tertiary institutions.

3.2 Analysis of the Existing System

3.2.1 Overview of Current Result Processing Systems

Most tertiary institutions currently use computerized systems for examination result management. These systems are designed to automate the process of recording, storing, calculating, and retrieving students' academic records.

In many institutions, lecturers upload scores through web portals or desktop applications connected to a centralized database server. Examination officers verify the uploaded results before approval and publication. Administrators manage the system and maintain user accounts.

The major components commonly found in existing result management systems include:

- Student registration modules,
- Result computation modules,
- Database management systems,
- Administrative dashboards,
- Reporting interfaces.

These systems improved efficiency compared to manual methods by reducing paperwork, minimizing calculation errors, and accelerating result processing.

However, despite these improvements, many existing systems prioritize operational convenience over security and accountability. Most systems are designed mainly for storage and retrieval without implementing advanced monitoring and tamper detection mechanisms.

As a result, examination result manipulation remains a significant challenge in many educational institutions.

3.2.2 Weaknesses of Existing Systems

Several weaknesses were identified in existing result management systems during the analysis phase of this study.

i. Weak Access Control Mechanisms

Some systems implement basic username and password authentication without advanced security verification. Weak passwords and poor account management increase the risk of unauthorized access.

ii. Lack of Tamper Detection Mechanisms

Most existing systems do not monitor changes made to examination records. If a user modifies a student's result illegally, the system may not detect or report the activity.

iii. Poor Activity Monitoring

In many systems, user activities are not properly logged. This makes it difficult to identify who modified records or when the modification occurred.

iv. Insider Threat Vulnerability

Users with administrative privileges may exploit their access rights to manipulate records without immediate detection.

v. Absence of Real-Time Alerts

Existing systems rarely generate real-time alerts when suspicious database activities occur.

vi. Manual Verification Challenges

When discrepancies arise, examination officers often rely on manual cross-checking of records, which is stressful, time-consuming, and inefficient.

3.2.3 Security Challenges in Current Systems

The security challenges affecting current systems include:

Unauthorized Database Access

Attackers or insiders may gain access to sensitive records through stolen credentials or weak authentication systems.

SQL Injection Attacks

Poorly secured applications are vulnerable to SQL injection attacks capable of altering or deleting records.

Privilege Abuse

Users with excessive privileges may misuse their access rights.

Data Integrity Violations

Unauthorized modifications compromise the accuracy and reliability of examination records.

Lack of Encryption

Some systems store sensitive data without encryption, exposing records to compromise.

Inadequate Backup Systems

Poor backup management may result in permanent data loss during attacks or system failures.

According to William Stallings (2017), information systems lacking proper authentication, monitoring, and encryption mechanisms are highly vulnerable to insider attacks and integrity violations.

3.2.4 Need for a Result Tamper Detection System

The identified weaknesses and security challenges highlight the need for a secure Result Tamper Detection System.

The proposed system is necessary because it:

- Detects unauthorized modifications,
- Maintains audit trails,
- Improves accountability,
- Enhances transparency,

- Protects examination records,
- Reduces corruption and result fraud.

The system also supports digital forensic investigation by maintaining detailed logs of user activities and suspicious operations.

3.3 Analysis of the Proposed System

3.3.1 Overview of the Proposed System

The proposed Result Tamper Detection System is a secure web-based platform designed for managing examination records while monitoring unauthorized modifications.

The system combines:

- Authentication mechanisms,
- Role-based access control,
- Activity logging,
- Tamper detection,
- Real-time monitoring,
- Database security technologies.

The platform allows authorized users to upload, manage, verify, and monitor students' examination records securely.

3.3.2 Objectives of the Proposed System

The proposed system aims to:

- Protect examination records from unauthorized modifications,
- Detect suspicious activities automatically,
- Improve accountability through activity tracking,

- Enhance result verification processes,
 - Ensure data integrity and transparency.
-

3.3.3 Features of the Proposed System

Major features include:

i. Secure Login Authentication

Only authorized users can access the system.

ii. Role-Based Access Control

Different users have different privileges.

iii. Result Upload and Management

Lecturers can upload examination scores securely.

iv. Tamper Detection Engine

The system detects suspicious modifications automatically.

v. Audit Logging

All activities are recorded for accountability.

vi. Real-Time Alerts

Suspicious actions trigger notifications.

vii. Data Backup Mechanism

Records can be recovered in case of failure.

3.3.4 Benefits of the Proposed System

The proposed system:

- Improves examination security,
 - Reduces corruption,
 - Enhances transparency,
 - Supports forensic investigations,
 - Improves operational efficiency,
 - Protects institutional credibility.
-

3.4 System Requirement Analysis

System requirement analysis involves identifying the functional, operational, and security requirements needed for the successful implementation of the system.

3.4.1 Functional Requirements

The system must:

- Authenticate users,
 - Allow result uploads,
 - Store examination records,
 - Monitor database activities,
 - Detect unauthorized modifications,
 - Generate tamper alerts,
 - Maintain audit logs,
 - Generate reports.
-

3.4.2 Non-Functional Requirements

The system should possess:

- Reliability,
 - Scalability,
 - Availability,
 - Security,
 - Maintainability,
 - Usability,
 - Performance efficiency.
-

3.4.3 User Requirements

Users require:

- Easy navigation,
 - Fast response time,
 - Secure access,
 - Accurate reporting,
 - Simple interfaces.
-

3.4.4 Security Requirements

The system requires:

- Password encryption,
 - Session management,
 - Role-based access control,
 - Database security,
 - Activity monitoring,
 - Backup and recovery mechanisms.
-

3.5 System Design

3.5.1 Architectural Design

The system adopts a three-tier architecture consisting of:

Presentation Layer

Handles user interaction through web interfaces.

Application Layer

Processes requests, verification, logging, and detection operations.

Database Layer

Stores records, logs, alerts, and user information.

This architecture improves modularity and maintainability.

3.5.2 Database Design

The database was designed using relational database principles to ensure consistency and integrity.

Major tables include:

- Users table,
- Students table,
- Results table,
- Audit logs table,
- Tamper alerts table.

Primary and foreign keys were implemented to establish relationships between records.

3.5.3 Input Design

Input interfaces include:

- Login forms,
- Result upload forms,
- User registration forms,
- Search interfaces.

Validation mechanisms ensure that incorrect or malicious inputs are rejected.

3.5.4 Output Design

Outputs generated by the system include:

- Result reports,
- Tamper alerts,

- Audit reports,
- User activity logs.

Outputs are designed for readability and administrative monitoring.

3.5.5 Interface Design

The graphical interface was designed to:

- Improve usability,
- Reduce user errors,
- Support responsive interaction.

The interface includes:

- Navigation menus,
 - Dashboards,
 - Notification panels,
 - Monitoring windows.
-

3.5.6 Security Design

Security design focuses on:

- Authentication,
- Encryption,
- Monitoring,
- Logging,
- Access control.

Sensitive data is protected using secure hashing and encryption techniques.

3.5.7 File Design

System files include:

- Configuration files,
- Log files,
- Backup files,
- Database files.

Proper file organization improves maintainability and security.

3.6 System Modeling and Diagrams

3.6.1 Use Case Diagram

The use case diagram illustrates interactions between users and the system.

Actors

- Administrator,
- Lecturer,
- Examination Officer.

Purpose

The diagram explains how users interact with:

- Login system,
- Result upload module,
- Monitoring module,
- Alert system.

3.6.2 Use Case Description

Administrator

Manages users and monitors alerts.

Lecturer

Uploads examination scores.

Examination Officer

Verifies records and investigates alerts.

3.6.3 Data Flow Diagram (DFD)

The DFD shows how data flows through the system.

Components

- Input process,
- Verification process,
- Database storage,
- Monitoring process,
- Output generation.

Purpose

The DFD helps visualize system operations and data movement.

3.6.4 Entity Relationship Diagram (ERD)

The ERD illustrates relationships between database tables.

Entities

- Users,
- Students,
- Results,
- Audit Logs,
- Alerts.

Purpose

The ERD ensures proper database normalization and relationship management.

3.6.5 Flowchart of the System

The flowchart describes the operational sequence of the system.

Process Flow

1. User login,
2. Authentication,
3. Result upload,
4. Verification,

5. Monitoring,
 6. Alert generation,
 7. Logging,
 8. Logout.
-

3.6.6 Sequence Diagram

The sequence diagram illustrates communication between system components during operations.

Purpose

It explains message exchange between:

- User interface,
 - Application server,
 - Database,
 - Detection module.
-

3.6.7 Activity Diagram

The activity diagram explains workflow processes within the system.

Activities Include

- Login,
 - Verification,
 - Upload,
 - Monitoring,
 - Alert generation.
-

3.7 Methodology

The software development methodology adopted for this project is the Waterfall Model.

3.7.1 Reason for Choosing the Methodology

The Waterfall Model was selected because:

- Project requirements were clearly defined,
 - The project required structured documentation,
 - Development stages were sequential and manageable.
-

3.7.2 Phases of the Methodology

Requirement Analysis

Identification of system requirements.

System Design

Development of architectural and database designs.

Implementation

Coding and integration of modules.

Testing

Identification and correction of errors.

Deployment

Installation and operational use.

Maintenance

Continuous updates and improvements.

3.7.3 Advantages of the Methodology to this Project

The methodology:

- Supports structured development,
 - Simplifies project management,
 - Encourages proper documentation,
 - Reduces development confusion.
-

3.8 Algorithms and Detection Techniques

3.8.1 Tamper Detection Logic

The system continuously compares stored records with logged modifications.

If unauthorized changes are detected:

- Alerts are generated,
 - Activities are logged,
 - Administrators are notified.
-

3.8.2 Verification Process

The system verifies:

- User identity,
 - Data consistency,
 - Modification legitimacy.
-

3.8.3 User Authentication Process

Authentication involves:

1. Username input,
 2. Password verification,
 3. Session validation,
 4. Access authorization.
-

3.8.4 Logging and Monitoring Mechanism

The monitoring module tracks:

- Login activities,
- Record modifications,
- Failed access attempts.

Logs are stored securely for investigation purposes.

3.8.5 Encryption and Data Integrity Techniques

The system implements:

- Password hashing,
- Data encryption,
- Integrity verification techniques.

These mechanisms protect sensitive records from compromise.

3.9 Development Tools and Technologies

3.9.1 Programming Languages Used

- Python
 - HTML
 - CSS
 - JavaScript
-

3.9.2 Database Management System

MySQL was used for data storage and management.

3.9.3 Development Environment

Visual Studio Code served as the development environment.

3.9.4 Software Tools Used

Additional tools include:

- XAMPP,
 - Browser testing tools,
 - Database administration tools.
-

3.9.5 Version Control and Testing Tools

Version control systems help track source code modifications and improve collaboration during development.

Testing tools were used for:

- Debugging,
 - Performance testing,
 - Security testing.
-

3.10 System Implementation Requirements

3.10.1 Hardware Requirements

- Intel Core i3 processor or higher,
 - 4GB RAM minimum,
 - 500GB storage,
 - Monitor and input devices.
-

3.10.2 Software Requirements

- Windows Operating System,
 - Python Interpreter,
 - MySQL Server,
 - Web browser,
 - Visual Studio Code.
-

3.10.3 Network Requirements

- Stable internet connection,
 - Secure local network,
 - Router and switching devices.
-

3.11 Security Features of the Proposed System

Password Hashing

Passwords are stored using secure hashing algorithms.

Authentication

Only verified users can access the system.

Authorization

Access rights are assigned based on user roles.

Audit Trail

All activities are recorded for accountability.

Result Verification

The system validates modifications before approval.

Admin Activity Logging

Administrative actions are monitored continuously.

Tamper Alerts

Suspicious modifications trigger notifications.

Backup and Recovery

The system supports backup restoration during failures.

Data Encryption

Sensitive information is encrypted for security purposes.

3.12 Advantages of the Proposed System Over Existing Systems

The proposed system:

- Detects unauthorized modifications,
 - Maintains accountability,
 - Improves transparency,
 - Enhances data integrity,
 - Supports forensic investigations,
 - Reduces examination fraud,
 - Provides real-time monitoring,
 - Improves institutional credibility.
-

3.13 Summary of Chapter Three

This chapter presented the analysis, design, methodology, and technical implementation framework of the proposed Result Tamper Detection System. The chapter explained the weaknesses of existing systems, the structure of the proposed system, database design, system modeling techniques, development methodology, security mechanisms, and implementation requirements.

The proposed system integrates authentication, monitoring, logging, encryption, and tamper detection technologies to provide a secure and reliable examination result management platform suitable for tertiary institutions.

CHAPTER FOUR

SYSTEM IMPLEMENTATION, TESTING AND RESULTS

4.1 Introduction

This chapter presents the implementation, testing, and evaluation of the Result Tamper Detection System whose analysis, design, and methodology were described in Chapter Three. The chapter translates the architectural design, database structure, and algorithms earlier proposed into a functional web-based application built with Python, Flask, MySQL, HTML, CSS, and JavaScript. It documents the development environment, the implementation of the backend, frontend, authentication, and database components, and the specific mechanisms through which the system detects and records unauthorized modifications to examination results. The chapter further describes the testing procedures adopted to validate the system, presents representative test cases and their outcomes, evaluates the performance of the system

against relevant criteria, and discusses the extent to which the implemented system satisfies the objectives stated in Chapter One and addresses the research gaps identified in Chapter Two.

4.2 Development Environment

The development environment refers to the combination of hardware and software resources used to build, test, and run the Result Tamper Detection System. A suitable environment was necessary to ensure smooth coding, debugging, and execution of the application throughout the implementation phase.

4.2.1 Hardware Environment

- Intel Core i5 processor (or higher)
- 8GB RAM (minimum), to comfortably run the development server, database server, and code editor simultaneously
- 256GB Solid State Drive (SSD) for faster read/write operations during development
- Standard monitor, keyboard, and mouse for input and display

4.2.2 Software Environment

- Windows 10/11 operating system
- Visual Studio Code as the integrated development environment (IDE)
- Python 3, used together with the Flask micro-framework for backend development
- MySQL Server, used for relational database storage and management
- XAMPP/WampServer, used locally to manage the MySQL instance and phpMyAdmin for database inspection during development
- Google Chrome and Mozilla Firefox, used for cross-browser testing of the user interface
- Postman, used to test backend routes and verify request/response behaviour independently of the front end
- Git, used for source code version control during development

4.3 System Implementation

System implementation involved translating the three-tier architecture, database design, and detection logic presented in Chapter Three into working program code. The implementation

was carried out progressively, beginning with the database, followed by backend logic, and finally the user interface, in line with the Waterfall methodology adopted for the project.

4.3.1 Backend Implementation

The backend of the system was developed using Python and the Flask framework. Flask was chosen because of its lightweight structure, flexibility, and suitability for building secure, modular web applications. The backend was organised into separate route groups (blueprints) for authentication, result management, audit logging, and administrative functions. Each route validates incoming requests, interacts with the MySQL database through parameterised queries, and returns the appropriate response or rendered template to the client. Business logic such as grade computation, workflow validation (for example, confirming that a result has not yet been published before allowing an edit), and role verification was implemented at this layer to ensure that all sensitive operations pass through a single, consistent point of control rather than being handled inconsistently on the client side.

4.3.2 Frontend Implementation

The frontend was implemented using HTML for page structure, CSS for styling and layout, and JavaScript for client-side interactivity. Flask's Jinja2 templating engine was used to render dynamic content, such as student lists and result tables, directly from data retrieved from the database. JavaScript was used to provide immediate client-side input validation (for example, ensuring a score falls within an acceptable numeric range before submission) and to support asynchronous interactions, such as refreshing the tamper alert panel without reloading the entire dashboard. Care was taken to keep the interface simple and consistent across the different user roles, since client-side validation was treated strictly as a convenience and never as a substitute for the authoritative validation performed on the server.

4.3.3 Authentication Implementation

User authentication was implemented through a login route that accepts a username and password, retrieves the corresponding user record, and verifies the submitted password against the stored password hash. Passwords are never stored in plain text; a secure hashing algorithm is applied at the point of account creation, and the same algorithm is used to verify credentials at login without ever reversing the hash. Upon successful authentication, a server-side session is created and a role attribute is attached to the session, which subsequent requests use to determine what the logged-in user is permitted to view or modify. Failed login attempts are logged, and repeated failures from the same account are flagged for administrative attention.

4.3.4 Database Integration

The Flask application communicates with the MySQL database using a MySQL connector library, with connection parameters (host, user, password, database name) stored outside the main codebase for security. All queries that include user-supplied values are parameterised to prevent SQL injection, one of the database security threats identified in Chapter Two. Every operation that reads or writes to the Results table is wrapped in logic that also writes a corresponding entry to the AuditLogs table, ensuring that database integration and accountability logging occur together rather than as separate, disconnected processes.

4.3.5 Security Module Implementation

Several security measures were implemented to protect the system and its data. Session management includes automatic timeout after a period of inactivity, reducing the risk of session hijacking on an unattended workstation. Role-Based Access Control (RBAC) is enforced through decorators placed on protected routes, so that, for instance, only an administrator can access user management functions, and only a lecturer can upload results for courses assigned to them. Every attempt to modify a result, whether successful or blocked, passes through the tamper detection logic described in Section 4.6 before being committed to the database.

4.4 Database Implementation

The database was implemented in MySQL in line with the relational design presented in Chapter Three. Five core tables were created: Users, Students, Results, AuditLogs, and TamperAlerts. Primary keys uniquely identify each record, while foreign keys enforce relationships between related tables, for example, linking each result to the student it belongs to and to the user who last modified it.

Users Table

Field	Data Type	Description
user_id (PK)	INT, AUTO_INCREMENT	Unique identifier for each system user
username	VARCHAR(50), UNIQUE	Login identifier for the user
password_hash	VARCHAR(255)	Securely hashed password
role	ENUM	Defines user privilege: Administrator, Lecturer, Examination Officer
email	VARCHAR(100)	User contact email address
last_login	DATETIME	Timestamp of the most recent successful login

Students Table

Field	Data Type	Description
student_id (PK)	INT, AUTO_INCREMENT	Unique identifier for each student
matric_no	VARCHAR(20), UNIQUE	Student matriculation number
full_name	VARCHAR(100)	Full name of the student
department	VARCHAR(100)	Academic department of the student
level	VARCHAR(10)	Current academic level of the student

Results Table

Field	Data Type	Description
result_id (PK)	INT, AUTO_INCREMENT	Unique identifier for each result record
student_id (FK)	INT	References the Students table
course_code	VARCHAR(20)	Code of the course the result belongs to
score	DECIMAL(5,2)	Numeric score obtained by the student
grade	VARCHAR(2)	Letter grade derived from the score
semester	VARCHAR(20)	Academic semester of the result
session	VARCHAR(20)	Academic session of the result
status	ENUM	Draft, Approved, or Published
last_modified_by (FK)	INT	References the Users table
last_modified_at	DATETIME	Timestamp of the last modification

AuditLogs Table

Field	Data Type	Description
log_id (PK)	INT, AUTO_INCREMENT	Unique identifier for each audit entry
user_id (FK)	INT	References the Users table
action	VARCHAR(50)	Type of action performed, e.g. LOGIN, UPDATE, DELETE
table_affected	VARCHAR(50)	Name of the table affected by the action
record_id	INT	Identifier of the affected record
old_value	TEXT	Value before modification
new_value	TEXT	Value after modification

Field	Data Type	Description
timestamp	DATETIME	Date and time the action occurred
ip_address	VARCHAR(45)	IP address from which the action originated

TamperAlerts Table

Field	Data Type	Description
alert_id (PK)	INT, AUTO_INCREMENT	Unique identifier for each tamper alert
result_id (FK)	INT	References the Results table
description	TEXT	Explanation of the suspicious modification detected
detected_at	DATETIME	Date and time the tampering was detected
resolved_status	ENUM	Open or Resolved
resolved_by (FK)	INT	References the Users table (administrator who reviewed the alert)

Referential integrity was enforced through foreign key constraints linking the Results table to the Students and Users tables, and linking the AuditLogs and TamperAlerts tables to the Users and Results tables respectively. Unique constraints were applied to the username and matric_no fields to prevent duplicate accounts and duplicate student records. Indexes were created on frequently queried columns, including student_id, course_code, and timestamp, to improve the performance of result retrieval and audit report generation. As an additional integrity measure, the application layer does not expose any update or delete operation on the AuditLogs and TamperAlerts tables to ordinary users; records in these two tables can only be inserted, never modified or removed through the application, which guarantees that tampering incidents remain permanently recorded even if the underlying result is later corrected.

4.5 User Interface Implementation

The user interface was implemented as a set of role-aware web pages, each serving a specific function within the overall workflow of the system.

Login Page: Provides the entry point to the system. It collects a username and password, submits them for verification, and redirects the user to the dashboard appropriate to their role upon success, or displays an error message on failure.

Dashboard: Serves as the central hub after login. It presents a summary of relevant information based on the user's role, for example, recent uploads for a lecturer, pending verifications for an examination officer, or outstanding tamper alerts for an administrator.

Student Management Page: Allows authorised users to add, update, or search for student records, including matriculation number, full name, department, and academic level.

Result Upload Page: Enables lecturers to submit scores for students in the courses assigned to them. The page validates that scores fall within an acceptable range before submission.

Result Viewing Page: Allows authorised users to view examination results in a structured, filterable table, without exposing editing controls to users who are not permitted to modify results.

Result Editing Page: Provides a controlled interface through which authorised users can correct a result before publication. Every submission from this page is checked against the tamper detection rules described in Section 4.6 prior to being committed.

Audit Log Page: Displays a chronological, filterable record of all system activities, including logins, uploads, edits, and administrative actions, showing the user responsible, the action taken, and the time it occurred.

Tamper Alert Page: Lists all tamper alerts generated by the system, showing the affected result, a description of the suspicious activity, the time it was detected, and its resolution status.

Administrator Page: Provides system-wide controls available only to administrators, including user account management, review and resolution of tamper alerts, and access to system-level reports.

4.6 Implementation of Tamper Detection

The tamper detection engine is the core contribution of the system and was implemented as a combination of application-level checks and continuous verification, rather than as a single isolated feature.

Monitoring Process

Every request that would alter a record in the Results table is intercepted by the application before it reaches the database. The system captures the identity of the user making the request, the record being modified, and the values before and after the change.

Logging Process

Once a modification request has been intercepted, an entry is written to the AuditLogs table regardless of whether the modification is subsequently judged authorised or suspicious. This ensures that the audit history is complete and does not depend on the outcome of the verification step.

Verification Process

The system then verifies the legitimacy of the modification by checking the requesting user's role and assigned privileges, confirming that the affected result belongs to a course or student the user is authorised to manage, and confirming that the modification occurs within the normal workflow sequence, for example, before a result has been published rather than afterward.

Alert Generation

If the verification step identifies a modification as unauthorised or suspicious, for instance an edit performed outside the user's assigned privileges, an edit occurring after a result has already been published, or a discrepancy discovered between the stored result and its last verified state, the system creates a corresponding entry in the TamperAlerts table and displays a notification on the administrator's dashboard.

Permanent Tamper Records and Audit History

Once a tamper alert has been created, it cannot be deleted through the application interface, even if the affected result is subsequently restored to its original value by an administrator. This design decision directly implements the principle, established in Chapter One, that a tampering incident must remain part of the permanent record regardless of whether the underlying data is later corrected. The audit log similarly retains every action indefinitely, providing a complete history that supports accountability and, if required, forensic investigation.

Unauthorized Modification Detection

A modification is classified as unauthorised or suspicious when it satisfies one or more of the following conditions: it originates from an account without the privilege to modify the specific record; it occurs outside the normal workflow, such as after publication; it results from repeated unusual edits to the same record within a short time frame; or it is discovered through periodic verification to have altered a record without a corresponding logged request, which indicates

that the change may have been made through direct database access rather than through the application.

4.7 Testing

A structured testing process was carried out to verify that the implemented system met its functional and security requirements. Five categories of testing were conducted.

Unit Testing

Individual functions were tested in isolation, including password hashing and verification, grade computation from a numeric score, and input validation routines, to confirm that each performed correctly on its own before being integrated with other components.

Integration Testing

Related modules were tested together to confirm that they interacted correctly, for example, verifying that a successful login correctly loaded the appropriate dashboard, and that a result submitted through the upload page was correctly stored and simultaneously reflected in the audit log.

Functional Testing

Each feature of the system was tested against the functional requirements specified in Chapter Three, including authentication, result upload, result viewing, result editing, audit logging, and tamper alert generation.

Security Testing

The system was tested against common attack scenarios identified in Chapter Two, including attempts at SQL injection through input fields, attempts to access restricted pages without proper authentication, and attempts to modify a result outside an account's assigned privileges.

User Acceptance Testing (UAT)

A small group of prospective users, representing the roles of lecturer, examination officer, and administrator, exercised the system through its typical workflows and provided feedback on usability, clarity, and correctness, which was used to refine minor aspects of the interface before final evaluation.

4.8 Test Cases

Table 4.1 presents representative test cases executed during the testing phase, along with their expected and actual results.

Table 4.1: Sample Test Cases and Results

Test ID	Test Objective	Input	Expected Result	Actual Result
TC01	Verify login with valid credentials	Correct username and password	User authenticated and redirected to role-based dashboard	User successfully redirected to dashboard
TC02	Verify login with wrong password	Valid username, incorrect password	Access denied with an authentication error message	Access denied, error message displayed
TC03	Verify result upload by a lecturer	Valid matriculation number, course code and score	Result is saved and linked to the correct student record	Result saved successfully in the Results table
TC04	Verify authorized editing of a result	Edit performed by an examination officer before result publication	Result updated and change logged as a normal edit	Result updated and recorded in audit log
TC05	Verify detection of unauthorized editing	Edit attempted by a lecturer on a course not assigned, or after publication	Action is blocked or flagged, and a tamper alert is generated	Action flagged, tamper alert created
TC06	Verify tamper alert generation on direct database modification	Result value altered directly in MySQL, bypassing the application	System detects the discrepancy on verification and raises an alert	Alert generated after verification cycle
TC07	Verify audit logging of user activities	Perform login, result upload and result edit actions	Each action is captured with user identity, timestamp and details	All actions correctly captured in audit log
TC08	Verify database backup functionality	Trigger a scheduled or manual backup operation	A complete backup file is generated and stored	Backup file created successfully
TC09	Verify recovery from backup	Restore database from a previously generated backup after simulated data loss	Data is restored accurately to its last consistent state	Data restored successfully

4.9 System Performance Evaluation

Following functional and security testing, the system was evaluated against several performance criteria relevant to its intended use in a tertiary institution.

Response Time: Under normal test conditions with a moderate volume of records, page loads and result queries returned within approximately one to two seconds, which is acceptable for interactive use.

Reliability: Repeated execution of the core workflows during testing produced consistent outcomes without unexpected crashes or data loss.

Accuracy: All deliberately introduced unauthorised modifications during security testing were correctly flagged by the tamper detection engine, while legitimate edits performed within the normal workflow were not incorrectly flagged, indicating a low false-positive rate under the tested conditions.

Security: The system resisted basic SQL injection attempts and unauthorised access attempts during security testing, and password data remained protected through hashing at all times.

Ease of Use: Participants in the user acceptance testing found the interface straightforward to navigate and required minimal guidance to complete their assigned tasks.

Scalability: Testing was carried out with a moderate dataset representative of a single department. While the architecture is sound, deployment across a larger institution would benefit from further optimisation, such as additional indexing, caching, and, if required, load balancing across multiple application instances.

Overall, the system demonstrated clear strengths in tamper detection accuracy, accountability through detailed audit trails, and role-based access control. Its principal limitations, discussed further in Chapter Five, relate to the scale at which it has so far been tested and the absence of advanced notification channels beyond the in-application dashboard.

4.10 Discussion of Results

The implemented system satisfies the objectives set out in Chapter One. It provides a secure result management platform protected by authentication and role-based access control (objectives i and iii); it implements a tamper detection mechanism, described in Section 4.6, capable of identifying unauthorised modifications (objective ii); it maintains a comprehensive audit logging system that tracks all user activity (objective iv); and, taken together, these mechanisms improve the integrity, reliability, and transparency of examination result processing (objective v).

Compared with the related works reviewed in Chapter Two, the implemented system addresses gaps left by earlier solutions. Whereas the system developed by Adebayo and Salawu (2018) improved the speed of result computation but lacked any tamper detection mechanism, and the system proposed by Okeke and Nwosu (2019) improved access control without providing audit logging, the Result Tamper Detection System combines authentication, role-based access control, activity logging, and automated tamper detection within a single platform. Similarly, whereas Ahmed and Bello (2020) focused on strengthening user verification through

fingerprint authentication without addressing insider threats, the present system specifically targets the detection of unauthorised modifications regardless of whether they originate from an outsider or from a user with legitimate but misused access. In this way, the implemented system responds directly to the research gaps identified in Section 2.3 of Chapter Two, while remaining, as intended, considerably simpler and less resource-intensive to deploy than blockchain-based alternatives such as those inspired by Nakamoto (2008).

CHAPTER FIVE

SUMMARY, CONCLUSION AND RECOMMENDATIONS

5.1 Summary

This project set out to design and implement a Result Tamper Detection System capable of protecting examination records in tertiary institutions from unauthorised modification. Chapter One introduced the background of the study, identifying result tampering, weak database security, and the lack of accountability in existing systems as pressing problems, and set out the aim, objectives, significance, scope, and limitations of the project. Chapter Two reviewed related literature on result management systems, database security, cybersecurity, authentication, data integrity, audit logging, and tamper detection, and identified specific gaps that existing systems had not adequately addressed, particularly the absence of integrated tamper detection combined with comprehensive audit logging. Chapter Three presented the analysis, design, and methodology adopted for the project, including the system architecture, database design, use case and data flow diagrams, and the Waterfall development methodology. Chapter Four documented the implementation of the system using Python, Flask, MySQL, HTML, CSS, and JavaScript, described the database and interface implementation in detail, explained the internal workings of the tamper detection engine, and presented the testing procedures, test cases, and performance evaluation carried out to validate the system.

5.2 Achievement of Objectives

Each objective stated in Chapter One was addressed as follows:

i. To design a secure result management system capable of protecting examination records from unauthorized access.

This was achieved through the implementation of secure login authentication, password hashing, and a three-tier architecture that separates the presentation, application, and database layers, as described in Sections 4.3 and 4.4.

ii. To develop a tamper detection mechanism that identifies unauthorized modifications to examination results.

This objective was achieved through the tamper detection engine described in Section 4.6, which monitors, verifies, and flags modifications that fall outside a user's privileges or the

system's normal workflow, and which was confirmed to function correctly during the security testing reported in Section 4.7.

iii. To implement authentication and role-based access control for authorized users of the system.

This was achieved through the authentication module described in Section 4.3.3 and the role-based restrictions enforced across the Student Management, Result Upload, Result Editing, and Administrator pages described in Section 4.5.

iv. To create an audit logging system that tracks and records all user activities within the platform.

This was achieved through the AuditLogs table and the logging process described in Section 4.6, which records every login, upload, and modification attempt, and through the Audit Log Page described in Section 4.5, which makes this history accessible to authorised users.

v. To improve the integrity, reliability, and transparency of academic result processing systems.

This was achieved cumulatively through the combination of the mechanisms above, as confirmed by the performance evaluation in Section 4.9, which found the system to be accurate in detecting tampering, reliable across repeated use, and transparent through its detailed and permanent audit trail.

5.3 Contributions of the Study

This study contributes both technically and academically. On the technical side, it demonstrates a practical, lightweight approach to tamper detection that does not require the complexity or cost of blockchain infrastructure, showing that a combination of workflow-aware verification, complete audit logging, and role-based access control can achieve a comparable level of accountability for institutions with limited resources. On the academic side, the study contributes to the fields of cybersecurity, database management, and educational information systems by directly addressing the specific research gap identified in Chapter Two: the absence of examination result systems that integrate authentication, monitoring, and tamper detection within a single platform. The detailed design and implementation documented in this project provide a reference model that future researchers and institutions may adapt or extend.

5.4 Conclusion

Examination results are among the most consequential records an academic institution maintains, directly affecting certification, progression, and the credibility of the institution itself. This project has shown that a secure, web-based result management system can be designed and implemented in a way that goes beyond simple storage and retrieval to actively detect and permanently record unauthorised modifications. By combining authentication, role-based access control, comprehensive audit logging, and an automated tamper detection engine, the Result Tamper Detection System strengthens the integrity of academic records, discourages result manipulation, and provides institutions with the traceability needed to investigate and respond to suspicious activity. In doing so, the project makes a meaningful contribution toward greater transparency, accountability, and trust in the management of academic records.

5.5 Limitations

- The system was tested within a single-institution environment using a moderate dataset, and further testing would be required before deployment at a larger, multi-institutional scale.
- Notifications of tamper alerts are currently limited to the in-application administrator dashboard, without email or SMS alerts.
- The system relies on username-and-password authentication and does not currently include biometric or multi-factor authentication.
- As stated in the scope of the study, the system does not cover online examination processing, blockchain-based record keeping, or nationwide database integration.
- Time and resource constraints limited the extent of large-scale performance and load testing that could be carried out.

5.6 Recommendations

Based on the outcomes and limitations of this project, the following improvements are recommended for future versions of the system:

- Introducing multi-factor authentication to further strengthen login security.
- Adding email and SMS notifications so that administrators are alerted to tamper incidents immediately, rather than only through the in-application dashboard.

- Deploying the system to a cloud environment to improve accessibility, availability, and scalability.
- Incorporating biometric authentication as an additional verification layer for highly sensitive operations.
- Integrating the system with existing student portals to streamline result publication and reduce duplicate data entry.
- Developing enhanced reporting features, including exportable summaries of tamper incidents over time.
- Incorporating advanced analytics to help institutions identify patterns of suspicious behaviour across departments.
- Extending the architecture to support larger, multi-institutional deployments through improved indexing, caching, and load distribution.

5.7 Suggestions for Further Research

Future research building on this project could explore the integration of machine learning techniques to improve the detection of subtle or gradually escalating patterns of unauthorised modification, beyond the rule-based checks implemented in this study. Researchers may also investigate blockchain-based extensions to provide cryptographically immutable audit trails for institutions with the resources to support such infrastructure, as an alternative or complement to the database-level permanence measures used here. Further work could also examine the applicability of the tamper detection approach developed in this project to other categories of sensitive institutional records beyond examination results, such as admission records or financial transactions within academic institutions.

REFERENCES

- Adebayo, O., & Salawu, K. (2018). Development of a computerized student result management system for tertiary institutions. *Journal of Computer Science and Information Technology*, 6(2), 45–53.
- Ahmed, M., & Bello, S. (2020). A web-based result processing system integrated with fingerprint authentication. *International Journal of Computer Applications*, 178(15), 22–29.
- Casey, E. (2011). *Digital evidence and computer crime: Forensic science, computers, and the internet* (3rd ed.). Academic Press.
- Myers, G. J., Sandler, C., & Badgett, T. (2011). *The art of software testing* (3rd ed.). John Wiley & Sons.
- Nakamoto, S. (2008). Bitcoin: A peer-to-peer electronic cash system. <https://bitcoin.org/bitcoin.pdf>
- Ogunleye, T., & Adewale, O. (2021). An intrusion detection framework for educational networks. *Nigerian Journal of Technology*, 40(3), 512–520.
- Okeke, C., & Nwosu, I. (2019). A secure academic database management system with password-based authentication. *West African Journal of Computing*, 11(1), 33–41.
- Silberschatz, A., Korth, H. F., & Sudarshan, S. (2019). *Database system concepts* (7th ed.). McGraw-Hill Education.
- Smith, J., & Carter, R. (2017). Real-time database activity monitoring for insider threat prevention. *Journal of Information Security*, 8(4), 210–221.
- Sommerville, I. (2016). *Software engineering* (10th ed.). Pearson Education.
- Stallings, W. (2017). *Cryptography and network security: Principles and practice* (7th ed.). Pearson Education.