HAZOP Study Manager – Quick Guide

Offline relational HAZOP database · part of the Process Safety Analysis Toolkit

1 · What it does

The HAZOP Study Manager records a complete HAZOP study as related tables: study details and team, sessions, process safety information (PSI), nodes, deviations (one risk assessment per deviation), causes, a safeguard register with per-deviation IPL claims, and a recommendation register. Deleting a node removes its deviations and links, so no orphan records remain. It includes the guideword library for the chemical, steel and metals industries (57 parameters, 92 parameter / guideword combinations, 629 potential causes).

2 · Workflow

1. **Study details & team** – title, scope, design intent, facilitator, scribe, team members, session attendance.
2. **Process safety info** – drawings, procedures and data used; link each document to its nodes (one click adds a typical PSI checklist).
3. **Nodes** – number, name, drawings, battery limits, design intent, design and operating parameters.
4. **HAZOP worksheet** – choose the node; add deviations one by one or many at once with *Add deviations from guideword set*; click a row to open the deviation editor.
5. **Registers** – review safeguards / IPLs and track recommendations to close-out.
6. **Reports & export** – printable report (PDF) and Excel export.

3 · The deviation editor

Section	How to use it
Deviation	Choose parameter and guideword – the deviation text is built automatically (it can be edited).
Causes	Tick causes from the library for that parameter / guideword, or type your own. Several causes per deviation.
Consequences	Describe the worst credible outcome without safeguards.
Risk before safeguards	Severity × likelihood on the 5 × 5 matrix (editable on the *Risk matrix* screen).
Safeguards	Type or pick a safeguard – new ones are added to the register and appear in the pull-down list for every other deviation. Tick **IPL** where it qualifies as an independent protection layer for this scenario.
Risk after safeguards	Residual severity × likelihood.
Recommendations	Create a new recommendation or link an existing one (one recommendation can close several deviations).

> Safeguards can also be entered directly in the worksheet row: type or pick in the box under the Safeguards column and press Enter; click IPL / non-IPL to change the claim.

4 · Saving

- Work is kept automatically in the browser of the computer in use.
- To keep the study on the USB stick: **File ▸ Save study as…** and choose the `My studies` folder – every change is then written to that `.hazop.json` file (Chrome / Edge).
- On another computer: **File ▸ Open study file…**. Use **Download backup** regularly as a second copy.

5 · Example

File ▸ Load example study loads a hot DRI transfer study: node N01 the hot DRI transfer conveyor (shaft discharge to EAF charging bin) and node N02 the N2 fire detection, inerting & extinguishing system, with team, PSI, seven deviations, a shared safeguard register with IPL claims and seven recommendations. It is the same scenario as the fault tree, event tree and bow tie examples. The study is also in `Examples/Example – Hot DRI transfer conveyor.hazop.json`. Data are illustrative.

6 · Links to the other tools

A high-risk HAZOP scenario whose protection relies on an instrumented or engineered system can be quantified in the **Fault Tree & PFD Calculator** (PFDavg of the protection), its outcomes in **Event Tree Analysis**, and the resulting barriers managed in **Bow Tie Analysis**.