

RWorkSheet_Porras#4b

Porras, Christian

2023-11-08

#2

```
for (c in 1:5){  
  cat(paste0("\n", rep("*",c),"\n"),"\n")  
}
```

```
## "*"
## "*" "*"
## "*" "*" "*"
## "*" "*" "*" "*"
## "*" "*" "*" "*" "*"
```

```
userInput <- as.integer(readline("Enter starting number for Fibonacci sequence: "))
```

```
## Enter starting number for Fibonacci sequence:
```

```
if(is.na(userInput || userInput < 0)) {  
  cat("Please Enter Something")  
} else {
```

```
x <- userInput  
y <- 0
```

```
cat("Fibonacci sequence starting from", userInput, ":\n")
```

```
repeat {
```

```
  next_num <- x + y
```

```
  if (next_num > 500){  
    break
```

```
  }  
  cat(next_num, " ")  
  x <- y
```

```
  y <- next_num
```

```
}
```

```
}
```

```
## Please Enter Something
```

#4

```
HouseHold <- data.frame(  
  ShoeSize =c(6.5,9.0,8.5,8.5,10.5,7.0,9.5,9.0,13.0,7.5,10.5,8.5,12.0,10.5,13.0,11.5,8.5,5.0,10.0,6.5,7
```

```

Height =c(66.0,68.0,64.5,65.0,70.0,64.0,70.0,71.0,72.0,64.0,74.5,67.0,71.0,71.0,77.0,72.0,59.0,62.0,7
Gender = c("F","F","F","F","M","F","F","F","M","F","M","F","M","M","M","M","F","F","M","F","M","M")
)

write.csv(HouseHold, file = "HouseHold.csv", row.names = FALSE)

#4.a
print(HouseHold[1:6,])

```

```

##      ShoeSize Height Gender
## 1         6.5   66.0      F
## 2         9.0   68.0      F
## 3         8.5   64.5      F
## 4         8.5   65.0      F
## 5        10.5   70.0      M
## 6         7.0   64.0      F

```

```

prevData <- read.csv("HouseHold.csv")
head(prevData)

```

```

##      ShoeSize Height Gender
## 1         6.5   66.0      F
## 2         9.0   68.0      F
## 3         8.5   64.5      F
## 4         8.5   65.0      F
## 5        10.5   70.0      M
## 6         7.0   64.0      F

```

```

males <- prevData[prevData$Gender == "M",]
males

```

```

##      ShoeSize Height Gender
## 5        10.5   70.0      M
## 9        13.0   72.0      M
## 11       10.5   74.5      M
## 13       12.0   71.0      M
## 14       10.5   71.0      M
## 15       13.0   77.0      M
## 16       11.5   72.0      M
## 19       10.0   72.0      M
## 22        8.5   67.0      M
## 23       10.5   73.0      M
## 25       10.5   72.0      M
## 26       11.0   70.0      M
## 27        9.0   69.0      M
## 28       13.0   70.0      M

```

```

females <- prevData[prevData$Gender == "F",]
females

```

```

##      ShoeSize Height Gender
## 1         6.5   66.0      F
## 2         9.0   68.0      F
## 3         8.5   64.5      F
## 4         8.5   65.0      F

```

```
## 6      7.0   64.0    F
## 7      9.5   70.0    F
## 8      9.0   71.0    F
## 10     7.5   64.0    F
## 12     8.5   67.0    F
## 17     8.5   59.0    F
## 18     5.0   62.0    F
## 20     6.5   66.0    F
## 21     7.5   64.0    F
## 24     8.5   69.0    F
```

```
numofMale <- nrow(males)
numofMale
```


```
## [1] 14
```

```
numofFem <- nrow(females)
numofFem
```

```
## [1] 14
```

```
# C. Create a graph for the number of males and females for Household Data. Use plot(), chart type = bar
```

```
totalMaleFemale <- table(prevData$Gender)
barplot(totalMaleFemale,
        main = "Number of Males and Females",
        xlab = "Gender",
        ylab = "Count",
        col = c("red", "blue"),
        legend.text = rownames(totalMaleFemale),
        beside = TRUE)
```



#5. The monthly income of Dela Cruz family was spent on the following:
 # A. Create a piechart that will include labels in percentage. Add some colors and title of the chart. W

```

spending_data <- data.frame(
  Category = c("Food", "Electricity", "Savings", "Miscellaneous"),
  Value = c(60, 10, 5, 25)
)

spending_data$Percentage <- spending_data$Value / sum(spending_data$Value) * 100


colors <- c("blue", "lightgreen", "red", "orange")

pie(spending_data$Value,
  labels = paste(spending_data$Category, "(", spending_data$Percentage, "%)"),
  col = colors,
  main = "Monthly Income Spending of Dela Cruz Family")

legend("topright", spending_data$Category, fill = colors)

```

Monthly Income Spending of Dela Cruz Family



6. Use the iris dataset

```
data(iris)
```

#A. Check for the structure of the dataset using the str() function. Describe what you have seen in the

```
str(iris)
```

```

## 'data.frame':   150 obs. of  5 variables:
## $ Sepal.Length: num  5.1 4.9 4.7 4.6 5 5.4 4.6 5 4.4 4.9 ...
## $ Sepal.Width : num  3.5 3 3.2 3.1 3.6 3.9 3.4 3.4 2.9 3.1 ...
## $ Petal.Length: num  1.4 1.4 1.3 1.5 1.4 1.7 1.4 1.5 1.4 1.5 ...
## $ Petal.Width : num  0.2 0.2 0.2 0.2 0.2 0.4 0.3 0.2 0.2 0.1 ...
## $ Species      : Factor w/ 3 levels "setosa","versicolor",...: 1 1 1 1 1 1 1 1 1 1 ...

```

-The dataset provides information on 150 different iris flowers, including their sepal and petal length

B. Create an R object that will contain the mean of the sepal.length, sepal.width, petal.length, and petal.width

```
meanOfFlowerS <- colMeans(iris[,1:4])
meanOfFlowerS
```

```
## Sepal.Length Sepal.Width Petal.Length Petal.Width
##      5.843333      3.057333      3.758000      1.199333
```


C. Create a pie chart for the Species distribution. Add title, legends, and colors. Write the R script

```
specieS <- table(iris$Species)
nameOfspecieS <- c("Setosa", "Versicolor", "Virginica")
```

```
pie(specieS,
    labels = nameOfspecieS,
    col = c("red", "white", "cyan"),
    main = "Species Distribution In Iris Dataset")
```

```
legend("topleft", legend = levels(iris$Species), fill = c("red", "white", "cyan"),)
```

Species Distribution In Iris Dataset



#D. Subset the species into setosa, versicolor, and virginica. Write the R scripts and show the last si

```
iris
```

```
##      Sepal.Length Sepal.Width Petal.Length Petal.Width Species
## 1         5.1         3.5         1.4         0.2      setosa
## 2         4.9         3.0         1.4         0.2      setosa
## 3         4.7         3.2         1.3         0.2      setosa
## 4         4.6         3.1         1.5         0.2      setosa
## 5         5.0         3.6         1.4         0.2      setosa
## 6         5.4         3.9         1.7         0.4      setosa
## 7         4.6         3.4         1.4         0.3      setosa
## 8         5.0         3.4         1.5         0.2      setosa
## 9         4.4         2.9         1.4         0.2      setosa
## 10        4.9         3.1         1.5         0.1      setosa
## 11        5.4         3.7         1.5         0.2      setosa
## 12        4.8         3.4         1.6         0.2      setosa
## 13        4.8         3.0         1.4         0.1      setosa
## 14        4.3         3.0         1.1         0.1      setosa
```

## 15	5.8	4.0	1.2	0.2	setosa
## 16	5.7	4.4	1.5	0.4	setosa
## 17	5.4	3.9	1.3	0.4	setosa
## 18	5.1	3.5	1.4	0.3	setosa
## 19	5.7	3.8	1.7	0.3	setosa
## 20	5.1	3.8	1.5	0.3	setosa
## 21	5.4	3.4	1.7	0.2	setosa
## 22	5.1	3.7	1.5	0.4	setosa
## 23	4.6	3.6	1.0	0.2	setosa
## 24	5.1	3.3	1.7	0.5	setosa
## 25	4.8	3.4	1.9	0.2	setosa
## 26	5.0	3.0	1.6	0.2	setosa
## 27	5.0	3.4	1.6	0.4	setosa
## 28	5.2	3.5	1.5	0.2	setosa
## 29	5.2	3.4	1.4	0.2	setosa
## 30	4.7	3.2	1.6	0.2	setosa
## 31	4.8	3.1	1.6	0.2	setosa
## 32	5.4	3.4	1.5	0.4	setosa
## 33	5.2	4.1	1.5	0.1	setosa
## 34	5.5	4.2	1.4	0.2	setosa
## 35	4.9	3.1	1.5	0.2	setosa
## 36	5.0	3.2	1.2	0.2	setosa
## 37	5.5	3.5	1.3	0.2	setosa
## 38	4.9	3.6	1.4	0.1	setosa
## 39	4.4	3.0	1.3	0.2	setosa
## 40	5.1	3.4	1.5	0.2	setosa
## 41	5.0	3.5	1.3	0.3	setosa
## 42	4.5	2.3	1.3	0.3	setosa
## 43	4.4	3.2	1.3	0.2	setosa
## 44	5.0	3.5	1.6	0.6	setosa
## 45	5.1	3.8	1.9	0.4	setosa
## 46	4.8	3.0	1.4	0.3	setosa
## 47	5.1	3.8	1.6	0.2	setosa
## 48	4.6	3.2	1.4	0.2	setosa
## 49	5.3	3.7	1.5	0.2	setosa
## 50	5.0	3.3	1.4	0.2	setosa
## 51	7.0	3.2	4.7	1.4	versicolor
## 52	6.4	3.2	4.5	1.5	versicolor
## 53	6.9	3.1	4.9	1.5	versicolor
## 54	5.5	2.3	4.0	1.3	versicolor
## 55	6.5	2.8	4.6	1.5	versicolor
## 56	5.7	2.8	4.5	1.3	versicolor
## 57	6.3	3.3	4.7	1.6	versicolor
## 58	4.9	2.4	3.3	1.0	versicolor
## 59	6.6	2.9	4.6	1.3	versicolor
## 60	5.2	2.7	3.9	1.4	versicolor
## 61	5.0	2.0	3.5	1.0	versicolor
## 62	5.9	3.0	4.2	1.5	versicolor
## 63	6.0	2.2	4.0	1.0	versicolor
## 64	6.1	2.9	4.7	1.4	versicolor
## 65	5.6	2.9	3.6	1.3	versicolor
## 66	6.7	3.1	4.4	1.4	versicolor
## 67	5.6	3.0	4.5	1.5	versicolor
## 68	5.8	2.7	4.1	1.0	versicolor

## 69	6.2	2.2	4.5	1.5 versicolor
## 70	5.6	2.5	3.9	1.1 versicolor
## 71	5.9	3.2	4.8	1.8 versicolor
## 72	6.1	2.8	4.0	1.3 versicolor
## 73	6.3	2.5	4.9	1.5 versicolor
## 74	6.1	2.8	4.7	1.2 versicolor
## 75	6.4	2.9	4.3	1.3 versicolor
## 76	6.6	3.0	4.4	1.4 versicolor
## 77	6.8	2.8	4.8	1.4 versicolor
## 78	6.7	3.0	5.0	1.7 versicolor
## 79	6.0	2.9	4.5	1.5 versicolor
## 80	5.7	2.6	3.5	1.0 versicolor
## 81	5.5	2.4	3.8	1.1 versicolor
## 82	5.5	2.4	3.7	1.0 versicolor
## 83	5.8	2.7	3.9	1.2 versicolor
## 84	6.0	2.7	5.1	1.6 versicolor
## 85	5.4	3.0	4.5	1.5 versicolor
## 86	6.0	3.4	4.5	1.6 versicolor
## 87	6.7	3.1	4.7	1.5 versicolor
## 88	6.3	2.3	4.4	1.3 versicolor
## 89	5.6	3.0	4.1	1.3 versicolor
## 90	5.5	2.5	4.0	1.3 versicolor
## 91	5.5	2.6	4.4	1.2 versicolor
## 92	6.1	3.0	4.6	1.4 versicolor
## 93	5.8	2.6	4.0	1.2 versicolor
## 94	5.0	2.3	3.3	1.0 versicolor
## 95	5.6	2.7	4.2	1.3 versicolor
## 96	5.7	3.0	4.2	1.2 versicolor
## 97	5.7	2.9	4.2	1.3 versicolor
## 98	6.2	2.9	4.3	1.3 versicolor
## 99	5.1	2.5	3.0	1.1 versicolor
## 100	5.7	2.8	4.1	1.3 versicolor
## 101	6.3	3.3	6.0	2.5 virginica
## 102	5.8	2.7	5.1	1.9 virginica
## 103	7.1	3.0	5.9	2.1 virginica
## 104	6.3	2.9	5.6	1.8 virginica
## 105	6.5	3.0	5.8	2.2 virginica
## 106	7.6	3.0	6.6	2.1 virginica
## 107	4.9	2.5	4.5	1.7 virginica
## 108	7.3	2.9	6.3	1.8 virginica
## 109	6.7	2.5	5.8	1.8 virginica
## 110	7.2	3.6	6.1	2.5 virginica
## 111	6.5	3.2	5.1	2.0 virginica
## 112	6.4	2.7	5.3	1.9 virginica
## 113	6.8	3.0	5.5	2.1 virginica
## 114	5.7	2.5	5.0	2.0 virginica
## 115	5.8	2.8	5.1	2.4 virginica
## 116	6.4	3.2	5.3	2.3 virginica
## 117	6.5	3.0	5.5	1.8 virginica
## 118	7.7	3.8	6.7	2.2 virginica
## 119	7.7	2.6	6.9	2.3 virginica
## 120	6.0	2.2	5.0	1.5 virginica
## 121	6.9	3.2	5.7	2.3 virginica
## 122	5.6	2.8	4.9	2.0 virginica

```
## 123      7.7      2.8      6.7      2.0 virginica
## 124      6.3      2.7      4.9      1.8 virginica
## 125      6.7      3.3      5.7      2.1 virginica
## 126      7.2      3.2      6.0      1.8 virginica
## 127      6.2      2.8      4.8      1.8 virginica
## 128      6.1      3.0      4.9      1.8 virginica
## 129      6.4      2.8      5.6      2.1 virginica
## 130      7.2      3.0      5.8      1.6 virginica
## 131      7.4      2.8      6.1      1.9 virginica
## 132      7.9      3.8      6.4      2.0 virginica
## 133      6.4      2.8      5.6      2.2 virginica
## 134      6.3      2.8      5.1      1.5 virginica
## 135      6.1      2.6      5.6      1.4 virginica
## 136      7.7      3.0      6.1      2.3 virginica
## 137      6.3      3.4      5.6      2.4 virginica
## 138      6.4      3.1      5.5      1.8 virginica
## 139      6.0      3.0      4.8      1.8 virginica
## 140      6.9      3.1      5.4      2.1 virginica
## 141      6.7      3.1      5.6      2.4 virginica
## 142      6.9      3.1      5.1      2.3 virginica
## 143      5.8      2.7      5.1      1.9 virginica
## 144      6.8      3.2      5.9      2.3 virginica
## 145      6.7      3.3      5.7      2.5 virginica
## 146      6.7      3.0      5.2      2.3 virginica
## 147      6.3      2.5      5.0      1.9 virginica
## 148      6.5      3.0      5.2      2.0 virginica
## 149      6.2      3.4      5.4      2.3 virginica
## 150      5.9      3.0      5.1      1.8 virginica
```

```
SubseTSetosa <- iris[iris$Species == "Setosa",]
SubseTSetosa
```

```
## [1] Sepal.Length Sepal.Width Petal.Length Petal.Width Species
## <0 rows> (or 0-length row.names)
```

```
SubseTVersicolor <- iris[iris$Species == "Versicolor",]
SubseTVersicolor
```

```
## [1] Sepal.Length Sepal.Width Petal.Length Petal.Width Species
## <0 rows> (or 0-length row.names)
```

```
SubseTVirginica <- iris[iris$Species == "Virginica",]
SubseTVirginica
```

```
## [1] Sepal.Length Sepal.Width Petal.Length Petal.Width Species
## <0 rows> (or 0-length row.names)
```

```
tail(SubseTSetosa)
```

```
## [1] Sepal.Length Sepal.Width Petal.Length Petal.Width Species
## <0 rows> (or 0-length row.names)
```

```
tail(SubseTVersicolor)
```

```
## [1] Sepal.Length Sepal.Width Petal.Length Petal.Width Species
## <0 rows> (or 0-length row.names)
```




```
tail(SubseTVirginica)
```

```
## [1] Sepal.Length Sepal.Width Petal.Length Petal.Width Species
## <0 rows> (or 0-length row.names)
```

#E. Create a scatterplot of the sepal.length and sepal.width using the different species(setosa,versicolor,virginica)

```
plot(iris$Sepal.Length, iris$Sepal.Width,
     xlab = "Sepal Length", ylab = "Sepal Width",
     main = "Iris Dataset", sub = "Sepal Width and Length",
     pch = as.numeric(iris$Species), col = as.numeric(iris$Species))
```

```
legend("topright", legend = levels(iris$Species),
      pch = 1:3, col = 1:3,
      title = "SPECIES")
```



#F. Interpret the result.

#The Scatterplot enables us to observe the variations in sepal length and width among various species of Iris.

#The Setosa flowers, characterized by their short sepal length and wide width, are typically found in the upper left part of the plot.

#The Versicolor flowers have an average sepal length and width, located in the middle part.

#The Virginica flowers are typically long in sepal length and narrower in width, forming a group in the lower right part of the plot.

#Based on the plot, the differences between the three Iris species can be easily observed based on the sepal length and width.

#7. Import the alexa-file.xlsx. Check on the variations. Notice that there are extra whitespaces among the data.

```
library(readxl)
```

```
Alexa_File <- read_excel("Alexa_File.xlsx")
```

```
Alexa_File
```

```
## # A tibble: 3,150 x 5
##   rating date          variation      verified_reviews    feedback
##   <dbl> <dtm>          <chr>          <chr>          <dbl>
## 1     5 2018-07-31 00:00:00 Charcoal Fabric Love my Echo!      1
## 2     5 2018-07-31 00:00:00 Charcoal Fabric Loved it!          1
## 3     4 2018-07-31 00:00:00 Walnut Finish   Sometimes while play~ 1
## 4     5 2018-07-31 00:00:00 Charcoal Fabric I have had a lot of ~ 1
## 5     5 2018-07-31 00:00:00 Charcoal Fabric Music              1
## 6     5 2018-07-31 00:00:00 Heather Gray Fabric I received the echo ~ 1
## 7     3 2018-07-31 00:00:00 Sandstone Fabric Without having a cel~ 1
## 8     5 2018-07-31 00:00:00 Charcoal Fabric I think this is the ~ 1
## 9     5 2018-07-30 00:00:00 Heather Gray Fabric looks great      1
## 10    5 2018-07-30 00:00:00 Heather Gray Fabric Love it! I've listen~ 1
## # i 3,140 more rows
```

#A. Rename the white and black variants by using gsub() function.

```
Alexa_File$variation <- gsub("White Dot", "WhiteDot", Alexa_File$variation)
Alexa_File$variation <- gsub("White Plus", "WhitePlus", Alexa_File$variation)
Alexa_File$variation <- gsub("White Show", "WhiteShow", Alexa_File$variation)
Alexa_File$variation <- gsub("White Spot", "WhiteSpot", Alexa_File$variation)

Alexa_File$variation <- gsub("Black Dot", "BlackDot", Alexa_File$variation)
Alexa_File$variation <- gsub("Black Plus", "BlackPlus", Alexa_File$variation)
Alexa_File$variation <- gsub("Black Show", "BlackShow", Alexa_File$variation)
Alexa_File$variation <- gsub("Black Spot", "BlackSpot", Alexa_File$variation)
```

Alexa_File

```
## # A tibble: 3,150 x 5
##   rating date          variation      verified_reviews    feedback
##   <dbl> <dtm>          <chr>          <chr>          <dbl>
## 1     5 2018-07-31 00:00:00 Charcoal Fabric Love my Echo!      1
## 2     5 2018-07-31 00:00:00 Charcoal Fabric Loved it!          1
## 3     4 2018-07-31 00:00:00 Walnut Finish   Sometimes while play~ 1
## 4     5 2018-07-31 00:00:00 Charcoal Fabric I have had a lot of ~ 1
## 5     5 2018-07-31 00:00:00 Charcoal Fabric Music              1
## 6     5 2018-07-31 00:00:00 Heather Gray Fabric I received the echo ~ 1
## 7     3 2018-07-31 00:00:00 Sandstone Fabric Without having a cel~ 1
## 8     5 2018-07-31 00:00:00 Charcoal Fabric I think this is the ~ 1
## 9     5 2018-07-30 00:00:00 Heather Gray Fabric looks great      1
## 10    5 2018-07-30 00:00:00 Heather Gray Fabric Love it! I've listen~ 1
## # i 3,140 more rows
```

#B. Get the total number of each variations and save it into another object. Save the object as variati

```
install.packages("dplyr")
```

```
## Installing package into '/cloud/lib/x86_64-pc-linux-gnu-library/4.3'
## (as 'lib' is unspecified)
```

```
library("dplyr")
```

```
##
## Attaching package: 'dplyr'
```

```
## The following objects are masked from 'package:stats':
##
##   filter, lag
```

```
## The following objects are masked from 'package:base':
##
##   intersect, setdiff, setequal, union
```

```
variations_Total <- Alexa_File %>%
  count(Alexa_File$variation)
```

```
variations_Total
```

```
## # A tibble: 16 x 2
##   `Alexa_File$variation`      n
##   <chr>                    <int>
## 1 Black                    261
## 2 BlackDot                 516
## 3 BlackPlus                270
## 4 BlackShow                265
## 5 BlackSpot                241
## 6 Charcoal Fabric          430
## 7 Configuration: Fire TV Stick 350
## 8 Heather Gray Fabric      157
## 9 Oak Finish                14
## 10 Sandstone Fabric         90
## 11 Walnut Finish            9
## 12 White                    91
## 13 WhiteDot                 184
## 14 WhitePlus                78
## 15 WhiteShow                85
## 16 WhiteSpot                109
```

```
save(variations_Total, file = "VariaTionS.RData")
```

C. From the variations.RData, create a barplot(). Complete the details of the chart which include the

```
load ("VariaTionS.RData")
variations_Total
```


```
## # A tibble: 16 x 2
##   `Alexa_File$variation`      n
##   <chr>                    <int>
## 1 Black                    261
## 2 BlackDot                 516
## 3 BlackPlus                270
## 4 BlackShow                265
## 5 BlackSpot                241
## 6 Charcoal Fabric          430
## 7 Configuration: Fire TV Stick 350
## 8 Heather Gray Fabric      157
## 9 Oak Finish                14
## 10 Sandstone Fabric         90
## 11 Walnut Finish            9
## 12 White                    91
## 13 WhiteDot                 184
```

```
## 14 WhitePlus          78
## 15 WhiteShow          85
## 16 WhiteSpot         109
```

```
varNames <- variations_Total$`Alexa_File$variation`

totalPlot <- barplot(variations_Total$n,
  names.arg = varNames,
  main = "Total Number Of Each Variations",
  xlab = "Name Of Variations",
  ylab = "Total Of Each Variations",
  col = 1:16,
  space = 0.1,
  cex.names = 0.5,
  las = 2 )
```

Total Number Of Each Variations



#D. Create a barplot() for the black and white variations. Plot it in 1 frame, side by side. Complete the code below.

```
blackVars <- variations_Total[variations_Total$`Alexa_File$variation` %in% c("Black", "BlackPlus", "BlackDot", "BlackShow", "BlackSpot")]
```

```
whiteVars <- variations_Total[variations_Total$`Alexa_File$variation` %in% c("White", "WhiteDot", "WhitePlus", "WhiteShow", "WhiteSpot")]
```

```
par(mfrow = c(1,2))
blackVars
```

```
## # A tibble: 5 x 2
##   `Alexa_File$variation`      n
##   <chr>                  <int>
```

```
## 1 Black                261
## 2 BlackDot             516
## 3 BlackPlus            270
## 4 BlackShow            265
## 5 BlackSpot            241
```

```
blackPlot <- barplot(height = blackVars$n,
  names.arg = blackVars$`Alexa_File$variation`,
  col = c("lightblue"),
  main = "Black Variations",
  xlab = "Variation",
  ylab = "Count",
  border = "red",
  space = 0.5,
  cex.names = 0.4)
```

```
whitePlot <- barplot(height = whiteVars$n,
  names.arg = whiteVars$`Alexa_File$variation`,
  col = c("blue"),
  main = "White Variations",
  xlab = "Variation",
  ylab = "Count",
  border = "red",
  space = 0.5,
  cex.names = 0.4)
```

