





```
to be COMMINISTRATION OF THE PROPERTY OF THE P
```

```
when (ALLE) footboar

(3 1)

(4 CALLE) footboar

(5 CALLE) footboar

(6 CALLE) footboar

(7 CALLE) footboar

(8 CALLE) footboa
```

```
TO CALLED CONTROL OF C
```

```
wen (EAL) Institute

5 7

60 0 f (PAL) CATA SI CATA

ber wit (PAL) CATA SI CATA

de of (PAL)
```

```
when (SEE20 ToutCom

to 6 f (SEE20 Patrons SEE Communication

that see (SEE20 Patrons SEE Communication

and Communication

that see (SEE20 Patrons to Company)

and communication

that see (SEE20 Patrons to Company)
```

```
when (EFEE) contions

5 () () ( (FEE) Control (Control (C
```

```
when (RAME) locations
(C) (T)
(b) (F) (RAME) (ACTIONS (MI) (ACTIONS)
(b) (ACTIONS (MI) (ACTIONS)
(c) (ACTIONS (MI) (ACTIONS (MI) (ACTIONS)
(c) (ACTIONS (MI) (ACTIONS (MI) (ACTIONS)
(c) (ACTIONS (MI) (ACTIONS (MI)
```

```
wine (ACC) location

(1) (1) (ACC) (ACC) (ACC)

(2) (3) (ACC) (ACC) (ACC)

(3) (ACC) (ACC) (ACC)

(4) (ACC) (ACC) (ACC)

(5) (ACC) (ACC) (ACC)


(6) (ACC) (ACC) (ACC)


(6) (ACC) (ACC) (ACC)


(6) (ACC)

(6) (ACC)


(7) (ACC)
```







```
when btn back . Click
                                       Screen1 •
    open another screen screenName
initialize global (listRow) to ( make a list
                                              2 "
initialize global (listSeat) to ( make a list
                                             " 2 "
                                             " 3 "
when Ip_row .AfterPicking
     set [lbl_quant_row v . Text v to select list item list get global listRow v
                                                     index
                                                             lp_row ▼
                                                                        SelectionIndex •
when Ip_seat . AfterPicking
     set [lbl_quant_seat ] . Text I to select list item list get global listSeat I
                                                     index
                                                             Ip_seat ▼
                                                                         SelectionIndex •
```





Row3.Seat4

