

MyTunes.exe API 1.0.0 OAS 3.0

</api/schema/>

Backend API for MyTunes.exe — a Windows XP-themed music journaling social app.

[Authorize](#)

add-comment



POST </api/add-comment/> Add comment



Appends a comment to any entry. Returns the full updated comments array.

Parameters

[Try it out](#)

No parameters

Request body required

[application/json](#)

Example Value [Schema](#)

```
{
  "entry_id": 0,
  "username": "string",
  "text": "string"
}
```

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
201	Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "string", "comments": ["string"]}</pre>	No links

add-entry



POST

/api/add-entry/ Add entry



Creates today's song entry for the authenticated user. One entry per day.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "song_id": 0,
  "song_name": "string",
  "song_artist": "string",
  "song_album": "string",
  "song_album_art": "string",
  "song_preview_url": "string",
  "song_genre": "string",
  "comments": [
    "string"
  ]
}
```

Responses

Code	Description	Links
201	Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "string", "entry": 0 }</pre>	No links

auth



POST /api/auth/login/ Login



Authenticates a user. Returns an access token in the body and sets a **refresh_token** httpOnly cookie.

Parameters

Try it out

No parameters

Request body **required**

application/json

Example Value Schema

```
{  
  "username": "string",  
  "password": "string"  
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "string", "user": 0, "access_token": "string"}</pre>	No links

POST `/api/auth/refresh/` Refresh access token



Uses the **refresh_token** httpOnly cookie to issue a new access token. No request body needed.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "access_token": "string"}</pre>	No links

POST `/api/auth/register/` Register



Creates a new user account.

Parameters

[Try it out](#)

No parameters

Request body required

[application/json](#)

Example Value [Schema](#)

```
{
  "username": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
201	Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "string", "user": 0 }</pre>	<i>No links</i>

delete-account



DELETE </api/delete-account/> Delete account



Permanently deletes the authenticated user's account and clears the refresh token cookie.

Parameters

[Try it out](#)

No parameters

Responses

Code

Description

Links

200

Media type

application/jsonControls **Accept** header.**Example Value** Schema

```
{  
  "message": "string"  
}
```

No links

delete-entry

**DELETE****/api/delete-entry/** Delete today's entry

Deletes the authenticated user's entry for today, allowing them to re-post.

Parameters

[Try it out](#)

No parameters

Responses

Curl

```
curl -X 'DELETE' \
  'http://127.0.0.1:8000/api/delete-entry/' \
  -H 'accept: application/json' \
  -H 'X-CSRFToken: b1vqbPpWs0DfD4uyfKBfGyyOwa4tMh4sp9sPgSXLviwmM5pgbyB1m0cIG77M3srC'
```

Request URL

http://127.0.0.1:8000/api/delete-entry/

Server response

Code	Details
401 <i>Undocumented</i>	Error: Unauthorized Response body <pre>{ "detail": "Authentication credentials were not provided." }</pre> Download Response headers <pre>access-control-allow-credentials: true access-control-allow-origin: http://127.0.0.1:8000 allow: DELETE,OPTIONS content-length: 58 content-type: application/json cross-origin-opener-policy: same-origin date: Thu,12 Mar 2026 13:37:42 GMT referrer-policy: same-origin server: WSGIServer/0.2 CPython/3.14.3 vary: Accept,origin www-authenticate: Bearer realm="api" x-content-type-options: nosniff x-frame-options: DENY</pre>

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "string" }</pre>	No links

DELETE `/api/entry/{entry_id}/comment/{comment_index}/delete/` Delete comment  

Removes a comment at the given index. Only the comment's author (matched by username) can delete it.

Parameters Try it out

Name	Description
comment_index * required integer (path)	comment_index
entry_id * required integer (path)	entry_id

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "string", "comments": ["string"] }</pre>	No links

friends

GET `/api/friends/` List friends  

Returns all friends. If the user has posted today, each friend's today entry is included (gated by the privacy model).

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>[{ "id": 0, "friend_id": 0, "friend_username": "string", "profile_picture_url": "string", "today_entry": { "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" } }]</pre>	No links

DELETE `/api/friends/{friend_id}/remove/` Remove friend



Deletes a friendship by its ID. Only the user who created the friendship can remove it.

Parameters

[Try it out](#)

Name	Description
------	-------------

Name	Description	
friend_id * required integer (path)	friend_id	
Responses		
Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "string" }</pre>	No links

POST <code>/api/friends/add/</code> Add friend	 
Adds another user as a friend by username. Returns the new friendship with their today entry if available.	
Parameters	Try it out
No parameters	
Request body required	application/json
Example Value Schema <pre>{ "username": "string" }</pre>	

Responses

Code	Description	Links
201	Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "string", "id": 0, "friend_id": 0, "friend_username": "string", "profile_picture_url": "string", "today_entry": { "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" } }</pre>	No links

genre-stats



GET `/api/genre-stats/` Genre stats



Returns the user's all-time genre breakdown with percentages, HSL colors, and a backend-generated SVG pie chart.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "genres": ["string"], "total": 0, "svg": "string"}</pre>	No links

has-posted



GET

/api/has-posted/

Has posted today



Returns whether the user has submitted an entry today, and includes that entry if so.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "has_posted": true, "entry": { "additionalProp1": "string",</pre> <td>No links</td>	No links

Code	Description	Links
	<pre>"additionalProp2": "string", "additionalProp3": "string" } }</pre>	

profile



GET `/api/profile/` Get profile



Returns the authenticated user's profile and all their past entries.

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "username": "string", "profile_picture_url": "string", "entries": ["string"] }</pre>	No links

songs



GET

/api/songs/ Search songs



Queries the iTunes Search API for songs matching the given term. No authentication required.

Parameters

Try it out

Name	Description
query * required string (query)	Search term ooo

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>[{ "id": 0, "name": "string", "artist": "string", "album": "string", "albumArt": "string", "previewUrl": "string", "primaryGenreName": "string" }]</pre>	No links

update-comment



PATCH

/api/update-comment/ Update comment



Edits the text of an existing comment by its index in the entry's comments array.

Parameters

[Try it out](#)

No parameters

Request body

`application/json`

Example Value [Schema](#)

```
{
  "entry_id": 0,
  "comment_index": 0,
  "text": "string"
}
```

Responses

Code	Description	Links
200	Media type <code>application/json</code> Controls Accept header. Example Value Schema <pre>{ "message": "string", "comments": ["string"] }</pre>	<i>No links</i>

update-username



PATCH `/api/update-username/` Update username



Changes the authenticated user's username. The new username must be unique.

Parameters

[Try it out](#)

No parameters

Request body

[application/json](#)

Example Value [Schema](#)

```
{
  "new_username": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "string", "username": "string" }</pre>	<i>No links</i>

upload-profile-pic



POST [/api/upload-profile-pic/](#) Upload profile picture



Replaces the authenticated user's profile picture. Send as multipart/form-data.

Parameters

[Try it out](#)

No parameters

Request body **required**[application/json](#)

Example Value Schema

```
{
  "profile_picture": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "profile_picture_url": "string" }</pre>	No links

Schemas



```
AddCommentRequestRequest {
  entry_id*           integer
  username*           string
                      minLength: 1
  text*               string
                      minLength: 1
}
```

```
AddCommentResponse  {  
  message*             string  
  comments*            [ {...}]  
}
```

```
AddEntryRequestRequest  {  
  song_id*             integer  
  song_name*           string  
                        minLength: 1  
  song_artist*         string  
                        minLength: 1  
  song_album*          string  
                        minLength: 1  
  song_album_art*      string  
                        minLength: 1  
  song_preview_url     string  
                        minLength: 1  
  song_genre           string  
                        minLength: 1  
  comments             [ {...}]  
}
```

```
AddEntryResponse  {  
  message*             string  
  entry*               integer  
}
```

```
AddFriendRequestRequest  {  
  username*            string  
                        minLength: 1  
}
```

```
AddFriendResponse  {
    message*          string
    id*               integer
    friend_id*        integer
    friend_username*  string
    profile_picture_url* string
                                nullable: true
    today_entry*      {...}
                                nullable: true
}
```

```
DeleteAccountResponse  {
    message*          string
}
```

```
DeleteCommentResponse  {
    message*          string
    comments*         [ {...} ]
}
```

```
DeleteEntryResponse  {
    message*          string
}
```

```
FriendItem  {
    id*               integer
    friend_id*        integer
    friend_username*  string
    profile_picture_url* string
                                nullable: true
    today_entry*      {...}
                                nullable: true
}
```

```
GenreStatsResponse {
  genres*      [ {...}]
  total*       integer
  svg*         string
}

HasPostedResponse {
  has_posted*  boolean
  entry        {
  }
}

LoginRequestRequest {
  username*    string
               minLength: 1
  password*    string
               minLength: 1
}

LoginResponse {
  message*     string
  user*        integer
  access_token* string
}

PatchedUpdateCommentRequestRequest {
  entry_id     integer
  comment_index integer
  text         string
               minLength: 1
}
```

```
PatchedUpdateUsernameRequestRequest  {  
    new_username          string  
                           minLength: 1  
}
```

```
ProfileResponse  {  
    id*                  integer  
    username*           string  
    profile_picture_url* string  
                           nullable: true  
    entries*            [ {...} ]  
}
```

```
RefreshTokenResponse  {  
    access_token*       string  
}
```

```
RegisterRequestRequest  {  
    username*           string  
                           minLength: 1  
    password*          string  
                           minLength: 1  
}
```

```
RegisterResponse  {  
    message*           string  
    user*              integer  
}
```

```
RemoveFriendResponse  {  
    message*           string  
}
```

```
SongResult    {  
    id*          integer  
    name*        string  
    artist*      string  
    album*       string  
    albumArt*    string  
    previewUrl*  string  
    primaryGenreName* string  
}
```

```
UpdateCommentResponse {  
    message*      string  
    comments*     [ {...}]  
}
```

```
UpdateUsernameResponse {  
    message*      string  
    username*     string  
}
```

```
UploadProfilePictureRequestRequest {  
    profile_picture* string($binary)  
}
```

```
UploadProfilePictureResponse {  
    profile_picture_url* string  
}
```