

Brightlayer Cloud Service Model for JSM Assets and Service Catalog

This page provides a refined service model for the Brightlayer Cloud (BLC) platform to support Jira Service Management Assets (CMDB), Service Catalog design, service ownership alignment, and Backstage catalog onboarding in the Brightlayer Site Reliability Engineering space.

This model is structured in the same pattern as the existing Remote Monitoring service model. It is derived from Brightlayer Cloud architecture, adopter governance, network topology, operational documentation, and platform service references. Where ownership, support boundaries, or exact implementation details are not explicitly documented, entries are marked as **UNKNOWN – requires Backstage catalog validation**.

Platform Scope

Brightlayer Cloud, also referenced historically as **PX White**, is Eaton's shared multi-tenant cloud platform for device connectivity, telemetry ingestion, command and control, device lifecycle management, identity, notifications, and adopter enablement. It provides the common cloud services used directly by adopter applications and indirectly by platforms such as FIJI.

From an SRE perspective, Brightlayer Cloud should be modeled as a **shared platform system** composed of customer-facing platform capabilities, reusable technical services, and foundational configuration items. It supports both direct adopters and platform-on-platform consumers.

Current documentation indicates BLC spans production and non-production environments across **East US** and **West Europe**, with governance references commonly pointing to Production, Adopter, EMEA Production, and lower environments such as DEV, TEST, and PERF. Network references also identify shared platform dependencies such as ExpressRoute, NAT Gateways, Application Gateways, private endpoints, AKS, and ADX.

Representative adopter populations and consumers include platform adopters such as **EL Digital, LCR, ICD DH1, ICD Summit, GlacierPoint, CRDS, EMCB, PCS Digital, Innova, Javelin, Prime, Stratus**, and **FIJI / Remote Monitoring**. Some products consume BLC directly, while others consume BLC through an intermediate platform or product-specific middleware.

Logical Service Domains

Domain	Description	Primary Service Types
--------	-------------	-----------------------

Business Applications and Adopter Experiences	Customer-facing products, adopter portals, and product-specific applications built on Brightlayer Cloud capabilities.	Business Services
Identity and Access	Authentication, authorization, entitlement evaluation, application registration, and tenant-scoped access control.	Shared Platform Services
Device Connectivity and Provisioning	Provisioning, IoT hub assignment, registration, connection-state handling, and device onboarding workflows.	Shared Platform Services and CIs
Telemetry Ingestion and Processing	Realtime, trend, and message ingestion pipelines that normalize, validate, enrich, and route data.	Shared Platform Services
Alarms and Events	Alarm detection, lifecycle, state handling, notification triggering, and event-driven workflows.	Domain Services
Device Lifecycle Management	Device and site inventory, commands, firmware jobs, child-device hierarchy, and device twin/configuration workflows.	Shared Platform Services
Data and Semantic Models	Device profiles, ontology, device tree, channel metadata, and shared semantic abstractions.	Shared Platform Services and CIs

Notifications and Communications	Email, SMS, and other user-directed communications for alarms and account workflows.	Shared Platform Services
API and Integration Layer	Ingress, API routing, policy enforcement, internal service exposure, and adopter integration patterns.	Shared Platform Services
Data Stores and Caching	Operational, historical, search, cache, and object storage supporting platform workflows.	Configuration Items
Infrastructure and Networking	AKS, private networking, gateways, DNS, monitoring connectivity, and platform hosting foundation.	Configuration Items
Adopter-Specific Data Planes	Per-adopter IoT hubs, DPS, event hubs, and dedicated/shared resources that extend the core platform.	Configuration Items and Supporting Services

Table 1 — Services

Name	Type	Description	Owner	Tier	Upstream	Downstream
Brightlayer Cloud Platform	Business Service	Shared Eaton cloud platform providing IoT connectivity, telemetry, asset, identity, and	UNKNOWN – requires Backstage catalog validation	Tier 0	Core infrastructure, AKS, identity, messaging, data stores	All direct BLC adopters and FIJI-dependent consumers

		integration capabilities to multiple adopter products.				
FIJI / Remote Monitoring Platform	Business Service	Industrial remote monitoring platform that consumes Brightlayer Cloud services for telemetry, ontology, device, and data capabilities.	UNKNOWN – requires Backstage catalog validation	Tier 1	Trend Service, Realtime Service, Alarm Service, DLM services, Ontology	Remote Monitoring business applications
LCR Platform Integration	Business Service	Load control relay product integration using BLC for telemetry, commands, and shared platform workflows.	UNKNOWN – requires Backstage catalog validation	Tier 1	IoT Hub, Device Command, Trend Service, Realtime Service	LCR adopter applications and utility workflows
EL Digital	Business Service	Emergency lighting digital solution directly	UNKNOWN – requires Backstage catalog validation	Tier 1	Core BLC services and adopter-specific	Customer-facing EL applications

		integrated to Brightlayer Cloud.			ingest resources	
ICD DH1	Business Service	Industrial controls adopter using Brightlayer Cloud for connected product telemetry and cloud services.	UNKNOWN – requires Backstage catalog validation	Tier 1	Provisioning , IoT Hub, Trend, Realtime, Asset services	DH1-connected applications and users
ICD Summit	Business Service	Summit adopter integration using Brightlayer Cloud shared platform capabilities.	UNKNOWN – requires Backstage catalog validation	Tier 1	Provisioning , telemetry, asset and API services	Summit applications and users
CRDS / EMCB	Business Service	Residential and breaker-oriented adopters using BLC for connectivity and data services.	UNKNOWN – requires Backstage catalog validation	Tier 1	IoT, DLM, telemetry, API gateway	Residential product applications

PCS Digital / Vulcan / Javelin / Prime / Stratus / Innova	Business Service	Representative direct adopter products integrated to BLC through shared and adopter-specific resources.	UNKNOWN – requires Backstage catalog validation	Tier 1	Platform services and adopter-specific data plane components	Product-specific customer applications
API Gateway / APIM	Technical Service	Primary ingress and API routing layer for Brightlayer Cloud APIs and adopter application access.	UNKNOWN – requires Backstage catalog validation	Tier 0	Application Gateway, internal service endpoints, identity	All API consumers and user-facing applications
Authorization / RBAC Service	Technical Service	Cross-cutting authorization enforcement and access control evaluation across BLC APIs and services.	UNKNOWN – requires Backstage catalog validation	Tier 0	Okta, entitlement data, application identity	All platform APIs and internal services

Entitlement Service	Technical Service	Evaluates and exposes access rights, role mappings, and entitlement information for adopters and users.	UNKNOWN – requires Backstage catalog validation	Tier 1	User/identity data, relational or platform stores	Authorization service, adopter APIs
User Management Service	Technical Service	Manages user-related platform workflows such as registration, invitations, and account-related functions.	UNKNOWN – requires Backstage catalog validation	Tier 1	Okta, notification capabilities, metadata stores	Admin workflows, adopter applications, notification flows
Device and Site Management Service (DLM Asset Service)	Technical Service	Shared inventory service for devices, sites, mappings, hierarchy, and asset retrieval workflows.	UNKNOWN – requires Backstage catalog validation	Tier 0	MongoDB / Cosmos-style asset storage, ontology, profile data	Alarm, trend, realtime, command, adopter APIs
Device Command Service (DLM	Technical Service	API-facing command orchestration service	UNKNOWN – requires Backstage	Tier 0	API Gateway, Service	Command processor, IoT Hub,

Command Service)		for direct and batch commands, configuration, and lifecycle actions.	catalog validation		Bus, asset service	adopter apps
Device Command Processor	Technical Service	Processes queued or bulk commands and delivers them through IoT Hub direct methods or C2D paths.	UNKNOWN – requires Backstage catalog validation	Tier 0	Service Bus, IoT Hub, command service	Devices and gateways
Provisioning Service / DPS Integration	Technical Service	Supports first-connect provisioning and IoT Hub assignment for devices using Azure DPS patterns.	UNKNOWN – requires Backstage catalog validation	Tier 0	Azure DPS, credential store, provisioning policy	IoT Hub, asset onboarding workflows
Realtime Service	Technical Service	Supports realtime ingestion, subscription, and hot-path data access backed by	UNKNOWN – requires Backstage catalog validation	Tier 0	Event Hub, Redis, asset metadata	Adopter apps, realtime APIs, alarm workflows

		cache and stream processing.				
Realtime Ingestion Service	Technical Service	Validates and enriches realtime telemetry before publishing to destination stores or event streams.	UNKNOWN – requires Backstage catalog validation	Tier 0	IoT Hub, Event Hub, device/profile services	ADX, realtime services, error streams
Trend Service	Technical Service	Historical timeseries query and export service for adopter applications and analytics consumers.	UNKNOWN – requires Backstage catalog validation	Tier 1	ADX, asset service, profile metadata	Adopter apps, reports, analytics consumers
Trend Ingestion Service	Technical Service	Processes and enriches trend telemetry for storage in adopter-specific or shared ADX flows.	UNKNOWN – requires Backstage catalog validation	Tier 0	IoT Hub, Event Hub, device/profile services	ADX trend tables and downstream APIs

Alarm Service / Alarm API	Technical Service	Provides alarm retrieval, alarm state exposure, and related alarm management APIs.	UNKNOWN – requires Backstage catalog validation	Tier 1	Alarm processing pipeline, data stores, asset service	Adopter apps, notification and event consumers
Alarm Processing Pipeline	Technical Service	Rule evaluation, state transitions, scheduling, and publication of alarms to stores and notification flows.	UNKNOWN – requires Backstage catalog validation	Tier 0	Realtime/trend ingest, rule definitions, Service Bus/Event Hub	Alarm API, notification service, event subscribers
Notification Service	Technical Service	Shared outbound notification capability for email, SMS, and user-directed communications.	UNKNOWN – requires Backstage catalog validation	Tier 1	SendGrid, Twilio, user and alarm events	User workflows, alarm communications, adopter notifications
Ontology Service	Technical Service	Provides reusable semantic models, profile mappings,	UNKNOWN – requires Backstage catalog validation	Tier 1	Ontology stores, profile data	Asset service, trend/realtime enrichment,

		and ontology-driven metadata used by multiple services.				adopter enablement
Device Profile Service	Technical Service	Exposes device profile definitions and channel metadata required for validation and enrichment.	UNKNOWN – requires Backstage catalog validation	Tier 1	Profile repository, ontology	Trend/realtime ingestion, asset service, adopters
Device Tree / Connection State Services	Technical Service	Supports hierarchy, parent-child relationships, and device connection-state visibility.	UNKNOWN – requires Backstage catalog validation	Tier 1	IoT events, asset metadata, cache	Applications, asset service, operational tooling
PKI / CSR Processor	Technical Service	Supports certificate signing request processing and public key infrastructure workflows.	UNKNOWN – requires Backstage catalog validation	Tier 1	Key Vault, PKI service bus, certificate stores	Provisioning, secure device onboarding, adopters

Weather Service	Technical Service	Auxiliary domain service for weather-linked capabilities used by supported adopter solutions.	UNKNOWN – requires Backstage catalog validation	Tier 2	SQL and eventing dependencies	Dependent adopter applications
-----------------	-------------------	---	---	--------	-------------------------------	--------------------------------

Shared Platform Services Used Across Multiple Products

Shared Service	Why It Is Shared	Consumers
API Gateway / APIM	Single ingress layer for common API routing, policy enforcement, and adopter access.	All direct adopters and platform consumers
Authorization / RBAC	Common access-control layer required by nearly all BLC APIs and internal services.	All platform services and applications
Device and Site Management	Canonical device and site registry used by telemetry, alarms, commands, and applications.	Trend, realtime, alarms, commands, adopter apps
Trend Service	Shared historical query capability for multiple adopter experiences.	FIJI, LCR, direct BLC adopters, analytics consumers
Realtime Service	Shared hot-path telemetry and subscription capability across solutions.	Customer apps, alarms, operational experiences
Alarm Service	Common alarm lifecycle and retrieval capability.	Multiple adopter applications and notification workflows

Notification Service	Centralized email/SMS delivery path.	User workflows, alarms, adopter notifications
Ontology Service	Reusable semantic model across products and device classes.	Asset, ingestion, device profile, adopter integrations
Provisioning / DPS Integration	Standardized onboarding path for devices and gateways.	All supported IoT-capable adopters
PKI / CSR Processor	Shared trust and certificate management capability.	Provisioning and secure device communication flows

Table 2 — Service Offerings

Name	Description	Associated Service	Request Type Candidate
Adopter Onboarding	Onboard a new adopter or product integration to Brightlayer Cloud shared services and environments.	Brightlayer Cloud Platform, identity, provisioning, API and data-plane services	New Adopter Onboarding
Application Registration and Access	Register or modify adopter applications and API access permissions.	User Management, Authorization, Entitlement	Application Access Request
User Access Request	Grant, modify, or revoke user permissions and administrative rights.	User Management, Entitlement, Authorization	Access Request
Device Onboarding	Register devices, map to sites, and enable platform connectivity.	Provisioning Service, DLM Asset Service	Device Registration Request
Certificate / PKI Request	Request certificate onboarding, CSR	PKI / CSR Processor	Certificate Management Request

	support, or device trust-chain support.		
Command and Control Enablement	Enable or troubleshoot command workflows for supported devices and applications.	Device Command Service, Device Command Processor	Command Enablement Request
Telemetry Pipeline Enablement	Enable trend or realtime ingestion for a new adopter, profile, or device class.	Trend Ingestion, Realtime Ingestion, Device Profile, Ontology	Telemetry Enablement Request
Alarm Configuration Support	Create, modify, or troubleshoot alarm-related platform enablement.	Alarm Processing Pipeline, Alarm API, Notification Service	Alarm Configuration Request
Ontology / Device Profile Support	Create or update ontology or device profile mappings used by adopters.	Ontology Service, Device Profile Service	Ontology or Profile Request
Incident / Break-Fix Support	Restore platform functionality for an adopter-facing or internal service issue.	Any mapped BLC service	Incident / Support Request

Table 3 — Configuration Items (CIs)

Name	CI Type	Description	Owner	Related Service
Azure AKS Cluster(s)	Container Platform	Kubernetes platform hosting BLC microservices and internal workloads.	UNKNOWN – requires Backstage catalog validation	Most BLC technical services

Application Gateway(s)	Ingress Infrastructure	Internet-facing WAF-enabled ingress layer for BLC web API exposure.	UNKNOWN – requires Backstage catalog validation	API Gateway / APIM
Azure API Management (APIM)	API Gateway Infrastructure	Internal API management and routing layer used behind application gateways.	UNKNOWN – requires Backstage catalog validation	API Gateway / APIM
Azure IoT Hub(s)	IoT Connectivity	Device connectivity platform for D2C telemetry, direct methods, twin, and file notifications.	UNKNOWN – requires Backstage catalog validation	Provisioning, command, telemetry ingestion
Azure DPS	IoT Provisioning	Device Provisioning Service used for first-connect device assignment and onboarding.	UNKNOWN – requires Backstage catalog validation	Provisioning Service
Azure Event Hub(s)	Event Streaming	Partitioned event streams for platform telemetry and adopter-specific ingest flows.	UNKNOWN – requires Backstage catalog validation	Trend/Realtime ingestion, alarms

Azure Service Bus	Messaging Platform	Queue/topic infrastructure for commands, alarm pub/sub, device status, PKI, and orchestration workflows.	UNKNOWN – requires Backstage catalog validation	Command processor, alarms, PKI, notification
Azure Event Grid	Event Routing	Lifecycle and hook-oriented eventing for connect/disconnect or system event flows.	UNKNOWN – requires Backstage catalog validation	Platform event workflows
Azure Data Explorer (ADX)	Analytics Database	Primary historical timeseries analytics and trend query store.	UNKNOWN – requires Backstage catalog validation	Trend Service, Trend Ingestion, analytics consumers
MongoDB / Cosmos-style Asset Store	Document Database	Operational store for assets, profiles, hierarchy, alarms, and related platform metadata.	UNKNOWN – requires Backstage catalog validation	Asset, alarm, ontology-related services
Redis	Cache	Hot-path cache for realtime, sessions, and alarm-state acceleration.	UNKNOWN – requires Backstage catalog validation	Realtime Service, alarms, session-driven services

SQL / PostgreSQL	Relational Database	Relational persistence used by selected platform services and auxiliary workloads.	UNKNOWN – requires Backstage catalog validation	Alarm, weather, identity-related or legacy services
Azure Blob Storage	Object Storage	Stores firmware packages, uploads, exports, and archival objects.	UNKNOWN – requires Backstage catalog validation	DLM Command, firmware workflows, exports
Azure Key Vault	Secrets Management	Stores secrets, certificates, keys, and secure connection material.	UNKNOWN – requires Backstage catalog validation	PKI, provisioning, microservice secrets
Okta	External Identity Provider	Authentication and identity-provider dependency for modern platform access flows.	UNKNOWN – requires Backstage catalog validation	User, authorization, API access
SendGrid	External SaaS	Email delivery provider for system and user notifications.	UNKNOWN – requires Backstage catalog validation	Notification Service
Twilio	External SaaS	SMS and voice communication provider.	UNKNOWN – requires Backstage catalog validation	Notification Service
ExpressRoute Hub	External Network Dependency	Centralized enterprise connectivity dependency	External IT ownership	Network connectivity and corporate access

		outside BLC subscriptions.		
Zscaler Cloud Connector	External Network Dependency	Corporate-bound egress and admin ingress support dependency.	External IT ownership	Administrative and network access patterns
Dynatrace Connectivity Resources	Observability Dependency	Monitoring connectivity and observability integration path.	UNKNOWN – requires Backstage catalog validation	Observability across BLC resources
Private DNS Zones	Network / DNS	Private link DNS resolution for storage, service bus, Cosmos, Key Vault, ADX, and related services.	UNKNOWN – requires Backstage catalog validation	All private-endpoint-integrated services
NAT Gateways	Network Egress	Environment-specific internet egress path for platform workloads.	UNKNOWN – requires Backstage catalog validation	Infrastructure and workload egress
Application Configuration	Configuration Store	Environment configuration backing for selected services and runtime settings.	UNKNOWN – requires Backstage catalog validation	Selected microservices

Relationship Mapping

Business Service to Technical Service

Brightlayer Cloud Platform depends on API Gateway, Authorization, Entitlement, Device and Site Management, Trend, Realtime, Alarm, Notification, Ontology, Provisioning, PKI, and the

underlying messaging and data platform.

FIJI / Remote Monitoring depends on Trend Service, Realtime Service, Alarm Service, Device and Site Management, Ontology Service, API Gateway, and adopter-integrated telemetry pipelines.

LCR depends on Provisioning / DPS, IoT Hub, Device Command Service, Device Command Processor, Trend Service, Realtime Service, and API Gateway.

Direct adopters such as EL Digital, ICD DH1, Summit, CRDS, EMCB, Vulcan, PCS Digital, Innova, Javelin, Prime, and Stratus depend on a common set of platform services, but may also rely on adopter-specific IoT Hub, DPS, Event Hub, and storage resources.

Technical Service to Infrastructure

Identity and Access services depend on Okta, platform metadata stores, and API management layers.

Telemetry Ingestion services depend on IoT Hub, Event Hub, ADX, asset/profile services, and AKS-hosted compute.

Alarms depend on realtime or trend ingest, Service Bus or eventing layers, operational stores, and notification providers.

Device Lifecycle Management depends on asset stores, Service Bus, IoT Hub, Blob Storage, and provisioning services.

Notifications depend on SendGrid, Twilio, user metadata, and alarm or account event sources.

Platform Hosting depends on AKS, Application Gateway, APIM, private endpoints, DNS, ExpressRoute-connected enterprise dependencies, and NAT-based egress.

Suggested Backstage Catalog Structure

The ideal Backstage structure should model Brightlayer Cloud as a single **System** with grouped **Components**, **Resources**, **APIs**, and adopter-facing **Business Services**.

Backstage Entity Type	Recommended Name Pattern	Examples
System	<code>brightlayer-cloud</code>	Single top-level shared platform system
Domain	Logical grouping tag or documentation grouping	identity-access, telemetry, device-lifecycle, alarms,

		adopter-integration
Component	Kebab-case service identifier	trend-service , realtime-service , dlm- asset-service , device- command-processor
API	Capability-oriented API entity	assets-api , commands- api , trends-api , alarms-api , ontology- api
Resource	Platform CI identifier	blc-aks-prod-eus , blc- adx-prod-eus , blc- apim-prod-eus , blc- iothub-lcr-prod
Group	Owning team or squad	blc-platform , blc- data-plane , blc- device-mgmt , blc- security
Component	Business service identifier	fiji-platform , lcr- platform , el-digital , icd-dh1

Recommended Component Grouping

Backstage Grouping	Recommended Components
Identity and Access	authorization-service, entitlement-service, user-management-service
Device Connectivity and Provisioning	provisioning-service, device-connection- state, iothub-integration
Telemetry and Data Plane	realtime-ingestion-service, realtime-service, trend-ingestion-service, trend-service
Alarms and Events	alarm-service, alarm-processing-pipeline, alarm-notification

Device Lifecycle	dlm-asset-service, device-command-service, device-command-processor, device-tree-service
Profiles and Semantics	ontology-service, device-profile-service
Notifications and Communications	notification-service, sendgrid-integration, twilio-integration
Security and PKI	pki-csr-processor, keyvault-integration
Platform Edge and API	api-gateway, apim-routing, ingress-application-gateway
Business Services / Adopters	brightlayer-cloud-platform, fiji-platform, lcr-platform, el-digital, icd-dh1, crds, emcb, pcs-digital

JSM Queue Mapping

Queue Name	Suggested Owner Group	Services
BLC-Identity-Access	UNKNOWN – requires Backstage catalog validation	Authorization, Entitlement, User Management, Okta-related dependencies
BLC-Device-Mgmt	UNKNOWN – requires Backstage catalog validation	DLM Asset Service, Device Tree, Device Profile, connection-state services
BLC-Commands-Lifecycle	UNKNOWN – requires Backstage catalog validation	Device Command Service, Device Command Processor, firmware and lifecycle workflows
BLC-Data-Plane	UNKNOWN – requires Backstage catalog validation	Realtime Ingestion, Realtime Service, Trend Ingestion, Trend Service, ADX dependencies
BLC-Alarms-Events	UNKNOWN – requires Backstage catalog validation	Alarm API, rule/state processing, alarm pub/sub

		dependencies
BLC-Provisioning-PKI	UNKNOWN – requires Backstage catalog validation	DPS integration, PKI, CSR processor, certificate workflows
BLC-API-Gateway	UNKNOWN – requires Backstage catalog validation	Application Gateway, APIM, ingress routing, external API path issues
BLC-Adopter-Onboarding	UNKNOWN – requires Backstage catalog validation	Adopter onboarding, application registration, tenant integration support
BLC-Infrastructure	UNKNOWN – requires Backstage catalog validation	AKS, private networking, DNS, storage, eventing, gateway resources
BLC-SRE-Ops	UNKNOWN – requires Backstage catalog validation	Cross-platform operational issues, observability, incident coordination, statuspage

Suggested Statuspage Exposure

Service or Capability	Expose on Statuspage	Reason
Brightlayer Cloud Platform API Availability	Yes	Core adopter-facing platform dependency
Authentication / Login Dependency	Yes	Customer and adopter access dependency
Telemetry Ingestion	Yes	Direct impact on data freshness and downstream workflows
Trend Query Availability	Yes	Customer-facing analytics and history access impact
Realtime Data Availability	Yes	Customer-facing operational experience impact

Device Command / Control	Yes	Direct operational impact for command-enabled adopters
Notification Delivery	Yes	Customer-visible alert delivery dependency
Adopter-specific applications	Conditional	Expose when BLC is the authoritative status source or when shared platform failure drives application impact
Internal-only microservices and supporting stores	No	Better represented through internal observability and CMDB relationships

Observability Mapping Suggestions

Target	What to Monitor in Dynatrace
AKS-hosted services	CPU, memory, pod restarts, request volume, saturation, deployment health, error rates
API Gateway / APIM	Availability, p95 latency, authentication failures, upstream failures, response-code trends
Application Gateway	WAF errors, backend pool health, 4xx/5xx rates, TLS termination failures
IoT Hub	Ingress/egress volume, throttling, device connection errors, direct-method failures, twin failures
DPS / Provisioning	Enrollment success rate, assignment latency, registration failures
Event Hub	Ingestion throughput, consumer lag, throttling, checkpoint delays, partition imbalance
Service Bus	Queue depth, DLQ growth, processing latency, command backlog, topic subscription failures

Trend Ingestion and Trend Service	Ingest-to-storage latency, invalid payload count, ADX publish failures, query latency
Realtime Ingestion and Realtime Service	Stream lag, cache latency, dropped messages, realtime freshness, scaling behavior
Alarm pipeline	Rule-processing latency, alarm creation/update failures, notification trigger delays, backlog
DLM Asset and Command services	API latency, command success rate, firmware job status, dependency latency to asset stores and IoT Hub
Ontology and Profile services	API latency, enrichment failures, profile lookup errors
Redis	Memory, evictions, latency, hit ratio, connection failures
ADX	Ingestion health, query performance, throttling, materialized-view health where relevant
MongoDB / Cosmos-style stores	Latency, throughput, storage health, connection pool behavior, failed operations
Blob Storage	Availability, download/upload errors, SAS failures, latency for firmware and exports
Key Vault / PKI	Secret retrieval failures, certificate expiration, CSR-processing failures, authorization errors
SendGrid / Twilio / Okta	Synthetic availability, external API latency, error trends, provider-side failure rates

Gaps and Issues

Gap	Impact	Recommended Action
-----	--------	--------------------

Ownership is not explicit for many services	Weak incident routing, unclear support boundaries, incomplete CMDB stewardship	Validate team ownership through Backstage or authoritative engineering registry
Business service boundaries between BLC and adopters are not always formalized	Unclear distinction between platform incident and adopter incident	Define business service versus shared technical service relationships explicitly in JSM Assets
Adopter-specific resource inventory is distributed across multiple pages	Difficult to create a reliable CI hierarchy and dependency map	Build an authoritative adopter CI inventory from subscription, resource group, and Backstage data
Platform environment inventory is inconsistent across sources	Potential confusion in queue mapping, service ownership, and support scope	Validate current subscription and environment list before CMDB onboarding
Service names vary between legacy, microservice, and operational documentation	Duplicate or fragmented CMDB records are likely	Create canonical naming standards and alias mapping for all services
Network segmentation findings indicate cross-environment risk	Operational and security exposure may not align with intended service boundaries	Track network dependencies as infrastructure CIs and document blast-radius implications
Device-plane migration path is evolving	Service model may drift if future broker/provisioning architecture changes	Flag DPS/IoT Hub assumptions for review during platform evolution discussions
Statuspage scope is not formally documented by service	Customer communications may be inconsistent during incidents	Define customer-visible components and platform communication rules
Tier assignments are inferred rather than authoritative	SLO, escalation, and support expectations may be inconsistent	Validate tiers through SRE governance and platform leadership

References

- [Remote Monitoring Service Model for JSM Assets and Service Catalog](#)
- [BLC End-to-End Architecture Flow \(D2C & C2D\) — Brightlayer SRE Reference](#)
- [Network Topology - BLC](#)
- [Brightlayer Cloud \(BLC\) - WIP](#)
- [Brightlayer Cloud – Adopter Environment & Region Governance](#)
- [BLC Services and App Config Mapping](#)
- [BLC Services Resource Requirements](#)
- [BLC - Asset Service Microservice](#)
- [Jira for BLC](#)
- [PI10-2025-07 Release Notes](#)
- [Bright layer cloud + FIJI - APIs and Ingestion services](#)
- [Onboarding Guide for SendGrid Integration in Brightlayer Cloud \(BLC\)](#)