



REPORT SERIES WITH DLOOKR

Data Quality Diagnosis Report

Author: dlookr package

Version: 0.3.6

Contents

1	Dia	gnose	Data
			iew of Diagnosis
		1.1.1	List of all variables quality
		1.1.2	Diagnosis of missing data
			Diagnosis of unique data(Text and Category)
		1.1.4	Diagnosis of unique data(Numerical)
	1.2		ed data diagnosis
		1.2.1	Diagnosis of categorical variables
		1.2.2	Diagnosis of numerical variables
		1.2.3	Diagnosis of numerical variables
		1.2.4	List of numerical diagnosis (minus)
2	Dia	gnose	Outliers
	2.1	Overv	iew of Diagnosis
		2.1.1	Diagnosis of numerical variable outliers
	2.2	Detail	ed outliers diagnosis

Chapter 1

Diagnose Data

1.1 Overview of Diagnosis

1.1.1 List of all variables quality

Table 1.1: Data quality overview table

variables	type	missing (n)	missing (%)	unique (n)	unique (n/N)
sex	character	0	0.000	2	0.000
age	numeric	0	0.000	65	0.010
race	factor	0	0.000	6	0.001
juv_fel_count	numeric	0	0.000	11	0.002
juv_misd_count	numeric	0	0.000	10	0.002
juv_other_count	numeric	0	0.000	11	0.002
priors_count	numeric	0	0.000	33	0.005
c_charge_degree	character	0	0.000	12	0.002
c_charge_desc	character	4	0.061	391	0.060
is_recid	factor	0	0.000	2	0.000
$jail_days$	numeric	0	0.000	384	0.059
$age_at_offense$	numeric	849	12.988	4,523	0.692

1.1.2 Diagnosis of missing data

Table 1.2: Variables that include missing values

variables	type	missing (n)	missing (%)	unique (n)	unique (n/N)
age_at_offense	numeric	849	12.988	4,523	0.692
c_charge_desc	character	4	0.061	391	0.060

1.1.3 Diagnosis of unique data(Text and Category)

No variable with a high proportion greater than 0.5

1.1.4 Diagnosis of unique data(Numerical)

variables missing (n) missing (%)unique (n) unique (n/N) type jail_days 0 0 384 0.059 $\operatorname{numeric}$ 0 0 650.010age $\operatorname{numeric}$ $priors_count$ 0 0 33 0.005 $\operatorname{numeric}$ 0 0 juv_fel_count numeric 11 0.002 juv_other_count $\operatorname{numeric}$ 0 0 11 0.0020 0 10 0.002 juv_misd_count numeric

Table 1.3: Variables where the proportion of unique data is less than $0.1\,$

1.2 Detailed data diagnosis

1.2.1 Diagnosis of categorical variables

Table 1.4: Categorical variable level top 10

variables	levels	N	freq	$\mathrm{ratio}(\%)$	rank
sex	Male	6,537	5,195	79.471	1
sex	Female	6,537	1,342	20.529	2
race	African-American	$6,\!537$	3,257	49.824	1
race	Caucasian	$6,\!537$	$2,\!256$	34.511	2
race	Hispanic	6,537	535	8.184	3
race	Other	6,537	441	6.746	4
race	Asian	$6,\!537$	33	0.505	5
race	Native American	$6,\!537$	15	0.229	6
c_charge_degree	(F3)	$6,\!537$	3,535	54.077	1
c_charge_degree	(M1)	$6,\!537$	1,840	28.147	2
c_{charge_degree}	(F2)	6,537	544	8.322	3
c_charge_degree	(M2)	6,537	452	6.914	4
c_charge_degree	(F1)	$6,\!537$	73	1.117	5
c_charge_degree	(F7)	$6,\!537$	50	0.765	6
c_charge_degree	(MO3)	6,537	34	0.520	7
c_charge_degree	(F5)	6,537	3	0.046	8
c_charge_degree	(NI0)	$6,\!537$	3	0.046	9
c_charge_degree	(CO3)	$6,\!537$	1	0.015	10
c_charge_degree	(TCX)	$6,\!537$	1	0.015	11
c_{charge_degree}	(X)	6,537	1	0.015	12
c_charge_desc	Battery	$6,\!537$	1,302	19.917	1
c_charge_desc	arrest case no charge	$6,\!537$	849	12.988	2
c_charge_desc	Grand Theft in the 3rd Degree	$6,\!537$	457	6.991	3
c_charge_desc	Possession of Cocaine	$6,\!537$	411	6.287	4
c_charge_desc	Driving While License Revoked	6,537	166	2.539	5
c_charge_desc	Felony Battery (Dom Strang)	6,537	124	1.897	6
c_charge_desc	Felony Driving While Lic Suspd	$6,\!537$	122	1.866	7
c_charge_desc	Driving Under The Influence	$6,\!537$	101	1.545	8
c_charge_desc	Pos Cannabis W/Intent Sel/Del	$6,\!537$	97	1.484	9
c_charge_desc	Grand Theft (Motor Vehicle)	6,537	90	1.377	10
is_recid	0	6,537	4,317	66.039	1
is_recid	1	6,537	2,220	33.961	2

5

1.2.2 Diagnosis of numerical variables

variables \min Q1mean median Q3minus outlier max zero 18.000 25.0034.68131.00042.00096.00059 0 0 age juv_fel_count 0.000 0.00 0.056 0.000 0.000 20.000 6,335 202 0 juv_misd_count 0.000 12.0006,219 318 0.000 0.000.0740.0000 juv_other_count 0.000 11.000 435 0.000 0.00 0.100 0.0006,102 0 priors_count 0.000 0.002.8421.000 4.00036.0002,455 0 423jail_days 365.0029.000 1,142.105 366.000 1,096.000 10,592.000 873 0 0 $age_at_offense$ 15.04423.2932.81729.67940.474 94.51849 0 0

Table 1.5: General list of numerical diagnosis

1.2.3 List of numerical diagnosis (zero)

Table 1.6: List of numerical diagnosis (zero)

variables	min	median	max	zero	zero ratio(%)
juv_fel_count	0	0	20	6,335	96.910
juv_misd_count	0	0	12	6,219	95.135
juv_other_count	0	0	11	6,102	93.346
priors_count	0	1	36	2,455	37.555

1.2.4 List of numerical diagnosis (minus)

No numeric variable with negative value

Chapter 2

Diagnose Outliers

2.1 Overview of Diagnosis

2.1.1 Diagnosis of numerical variable outliers

Table 2.1: Diagnosis of numerical variable outliers

variables	min	median	max	outlier	outlier ratio(%)
jail_days	29.000	366.000	10,592.000	873	13.355
juv_other_count	0.000	0.000	11.000	435	6.654
priors_count	0.000	1.000	36.000	423	6.471
juv_misd_count	0.000	0.000	12.000	318	4.865
juv_fel_count	0.000	0.000	20.000	202	3.090
age	18.000	31.000	96.000	59	0.903
$age_at_offense$	15.044	29.679	94.518	49	0.750

2.2 Detailed outliers diagnosis

 $variable: jail_days$

Table 2.2: Outliers information of jail_days

Measures	Values
Outliers count	873.00
Outliers ratio (%)	13.35
Mean of outliers	4,683.88
Mean with outliers	1,142.10
Mean without outliers	596.21

Outlier Diagnosis Plot (jail_days)




Figure 2.1: Distribution of jail_days

$variable: juv_other_count$

Table 2.3: Outliers information of juv_other_count

Measures	Values
Outliers count	435.00
Outliers ratio (%)	6.65
Mean of outliers	1.50
Mean with outliers	0.10
Mean without outliers	0.00

Outlier Diagnosis Plot (juv_other_count)




Figure 2.2: Distribution of juv_other_count

$variable: priors_count$

Table 2.4: Outliers information of priors_count

Measures	Values
Outliers count	423.00
Outliers ratio (%)	6.47
Mean of outliers	15.70
Mean with outliers	2.84
Mean without outliers	1.95

Outlier Diagnosis Plot (priors_count)




Figure 2.3: Distribution of priors_count

$variable: juv_misd_count$

Table 2.5: Outliers information of juv_misd_count

Measures	Values
Outliers count	318.00
Outliers ratio (%)	4.86
Mean of outliers	1.52
Mean with outliers	0.07
Mean without outliers	0.00

Outlier Diagnosis Plot (juv_misd_count)




Figure 2.4: Distribution of juv_misd_count

 $variable: juv_fel_count$

Table 2.6: Outliers information of juv_fel_count

Measures	Values
Outliers count	202.00
Outliers ratio (%)	3.09
Mean of outliers	1.83
Mean with outliers	0.06
Mean without outliers	0.00

Outlier Diagnosis Plot (juv_fel_count)




Figure 2.5: Distribution of juv_fel_count

variable : age

Table 2.7: Outliers information of age

Measures	Values
Outliers count	59.00
Outliers ratio (%)	0.90
Mean of outliers	71.68
Mean with outliers	34.68
Mean without outliers	34.34

Outlier Diagnosis Plot (age)




Figure 2.6: Distribution of age

 $variable: age_at_offense$

Table 2.8: Outliers information of age_at_offense

Measures	Values
Outliers count	49.00
Outliers ratio (%)	0.75
Mean of outliers	70.16
Mean with outliers	32.82
Mean without outliers	32.49

Outlier Diagnosis Plot (age_at_offense)




Figure 2.7: Distribution of age_at_offense