

SFML Demo

What it is

Arcade shooter demo with a scrolling battlefield, fruit enemies, pickups, and mission success/failure states.

No standalone README was found; the description is inferred from the source.

Who it is for

Primary persona: a player or tester of a lightweight SFML game prototype.

Not found in repo: a documented audience or product brief.

What it does

- Title, menu, settings, pause, game over, and mission success states.
- Simple/Hard difficulty selection.
- Two keybinding profiles can be rebound in Settings.
- Scrolling battlefield with layered scene graph and world bounds.
- Enemy fruit spawn points that activate as the view advances.
- Player fire, guided missiles, pickups, collision damage, music, and sounds.
- Bloom/post-processing when supported by the GPU.

How it works

- Main.cpp creates Application.
- Application owns the window, resources, audio, difficulty, keys, and StateStack.
- StateStack routes input, update, and draw across active states.
- GameState owns World and Player, forwards commands, and checks win/lose.
- World manages the scene graph, spawn points, collisions, missile guidance, and audio.
- Supporting pieces: SceneNode/Entity/CommandQueue, GUI widgets, resource holders.

How to run

1. Install SFML 2.x.
2. Configure from the repo root with CMake; set -DSFML_ROOT=... if needed.
3. Build the SFMLDemo target.
4. Run build\\Source\\Release\\SFMLDemo.exe or the equivalent config output.