Schema documentation for email-eca-1.1.xsd

Publication date 7 august 2012

Table of Contents

Namespace: '	""	1
Schen	nas	
2	Main schema email-eca-1.1.xsd	
Eleme	ents	1
	Element emecas	
	Element emeca	1

Namespace: ""

Schemas

Main schema email-eca-1.1.xsd

Namespace	No namespace
Properties	attribute form default: unqualified
	element form default: qualified

Elements

Element emecas

Namespace	No namespace
Diagram	emecas ⊙ 1∞ emeca ⊙
Properties	content: complex
Model	emeca+
Children	emeca
Instance	<pre><emecas> <emeca rule-name="">{1,unbounded}</emeca> </emecas></pre>

Element emeca

Namespace	No namespace
Annotations	Whenever an email message is received the actions will be run if the condition is met. The context for the condition and actions will include a "headers" Map with all of the email headers in it (either String, or List of String if there are more than one of the header), and a "fields" Map with the following: toList, ccList, bccList, from, subject, sentDate, receivedDate, bodyPartList.
Diagram	emeca Condition
Properties	content: complex
Used by	Element emecas
Model	$condition{0,1}, actions$

Children	actions, condition	actions, condition					
Instance	<condition>{(</condition>	<pre><emeca rule-name=""> <condition>{0,1}</condition> <actions>{1,1}</actions> </emeca></pre>					
Attributes	QName	Type	Fixed	Default	Use		
	rule-name	xs:string			required		