```sql
Create Database EmployeeTableAssignment;

create table Employees(
EMPLOYEE_ID int,
FIRST_NAME varchar(25),
LAST_NAME varchar(25),
EMAIL varchar(25),
PHONE_NUMBER VARCHAR(12),
HIRE_DATE VARCHAR(10),
JOB_ID VARCHAR(25),
SALARY NUMERIC(8,2),
COMMISSION_PCT NUMERIC(4,2),
MANAGER_ID INT,
DEPARTMENT_ID INT
);

insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values(100,'Steven', 'King', 'SKING', '515.123.4567', '1987-06-17','AD_PRES',
  24000.00,0.00 ,0 ,90);

insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (101,'Neena','Kochhar','NKOCHHAR','515.123.4568','1987-06-18','AD_VP',17000.00,0.00,
  100,90);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (102,'Lex','DeHaan','LDEHAAN','515.123.4569','1987-06-19','AD_VP',17000.00,0.00,100,
  90);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (103,'Alexander','Hunold','AHUNOLD','590.423.4567','1987-06-20','IT_PROG',9000.00,0.
  00,102,60);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (104,'Bruce','Ernst','BERNST','590.423.4568','1987-06-21','IT_PROG',6000.00,0.00,103
  ,60);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (105,'David','Austin','DAUSTIN','590.423.4569','1987-06-22','IT_PROG',4800.00,0.00,1
  03,60);
```

```sql
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (106,'Valli','Pataballa','VPATABAL','590.423.4560','1987-06-23','IT_PROG',4800.00,0.
  00,103,60);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (107,'Diana','Lorentz','DLORENTZ','590.423.5567','1987-06-24','IT_PROG',4200.00,0.00
  ,103,60);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (108,'Nancy','Greenberg','NGREENBE','515.124.4569','1987-06-25','FI_MGR',12000.00,0.
  00,101,100);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (109,'Daniel','Faviet','DFAVIET','515.124.4169','1987-06-26','FI_ACCOUNT',9000.00,0.
  00,108,100);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (110,'John','Chen','JCHEN','515.124.4269','1987-06-27','FI_ACCOUNT',8200.00,0.00,108
  ,100);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (111,'Ismael','Sciarra','ISCIARRA','515.124.4369','1987-06-28','FI_ACCOUNT',7700.00,
  0.00,108,100);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (112,'JoseManuel','Urman','JMURMAN','515.124.4469','1987-06-29','FI_ACCOUNT',7800.00
  ,0.00,108,100);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
  (113,'Luis','Popp','LPOPP','515.124.4567','1987-06-30','FI_ACCOUNT',6900.00,0.00,108
  ,100);
insert into Employees
  (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
  ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
```

```sql
   (114,'Den','Raphaely','DRAPHEAL','515.127.4561','1987-07-01','PU_MAN',11000.00,0.00,
   100,30);
insert into Employees
   (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
   ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
   (115,'Alexander','Khoo','AKHOO','515.127.4562','1987-07-02','PU_CLERK',3100.00,0.00,
   114,30);
insert into Employees
   (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
   ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
   (116,'Shelli','Baida','SBAIDA','515.127.4563','1987-07-03','PU_CLERK',2900.00,0.00,1
   14,30);
insert into Employees
   (EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE,JOB_ID,SALARY,COMMISS
   ION_PCT,MANAGER_ID,DEPARTMENT_ID)
values
   (117,'Sigal','Tobias','STOBIAS','515.127.4564','1987-07-04','PU_CLERK',2800.00,0.00,
   114,30);


select* from Employees;
select 'This is SQL Practice';
select 12*34;
select FIRST_NAME+' '+LAST_NAME as 'Full name' FROM Employees ;
select FIRST_NAME,SALARY,EMAIL,JOB_ID FROM Employees;
select distinct Manager_ID from Employees;
select top 5 *from Employees;
select * from Employees order by Last_Name;
SELECT DISTINCT JOB_ID FROM Employees;
SELECT EMPLOYEE_ID,FIRST_NAME,LAST_NAME,EMAIL,PHONE_NUMBER,HIRE_DATE AS 'HIRE
   DATE',JOB_ID,SALARY,COMMISSION_PCT,MANAGER_ID,DEPARTMENT_ID FROM Employees;

/* comments
*/
--also comments
```