

```
Create Database Dragons;
```

```
create table DragonType(  
Dragon_ID int,  
DragonName varchar(25),  
DragonAddress varchar(25),  
DragonPhoneNumber numeric(10, 3)  
);
```

```
insert into DragonType(Dragon_ID,DragonName,DragonAddress,DragonPhoneNumber)  
values (1,'Timmy','dragon Island',372460.000)
```

```
insert into DragonType(Dragon_ID,DragonName,DragonAddress,DragonPhoneNumber)  
values (2,'Shaun','dragon Island',372460.001)
```

```
insert into DragonType(Dragon_ID,DragonName,DragonAddress,DragonPhoneNumber)  
values (3,'Tim','dragon Island',372460.002)
```

```
insert into DragonType(Dragon_ID,DragonName,DragonAddress,DragonPhoneNumber)  
values (4,'Roger','dragon Island',372460.003)
```

```
insert into DragonType(Dragon_ID,DragonName,DragonAddress,DragonPhoneNumber)  
values (5,'Fun','dragon Island',372460.004)
```

```
insert into DragonType(Dragon_ID,DragonName,DragonAddress,DragonPhoneNumber)  
values (6,'Peaches','dragon Island',372460.005)
```

```
insert into DragonType(Dragon_ID,DragonName,DragonAddress,DragonPhoneNumber)  
values (6,'Peaches','dragon Island',372460.005)
```

```
Select DragonName, DragonAddress, DragonPhoneNumber,Dragon_ID from DragonType  
select * frOm DragonType
```

```
select 10+20;
```

```
Select DragonName as [Dragon Name], DragonAddress, DragonPhoneNumber,Dragon_ID from DragonType
```

```
select distinct Dragon_ID from DragonType;
```

```
select * frOm DragonType  
select * from DragonType  
order by DragonName desc;
```

```
/* comments  
*/  
--also comments
```