



SonyAIBORobotSurface1 - Rulebased prototypes (k=3)


Class 0 - P1




Class 0 - P2




Class 0 - P3




Class 1 - P1



Class 1 - P2




Class 1 - P3




SonyAIBORobotSurface1 - rulebased support examples #1 (k=3, num_rules=0, acc=0.46)


Class 0 - idx 3




Class 0 - idx 4




Class 0 - idx 5




Class 1 - idx 7



Class 1 - idx 1



Class 1 - idx 0



SonyAIBORobotSurface1 - rulebased rules #1 (k=3, num_rules=0, acc=0.46)

Class 0:


R1: Two very deep troughs of almost equal depth appear, one in the early region and one in the late region, with the values between them oscillating around a mid-level.

Class 1:


R1: A single clearly deepest trough appears only in the late region after the main middle peak; all earlier dips stay noticeably higher than this late minimum.

SonyAIBORobotSurface1 - rulebased support examples #2 (k=3, num_rules=0, acc=0.60)


Class 0 - idx 3




Class 0 - idx 4




Class 0 - idx 5




Class 1 - idx 7



Class 1 - idx 1



Class 1 - idx 0



SonyAIBORobotSurface1 - rulebased rules #2 (k=3, num_rules=0, acc=0.60)

Class 0:

R1: In the middle region the series is roughly flat or slightly falling, without a long smooth rising trend from the early low into a dominant mid-series peak.

R2: In the late region there are multiple sharp troughs separated by rebounds, giving a repeating spike-and-crash pattern after halfway through the series.


Class 1:

R1: After the early low trough the middle region shows a clear, extended rising trend that builds steadily into the main mid-series peak.


R2: In the late region there is a single pronounced trough followed by a broad recovery; after this trough the values stay noticeably higher and do not return to a similarly deep low.

SonyAIBORobotSurface1 - rulebased support examples #3 (k=3, num_rules=0, acc=0.67)


Class 0 - idx 3




Class 0 - idx 4




Class 0 - idx 5




Class 1 - idx 7



Class 1 - idx 1



Class 1 - idx 0



SonyAIBORobotSurface1 - rulebased rules #3 (k=3, num_rules=0, acc=0.67)

Class 0:

R1: In the early region, the series shows a peak–valley–peak pattern: after the first rise it drops sharply, then climbs again to a clear second high point before the middle.

R2: In the middle region, the series forms a wavering band around mid height, with at least one noticeable dip and rebound (up–down–up shape) instead of a smooth, continuous rise.

Class 1:

R1: In the early region, the series has a single main initial peak followed by a mostly continuous fall into one trough, without a second pronounced peak before that trough.

R2: From the early trough through the middle region, the series follows a largely rising trend or broad plateau up to the main middle peak, without any distinct mid-region dip between two mid-level shoulders.