



ItalyPowerDemand - Rulebased prototypes (k=3)


Class 0 - P1




Class 0 - P2




Class 0 - P3




Class 1 - P1



Class 1 - P2




Class 1 - P3




ItalyPowerDemand - rulebased support examples #1 (k=3, num_rules=0, acc=0.82)


Class 0 - idx 14




Class 0 - idx 7




Class 0 - idx 33




Class 1 - idx 6



Class 1 - idx 46



Class 1 - idx 47



ItalyPowerDemand - rulebased rules #1 (k=3, num_rules=0, acc=0.82)

Class 0:

R1: The series shows two distinct high upward peaks, one in the middle region and one in the late region.

R2: The middle and late peaks reach similar heights; neither peak clearly dominates.

R3: A clear trough lies between the middle and late peaks, and after the late peak the series falls toward the end.


Class 1:

R1: The series has a single dominant high upward peak; any other peaks are clearly smaller.


R2: After this dominant peak, the values never return to a similar height, instead gently declining or staying in a lower, flatter band until the end.

ItalyPowerDemand - rulebased support examples #2 (k=3, num_rules=0, acc=0.79)


Class 0 - idx 14




Class 0 - idx 7




Class 0 - idx 33




Class 1 - idx 6



Class 1 - idx 46



Class 1 - idx 47



ItalyPowerDemand - rulebased rules #2 (k=3, num_rules=0, acc=0.79)

Class 0:

R1: Middle-to-late region shows two strong peaks of similar height, separated by a clear dip (M-shaped second half).

R2: After the second late peak, the series has a steadily falling tail with no new high peak near the very end.


Class 1:

R1: A single dominant peak appears around the middle, and the later values are flat or gently decreasing, without a second peak close in height to the main one.


R2: The highest value is a narrow spike in the last few points, much higher than the preceding late values.

ItalyPowerDemand - rulebased support examples #3 (k=3, num_rules=0, acc=0.86)


Class 0 - idx 14




Class 0 - idx 7




Class 0 - idx 33




Class 1 - idx 6



Class 1 - idx 46



Class 1 - idx 47



ItalyPowerDemand - rulebased rules #3 (k=3, num_rules=0, acc=0.86)

Class 0:

R1: In the final third of the series, the highest point is more than about 0.25 above the ending value, producing a steep falling tail after the last peak.

Class 1:

R1: In the final third of the series, the highest point is at most about 0.25 above the ending value, so the tail stays relatively flat or only gently declining after the last peak.