



ECG200 - Rulebased prototypes (k=3)


Class 0 - P1




Class 0 - P2




Class 0 - P3




Class 1 - P1



Class 1 - P2




Class 1 - P3




ECG200 - rulebased support examples #1 (k=3, num_rules=0, acc=0.53)


Class 0 - idx 18




Class 0 - idx 61




Class 0 - idx 43




Class 1 - idx 32



Class 1 - idx 25



Class 1 - idx 55



ECG200 - rulebased rules #1 (k=3, num_rules=0, acc=0.53)

Class 0:

R1: After the early valley, the middle and late regions form a flat or gently rising plateau; the late segment does not show a sustained falling tail.

R2: When a tall late peak is present (around or above 0.65), the early region also reaches moderate or high values (around or above 0.55), so pronounced peaks appear in both early and late parts.


Class 1:

R1: After the early valley and mid-series plateau, the late region shows a falling tail, with values steadily decreasing toward the end.


R2: Alternatively, the early region stays relatively low (no clear spike above about 0.55) while the only pronounced peak appears late (a single tall spike around or above 0.65).

ECG200 - rulebased support examples #2 (k=3, num_rules=0, acc=0.74)


Class 0 - idx 18




Class 0 - idx 61




Class 0 - idx 43




Class 1 - idx 32



Class 1 - idx 25



Class 1 - idx 55



ECG200 - rulebased rules #2 (k=3, num_rules=0, acc=0.74)

Class 0:

R1: After the early valley, the early middle region stays close to that minimum and well below the later plateau, forming a long, gradual upward slope (slow recovery).

R2: The late region sits at or above the middle level, often showing an upward bump near the end rather than a smooth sustained decline.


Class 1:

R1: After the early valley, the early middle region jumps quickly up to near the plateau level, forming a sharp upward step (fast recovery).


R2: From the middle into the late region the series tends to drift downward, or any late peak is brief and followed by a return to the middle plateau level.

ECG200 - rulebased support examples #3 (k=3, num_rules=0, acc=0.73)


Class 0 - idx 18




Class 0 - idx 61




Class 0 - idx 43




Class 1 - idx 32



Class 1 - idx 25



Class 1 - idx 55



ECG200 - rulebased rules #3 (k=3, num_rules=0, acc=0.73)

Class 0:

R1: Mean value in the middle third of the time series is less than 0.35.

Class 1:

R1: Mean value in the middle third of the time series is at least 0.38.