Best Practices for the Political Scientist

J. Alexander Branham

Fall 2015

A Quick Overview...

1. Code well

A Quick Overview...

- 1. Code well
- 2. Write using plain text

A Quick Overview...

- 1. Code well
- 2. Write using plain text
- 3. Use a version control system

Code well - DO NOT CLICK A MOUSE

▶ All results should be replicable from a source file

Code well - DO NOT CLICK A MOUSE

- ▶ All results should be replicable from a source file
- ► These source files (for example, .R for R scripts or .do for Stat do-files) should be liberally commented

Code well - DO NOT CLICK A MOUSE

- ▶ All results should be replicable from a source file
- ► These source files (for example, .R for R scripts or .do for Stat do-files) should be liberally commented
- Comments explain what you are doing to your future self, collaborators, and others

Comment example

```
# This code creates Fig 1
# I use the mtcars dataset (included with R)
library(ggplot2)
ggplot(mtcars, aes(mpg, wt)) +
   geom_point() +
   geom_smooth(method="lm") # Adds OLS line with SEs
ggsave("fig/fig1.pdf")
```

► Save this code snippit as fig1.R (or similar)

▶ Previous example - have two files for one plot in a paper

- Previous example have two files for one plot in a paper
 - ► The paper itself (document.tex or similar)

- Previous example have two files for one plot in a paper
 - ► The paper itself (document.tex or similar)
 - the script to create the figure (fig1.R or similar)

- Previous example have two files for one plot in a paper
 - ► The paper itself (document.tex or similar)
 - the script to create the figure (fig1.R or similar)
- ▶ What if we could combine these to have everything in one easy-to-read file?

- Previous example have two files for one plot in a paper
 - ► The paper itself (document.tex or similar)
 - the script to create the figure (fig1.R or similar)
- What if we could combine these to have everything in one easy-to-read file?
 - ▶ This is what literate programming is all about!

Literate programming example (using knitr)

```
\begin{section}
This is an example paragraph, writte in \LaTeX.
Using knitr, we can include R code in the following manner
I can reference the figure number by calling ref:
Figure \ref{fig:mpg-and-weight}.
% NTS - updating that figure with squared x doesn't change
\begin{figure}
\centering
<<fig1plot>>=
# I use the mtcars dataset (included with R)
library(ggplot2)
ggplot(mtcars, aes(mpg, wt)) +
  geom_point() +
  geom_smooth(method="lm") # Adds OLS line with SEs
0
\caption{Miles per gallon and weight}
\label{fig:mpg-and-weight}
                                   \end{figure}
```

Version Control

▶ YOU NEED TO USE VERSION CONTROL!!!!!

Version Control

- YOU NEED TO USE VERSION CONTROL!!!!!
- ► This can be as simple as putting things in Dropbox, which enables you to recover previous file versions automatically

Version Control

- YOU NEED TO USE VERSION CONTROL!!!!!
- ► This can be as simple as putting things in Dropbox, which enables you to recover previous file versions automatically
- ▶ Word's "track changes" feature...

Assumes they're both going to be around (in the same form(ish)) in the future

- Assumes they're both going to be around (in the same form(ish)) in the future
 - ▶ Remember computers 20 years ago???

- Assumes they're both going to be around (in the same form(ish)) in the future
 - ▶ Remember computers 20 years ago???
- You can "clobber" work (save over good work)

- Assumes they're both going to be around (in the same form(ish)) in the future
 - ▶ Remember computers 20 years ago???
- You can "clobber" work (save over good work)
- Must tell coauthors not to touch files while you're working on them

- Assumes they're both going to be around (in the same form(ish)) in the future
 - ▶ Remember computers 20 years ago???
- You can "clobber" work (save over good work)
- Must tell coauthors not to touch files while you're working on them
 - ► Though this may be changing. . .

- Assumes they're both going to be around (in the same form(ish)) in the future
 - ▶ Remember computers 20 years ago???
- You can "clobber" work (save over good work)
- Must tell coauthors not to touch files while you're working on them
 - ► Though this may be changing...
- You also tend to end up with many versions of the same project

- Assumes they're both going to be around (in the same form(ish)) in the future
 - ▶ Remember computers 20 years ago???
- You can "clobber" work (save over good work)
- Must tell coauthors not to touch files while you're working on them
 - ▶ Though this may be changing...
- You also tend to end up with many versions of the same project
 - ((show example paper))

► Git is a formal distributed version control system

- ► Git is a formal distributed version control system
- It is an easy way to keep track of all the revisions you have saved

- Git is a formal distributed version control system
- It is an easy way to keep track of all the revisions you have saved
- ▶ It enables easy collaborating between many different people, without the need to email files back and forth or tell them when you're working on something

- Git is a formal distributed version control system
- ▶ It is an easy way to keep track of all the revisions you have saved
- It enables easy collaborating between many different people, without the need to email files back and forth or tell them when you're working on something
- ▶ You only have *one* version of a file at any one time

- Git is a formal distributed version control system
- It is an easy way to keep track of all the revisions you have saved
- It enables easy collaborating between many different people, without the need to email files back and forth or tell them when you're working on something
- ▶ You only have *one* version of a file at any one time
- You can see the entire history of a file easily

- Git is a formal distributed version control system
- It is an easy way to keep track of all the revisions you have saved
- It enables easy collaborating between many different people, without the need to email files back and forth or tell them when you're working on something
- ▶ You only have *one* version of a file at any one time
- You can see the entire history of a file easily
- You can see exactly what changed in each new commit