

- Creating job 2

The screenshot shows the Jenkins web interface in a browser. The address bar indicates the URL is `localhost:8080/job/Execute%20Calculator/configure`. The Jenkins logo and name are at the top left. A search bar and user profile (Christian Martinez) are at the top right. The left sidebar shows the 'Configuration' menu with options: General, Source Code Management, Build Triggers, Build Environment, Build Steps, and Post-build Actions. The main content area is titled 'General' and has an 'Enabled' toggle switch. It contains a 'Description' field with the following text: '2. Create a second job that: 2.1 Takes the file generated in the previous job 2.2 Executes the command java-jar FILENAME.jar using the build generated'. Below the description are four unchecked checkboxes: 'Discard old builds', 'GitHub project', 'This project is parameterized', and 'Execute concurrent builds if necessary'. There is an 'Advanced...' button below these checkboxes. The 'Source Code Management' section shows 'None' selected. The 'Build Triggers' section is empty. At the bottom are 'Save' and 'Apply' buttons.

Execute Calculator Config [Jenki] x Calculator [Jenkins] x calculator/src at master · vero0 x 'Java Not Recognized' Error Fix x +

localhost:8080/job/Execute%20Calculator/configure

Jenkins

Search (CTRL+K) ?

1

Christian Martinez

log out

Dashboard Execute Calculator

Configuration

- General
- Source Code Management
- Build Triggers
- Build Environment
- Build Steps
- Post-build Actions

General

Enabled

Description

2. Create a second job that:
2.1 Takes the file generated in the previous job
2.2 Executes the command java-jar FILENAME.jar using the build generated

[Plain text] [Preview](#)

- ☐ Discard old builds
- ☐ GitHub project
- ☐ This project is parameterized
- ☐ Execute concurrent builds if necessary

[Advanced...](#)

Source Code Management

- ☒ None
- ☐ Git

Build Triggers

[Save](#) [Apply](#)

- Shell command

The screenshot shows the Jenkins web interface in a browser. The address bar indicates the URL is `localhost:8080/job/Execute%20Calculator/configure`. The page title is "Configuration" for the job "Execute Calculator".

On the left sidebar, the "Build Environment" tab is selected. The main content area is divided into sections:

- Build Environment:** Includes a checkbox for "Use secret text(s) or file(s)".
- Build Steps:** Contains a step named "Execute Windows batch command". The "Command" field is populated with:

```
cd C:\Program Files\Jenkins\.jenkins\workspace\Calculator\src java -jar Calculator.jar
java -jar Calculator.jar
```

Below the command field is an "Advanced..." button. At the bottom of this section is an "Add build step" button.
- Post-build Actions:** Includes an "Add post-build action" button.

At the bottom of the configuration page are "Save" and "Apply" buttons. The footer of the Jenkins interface shows "REST API" and "Jenkins 2.361.2".