


$N_{\rm tot} = 5.8M, \; \rho = 0.1, \; \epsilon_{\rho} = 0.04, \; \mu = 20.0, \; \sigma_{\mu} = 0.0, \; \beta = 0.004, \; \sigma_{\beta} = 0.0, \; N_{\rm init} = 20K$ $\lambda_{E} = 1.0, \; \lambda_{I} = 1.0, \; {\rm rand.inf.} = {\rm True}, \; {\rm w.rand.inf.} = {\rm True}, \; N_{\rm retries}^{\rm connect} = 0, \; f_{\rm work/other} = 0.5, \; N_{\rm contacts_{max}} = 0, \; N_{\rm init.UK.} = 500, \; \beta_{\rm UK} = 1.7, \; {\rm outbreak_{UK}} = {\rm København}$ $N_{\rm events} = 0, \; {\rm event_{size_{max}}} = 10, \; {\rm event_{size_{mean}}} = 5.0, \; {\rm event_{\beta_{scaling}}} = 5.0, \; {\rm event_{weekend_{multiplier}}} = 2.0$ ${\rm do_{int.}} = {\rm False}, \; {\rm int.} = [1, 4, 6], \; f_{\rm dailytests} = 0.01, \; {\rm test_{delay}} = [0, 0, 25], \; {\rm result_{delay}} = [5, 10, 5]$ ${\rm chance_{find.inf.}} = [0.0, 0.15, 0.15, 0.15, 0.0], \; {\rm days_{look.back}} = 7, \; {\rm tracking_{delay}} = 10, \; \#10$



 $N_{\rm tot} = 5.8M, \ \rho = 0.1, \ \epsilon_{\rho} = 0.04, \ \mu = 20.0, \ \sigma_{\mu} = 0.0, \ \beta = 0.004, \ \sigma_{\beta} = 0.0, \ N_{\rm init} = 20K$ $\lambda_{E} = 1.0, \ \lambda_{I} = 1.0, \ {\rm rand.inf.} = {\rm True, \ w.rand.inf.} = {\rm True, \ N_{\rm connect}^{\rm connect}} = 0, \ f_{\rm work/other} = 0.5, \ N_{\rm contacts_{\rm max}} = 0, \ N_{\rm init.UK.} = 500, \ \beta_{\rm UK} = 1.7, \ {\rm outbreak_{\rm UK}} = {\rm Nordjylland}$ $N_{\rm events} = 0, \ {\rm event_{\rm size_{\rm max}}} = 10, \ {\rm event_{\rm size_{\rm mean}}} = 5.0, \ {\rm event_{\rm scaling}} = 5.0, \ {\rm event_{\rm weekend_{\rm multiplier}}} = 2.0$ ${\rm do_{\rm int.}} = {\rm False, \ int.} = [1, 4, 6], \ f_{\rm dailytests} = 0.01, \ {\rm test_{\rm delay}} = [0, 0, 25], \ {\rm result_{\rm delay}} = [5, 10, 5]$ ${\rm chance_{\rm find.inf.}} = [0.0, 0.15, 0.15, 0.15, 0.0], \ {\rm days_{\rm look.back}} = 7, \ {\rm tracking_{\rm delay}} = 10, \ \#10$



 $N_{\rm tot} = 5.8M, \ \rho = 0.1, \ \epsilon_{\rho} = 0.04, \ \mu = 20.0, \ \sigma_{\mu} = 0.0, \ \beta = 0.004, \ \sigma_{\beta} = 0.0, \ N_{\rm init} = 40K$ $\lambda_{E} = 1.0, \ \lambda_{I} = 1.0, \ {\rm rand.inf.} = {\rm True, \ w.rand.inf.} = {\rm True, \ N_{\rm connect}^{\rm connect}} = 0, \ f_{\rm work/other} = 0.5, \ N_{\rm contacts_{\rm max}} = 0, \ N_{\rm init.UK.} = 500, \ \beta_{\rm UK} = 1.7, \ {\rm outbreak_{\rm UK}} = {\rm København}$ $N_{\rm events} = 0, \ {\rm event_{\rm size_{\rm max}}} = 10, \ {\rm event_{\rm size_{\rm mean}}} = 5.0, \ {\rm event_{\rm gealing}} = 5.0, \ {\rm event_{\rm weekend_{\rm multiplier}}} = 2.0$ ${\rm do_{\rm int.}} = {\rm False, \ int.} = [1, 4, 6], \ f_{\rm dailytests} = 0.01, \ {\rm test_{\rm delay}} = [0, 0, 25], \ {\rm result_{\rm delay}} = [5, 10, 5]$ ${\rm chance_{\rm find.inf.}} = [0.0, 0.15, 0.15, 0.15, 0.0], \ {\rm days_{\rm look.back}} = 7, \ {\rm tracking_{\rm delay}} = 10, \ \#10$



 $N_{\rm tot} = 5.8M, \ \rho = 0.1, \ \epsilon_{\rho} = 0.04, \ \mu = 20.0, \ \sigma_{\mu} = 0.0, \ \beta = 0.004, \ \sigma_{\beta} = 0.0, \ N_{\rm init} = 40K$ $\lambda_{E} = 1.0, \ \lambda_{I} = 1.0, \ {\rm rand.inf.} = {\rm True, \ w.rand.inf.} = {\rm True, \ N_{\rm retries}^{\rm connect}} = 0, \ f_{\rm work/other} = 0.5, \ N_{\rm contacts_{\rm max}} = 0, \ N_{\rm init.UK.} = 500, \ \beta_{\rm UK} = 1.7, \ {\rm outbreak_{\rm UK}} = {\rm Nordjylland}$ $N_{\rm events} = 0, \ {\rm event_{\rm size_{\rm max}}} = 10, \ {\rm event_{\rm size_{\rm mean}}} = 5.0, \ {\rm event_{\rm gealing}} = 5.0, \ {\rm event_{\rm weekend_{\rm multiplier}}} = 2.0$ ${\rm do_{\rm int.}} = {\rm False, \ int.} = [1, 4, 6], \ f_{\rm dailytests} = 0.01, \ {\rm test_{\rm delay}} = [0, 0, 25], \ {\rm result_{\rm delay}} = [5, 10, 5]$ ${\rm chance_{\rm find.inf.}} = [0.0, 0.15, 0.15, 0.15, 0.0], \ {\rm days_{\rm look.back}} = 7, \ {\rm tracking_{\rm delay}} = 10, \ \#10$

