

A FANCY UNIVERSITY

AN EVEN Fancier LAB

Christian Stentoft Michelsen

tufte-style-thesis, a Tufte-styled L^AT_EX class for theses

Actually more of a mix
between Edward Tufte and Robert Bringhurst

Doctoral thesis

November 9, 2022

Supervisor	their name	their job
Cosupervisor	also their name	also their job
Jury members	jury 1	jobs
	jury 2	...

Christian Stentoft Michelsen, *tufte-style-thesis*,
a Tufte-styled L^AT_EX class for theses, Actually more of a mix
between Edward Tufte and Robert Bringhurst, November 9, 2022.

For my homies

Abstract

Basically a thesis (book?) class for Tufte lovers like myself. I am aware that `tufte-latex` already exists but I just wanted to create my own thing.

Acknowledgements

Gabriel the king. All the T_EX.SE team for answering my stupid questions.

Contents

Abstract 5

Acknowledgements 7

- 1 Notes on the design 17
 - 1.1 Document layout 17
 - 1.2 Page layout 18
 - 1.3 Headers, lists, and other content-organizing features 19
 - 1.4 Fonts and paragraph typography 19
 - 1.5 Ideas behind the design 20

I THIS IS A PART

- 2 Using this class 23
 - 2.1 Dependencies 23
 - 2.2 The big margin 23
 - 2.3 Full width text 24
 - 2.4 The skeleton 24
 - 2.5 Floats 25
 - 2.6 The titlepage 38
 - 2.7 Compilation 38

APPENDIX

- A Some additional stuff 41

List of Figures

- Figure 2.1 1919 map of the Finistère in French Brittany. This figure is in the main text column, with a caption in the margin aligned with the top of the image. For images narrower than the text width, they will be outer-aligned so that they remain just next to their caption. 26
- Figure 2.2 The most common sea boat knots. This image can be displayed rather small, so it fits in the margin. The caption is displayed below. 27
- Figure 2.3 The US census map from data collected in 2010 – www.ecpm1anguages.u-strasbg.fr This is a wide figure, stretching from the innermost to the outermost margin. 28
- Figure 2.4 The Mandelbrot set with different depths of iteration. This caption is not in the margin but in the main text area. It can sometimes be useful with really really long captions. 30

List of Tables

Table 2.1	The elementary particles included in the standard model. This is a table with a <code>\sidecaption</code> .	31
Table 2.2	Table des marées à Douarnenez du 23 au 26 juillet 2021, Service Hydrographique et Océanographique de la Marine, <code>maree.shom.fr</code> . This is a wide table, called with the <code>table*</code> environment. The caption is also a <code>\sidecaption</code> .	31
Table 2.3	Major, minor and perfect music intervals. ST. stands for <i>semi-tones</i> . This table is in the margin.	34

List of Listings

- Listing 1 Hello world in C. This is a captioned code snippet. [35](#)
- Listing 2 A source code snippet of 29jm's stunningly amazing SnowflakeOS.
This is a numbered code snippet that goes through several
pages. [36](#)

1 *Notes on the design*

This class is my personal mix of different book design influences: mainly the works of Edward R. Tufte,¹⁻⁴ known for the big margin and the plentiness of sidenotes and sidecaptions. The margins are however not as prominent as in Tufte's works, the main text takes a bit more space, more like in Robert Bringhurst's typographer's bible.⁵ So it is a bit of a mix of Tufte and Bringhurst, with some of my own choices for other design features, as we will see through this chapter.

1.1 *Document layout*

While `tufte-style-thesis` is a class for typesetting theses, the general layout is pretty much the same as in a regular book. A book is traditionally divided into three major sections: the front matter, the main matter and the back matter.

The *front matter* is for all the stuff that comes before the main content: the preface, the acknowledgements, table of contents (TOC) and list of various types. The pages are most widely printed in roman numerals for this part. However, I personally find it confusing and a bit useless so the page numbering system is simplified for the whole book: arabic numerals starting from the very first page of the document.* The frontmatter still remains relevant because chapters are unnumbered, and `LaTeX` conveniently places them in the TOC.

The *main matter* is, as its name suggests, for the main content. Here everything is normal, arabic page numbering, normally numbered chapters. At the end of the mainmatter there are usually appendices, especially for scientific and technical textbooks ; for me, an appendix seems necessary in a thesis to put big figures, tables, and content that can be referred to in the main text but are too intrusive to put in the heart of the document. Chapters in the appendix are numbered with a letter to distinguish them from the main content. The main matter can also be cut in a couple of parts.[†]

The *back matter* is the end of the book, usually for the references part and index or glossary. Chapter numbering is turned off. At the very end, a colophon⁶ can be put to state information about the printer, publisher and stuff like that.

¹Tufte, E. R. *The Visual Display of Quantitative Information* ISBN: 0-9613921-4-2 (Graphics Press, Cheshire, Connecticut, 2001).

²Tufte, E. R. *Beautiful Evidence* ISBN: 0-9613921-7-7 (Graphics Press, Cheshire, Connecticut, 2006).

³Tufte, E. R. *Envisioning Information* ISBN: 0-9613921-1-8 (Graphics Press, Cheshire, Connecticut, 1990).

⁴Tufte, E. R. *Visual Explanations* ISBN: 0-9613921-2-6 (Graphics Press, Cheshire, Connecticut, 1997).

⁵Bringhurst, R. *The Elements of Typographic Style* ISBN: 978-0881791327 (Hartley & Marks Publishers, 2002).

*Tufte and Bringhurst do full arabic in their work too, so I consider it legit.

[†]I like, for instance, to put the appendix in a dedicated part.

⁶Carter, J. & Barker, N. *ABC for Book collectors* 68. ISBN: 978-1584561125 (Oak Knoll Press and The British Library, 2004).

To sum this up, the structure of a document typeset with `tufte-style-thesis` is something like this:

- ◊ title page ;
- ◊ front matter (dedication, abstract, acknowledgements, table of contents, list of figures, *etc*) ;
- ◊ main matter (main content organized in numbered chapters, an appendix with letter chapters) ;
- ◊ back matter (references, index, glossary, colophon).

This is how \LaTeX books work, and how I advise to structure a document using this class. All of this is under a single page numbering system, arabics starting right from the titlepage. Eventually, this is a really heavy layout, see how the first chapter of content starts at page 18. So do not use this class unless you have a hefty content to fit all these organizing features.

1.2 *Page layout*

Maybe the most distinctive aspect of this class is its page layout with its big margin to put sidenotes and captions. However this is not original at all: plenty* of other \LaTeX classes for books and theses do it just like me, and almost always better† I just wanted to do my own thing here, mixing what I personally like the most in these layout types, to better learn \LaTeX and to really internalize this kind of design. At the end of the day it may be a more Bringhursty than Tuftey kind of look, but hey, I won't change the name of this whole thing now.

So, as you might have started to notice, the main feature of this thing is the margin, with the sidenotes, side references, and as you will discover, side captions and everything. It has three main advantages for me:‡

- ◊ it makes the main text area narrower, therefore easier to read as the line changes become smoother, sidenotes are also friendlier than footnotes ;
- ◊ it makes the design breathe with plenty of potential white space (when the margins are not too crowded) ;
- ◊ it organizes the content: non-prosaic elements are on the side, separated from the main text area which becomes less cluttered.

So this is more intended for people who like "flavoured" text: people who likes notes, parentheses, asides, *etc*. It is also more suited for topics needing lots of pictures, tables, and diagrams: a novel would look terrible with this kind of layout.

*`tufte-latex`:
<https://www.ctan.org/pkg/tufte-latex>,
`classicthesis`:
<https://www.ctan.org/pkg/classicthesis>, ...

†Or in a way cleaner \LaTeX .

‡These advantages can be seen as drawbacks for others: less space for the actually important content, irregular and somewhat unconventional design which can be harder to handle.

Another small detail on the sidenotes, the flag of a note is in superscript in the text, but the note itself is introduced by a number in full size: this is in superscript ...^{*} This is again one of Bringhurst's advices.

^{*}... whereas this is in normal size.

1.3 Headers, lists, and other content-organizing features

The principle here is to give structuring elements which are as unobtrusive as possible, while remaining clear and easy to follow. For example, the bold headers of vanilla \LaTeX have been changed for more subtle italic ones. Chapters titles have been simplified to their essential parts –a number and a title– and put as high as possible: it is completely useless to me to start a new chapter at the middle of a page.[†] Though, some of space is left after the title to let it breathe a little bit ; this is a feature of Tufte's books.

[†]Bringhurst roasts this kind of chapters in his *Elements*: "In modern books, where the titles are shorter and the margins have been eaten by inflationary pressure, a third of the page somewhat lies vacant just to celebrate the fact that the chapter begins".

The `TOC`, and the other lists as well as the index and references section are thought to be that way: friendly and unobtrusive. For example, in the `TOC`, the traditional dotted lines between a heading and its corresponding folio[‡] is useless and unfriendly: why have the reader to follow a line with their eyes instead of just placing the page number next to the heading? So I adapted the `TOC` to make it both expressive and light/minimalistic.[§] It does not support deeper headings than the section, because I think nobody looks for such detail in the table of contents.

[‡]Just flexin, folio is a fancy term for saying "page number".

[§]I find Tufte- and Bringhurst-style `TOCs` too empty, at least for a thesis.

1.4 Fonts and paragraph typography

This class has three fonts.

The main text is typeset with a version of Linux Libertine,⁷ with enhanced math support. Here it is in **bold** and *italic*.

⁷*Libertine Fonts – Libre multilingual font family* [http : //libertine-fonts.org/](http://libertine-fonts.org/).

Sans serif text, like in the titlepage, part titles and page headers (not chapter/-section titles, but small reminders at the very top of the pages) are in sans serif Gill Sans, actually Gillius, a version of Gill Sans for \LaTeX . Here it is in **bold** and *italics*. Gill Sans is a humanist sans-serif typeface, which I find both elegant and minimalistic. It is less harsh than grotesk fonts like Helvetica or Arial.

Mono text, for code listings, is Droid Sans Mono. It is smoother to my taste than the default courier-like font. Here it is in *italics* (unfortunately it does not support bold –yet).

The prose is organized in paragraphs indented at the first line, as it is classically seen. The first paragraph that comes after a heading, however, is not indented.[¶]

[¶]It is again an advice from Bringhurst: "The simplest way to start any block of prose is to start from the margin, flush left [...]".

*I hope people have not been bummed out at by not seeing the right-justification.

†Paradoxically, it seems more justified than when it is truly justified. See by yourself: put a ruler (or the side of the window on the right side of the text and see how the comma slightly protrudes).

The text is by default not justified on the right like in Tufte's books. Apparently it makes the lines easier to recognize and follow with the eyes ; I do not find this irregularity unpleasing. But *do not worry*, it can be fully justified really easily.*

For true microtypography, when the text is fully justified (like this one), the dashes, commas, points and other stuff slightly protrude in the margin to make it seem more justified than it really is.† For flush left text, the typesetting algorithm has also been upgraded from standard L^AT_EX, reducing the line length and space width variance, and hyphenating as less as possible. Also, the spaces between small caps increase a little bit, as well as they can be increased for full caps text.

1.5 Ideas behind the design

These are just some thoughts I gathered that I find interesting to consider when making designs, closely or remotely.

⁸de Saint-Exupéry, A. *Terre des Hommes* ISBN: 2-07-025659-6 (Gallimard, 1939).

As Antoine de Saint-Exupéry once wrote:⁸ *"Perfection has been reached not when there is nothing left to add, but when there is nothing left to take away"*. To me, this means that minimalism is a key aspect of document design. The features and the layout must let the true content express itself: a good typography is completely transparent. That is why the design is dependent of the content: a novel and a math textbook will have completely different designs.

‡Yeah, I lazily picked the two citations on the first page of the tufte-style book class showcase. Though, I find Paul Rand's a bit condescending, like, *"people know nothing about good design"*.

However, this whole Tufte-style design is far from transparent. It is easily recognizable, and people will notice the somewhat unusual design statements. Paul Rand said,[‡] *"The public is more familiar with bad design than good design. It is in effect, conditioned to prefer bad design, because that is what it lives with. The new becomes threatening, the old reassuring"*. Edgar Tufte completely re-thought the way to display scatterplots, curves and axes, boxplots and histograms, but most people are not used to see this optimized representation, so is it a better design if most people have to give some extra effort to adapt to it ?

Then, good design must be a cultural thing. To aim perfection, one must make a blend between innovation and tradition, to be perceived as smooth as possible for the majority of people.

So, yeah, I really don't know what to think. I find –actually I hope that sidenotes and margins benefit to the reading comfort instead of ruining it. It makes more sense when there are figures, tables and heavier stuff, but hopefully it remains relevant for prose with notes.

PART I

THIS IS A PART

2 Using this class

2.1 Dependencies

Here are the packages already loaded, so there is no need to re-include them in your document:

◊ geometry	◊ droidsansmono	◊ amsmath	◊ etoolbox
◊ emptypage	◊ ragged2e	◊ mathtools	◊ changepage
◊ fullwidth	◊ titlesec	◊ physics	◊ placeins
◊ sidenotes	◊ titletoc	◊ xcolor	◊ xparse
◊ caption	◊ tocloft	◊ mdframed	◊ xpatch
◊ fontenc	◊ fancyhdr	◊ tabularx	◊ biblatex
◊ libertine	◊ graphicx	◊ booktabs	◊ listings
◊ libertinust1math	◊ microtype	◊ enumitem	
◊ gillius	◊ amsfonts	◊ hyperref	

2.2 The big margin

There is a big margin, so feel free to use it as much as possible!* This chapter will cover the usage of sidenotes, side references, and other ways to use the margin.[†]

The general layout is done using the geometry⁹ package, and all the margin stuff relies on the sidenotes¹⁰ package, so check its documentation:
<http://www.ctan.org/pkg/sidenotes> for more in-depth information.

Sidenotes

To put a sidenote in the margin, use

```
\sidenote[<number>][<offset>]{<sidenote text>}
```

- ◊ <number> is an optional parameter for the sidenote number. For example, `\sidenote[29100][]{The sidenote.}` does this.²⁹¹⁰⁰

*Actually to your needs, if you do not have a natural usage of notes, maybe do not use this class.

By the way, see how sidenote numbers reset on new chapters: we're back on number 1!

[†]For float captions, see chapter 2.5.

⁹Umeki, H. The geometry package. *CTAN, Comprehensive T_EX Archive Network*. URL <http://ctan.org/pkg/geometry> (2020).

¹⁰Thomas, A. The sidenotes package. *CTAN, Comprehensive T_EX Archive Network*. URL <http://ctan.org/pkg/sidenotes> (2020).

29100 The sidenote.

- ◊ `<offset>` is an offset length (in pt, px, en, em...) to vertically offset the sidenote. A positive value will have it go down, a negative go up.

L^AT_EX natively allows to put unformatted content in the margin with the com-

This is unformatted margin text, in fullsize.

This is just some unnumbered piece of text in the margin, but with the formatting done right.

mand `\marginpar{<your content>}`, but I advise not to use it, as it puts raw fullsize text in the margin, and does not blend well with the overall design. Instead, use

```
\sitetext{<your text>}
```

This will format the margin text to match the sidenotes style.

Side references

¹¹Einstein, A. *Zur allgemeinen relativitätstheorie* (Akademie der Wissenschaften, in Kommission bei W. de Gruyter, 1915).

The margin is also handy to put bibliographic references:¹¹ the reader can read them directly instead of going all through the document to find the right entry in the references section. But don't worry, each reference displayed in the margin is labelled with a number and appears in a dedicated bibliography section. All in all, a side reference is displayed in the margin in a shortened form, and then again in the bibliography in the full form.

To cite a paper, use

```
\sidecite{<reference label>}
```

2.3 *Full width text*

It may be handy to have the text span the whole page width, like this paragraph. Use the environment `\begin{wide}... \end{wide}` to do this. It should manage page breaks properly, but it is not optimal: no not use it for too long (like for ten pages), the behavior tends to go a little wild. The behavior of `\sidenote`, `\marginpar` and `\sidecite` is not supported in the wide environment.

Also, for floating environments, full width figures and tables will be covered in the chapter 2.5, so do not use the wide environments with figures or tables (actually tables are fine, but there are specific environments for them to be in full width).

2.4 *The skeleton*

The structure of a L^AT_EX book is as follows:


```
% preamble
\begin{document}

\maketitle % titlepage

\frontmatter % unnumbered preliminary chapters
\chapter{}
\tableofcontents

\mainmatter % main content: numbered chapters
\part{part}
\chapter{content}
\chapter{content}

\appendix % letter numbered chapters
\chapter{appendix 1}
\chapter{appendix 2}

\backmatter % everything else: references, indexes, glossaries, etc.
\printbibliography
\printindex

\end{document}
```

The new \maketitle

The `\maketitle` macro has been slightly pimped up. It now displays a custom titlepage —like the one on this very document, as well as a copyright tag, a dedication word and a colophon.

2.5 *Floats*

The integration of floats with the Tufte layout is handled with the `sidenotes` package, loaded with the class definition. The following paragraphs show how to basically use the macros, and for more information, see the package documentation at <https://www.ctan.org/pkg/sidenotes>.

Figures

Edward Tufte's designs are known to be really tight when it comes to including images with text. The main pet peeve I had with one-column designs is when I included a small figure in the document, it had to visually break the text and generate large unpleasing blank spaces. Also, more often than not, the text width was too much for the images, resulting in huge one-liner captions for very small figures.

The 1.5-column design fixes this by putting all captions in the margins, as well as small enough figures, which tidies the document a lot.

Figure 2.1.

1919 map of the Finistère in French Brittany. This figure is in the main text column, with a caption in the margin aligned with the top of the image. For images narrower than the text width, they will be outer-aligned so that they remain just next their caption.



*The `\label` has to be inside the `\sidecaption` command, otherwise references with `\ref` won't work.

To put a graphics in the text like in the figure 2.1, use*

```
\begin{figure}
  \sidecaption{<caption>\label{<label>}} % put this on top
  % \label HAS to be inside the \sidecaption
  \includegraphics[]{} % or tikz or anything
\end{figure}
```

To put a figure in the margin like the figure 2.2, use

```

\begin{marginfigure}
\includegraphics[]{} % or tikz or anything
\caption{<caption>\label{<label>}}
\end{figure}

```

For wide figures like the figure 2.3, use

```

\begin{figure*}
\includegraphics[]{} % or tikz or anything
\sidecaption{<caption>\label{<label>}}
\end{figure*}

```




Figure 2.2.

The most common sea boat knots. This image can be displayed rather small, so it fits in the margin. The caption is displayed below.




Figure 2.3.

The US census map from data collected in 2010 – www.ecpmlangues.u-strasbg.fr

This is a wide figure, stretching from the innermost to the outermost margin.

Shortcuts

I find typing figure environments repetitive for long (even short) documents, so I made the following macro for figures with \sidecaptions :

```
\textfig[<optional width>]{<file path>}{<caption>}{<label>}
```

The <optional width> is a number between zero and one which determines the image width relative to the text width. The default value is 1, like on the figure 2.1.

The same macros are provided for images in the margins and wide images, respectively shown in figures 2.2 and 2.3.

```
% figure in the margin
\marginfig[<optional width>]{<file path>}{<caption>}{<label>}
% wide figure
\widefig[<optional width>]{<file path>}{<caption>}{<label>}
```

If for any reason a figure caption has to be put in the main text block, just use the regular figure environment. The following shortcut macros will also do. The result of `\plainfig` is shown in figure 2.4.

```
% plain figure with textwidth
\plainfig[<optional width>]{<file path>}{<caption>}{<label>}
% plain figure with full width
\plainwidefig[<optional width>]{<file path>}{<caption>}{<label>}
```




Figure 2.4. The Mandelbrot set with different depths of iteration. This caption is not in the margin but in the main text area. It can sometimes be useful with really really long captions. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Tables

Table environments work the same as figures, as is shown in tables 2.1 and 2.2.

To typeset the table 2.1, use the following code, which is just a table environment with a `\sidecaption`. For table 2.2, use the `table*` environment with either `\sidecaption` or `\caption`. `\FloatBarrier` is there to make sure the floats appear in order.¹

¹ `\FloatBarrier` works for all floating environments, including figures.

The Standard model of Elementary Particles.

Three generations of matter (fermions)			Interactions (bosons)	
I	II	III		
QUARKS			GAUGE	SCALAR
u up	c charm	t top	g gluon	H higgs
d down	s strange	b bottom	γ photon	
LEPTONS			Z boson	
e electron	μ muon	τ tau	W boson	
ν_e el. neutrino	ν_μ mu. neutrino	ν_τ tau neutrino		

Table 2.1.
The elementary particles in-
cluded in the standard model.
This is a table with a \sidecap-
tion.

le des marées au port de Douarnenez (Finistère).

Ven. 23 juillet 2021			Sam. 24 juillet 2021				Dim. 25 juillet 2021			Lun. 26 juillet 2021		
heure	hauteur	coef.	heure	hauteur	coef.		heure	hauteur	coef.	heure	hauteur	coef.
04:54	6.06	81	05:46	6.24	88	pm	00:21	0.92	–	01:08	0.88	–
11:05	1.38	–	11:55	1.19	–	bm	06:34	6.34	92	07:19	6.33	92
17:17	6.39	85	18:06	6.59	91	pm	12:41	1.10	–	13:26	1.12	–
23:33	1.10	–	—:—	–	–	bm	18:52	6.67	93	19:36	6.63	91

Table 2.2.
Table des marées à Douarnenez
du 23 au 26 juillet 2021, Ser-
vice Hydrographique et
Océanographique de la Ma-
rine, `maree.shom.fr`.
This is a wide table, called with
the `table*` environment. The
caption is also a `\sidecap-`
`tion`.

```

\begin{table}[!htb]\small
\sidecaption{The elementary particles included in the
standard model. This is a table with a \texttt{\textbackslash
sidecaption}.\label{tab:table-text}}
\begin{tabular}{lllll}
\multicolumn{5}{l}{\textbf{The Standard model of
Elementary Particles.}}

\\

\toprule
\multicolumn{3}{l}{\textbf{Three generations of matter (
fermions)}} & \multicolumn{2}{l}{\textbf{Interactions (bosons)}}

\\

I

& II

& III

&

\\

```

```

\multicolumn{3}{c}{\textsc{quarks}}
& \textsc{gauge}
& \textsc{scalar}
\\
\cmidrule(lr){1-3}\cmidrule(lr){4-4}\cmidrule(lr){5-5}
\textbf{u}~~up
& \textbf{c}~~charm
& \textbf{t}~~top & \
\textbf{g}~~gluon & \textbf{H}~~higgs \\
\textbf{d}~~down
& \textbf{s}~~strange
& \textbf{b}~~bottom & \
\textbf{\textgamma}~~photon & \\
\multicolumn{3}{c}{\textsc{leptons}}
& \textbf{Z} boson
&
\\
\cmidrule(lr){1-3}
\textbf{e}~~electron
& \textbf{\textmu}~~muon
& \textbf{\texttau}~~tau & \
\textbf{W} boson & \\
\textbf{\textnu\textsubscript{e}}~~el. neutrino
& \textbf{\textnu\textsubscript{\textmu}}~~mu.
neutrino & \textbf{\textnu\textsubscript{\texttau}}~~tau
neutrino & & \\
\bottomrule
\end{tabular}
\end{table}

```

```

\begin{table*}[!htb]\small\sffamily
\begin{tabularx}{\linewidth}{rXXXXXXrXXXXX}
\multicolumn{14}{l}{\textbf{Table des marees au port de
Douarnenez (Finistere).}}

\\
\toprule

```



```

& \multicolumn{3}{c}{\textbf{Ven. 23 juillet
2021}} & \multicolumn{3}{c}{\textbf{Sam. 24 juillet 2021}} &
& \multicolumn{3}{c}{\textbf{Dim. 25 juillet 2021}} & \
multicolumn{3}{c}{\textbf{Lun. 26 juillet 2021}}

\\

& heure

& hauteur

coef. & heure

hauteur

& coef. &

& heure & hauteur & coef. & heure & hauteur & coef. \\
\cmidrule(lr){2-4}\cmidrule(lr){5-7}\cmidrule(lr){9-11}\
cmidrule(lr){12-14}
\textsc{bm} & 04:54

& 6.06

& 81

& 05:46

& 6.24

& 88

& \textsc{pm}
} & 00:21 & 0.92

& --

& 01:08 & 0.88

& --

\\
\textsc{pm} & 11:05

& 1.38

& --

& 11:55

& 1.19

& --

& \textsc{bm}
} & 06:34 & 6.34

& 92

& 07:19 & 6.33

& 92

\\
\textsc{bm} & 17:17

& 6.39

& 85

& 18:06

& 6.59

& 91

& \textsc{pm}
} & 12:41 & 1.10

& --

& 13:26 & 1.12

& --

\\
\textsc{pm} & 23:33

& 1.10

& --

& ---:---

& --

& --

& \textsc{bm}
} & 18:52 & 6.67

& 93

& 19:36 & 6.63

& 91

\\
\bottomrule
\end{tabularx}
\sidecaption{%
%
}
\end{table*}\FloatBarrier

```

To produce tables in the margin like table 2.3, use the `margintable` environment like in the following.

Table 2.3. Major, minor and perfect music intervals. ST. stands for *semitones*. This table is in the margin.

ST.	Intervals
0	unison
1	minor second
2	major second
3	minor third
4	major third
5	perfect fourth
6	aug. 4 th / dim. 5 th
7	perfect fifth
8	minor sixth
9	major sixth
10	minor seventh
11	major seventh
12	octave

```

\begin{margintable}[]\small
  \caption{Major, minor and perfect music intervals. ST.
stands for \textit{semitones}. This table is in the margin. \
label{tab:table-margin}}
  \begin{tabular}{ll}
    \toprule
    \textbf{ST.} & \textbf{Intervals} \\
    \midrule
    0 & & unison \\
    1 & & minor second \\
    2 & & major second \\
    3 & & minor third \\
    4 & & major third \\
    5 & & perfect fourth \\
    6 & & aug. 4\textsuperscript{th} / dim. 5\
\textsuperscript{th} \\
    7 & & perfect fifth \\
    8 & & minor sixth \\
    9 & & major sixth \\
    10 & & minor seventh \\
    11 & & major seventh \\
    12 & & octave
  \bottomrule

```

```
\end{tabular}
\end{margintable}
```

Code

Code can be inserted, whether with simple code boxes or captioned snippets that look like the following.

```
int main(int argc, char *argv[]) {
    printf("Hello world!");
    return 0;
}
```

Listing 1. Hello world in C. This is a captioned code snippet.

The box is a light gray hairline that helps make the code stick out just enough without distracting the eye too much. The code itself is syntax colored according to the used language. There are several environments for code boxes, explained below.

For a simple code box with neither line numbering nor caption, the macro environment is the following.

For a code box *with* line numbering –still without a caption– use the following environment.

For captioned code snippets, the same environments exist, as shown as follows. For example, the listings 1 and 2 are respectively unnumbered and numbered code snippets.

```
\begin{snippet}{<language>}{<caption>}{<label>}
    This code will be displayed in a captioned code box, without
    line numbering.
\end{snippet}

\begin{snippetnum}{<language>}{<caption>}{<label>}
    This code will be displayed in a captioned code box, with
    line numbering.
\end{snippetnum}
```

This supports most of the classic languages. Here are some examples for the language option:

C,
C++,
python,
java,
latex...

If a specific language is not recognized, use the `text` option instead: it will display the code without syntax coloring.

Small pieces of code can be useful to put in flow of the text. This class provides a command to things like this: `public int size() {}`. Use the following to insert a piece of code in the text.

`\inlinecode` does not break at lines, so be careful, it can sometimes protrude on the right margin. If it is the case, go to a new line by inserting `\\` just before `\inlinecode`.

The following chunk is an example snippet to show the look when the code is a bit heftier. See how the box breaks at the end of the page.

Listing 2. A source code snippet of 29jm's stunningly amazing SnowflakeOS. This is a numbered code snippet that goes through several pages.

```
1      #include <kernel/multiboot2.h>
2      #include <kernel/sys.h>
3
4      static const char* tag_table[] = {
5          "TAG_END",
6          "TAG_CMDLINE",
7          "<unknown>",
8          "TAG_MODULE",
9          "TAG_MEM",
10         "TAG_BOOTDEV",
11         "TAG_MEMMAP",
12         "TAG_VBE",
13         "TAG_FB",
14         "<unknown>",
15         "TAG_APM",
16         "<unknown>",
17         "<unknown>",
18         "<unknown>",
19         "TAG_RSDP1",
20         "TAG_RSDP2",
21     };
22
23     /* Prints the multiboot2 tags given by the bootloader.
24     */
25     void mb2_print_tags(mb2_t* boot) {
26         if (boot->total_size <= sizeof(mb2_t)) {
27             printke("no tags given");
28             return;
29         }
30
31         mb2_tag_t* tag = boot->tags;
32         mb2_tag_t* prev_tag = tag;
```

```
33
34     do {
35         const char* tag_name;
36
37         if (tag->type < sizeof(tag_table) / sizeof(tag_table[0])) {
38             tag_name = tag_table[tag->type];
39         } else {
40             tag_name = "<unknown>";
41         }
42
43         printk("%12s (%2d): %d bytes", tag_name, tag->type, tag->size
44             );
45
46         prev_tag = tag;
47         tag = (mb2_tag_t*) ((uintptr_t) tag + align_to(tag->size, 8))
48             ;
49     } while (prev_tag->type != MB2_TAG_END);
50
51     /* Returns the first multiboot2 tag of the requested type.
52     */
53     mb2_tag_t* mb2_find_tag(mb2_t* boot, uint32_t tag_type) {
54         mb2_tag_t* tag = boot->tags;
55         mb2_tag_t* prev_tag = tag;
56
57         do {
58             if (tag->type == tag_type) {
59                 return tag;
60             }
61
62             prev_tag = tag;
63             tag = (mb2_tag_t*) ((uintptr_t) tag +
64                 align_to(tag->size, 8));
65         } while (prev_tag->type != MB2_TAG_END);
66
67         return NULL;
68     }
```

2.6 *The titlepage*

2.7 *Compilation*

APPENDIX

A *Some additional stuff (see how the title protrudes in the margin)*

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac

habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.[5]

Bibliography

1. Tufte, E. R. *The Visual Display of Quantitative Information* ISBN: 0-9613921-4-2 (Graphics Press, Cheshire, Connecticut, 2001).
2. Tufte, E. R. *Beautiful Evidence* ISBN: 0-9613921-7-7 (Graphics Press, Cheshire, Connecticut, 2006).
3. Tufte, E. R. *Envisioning Information* ISBN: 0-9613921-1-8 (Graphics Press, Cheshire, Connecticut, 1990).
4. Tufte, E. R. *Visual Explanations* ISBN: 0-9613921-2-6 (Graphics Press, Cheshire, Connecticut, 1997).
5. Bringhurst, R. *The Elements of Typographic Style* ISBN: 978-0881791327 (Hartley & Marks Publishers, 2002).
6. Carter, J. & Barker, N. *ABC for Book collectors* 68. ISBN: 978-1584561125 (Oak Knoll Press and The British Library, 2004).
7. *Libertine Fonts – Libre multilingual font family* <http://libertine-fonts.org/>.
8. De Saint-Exupéry, A. *Terre des Hommes* ISBN: 2-07-025659-6 (Gallimard, 1939).
9. Umeki, H. The geometry package. *CTAN, Comprehensive T_EX Archive Network*. URL <http://ctan.org/pkg/geometry> (2020).
10. Thomas, A. The sidenotes package. *CTAN, Comprehensive T_EX Archive Network*. URL <http://ctan.org/pkg/sidenotes> (2020).
11. Einstein, A. *Zur allgemeinen relativitätstheorie* (Akademie der Wissenschaften, in Kommission bei W. de Gruyter, 1915).

Index

back matter, 17
Bringhurst, Robert, 17

de Saint-Exupéry, Antoine, 20
design, 20
Droid Sans Mono, 19

fonts, 19
front matter, 17

Gill Sans, 19

Linux Libertine, 19

main matter, 17
microtypography, 20

Rand, Paul, 20

sidenotes, 18

This document was typeset using \LaTeX and the `tufte-style-thesis` class.
The style is heavily inspired by the works of Edward R. Tufte and Robert Bringhurst.
This is available on here:

<https://github.com/sylvain-kern/tufte-style-thesis/>.

Feel free to contribute!