

atoi in C*

(proper character and exception handling removed)

```
uint64_t atoi(uint64_t* s) {  
    uint64_t n;  
  
    n = 0;  
  
    // loop until s is terminated  
    while (*s != 0) {  
        // use base 10, offset by '0'  
        n = n * 10 + *s - '0';  
  
        // go to next digit  
        s = s + 1;  
    }  
  
    return n;  
}
```

Click [at oi](#) to see the actual code in selfie.

We provide such links throughout the presentation.


`atoi` stands for
ASCII to integer

Given a string `s` of
decimal digits,
the `atoi` code computes
the numerical value `n`
represented by `s`

Programming Language C

TIOBE Programming Community Index

Source: www.tiobe.com



C with all its dialects is still the most popular programming language

<https://www.tiobe.com/tiobe-index>

atoi in C*

(proper character and exception handling removed)

```
uint64_t atoi(uint64_t* s) {
    uint64_t n;

    n = 0;

    // loop until s is terminated
    while (*s != 0) {
        // use base 10, offset by '0'
        n = n * 10 + *s - '0';

        // go to next digit
        s = s + 1;
    }

    return n;
}
```

**atoi stands for
ASCII to integer**

**Given a string s of
decimal digits,
the atoi code computes
the numerical value n
represented by s**

Click [atoi](#) to see the actual code in selfie.
We provide such links throughout the presentation.