Karlsruhe Institute of Technology

Benchmarking of Graph Databases - Suitability for the Industrial Environment

Master's Thesis
by

Christian Navolskyi

Chair of Pervasive Computing Systems/TECO
Institute of Telematics
Department of Informatics

First Reviewer:	Prof. Dr. Michael Beigl
Second Reviewer:	M.Sc. Andrei Miclaus
Supervisor:	

Project Period: 01/01/2018 – 30.04.2018

Ich versichere wahrheitsgemäß, die Arbeit selbstständig angefertigt, alle benutzten Hilfsmittel vollständig und genau angegeben und alles kenntlich gemacht zu haben, was aus Arbeiten anderer unverändert oder mit Abänderungen entnommen wurde.

Karlsruhe, den TODO: date

Zusammenfassung

TODO: Zusammenfassung (Deutsch)

Abstract

TODO: Zusammenfassung (Englisch)

Contents

1. Introduction

1.1 Problem Statement

1.1.1 Use Case - Industry 4.0

1.1.1.1 Inserting Data

NOTE: How is that used by the industry.

1.1.1.2 Reading Data

NOTE: How is that used by the industry.

1.2 Question

1.3 Methodology

1.4 Goal of this Thesis

1.5 Structure

2. Background & Related Work

2.1 Industrial Data

2.2 Graphs

2.3 Graph Databases

2.3.1 Triple Stores

2.3.1.1 Apache Jena

2.3.2 Document Stores

2.3.2.1 OrientDB

2.3.3 Graph Stores

2.3.3.1 Neo4j

2.3.3.2 Sparksee

2.4 Graph Database Benchmarks

2.4.1 LDBC: Graphalytics

2.4.2 XGDBench

2.4.3 YCSB

2.5 Related Work

2.5.1 Graph Database: Anna

2.5.2 TODO: Add more

3. Analysis

3.1 Data

3.1.1 Data Structure NOTE: Here or in Design?

3.1.2 Data Amount

3.2 Workloads

3.2.1 Inserting Data into the Database

NOTE: What is the pattern of insertion

3.2.2 Retrieving Data from the Database

NOTE: What is the pattern of retrieving

3.3 Benchmark - YCSB

NOTE: Activity diagram in this section. What WAS the workflow.

4. Design

4.1 Data Structure

4.2 Workloads

4.2.1 Inserting

4.2.2 Production Simulation

4.2.3 Reading under load

4.3 Extension of the Benchmark

4.3.1 Generating a Dataset

4.3.1.1 Storing the Dataset

4.3.1.2 Restoring the Dataset

4.3.2 Graph Workload

NOTE: Graph Workload functionality NOTE: Activity diagram of the workflow with graph data.

4.3.3 Bindings

4.3.3.1 Apache Jena

4.3.3.2 Neo4j

4.3.3.3 OrientDB

4.3.3.4 Sparksee

5. Implementation of your Project

5.1 Graph Workload

5.1.1 Parameters

5.2 Graph Data Generator

5.2.1 Parameters

5.2.2 Graph Data Creator

5.2.3 Graph Data Recreator

5.3 Graph Database Bindings

5.3.1 Apache Jena

5.3.2 Neo4j

5.3.3 OrientDB

5.3.4 Sparksee

6. Evaluation

6.1 Objective

6.2 Setup

6.2.1 Hardware

6.2.2 Software

6.3 Execution NOTE: Scripts to run all benchmarks successively

6.4 Maximum Load

6.4.1 Probing Node Count NOTE: Comparing indexed to not indexed

6.4.1.1 Results

6.4.1.2 Discussion

6.4.2 Probing Node Size NOTE: See change over increasing node size

6.4.2.1 Results

6.4.2.2 Discussion

6.5 Throughput

6.5.1 Difference of Presence of Edges

6.5.1.1 Results

6.5.1.2 Discussion

6.5.2 Product Complexity NOTE: More child nodes.

6.5.2.1 Results

6.5.2.2 Discussion

6.5.3 Production Suitability NOTE: Testing production like workload

6.5.3.1 Results

6.5.3.2 Discussion

6.6 Responsiveness

6.6.1 Reading under load

6.6.1.1 Results

6.6.1.2 Discussion

6.6.2 Scanning under load

6.6.2.1 Results

6.6.2.2 Discussion

7. Conclusion and Future Work

7.1 Conclusion

7.1.1 Suitability

7.1.2 General Performance of Databases

7.2 Future Work

7.2.1 More Bindings

7.2.2 Concurrency

7.2.3 Other input methods NOTE: I only used native Java APIs, to directly test the database.

7.2.4 Workload TODO: what kind?

8. Summary