SHAP-attributed provenance subgraph

OTHER (966 source nodes)
OTHER | node group
SHAP = -0.00473404
Assigned batch edges = 966

EVENT_OPEN × 962

EVENT_WRITE × 1

3 events to other counterparts omitted

Context only
/bin/dash
subject | id=572376

Context only
/home/admin/.bash_history
file | id=1402960

/usr/sbin/sshd
node:93983 | subject
SHAP = -0.00365913
Assigned batch edges = 9

EVENT_CLONE × 1

EVENT_CLONE × 1

7 events to other counterparts omitted

Context only
/usr/sbin/sshd
subject | id=572644

Context only
/usr/sbin/sshd
subject | id=572645

/usr/sbin/sshd
node:1301343 | file
SHAP = -0.00274955
Assigned batch edges = 9

EVENT_EXECUTE × 1

EVENT_EXECUTE × 1

7 events to other counterparts omitted

Context only
/usr/sbin/sshd
subject | id=572644

Context only
/usr/sbin/sshd
subject | id=572645

/lib/x86_64-linux-gnu/libwrap.so.0.7.6
node:1301344 | file
SHAP = -0.00232158
Assigned batch edges = 18

EVENT_OPEN × 1
EVENT_READ × 1

EVENT_OPEN × 1
EVENT_READ × 1

14 events to other counterparts omitted

Context only
/usr/sbin/sshd
subject | id=572644

Context only
/usr/sbin/sshd
subject | id=572645

/usr/bin/xscreensaver
node:93998 | subject
SHAP = -0.00138774
Assigned batch edges = 2

EVENT_CLONE × 1

EVENT_CLONE × 1

Context only
/usr/bin/xscreensaver
subject | id=573337

Context only
/usr/bin/xscreensaver
subject | id=573338

SHAP values apply to component nodes only; edges provide provenance context.
Red: increases anomaly score; blue: decreases it, relative to the chosen baseline.