SHAP-attributed provenance subgraph

OTHER (195 source nodes)
OTHER | node group
SHAP = -0.334073
Assigned batch edges = 624

EVENT_OPEN × 69
EVENT_READ × 68
EVENT_EXECUTE × 1

EVENT_OPEN × 63
EVENT_READ × 61
EVENT_EXECUTE × 1

361 events to other counterparts omitted

Context only
/bin/bash
subject | id=456287

Context only
/bin/bash
subject | id=457287

/usr/sbin/sshd
node:455696 | subject
SHAP = -0.115993
Assigned batch edges = 41

EVENT_WRITE × 1

EVENT_WRITE × 1

39 events to other counterparts omitted

Context only
/dev/null
file | id=1301198

Context only
/dev/pts/0
file | id=1302382

/usr/sbin/sshd
node:456191 | subject
SHAP = -0.115179
Assigned batch edges = 39

EVENT_WRITE × 1

EVENT_WRITE × 1

37 events to other counterparts omitted

Context only
/dev/null
file | id=1301198

Context only
/dev/pts/0
file | id=1302382

/usr/sbin/sshd
node:455944 | subject
SHAP = -0.115089
Assigned batch edges = 40

EVENT_WRITE × 1

EVENT_WRITE × 1

38 events to other counterparts omitted

Context only
/dev/null
file | id=1301198

Context only
/dev/pts/0
file | id=1302382

/bin/run-parts
node:456060 | subject
SHAP = -0.0395479
Assigned batch edges = 104

EVENT_CLONE × 1

EVENT_CLONE × 1

102 events to other counterparts omitted

Context only
/bin/dash
subject | id=456061

Context only
/bin/dash
subject | id=456062

SHAP values apply to component nodes only; edges provide provenance context.
Red: increases anomaly score; blue: decreases it, relative to the chosen baseline.