Name: Christian Paul Tacis Year/Course/Section: 1-BSInfoSys-1 Challenge #11: How Tos

Fade in button code

```
y ↑ 5 □ ∨ Run
                                                                                                                                                                                                                                                                         # infocss.css X # style.css
                                                                                                                                                                                                                                                                                                             ▶ Ⅲ …
            RUN AND DEBUG
                                                                      height: 100%;
width: 100%;
position: absolute;
top: 0;
left: 0;
transition: 0.5s;
2
                                                                }
.layer:hover{
background: □rgba(226,0,0,0.7);
                                                                 }
.layer h3{
width: 100%;
font-weight: 500;
color: ■#fff;
font-size: 26px;
bottom: 0;
left: 50%;
transform: translateX(-50%);
position: absolute;
opacity: 0;
transition: 0.5s;
}
          ∨ CALL STACK
         ☼ Open i... RUNNING
                                                                 .layer:hover h3{
   bottom: 49%;
   opacity: 1;
                                                                  .banner6 h1{
    width: 100%;
    color: □#302e2f;
          > LOADED SCRIPTS

∨ BREAKPOINTS


               Caught Exceptio..
               Uncaught Excep...
             EVENT LISTENER BREAKP...
```

The result.




Code for the buttons on an image.

Name: Christian Paul Tacis Year/Course/Section: 1-BSInfoSys-1 Challenge #11: How Tos



Buttons on an image result.



Name: Christian Paul Tacis Year/Course/Section: 1-BSInfoSys-1 Challenge #11: How Tos