FRONT END – PART 1
STARTING WITH RESUME PROJECT

(Transparency)

1. Which of the following properties specifies the transparency of an element?

a) transparency

b) visibility

c) opacity

d) None of the above

(Shorthand Property)

2. Which of the following options is used as a shorthand property to describe all transition-related properties?

a) transition-delay

b) transition

c) transition-duration

d) transition-effect

(Convert vertical list)

3. Which of the following options can be used to convert a vertical list into a horizontal list?

```
For E.g.
Home
About
Skills
Convert this to a horizontal list like:
Home About Skills
```

a) Set the display items to display: block;

b) set the list items to display: inline;

c) set the list items to display: inline-block;

d) All of the above.

(Shadow)

4. Which property is used for the shadow-like effect for an element?

a) shadow

b) shadow-effect

c) canvas-shadow

d) box-shadow

(Required Box shadow)

5. Which of the following values are required for the CSS box-shadow property?

a) h-offset

b) v-offset

c) Blur

d) Spread

ASSIGNMENT

(Select All Elements)

6. How to apply a style to every element of the html page?

a) + {}

b) * {}

c) @ {}

d) # {}

(CSS Attributes Combined)

7. There are different headings inside a HTML page with class 'h-style'. Which of the following is the best way to apply a CSS style only to immediate <span> child that is inside a <h2> tag whose class is 'h-style'?

(Immediate child means that it is a immediate child node of the element in HTML DOM tree)

a) .h-style + span

b) h2.h-style span

c) .h-style > span

d) h2.h-style > span

(Custom Attributes)
8. Can we make our own custom attributes?

a) Yes

b) No

(Select Adjacent Element)
9. Which of the following represents the selection of only those <ul> that are immediately preceded by the <p> element, i.e. only the adjacent element?

a) p + ul { ….. }

b) p > ul { ….. }

c) p ~ ul { ….. }

d) p < ul { ….. }

(Style Disabled Input)
10. How to apply style to only those <input> tags which have 'disabled' attribute to them?

a) input.disabled { ….. }

b) input[disabled] { ….. }

c) input["disabled"] { ….. }

d) none of the above

(Style Input Specifically)
11. Which of the following will apply style to only those <input> tags which have the value of their 'type' attribute as 'text' ?

a) input.type { ….. }

b) input[type:"text"] { ….. }

c) input[type="text"] { ….. }

d) none of the above

(Style Specific Extension)
12. How to target all the images whose extension is 'jpg'?

a) img[type=".jpg"] { ….. }

b) img[src="jpg"] { ….. }

c) img[ext="jpg"] { ….. }

d) img[src$=".jpg"] { ….. }

(Correct Syntax)
13. Which of the following is a correct example of a custom attribute?

a) myattr-file="image"

b) data-file="image"

c) attr-file="image"

d) none of the above

(Box-Shadow)
14. Select correct statements about CSS Box-shadow:

a) box-shadow property is used to produce a shadow-like effect for an element.

b) Syntax for box-shadow is box-shadow : none | h-offset v-offset blur-radius spread-radius color.

c) h-offset and v-offset values can't be a negative number.

d) h-offset,v-offset are required values while blur, color, spread are optional values.

* * * * * * * * * *