Homework 4

Group 1

Contents

Prepared for:

Dr. Nathan Bastian

City University of New York, School of Professional Studies - Data 621

Prepared by:

Group 1

Senthil Dhanapal

Yadu Chittampalli

Christophe Hunt

1 Introduction

Consumers who own a car are often required to purchase car insurance to protect themselves from serious financial repercussions of being involved in a car accident. Insurance Providers must determine the risk of the offering insurance coverage to a new customer through accurate statistical models that evaluate the risk. Since Insurance Providers are motivated by collecting the maximum amount of revenue from consumers while returning the lowest amount in accident claims, the statistical modeling provides Insurance Providers with insight into the consumers behavior and the most appropriate pricing schemes[1].

2 Statement of the Problem

The purpose of this report is to develop statistical models to make inference into the likelihood of a customer being involved in a car accident and the cost associated of a customer being involved in a car accident.

3 Data Exploration

3.1 Variables Explained

The variables provided in our evaluation data set our explained below:

Variable Code	Definition
INDEX	Identification Variable (do not use)
TARGET_FLAG	Was Car in a crash? 1=YES 0=NO
TARGET_AMT	If car was in a crash, what was the cost
AGE	Age of Driver
BLUEBOOK	Value of Vehicle
CAR_AGE	Vehicle Age
CAR_TYPE	Type of Car
CAR_USE	Vehicle Use
CLM_FREQ	# Claims (Past 5 Years)
EDUCATION	Max Education Level
HOMEKIDS	# Children at Home
HOME_VAL	Home Value
INCOME	Income
KIDSDRIV	# Driving Children
MSTATUS	Marital Status
MVR_PTS	Motor Vehicle Record Points
OLDCLAIM	Total Claims (Past 5 Years)
PARENT1	Single Parent
RED_CAR	A Red Car
REVOKED	License Revoked (Past 7 Years)
SEX	Gender
TIF	Time in Force
TRAVTIME	Distance to Work
URBANICITY	Home/Work Area
YOJ	Years on Job

[1] "Insider Information: How Insurance Companies Measure Risk - Insurance Companies.com." Insurance Companiescom. N.p., n.d. Web. 06 Nov. 2016.

Histograms of most of our variables have been plotted below so that distribution can be visualized.

Table 1 : Descriptive Statistics
25 Variables 8161 Observations

TARGET_FLAG

n	missing	distinct	Info	Sum	Mean	Gmd
8161	0	2	0.583	2153	0.3	0.4

TARGET_AMT

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	1949	0.601	1504	2574	0	0	0	0	1036	4904	6452

```
lowest :      0.00000     30.27728     58.53106     95.56732    108.74150
highest:  73783.46592  77907.43028  78874.19056  85523.65335 107586.13616
```

KIDSDRIV

n	missing	distinct	Info	Mean	Gmd
8161	0	5	0.318	0.2	0.3

```
lowest : 0 1 2 3 4, highest: 0 1 2 3 4
```

```
0 (7180, 0.880), 1 (636, 0.078), 2 (279, 0.034), 3 (62, 0.008), 4 (4, 0.000)
```

AGE

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8155	6	60	0.999	45	10	30	34	39	45	51	56	59

```
lowest : 16 17 18 19 20, highest: 72 73 76 80 81
```

HOMEKIDS

n	missing	distinct	Info	Mean	Gmd
8161	0	6	0.723	0.7	1

```
lowest : 0 1 2 3 4, highest: 1 2 3 4 5
```

```
0 (5289, 0.648), 1 (902, 0.111), 2 (1118, 0.137), 3 (674, 0.083), 4 (164, 0.020), 5 (14,
0.002)
```

YOJ

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
7707	454	21	0.989	10	4	0	5	9	11	13	15	15

```
lowest :  0  1  2  3  4, highest: 16 17 18 19 23
```

INCOME

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
7716	445	6612	0.999	61898	51302	0e+00	4e+03	3e+04	5e+04	9e+04	1e+05	2e+05

```
lowest :      0      5      7     18     70, highest: 306277 309628 320127 332339 367030
```

PARENT1

n	missing	distinct
8161	0	2

```
No (7084, 0.868), Yes (1077, 0.132)
```

HOME_VAL

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
7697	464	5106	0.974	2e+05	1e+05	0e+00	0e+00	0e+00	2e+05	2e+05	3e+05	4e+05

```
lowest :      0  50223  50343  50964  51038, highest: 657804 682634 738153 750455 885282
```

MSTATUS

n	missing	distinct
8161	0	2

```
No (3267, 0.4), Yes (4894, 0.6)
```

SEX

n	missing	distinct
8161	0	2

```
F (4375, 0.536), M (3786, 0.464)
```

EDUCATION

n	missing	distinct
8161	0	5

```
lowest : Bachelors            High School          Less Than High School Masters              PhD
highest: Bachelors            High School          Less Than High School Masters              PhD
```

Bachelors (2242, 0.275), High School (2330, 0.286), Less Than High School (1203, 0.147), Masters (1658, 0.203), PhD (728, 0.089)

JOB

n	missing	distinct
8161	0	9

```
lowest :              Blue Collar  Clerical     Doctor       Home Maker
highest: Home Maker   Lawyer       Manager      Professional Student
```

Value	Blue Collar	Clerical	Doctor	Home Maker	Lawyer
Frequency	526	1825	1271	246	641	835
Proportion	0.064	0.224	0.156	0.030	0.079	0.102

Value	Manager	Professional	Student
Frequency	988	1117	712
Proportion	0.121	0.137	0.087

TRAVTIME

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	97	1	33	18	7	13	22	33	44	54	60

```
lowest :   5   6   7   8   9, highest: 103 113 124 134 142
```

CAR_USE

n	missing	distinct
8161	0	2

Commercial (3029, 0.371), Private (5132, 0.629)

BLUEBOOK

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	2789	1	15710	9354	4900	6000	9280	14440	20850	27460	31110

```
lowest :  1500  1520  1530  1540  1590, highest: 57970 61050 62240 65970 69740
```

TIF

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	23	0.961	5	5	1	1	1	4	7	11	13

```
lowest :  1  2  3  4  5, highest: 19 20 21 22 25
```

CAR_TYPE

n	missing	distinct
8161	0	6

```
lowest : Minivan     Panel Truck Pickup      Sports Car  SUV
highest: Panel Truck Pickup      Sports Car  SUV         Van
```

Minivan (2145, 0.263), Panel Truck (676, 0.083), Pickup (1389, 0.170), Sports Car (907, 0.111), SUV (2294, 0.281), Van (750, 0.092)

RED_CAR

n	missing	distinct
8161	0	2

no (5783, 0.709), yes (2378, 0.291)

OLDCLAIM

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	2857	0.769	4037	6563	0	0	0	0	4636	9583	27090

```
lowest :     0   502   506   518   519, highest: 52507 53477 53568 53986 57037
```

CLM_FREQ

n	missing	distinct	Info	Mean	Gmd
8161	0	6	0.763	0.8	1

```
lowest : 0 1 2 3 4, highest: 1 2 3 4 5

0 (5009, 0.614), 1 (997, 0.122), 2 (1171, 0.143), 3 (776, 0.095), 4 (190, 0.023), 5 (18,
0.002)
```

REVOKED

n	missing	distinct
8161	0	2

```
No (7161, 0.877), Yes (1000, 0.123)
```

MVR_PTS

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	13	0.9	2	2	0	0	0	1	3	5	6

```
lowest :  0  1  2  3  4, highest:  8  9 10 11 13

Value          0     1     2     3     4     5     6     7     8     9    10    11    13
Frequency   3712  1157   948   758   599   399   266   167    84    45    13    11     2
Proportion 0.455 0.142 0.116 0.093 0.073 0.049 0.033 0.020 0.010 0.006 0.002 0.001 0.000
```

CAR_AGE

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
7651	510	30	0.982	8	6	1	1	1	8	12	16	18

```
lowest : -3  0  1  2  3, highest: 24 25 26 27 28
```

URBANICITY

n	missing	distinct
8161	0	2

```
Highly Rural/ Rural (1669, 0.205), Highly Urban/ Urban (6492, 0.795)
```

3.2 Imputting Missing Values

In order to address the missing values in our variables we used a non-parametric imputation method (Random Forest) using the `missForest` package. The function is particularly useful in that it can handle any type of input data and it will make as few assumptions about the structure of the data as possible.[2]

Table 2 : Imputed Descriptive Statistics
25 Variables 8161 Observations

TARGET_FLAG

n	missing	distinct	Info	Sum	Mean	Gmd
8161	0	2	0.583	2153	0.3	0.4

TARGET_AMT

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	1949	0.601	1504	2574	0	0	0	0	1036	4904	6452

```
lowest :      0.00000     30.27728     58.53106     95.56732    108.74150
highest:  73783.46592  77907.43028  78874.19056  85523.65335 107586.13616
```

KIDSDRIV

n	missing	distinct	Info	Mean	Gmd
8161	0	5	0.318	0.2	0.3

```
lowest : 0 1 2 3 4, highest: 0 1 2 3 4
```

```
0 (7180, 0.880), 1 (636, 0.078), 2 (279, 0.034), 3 (62, 0.008), 4 (4, 0.000)
```

AGE

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	66	0.999	45	10	30	33	39	45	51	56	59

```
lowest : 16 17 18 19 20, highest: 72 73 76 80 81
```

HOMEKIDS

n	missing	distinct	Info	Mean	Gmd
8161	0	6	0.723	0.7	1

```
lowest : 0 1 2 3 4, highest: 1 2 3 4 5
```

```
0 (5289, 0.648), 1 (902, 0.111), 2 (1118, 0.137), 3 (674, 0.083), 4 (164, 0.020), 5 (14,
0.002)
```

YOJ

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	442	0.991	10	4	0	5	9	11	13	14	15

```
lowest :  0.00  0.11  0.14  0.24  0.30, highest: 16.00 17.00 18.00 19.00 23.00
```

INCOME

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	7057	1	61578	50857	0e+00	5e+03	3e+04	5e+04	9e+04	1e+05	2e+05

```
lowest : -9.255018e-11  0.000000e+00  5.000000e+00  7.000000e+00  1.545000e+01
highest:  3.062770e+05  3.096280e+05  3.201270e+05  3.323390e+05  3.670300e+05
```

PARENT1

n	missing	distinct
8161	0	2

```
No (7084, 0.868), Yes (1077, 0.132)
```

HOME_VAL

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	5570	0.978	2e+05	1e+05	0e+00	0e+00	0e+00	2e+05	2e+05	3e+05	4e+05

```
lowest :      0.000   5427.070   7417.370   7553.793   8509.623
highest: 657804.000 682634.000 738153.000 750455.000 885282.000
```

[2] Stekhoven, Daniel J., and Peter Bühlmann. "MissForest-non-parametric missing value imputation for mixed-type data." Bioinformatics 28.1 (2012): 112-118.

MSTATUS

n	missing	distinct
8161	0	2

No (3267, 0.4), Yes (4894, 0.6)

SEX

n	missing	distinct
8161	0	2

F (4375, 0.536), M (3786, 0.464)

EDUCATION

n	missing	distinct
8161	0	5

lowest : Bachelors High School Less Than High School Masters PhD
highest: Bachelors High School Less Than High School Masters PhD

Bachelors (2242, 0.275), High School (2330, 0.286), Less Than High School (1203, 0.147), Masters (1658, 0.203), PhD (728, 0.089)

JOB

n	missing	distinct
8161	0	9

lowest : Blue Collar Clerical Doctor Home Maker
highest: Home Maker Lawyer Manager Professional Student

Value	Blue Collar	Clerical	Doctor	Home Maker	Lawyer
Frequency	526	1825	1271	246	641	835
Proportion	0.064	0.224	0.156	0.030	0.079	0.102

Value	Manager	Professional	Student
Frequency	988	1117	712
Proportion	0.121	0.137	0.087

TRAVTIME

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	97	1	33	18	7	13	22	33	44	54	60

lowest : 5 6 7 8 9, highest: 103 113 124 134 142

CAR_USE

n	missing	distinct
8161	0	2

Commercial (3029, 0.371), Private (5132, 0.629)

BLUEBOOK

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	2789	1	15710	9354	4900	6000	9280	14440	20850	27460	31110

lowest : 1500 1520 1530 1540 1590, highest: 57970 61050 62240 65970 69740

TIF

n	missing	distinct	Info	Mean	Gmd	.05	.10	.25	.50	.75	.90	.95
8161	0	23	0.961	5	5	1	1	1	4	7	11	13

lowest : 1 2 3 4 5, highest: 19 20 21 22 25

CAR_TYPE

n	missing	distinct
8161	0	6

lowest : Minivan Panel Truck Pickup Sports Car SUV
highest: Panel Truck Pickup Sports Car SUV Van

Minivan (2145, 0.263), Panel Truck (676, 0.083), Pickup (1389, 0.170), Sports Car (907, 0.111), SUV (2294, 0.281), Van (750, 0.092)

RED_CAR

n	missing	distinct
8161	0	2

```
no (5783, 0.709), yes (2378, 0.291)
```

OLDCLAIM

```
     n missing distinct    Info    Mean     Gmd     .05     .10     .25     .50     .75     .90     .95
  8161       0     2857   0.769    4037    6563       0       0       0       0    4636    9583   27090

lowest :     0   502   506   518   519, highest: 52507 53477 53568 53986 57037
```

CLM_FREQ

```
     n missing distinct    Info    Mean     Gmd
  8161       0        6   0.763     0.8       1

lowest : 0 1 2 3 4, highest: 1 2 3 4 5

0 (5009, 0.614), 1 (997, 0.122), 2 (1171, 0.143), 3 (776, 0.095), 4 (190, 0.023), 5 (18,
0.002)
```

REVOKED

```
     n missing distinct
  8161       0        2

No (7161, 0.877), Yes (1000, 0.123)
```

MVR_PTS

```
     n missing distinct    Info    Mean     Gmd     .05     .10     .25     .50     .75     .90     .95
  8161       0       13     0.9       2       2       0       0       0       1       3       5       6

lowest :  0  1  2  3  4, highest:  8  9 10 11 13

Value          0     1     2     3     4     5     6     7     8     9    10    11    13
Frequency   3712  1157   948   758   599   399   266   167    84    45    13    11     2
Proportion 0.455 0.142 0.116 0.093 0.073 0.049 0.033 0.020 0.010 0.006 0.002 0.001 0.000
```

CAR_AGE

```
     n missing distinct    Info    Mean     Gmd     .05     .10     .25     .50     .75     .90     .95
  8161       0      512   0.985       8       6       1       1       4       8      12      16      18

lowest : -3.000000  0.000000  1.000000  2.000000  2.382143
highest: 24.000000 25.000000 26.000000 27.000000 28.000000
```

URBANICITY

```
     n missing distinct
  8161       0        2

Highly Rural/ Rural (1669, 0.205), Highly Urban/ Urban (6492, 0.795)
```

3.3 Exploration of Variables