
Massflow PD 1: Signal Around Interruption Start
n = 119 episodes | Bold = average
Interruption
Value
20
15
10
5
0
−30
0
30
Seconds Relative to Interruption Start


Massflow PD 2: Signal Around Interruption Start
n = 119 episodes | Bold = average
Interruption
0
−25
−50
−75
Value
−30
0
30
Seconds Relative to Interruption Start


Massflow PD 3: Signal Around Interruption Start
n = 119 episodes | Bold = average
Interruption
40
20
0
−20
Value
−30
0
30
Seconds Relative to Interruption Start


Massflow PD 4: Signal Around Interruption Start
n = 118 episodes | Bold = average
Interruption
20
10
0
−10
−20
−30
Value
−30
0
30
Seconds Relative to Interruption Start


Massflow PD 5: Signal Around Interruption Start
n = 119 episodes | Bold = average
Interruption
Value
20
15
10
5
0
−30
0
30
Seconds Relative to Interruption Start


Massflow PD 7: Signal Around Interruption Start
n = 116 episodes | Bold = average
Interruption
0
−1
Value
−30
0
30
Seconds Relative to Interruption Start


Screw RPM PD1: Signal Around Interruption Start
n = 138 episodes | Bold = average
Interruption
Value
200
150
100
50
0
−30
0
30
Seconds Relative to Interruption Start


Screw RPM PD2: Signal Around Interruption Start
n = 139 episodes | Bold = average
Interruption
150
100
50
0
Value
−30
0
30
Seconds Relative to Interruption Start


Screw RPM PD3: Signal Around Interruption Start
n = 162 episodes | Bold = average
Interruption
Value
400
300
200
100
0
−30
0
30
Seconds Relative to Interruption Start


Screw RPM PD4: Signal Around Interruption Start
n = 138 episodes | Bold = average
Interruption
300
200
100
0
Value
−30
0
30
Seconds Relative to Interruption Start


Screw RPM PD5: Signal Around Interruption Start
n = 202 episodes | Bold = average
Interruption
Value
200
150
100
50
0
−30
0
30
Seconds Relative to Interruption Start


Screw RPM PD7: Signal Around Interruption Start
n = 180 episodes | Bold = average
Interruption
150
100
50
0
Value
−30
0
30
Seconds Relative to Interruption Start