

porder: Simple CLI for ordersv2 Cheat Sheet for porder v0.0.3

<https://github.com/samapriya/porder> and <https://pypi.org/project/porder/>

<p>porder Installation</p> <p>The porder tool is an unofficial command line interface built around the ordersv2 API from Planet. You can read about the API overview and capabilities here.</p> <p>To make sure this works shapely needs to be installed, so first install shapely. Instructions are included in the Read Me</p> <p>Installation is then: pip install porder</p>	<p>porder idlist</p> <p>To place an order you need to first interact with your data API and get an idlist of items and assets you want to download. porder idlist allows you to create this using geometry, cloud and overlap filters.</p> <p>type in porder idlist</p> <p>A setup would be (do not copy and paste the code but type it out in your command line)</p> <p>porder idlist --input “full path to geometry.geojson file” --start “2018-01-01” --end “2018-02-01” --item “PSScene4Band” --asset “analytic” --number “20” --cmin 0 - -cmax 0.8 --overlap 1 --outfile “path to idlist.csv”</p> <ul style="list-style-type: none">• The input file refers to your geometry or aoi you can produce this using a service like geojson.io.• The start and end date are in the format YYYY-MM-DD.• Items refers to the constellation you want your data from (for example PSScene4Band is PlanetScope Scene 4 Band data and PSOrthoTile refers to PlanetScope Orthotile imagery).• Assets refers to the type of item so (for example: analytic, or analytic_dn or analytic_xml). You can get the list of items and their assets here.• The number filter limits the number of assets you ids you want to get (if you need all use a large number).• The cmin and cmax control minimum and maximum cloud cover here it ranges from 0% to 0.8 or 80%.• It is good to check for percentage overlap if you are using operations like clip later on. I like to set it to at least 1% so clip does not fail. The outfile is written as a csv and a text file and requires full path where you want to save this.	<p>porder difflist and idsplit</p> <p>porder difflist allows you to use existing files in your system to get only missing id(s) from an area of interest.</p> <p>A simple setup would be porder difflist --folder "F:\johndoe\ps4b_xml" --typ "metadata" --input "F:\johndoe\grid.geojson" --item "PSScene4Band" --asset "analytic_sr" --start "2018-06-01" --end "2018-08-01" --cmin 0 --cmax 0.9 --outfile "F:\johndoe\diff.txt"</p> <p>porder idsplit allows you to split your idlist into equal parts for quick ordering.</p> <p>A simple setup would be porder idsplit --idlist "C:\johndone\orderlist.csv" - -lines "100" --local "C:\johndoe\split"</p> <p>This will split the idlist into multiple idlist files with 100 ids each.</p> <p>porder order</p> <p>The porder order tool allows you to bring your idlist and the place an order and bring together some tools. For this example I want to clip my scenes to a geometry and I want email notification when the order has been completed. A simple setup would be</p> <p>porder order --name "testorder" --idlist "idlistfile.txt" --item "PSScene4Band" --asset "analytic" --boundary "clip_boundary.geojon" --op clip email</p> <p>If you want your files zipped you can change --op to include --op clip zip email. An order link and created and copied to your clipboard</p>	<p>porder download multipart and multiproc</p> <p>The last bit is designed to download your order once it has been completed. The three tools includes porder download downloads all files sequentially.</p> <p>porder multipart uses a multipart downloader to split each download into multiple parts and attempts to speed up the sequential download.</p> <p>porder multiproc is the latest addition to the download tool, it employs multiprocessing and as such is efficient in simultaneously downloading multiple files. This tool also allows the user to save time for specifying extensions of the files you want to download for example “.tif” or “.xml” Simple setups include</p> <p>porder download --url "https://api.planet.com/compute/ops/orders/v2/b498ed28-f6c1-4f77-ae2b-f8a6ba325431" --local "C:\planet_demo\ps" --errorlog "errorlog csv file which write downs the files it had problems downloading"</p> <p>porder multipart --url "https://api.planet.com/compute/ops/orders/v2/b498ed28-f6c1-4f77-ae2b-f8a6ba325431" --local "C:\planet_demo\ps" --errorlog "errorlog csv file which write downs the files it had problems downloading"</p> <p>porder multiproc --url "https://api.planet.com/compute/ops/orders/v2/b498ed28-f6c1-4f77-ae2b-f8a6ba325431" --local "C:\planet_demo\ps" --ext ".xml"</p> <p>Citation</p> <p>Samapriya Roy. (2018, December 18). samapriya/porder: porder: Simple CLI for Planet ordersV2 API (Version 0.0.3). Zenodo. http://doi.org/10.5281/zenodo.2390423</p>
<p>porder quota</p> <p>To start using porder the first thing you need is to initilize the planet client which was installed during the installation on porder. You only need to do this once, type in planet init Email: captainplanet@gmail.com (hit enter or return) Password: Password associated with your account that you created with planet</p> <p>The porder quota tool fetches your current quotas including allocation name, total quota used and other info.To run this simply type the following and hit return porder quota</p>			
<p>Links</p> <p>API Link here</p> <p>Medium Article and Tutorial here</p>			