McMaster University

SMARTSERVE

SOFTWARE & MECHATRONICS CAPSTONE

Verification and Validation

Authors:
Christopher McDonald
Harit Patel
Janak Patel
Jared Rayner
Nisarg Patel
Sam Hamel
Sharon Platkin

Professor:
Dr. Alan Wassyng

Teaching Assistants:
Bennett Mackenzie
Nicholas Annable
Stephen Wynn-Williams
Viktor Smirnov



Last compiled on February 8, 2018

Contents

1	Exe	secutive Summary of Testing					
2	Intr	Introduction					
	2.1	Project Overview					
	2.2	Document Overview					
	2.3	Naming Conventions and Terminology					
3	Testing Philosophy						
	3.1	Approach					
	3.2	Schedule					
	3.3	Environment					
Į	Tes	Test Cases					
	4.1	Electromechanical Subsystems					
		4.1.1 Shooting Mechanism					
	4.2	Software Subsystems					
		4.2.1 Computer Vision					
		4.2.2 ShotRecommender					
		4.2.3 Shooting Model					
		4.2.4 Data Storage					
		4.2.5 User Interface					
		4.2.6 SmartServe					
	Tog	st Case-Requirement Traceability Matrix					

Date	Revision	Comments	${f Author(s)}$
Feb 1, 2018	1.0	Document structure and Headings	Christopher MCDonald

Figure 1: Revision History

1 Executive Summary of Testing

2 Introduction

2.1 Project Overview

SmartServe is an autonomous table tennis training system for table tennis players with various skill levels. SmartServe aids in diagnosing and improving a player's performance over time. The system trains table tennis players by shooting table tennis balls towards the player and detects successful returns from the player. The system can further adapt to the player's weaknesses and help them overcome it through further training. Importantly, SmartServe alleviates the problems of finding and working with a coach for players, as well as coaches trying to train multiple players simultaneously. The system will be deemed a success if the table tennis players and coaches can enjoy and see some value added by using SmartServe.

The project started at the beginning of the Fall 2017 academic term and will conclude at the end of the Winter 2018 term. In addition, the core project team consists of final year Software and Mechatronics Engineering students who are enrolled in the MECHTRON 4TB6/SFWRENG 4G06 capstone project course.

2.2 Document Overview

This document will provide details of all formal testing methods and results performed on the SmartServe system. The first part of testing includes detailing how it will be performed and the details of the system on which it is run. This matters due to details which can affect the testing outcomes like operating system, lighting or performance of hardware. The schedule for the test will also be detailed alongside the major deliverables to have clear outcomes to explain to stakeholders. The testing will be preformed off of the master branch as it stands during the beginning of the testing phase.

The actual testing will then be detailed as test cases based on what subsystem they are testing. As needed, the communication will be tested in between the subsystems to ensure communication is working as intended. Lastly, a test case-requirement matrix will be provided which maps what test cases test which requirement. This will give the reader a simple way to check if a requirement is fully satisfied.

2.3 Naming Conventions and Terminology

The following terms and definitions will be used throughout this document:

• ACID: a database transaction which is atomic, consistent, isolated and durable

- CV: computer vision
- **FPS**: frames per second
- FSM: finite state machine, shows transitions between states
- GUI: graphical user interface
- IPO: input process output
- **Pitch**: rotation along the y-axis; this rotation angle primarily dictates the range of the ball from the net to the edge of the table on the user side
- Roll: rotation along the x-axis
- Shooting Mechanism: refers to the part of the system that shoots the table tennis balls towards the user side (player) Please refer to Figure ?? for visual illustration
- System: encompasses both the hardware and software parts of SmartServe
- **System Side**: the side of the table where the electromechanical system is placed; it is the opposite side of the User Side Please refer to Figure ?? for visual illustration
- TCP: transmission control protocol
- Team: all team members of the core capstone project, as noted in the list of Authors
- User Side: the side of the table where the user (player) is standing
- Yaw: rotation along the z-axis; this rotation angle primarily dictates the panning functionality of the shooting mechanism from the right side to the left side of the table

3 Testing Philosophy

3.1 Approach

The approach to testing will be to separate the subsystems as much as possible and test them accordingly. Every subsystem will be unit tested in JUnit or PyUnit if implemented in Java or Python respectively. The shooting mechanism will be tested manually to ensure it is functional properly. Stubbing a service or dependancy can be done to return consistent, reliable and predictable results. For instance, the SmartServe system may use a stub for the CV subsystem to return a predefined sequence of pass/fail flags.

3.2 Schedule

Table 1: Testing Schedule

Testing Schedule					
Task	Date	Notes			
Complete Test Cases	February 13, 2018	N/A			
Run Tests (First)	February 16, 2018	N/A			
Edit Test Cases	March 9, 2018	N/A			
Run Tests (Second)	March 16, 2018	N/A			

3.3 Environment

The SmartServe system uses heavy computation power due to the CV and ML models, so the system which runs the test will have the following details. The system will be a 15-inch Macbook Pro (Late 2016) running macOS High Sierra (10.13). The Macbook Pro has an 2.6 GHz Intel Core i7 CPU and a Radeon Pro 450 2GB GPU. The location will be in Thode Makerspace where the CV will be adjusted as necessary for those lighting conditions.

4 Test Cases

- 4.1 Electromechanical Subsystems
- 4.1.1 Shooting Mechanism
- 4.2 Software Subsystems
- 4.2.1 Computer Vision
- 4.2.2 ShotRecommender
- 4.2.3 Shooting Model
- 4.2.4 Data Storage
- 4.2.5 User Interface
- 4.2.6 SmartServe

5 Test Case-Requirement Traceability Matrix