

REQUIREMENTS SPECIFICATION AND SYSTEMS DESIGN BAPERS

IN2018-TEAMPROJECT

TEAM 6
LIU LIU MEGATECH

Table of Contents

1	Pr	reface		4
	1.1	Purp	pose and scope of the document (what is it and what it is not)	4
	1.2	-	nded Audience and Reading Suggestions	
	1.3		ory of the Document	
2			, ion	
3				
4		•	equirements	
	4.1		oose and Scope of the System	
5	S۱	•	. , , 1odels	
	5.1		Case Diagram	
6	Do		ass	
	6.1	_	kage Diagram	
	6.2		olified Design Class Diagram	
	6.	2.1		13
	6.3	Pack	kages	14
	6.	3.1	bapers::data::domain	14
	6.	3.2	bapers::data::dataaccess	15
	6.	3.3	bapers	16
	6.	3.4	bapers::utility	17
	6.	3.5	bapers::service	18
	6.	3.6	bapers::userInterface	19
7	U:	se Case	Indexing	20
	7.1	ADM	/IN	21
	7.2	ACC ⁻	т	23
	7.3	CUS	т	25
	7.4	PRO	C	26
	7.5	REPO	ORTS	27
	7.6	PAYI	MENT	27
	7.7	GUI		30
8	U:	se Case	Specifications	31
	8.1	Reco	ord Payment	31
	8.2	Gen	erate Letter	32
	8.3	Add	User	33
	8.4	Auto	omatic Backup	34
	8.5	Upd	ate Existing Task	34

8.6 Upgrade Customer Account	35
8.7 Print Late Reminder	36
8.8 Login	36
Generate Reports	37
8.9 Update Job Status	38
9. Systems Evolution	39
10. Appendices	39
11. Hardware and Software configuration	39
11.1 Hardware minimal requirements	39
11.2 Operating Systems:	39
11.3 Additional Software	40
12. Database	41
12.1 ER Diagram	41
12.2 SQL schema	41
12.3 Reports	57
12.3.1 Summary Performance Report	57
12.3.2 Individual performance report	58
13. Graphical User Interface Models	60
13.1 Login Screen	61
13.2 Home Screen	62
13.2.1 Home Screen Receptionist	63
13.2.2 Home Screen Shift Manager	64
13.2.3 Home Screen Technician	65
13.3 Customer Accounts	66
13.4 Intervals	67
13.5 Backup	68
13.6 Users	69
13.7 Reports	70
13.8 Place Order	71
13.9 Create Account	72
13.10 Job Process	73
13.11 Payment	74
13.12 Tasks	75
14 Version Control	76

1 Preface

1.1 Purpose and scope of the document (what is it and what it is not)

This is a systems requirements document for the BAPERS Software which covers the requirements with appropriate diagrams to portray the system as a whole. In this document it is discussed how the system shall behave, be implemented and how BIPL staff will be able to interact with it.

This is the not the final document as changes may occur during development.

1.2 Intended Audience and Reading Suggestions

The BIPL staff, Software Developers and Mr Lancaster

1.3 History of the Document

This is a new document, v 1.0

2 Introduction

BIPL is a photographic laboratory that deals with the work of professional photographers by providing a number of standard jobs

The jobs are made up of one or more standard tasks that are performed in their professional laboratory operated by the staff. Special requests can be added to the job as well as the "urgent status" which is a request by the customer for the job to be completed faster than the original deadline which is usually, within 24 hours. The usual "urgent job" must be completed within 6 hours but the customer can also choose 3 hours for a 100% surcharge. The customer can choose an even faster job but at higher rates.

Currently, **BIPL** can perform 30 standard tasks, each task being uniquely identified and carried out in a specific location in the laboratory.

Each task has an ID, a description, a location in the laboratory, a price and a duration. Once a task is completed, the product is placed in a specific shelf, from where it can be taken for further processing or given to the customer, if completed. Each task has a specific shelf slot.

Most **BIPL** jobs are priced below 400 GBP, operating at a high-turnover, low profit margin level, with hundreds of jobs operating or pending at the same time.

Whenever a new job is placed, it has to be associated to an existing customer or a newly created one.

3 Glossary

BAPERS: Bloomsbury's Automated Process Execution Recording System

Actor: A human or an external system interacting with BAPERS, e.g. Office Manager and Receptionist

BIPL: Bloomsbury's Image Processing Laboratory

CUST: Customer package in BAPERS system

ACCT: Account Package in BAPERS system

ADMIN: Admin package in BAPERS system

PAYMENT: Payment package in BAPERS system

REPORTS: Reports package in BAPERS system

GUI: A graphical user interface is a human-computer interface that uses windows, icons and menus and which can be manipulated by a mouse Icons are used both on the desktop and within application

ER diagram: Entity Relationship Diagram is a graphical representation of an information system that shows the relationship between people, objects, places, concepts or events within that system.

Design class Diagram: a model element that describes behavioural and structure features

Use case: A basic interaction of a system with an actor.

UML: Unified Modelling Language

4 System requirements

4.1 Purpose and Scope of the System

This section provides more details on system's functionality and the intended audience are the system architects, designers and developers responsible for the implementation of BAPERS. Since we use UML, which requires a degree of specific expert knowledge, we do not expect this section to be immediately useful to BIPL Staff and Mr Lancaster but would like to encourage them to review and comment, if possible.


The current system is a paper-based system whereby all records of payment, customer accounts and reports are hand written. The initial process of placing a job within the Company remains the same as specified in the requirements and the interactions with staff and particular functions remain the same with the requirements. The purpose of this document is to develop a computerised based system that will be able to track jobs, tasks, record payments, store customer details and store reports in a database.

5 System Models

5.1 Use Case Diagram

In the following diagrams, it has been created in packages to represent the different subsystems of BAPERS. We have 6 packages which include ADMIN, CUST, PROC, ACCT, PAYMENT and REPORTS.

ADMIN



Use Case descriptions:

Activate Customer Account: Reactivates customer account marked as 'in default'.

Time Configuration: Configures the periodicity of automatic functions.

Configure Reports: Changes the frequency of reports.

Configure Database Backup: Changes the frequency of automatic backups.


Create Backup: Manually creates/overwrites system backup.

Add User: Creates a user account for BAPERS.

Set User Access Privilege: Sets up user access privileges.

Restore from Backup: Restores BAPERS from an existing backup.

CUST



Use Case descriptions:

Set Customer value: office manager chooses to set a customer to a valued customer

Downgrade: office manager can choose to downgrade a customer's valued status


Upgrade: office manager can choose to upgrade a customer's valued status

Set discount plan: when a customer is upgraded, the office manager has the option to set up a discount plan according to how many Jobs/tasks a customer has placed.

Flexible: this use case defines the percentage of the discount that depends on the values of the jobs by the same customer accumulated within a calendar month.

Variable: this use case defines the percentage of the discount that is set for each task and may vary between the tasks. The value of this discount is calculated and deducted from the value of the job at the time of accepting the job.

Fixed: this use case defines the same percentage of discount given to the valued customer for each job. The value of this discount is calculated and deducted from the value of the job at the time of accepting the job.



Use Case descriptions:

Manage Task: Edit the tasks that exist in the system, add or delete them

Create New Task: Add a new task to the list of existing tasks

Remove Task: Delete a task from the list of existing tasks

Update Existing Task: Update any changes made to an existing task


Update Job Status: Update the status of an ongoing job and the tasks it has performed or are about to be performed. The commencement and completion of tasks are recorded here

Alert Incomplete Job: Alerts the customer if the job they placed cannot be completed of the job at the time of accepting the job.

Recording Commencement of Next task: System records the start of the next task

Recording Completion of Current Task: System records completion of the current task

ACCT



Use Case Descriptions:

Place Order: The actor (Managers or Receptionist) placing the order on behalf of the customers.

Alert Shift Manager: To alert the shift manager that there is a new job arrived and should be processed.

Print Receipt: Print a receipt for the customer about the job he/she ordered.

Record Special Instruction: Record additional requirements from the customer.

Record Deadline: Record the required job end time.

Lookup Customer Account: Search the customer account in order to identify the identity of the customer.

Create Customer Account: creating a new instance of customer account due to the very first order from the new customer.


Print Label: Print the label for materials required for job.

Assign Job Number: Generate a number for the job which is unique compare to other jobs.

Queue Jobs: it adds a new print job to the print queue

Print Queue: the print queue prints all items on the print queue

PAYMENT



Use Case Descriptions:

Print Late Payment Reminder: when a late payment is made, a late payment reminder is created which can then be printed by the office managers discretion.

Print Reminder Query: this use case gives the option/functionality to the office manager to print whichever late payment reminder they want.

Print Individual Reminder: This prints the late payment reminder for a single job. It prints the latest job reminder.

Print All Reminders: Prints all the late reminders that have been stored.

Acknowledge Late Payment Warning: the office manager gets alerts of late payments to his/her computer, and the office manager acknowledges these late payment warnings.

Record Payment Details: once the customer pays for the completion of the job payment method and details are recorded.

Revoke Suspension: when a customer account is suspended, and a payment is made from that account. The suspension on that account is revoked and the account is reactivated automatically.

Add Card Details: if the customer is paying with card, card details are recorded such as expiry date, type and last 4 digits.

Associate Job: each payment needs to be associated with a job. This checks the payment with the job ensuring the payment is for the right job.

Generate Payment Reminder Letter: triggered automatically, when valued customers are unable to clear the outstanding balance, a late payment reminder letter is generated.


Create First Letter: generates the first late payment letter.

Create Second Letter: generates the second late payment letter.

Account Suspension: after the second letter is created the account associated with it is suspended automatically.

Mark Account "in default": a month after the second letter has been sent and the outstanding balance has not been cleared the system marks that account as "in default" automatically.


Alert of Late Payment: automatic alerts of late payments are shown to the office manager as pop-up windows in 15 minutes intervals.



User will be able to interact through a GUI and be able to login/logout and access BAPERS, more details about the design of the GUI is discussed in 10.1 of the document.

Time also interacts with the database as a separate subsystem producing automatic backups

REPORT



Use Case Descriptions:

Generate Report: Generate a report according to the type according to the user (Office Manager) chosen.


Summary Performance Report: Generate the report about summary performance with the data's stores in the database.

Individual Performance Report: Generate the report about individual performance with the data's stores in the database.

Individual Report: Generate the report about individual with the data's stores in the database.

6 Design Class

6.1 Package Diagram



DB connectivity is modelled with the expectation of using the eclipselink library, which is an implementation of JPA, hence the import to javax.persistence. I have simplified the diagram by not showing the persistence unit, as this will be autogenerated by the chosen IDE, making it redundant to show it in the class diagram.

The persistence unit will need to include the following property in order to properly register a connection with the datbase: cproperty name="javax.persistence.jdbc.url" value="jdbc:mysql://lo-calhost:3306/bapers?zeroDateTimeBehavior=convertToNull&autoReconnect=true&useSSL=true"/>


The userInterface will utilise javaFX; each form will have three separate files, a bapers::fxml::form.fxml, bapers::styles::form.css and bapers::FormController.java. The fxml file details objects within the form, and their respective location, and the controller class will describe the behaviour of the forms objects. However, for the sake of brevity, I have simplified this for the class diagram by bundling all three files into a single boundary class, and making the userInteface package, where they will be stored.

6.2 Simplified Design Class Diagram

The following diagram presents the full class diagram; however, all classes have been stripped of their members. This is to concisely show all associations. Full details will be provided in section 1.3.

Please note that the javax.persistence package appears more than once. This was to allow for neater formatting of the diagram, all repeated instances should be treated as part of the same package. This also applies to any other repeated packages/classes.


6.2.1



This diagram excludes all entities from the bapers::data::domain package, as the associations for that package will be shown in the detailed diagram in section 1.3.

6.3 Packages

6.3.1 bapers::data::domain



The purpose of the domain package is to store the entity classes, which are a direct mapping from the MySQL entities, to java objects.


To show one to many relationships, I have used java::util::List as a collection class. This means that each occurrence of java::util::List, should be treated as a separate object owned by the source class.

6.3.2 bapers::data::dataaccess




This package holds the JPA classes that interface with the database, using the entities in the domain package.

6.3.3 bapers




The only class inside the bapers package is BAPERS.java, which extends from javafx.application. Application. This is the main entry point for the application. It first loads the persistence unit, then runs the automatic backup and report generation services under new threads. Finally the user interface is launched, and the entry form is set to the login page.

6.3.4 bapers::utility




The utility package holds all the classes that do not directly talk to the classes in bapers::dataaccess. This class. Some of these classes also provide services that are intended to be run from the duration of the program.

6.3.5 bapers::service



The service package contains all the classes that interface with bapers::dataaccess, to direct input/output from/to the user to the database.

6.3.6 bapers::userInterface



This package holds all the simplified gui forms which allow the user to interact with the system.

7 Use Case Indexing

In this section, a list is created to rank the most important use cases we believe are necessary for the functionality of BAPERS. We ranked importance based on how the use case affects the systems functionality overall.

1 being the biggest priority and 56 being the least.

UC priority	Use Case
number	
1	Place Order
3	Create Customer Account
2	Lookup Customer Account
4	Record Payment Details
5	Log in
6	Update Job Status
7	Print Late Payment Reminder
8	Add User
9	Automatic Back-up
10	Create Second Letter
11	Update Existing Task
12	Generate Report
13	Set Customer Value
14	Log Out
15	Assign Job Number
16	Print Label
17	Record Deadline
18	Record Completion Of Current Task
19	Record Commencement Of Next Task
20	Add Card Details
21	Create New Task
22	Manage Task
23	Alert Incomplete Job
24	Create Backup
25	Restore From Backup
26	Configure Database Backup
27	Associate Job
28	Time Configuration
29	Queue Job
30	Alert Of Late Payment
31	Acknowledge Late Payment Warning
32	Generate Payment Reminder Letter
33	Create First Letter
34	Print Individual Reminder
35	Make Account "In Default"
36	Print Reminder Query
37	Print All Reminders
38	Activate Customer Account
39	Account Suspension
40	Record Special Instructions
41	Print Receipt
42	Set User Access Privilege
43	Alert Shift Manager

44	Print Queue
45	Configure Reports
46	Revoke Suspension
47	Individual Performance Reports
48	Summary Performance Reports
49	Individual Reports
50	Remove Task
51	Set Discount Plan
52	Upgrade
53	Downgrade
54	Fixed Discount
55	Variable Discount
56	Flexible Discount

The following descriptions have been made to describe the impact of all use cases in terms of Budget, resources and time.

7.1 ADMIN

- Activate Customer Account: Reactivates customer account marked as 'in default'.
 - The importance of this use case is high because this enables the customer account to be reactivated and useable. The risk of not having this use case means that we would have idle customer accounts in our database, which takes money for space and those customers with that account would not be able to demand any more to-do jobs until this is fixed. This is also a potential risk to push our customers away.
- Time Configuration: Configures the periodicity of automatic functions.
 - This is important for all automatic timely events and functions that take place within the system. The reason being that this use case sets the time for those functions to occur. Doing this it will ensure that all databases and reports will be backed up automatically and the latest versions are available in case of data loss or server downs. Also, this is helpful because it is very possible that the users forget to back up the data manually thus, this removes that human error. If this was not to be implemented correctly this could lead to loss of access to specific data when need in case of services down such as database server downs.
- *Configure Reports:* Changes the frequency of reports.
 - This is directly linked to the Time Configuration use case as initially it is setup from that use case, but this use case allows you to change the automatic backup of the reports. This is an appropriate use case that can be used to automatically backup the reports to meet your requirements. Moreover, this is very useful because it is possible that the users forget to create the report backup and they would be able to keep track of progress and report backups.
- Configure Database Backup: Changes the frequency of automatic backups.
 - This is directly linked to the Time Configuration use case as initially it is setup from that use case, but this
 use case allows you to configure the automatic backup of the database. This is important as you need
 regular updates of the database in case of data loss or inaccessibility of the database. That way you

don't lose all the information that you had in your database. Moreover, it is good to have automatic backups as it is very likely for the users to forget to create regular backups and they would be able to monitor and keep track of their database and can be used for analysis.

- Create Backup: Manually creates/overwrites system backup.
 - Being able to create a backup when necessary is important. The risks of not being able to do this include the fact that if your servers/databases were to crash or fail, our system would be down until fixed. However, with a backed-up database we can continue to work with the latest information from the backup. Having the system down will result in a major financial loss as for that period of time the system was not being used. This would also be more time efficient because as we continue to work of the backup we can proceed to fixing the main server. Also, this allows the backing up any important data as soon as it is entered in the system, rather than having to wait for the timely backups.
- Add User: Creates a user account for BAPERS.
 - The risk of not implementing this would include the fact that you would have no users for the system thus no coordination and no access to the software functions. To be able to use certain functions/the system you are required to have an account and without it your access will technically be blocked and unusable. This would result to you having to continue to process jobs, tasks etc. the entire process as you have done prior to this software, which is time consuming and much costlier.
- Set User Access Privilege: Sets up user access privileges.
 - This is important to set what each user can do in the system. What access they have, what functions they can use, what their responsibilities are etc. The risk of not having this can be drastic, for example if all users have access to changing a job status/demands and everyone is changing those requirements and statuses this can cause confusion between the employees and can effect the completion of the job. Which will result in unsatisfied customers and we would have to amend the job to satisfaction, which will result in more cost and time. Therefore, it is important to set user privileges that allows access according to your user account type.
- Restore from Backup: Restores BAPERS from an existing backup.
 - This follows from the Create Backup use case. If we encounter a problem with the system/ system data and it is no longer useable we need to be able to restore the system to a working backup so that it does not halt the jobs that need to be done, because consequently if we do not have this backup functionality this will result in money loss, data loss, server space loss and dissatisfied customers. Making this use case very important.

7.2 ACCT

- Place Order: The actor (Managers or Receptionist) placing the order on behalf of the customers.
 - The risks involved in not having this use case implemented properly is that no job will be entered into the system thus the system would be useless as it won't be used, as a job is required to be processed and go through all the other necessary functions to complete a job. This would result in a waste of database space and money as we paid for it, but it is not being used. Moreover, customers would be dissatisfied with uncompleted jobs and a waste of their time, which would push customers away.
- Alert Shift Manager: To alert the shift manager there is a new job arrive and should be process.
 - This is an important use case to be implemented as it relays information to one of the heads of the managers with high privileges in the system, the shift manager. If this use case was not to be implemented properly, this would mean that the shift manager would not be notified on the new jobs that come in and he would not redirect them, manage them (oversee them) and would not be able to process them. Moreover, this can cause confusion of unknown jobs being entered into the system which the manager may think the system needs checking which takes time and money, so wouldn't be efficient. Also, this would leave a gap in his knowledge of processing jobs which can cause problems for him/her when asked questions or talking to customers.
- **Print Receipt:** Print a receipt for the customer about the job he/she order.
 - The risk of not having this use case implemented means that the customer would not have solid proof of the job order that they have given BILP. Moreover, it's important for the business to have proof of the jobs they have taken in case of any legal issues or customer complaints, they can refer to the receipts to counter their arguments. If this use case was not to be implemented correctly this could have a negative impact on the income and potentially time.
- **Record Special Instruction:** Record additional requirement from the customer.
 - This is a necessary additional functionality to enable customers to have their input on certain tasks and must be implemented correctly. If this was not implemented there is the risk of the tasks not being completed to the customer satisfaction and having missed out key elements that is required to complete the job. This can cause customers wanting a refund as expectations were not met and to reprocess the job (finishing the job by adding the missed-out details), which will take more time and can halt taking in more jobs. This can have a negative impact on the income and time efficiency thus making it important that this use case is implemented correctly.
- **Record Deadline:** Record the required job end time.
 - Recording the deadline is important for several reasons that involve both the business and the customers. The most important being so that we can deliver the completed job on time to the customer and ensuring that they are satisfied. This in turn will bring them back to our business as they were pleased with the service and quality of the job. If there was no deadline the business could take a time to com

plete it and delivery to customers would be inconsistent which would make them dissatisfied. Furthermore, it doesn't show an indication of what priority level the job has. This would cost us our time, database space and money negatively.

- Lookup Customer Account: Search the customer account in order to identify the identity of the customer.
 - This is an essential use case that needs to be implemented correctly otherwise this can risk creating duplicated customer accounts and unmatched/linked jobs, which will create confusion in the team and take up more database space and time as more accounts are being made than necessary and searched. Moreover, then one job could be linked to multiple customer accounts which cannot happen. Being able to search up customers gives us the ability to search valuable information that is associated with that customer. Thus, it is important to ensure this use case is implemented correctly.
- **Create Customer Account:** creating a new instance of customer account due to the very first order from the new customer.
 - This is closely linked to the Lookup Customer Account use case and is very important. The risks of this not being implemented correctly include that jobs given to BILP will have no customer associated with it, meaning that the team would not know who these jobs belong to. This can cause major confusion and can potentially lead to not doing the job as it belongs to no one. Moreover, there would be no data/information about the customer so there would be no way to contact them or get payed or get other specific details. Therefore, it is important that this is conducted correctly and linked to one customer and their jobs only.
- **Print Label:** Print the label for materials required for job.
 - The risk of this not being implemented include that the job cannot be completed as the teams updating/doing the job will not know what the customer wanted/what materials are required, thus don't know what to do to the picture or what is required to complete the process. This will affect team coordination and time as constant communication will be required to answer queries they will have about the job and the materials required.
- Assign Job Number: Generate a number for the job which is unique compare to other jobs.
 - This is important to help coordinate the job pool. This will also allow the team to access jobs easier by just calling the job number rather than the job name or customer associated with it. This is more time efficient. Alternatively, this risks job confusion with other jobs and can make it less time efficient if this is not implemented.

7.3 CUST

- Set Customer value: office manager chooses to set a customer to a valued customer
 - This functionality is important to be implemented because there are other functions that can be carried out after this has been done. The risk of this not being implemented correctly effects the types of discount that the customer can get, as only when a customer is valued can they be given a discount plan and other functions would not be used thus taking up more space and code that is not used.
- Downgrade: office manager can choose to downgrade a customer's valued status
 - This is directly linked to the Set Customer value use case. Its important that this is implemented correctly so that the manager can change a customer account from valued to non-valued. This is important because if this was not available customers that became valued customers would stay valued customers even if they don't reach the requirements for the valued customer status. Thus, they could still have the discounts which would result in the company/business making a loss which is a major risk therefore, this needs to be implemented correctly.
- Upgrade: office manager can choose to upgrade a customer's valued status
 - This is directly linked to the Downgrade and Set Customer value use cases. This is important and must be implemented because this is the use case that triggers the other use cases. Not implementing this will mean that we are unable to update the valued status of the customer which will cause risks and problems as explained in the other two related use cases.
- **Set discount plan:** when a customer is upgraded, the office manager has the option to set up a discount plan according to how many Jobs/tasks a customer has placed.
 - When a customer account is upgraded to a valued customer account they then get a discount plan. This use case sets the discount plan to that account therefore is a necessity. If this use case was not to be implemented correctly this would lead to the manager not being able to give the valued customer a discount plan which can then lead to unvalued customers, consequently leading to less customers and dissatisfaction. Moreover, it would make the previous three use cases useless (Set Customer value, Downgrade, Upgrade).
- **Flexible:** this use case defines the percentage of the discount that depends on the values of the jobs by the same customer accumulated within a calendar month.
- *Variable:* this use case defines the percentage of the discount that is set for each task and may vary between the tasks. The value of this discount is calculated and deducted from the value of the job at the time of accepting the job.
- **Fixed:** this use case defines the same percentage of discount given to the valued customer for each job. The value of this discount is calculated and deducted from the value of the job at the time of accepting the job.

These are the various discount plans use cases that are available to the manager than he can set for the valued customers. These use cases are directly linked to the Set discount plan use case as that use case then refers to one of these for

implementation. If these are not implemented correctly it would make the Set discount plan use case useless as there would be no discount plan that can be set for the valued customer. Moreover, this would also be a waste of memory/space as it is a use case that would not be able to complete its functionality. Therefore, to avoid this risk it is important that these use cases are implemented correctly.

7.4 PROC

- Manage Task: Edit the tasks that exist in the system, add or delete them
 - The risks associated with this use case is that if we are unable to manage tasks then no changes can be made to tasks for future jobs therefore when the system evolves we will not have a functionality that can handle this so it is also essential we can manage tasks.
- Create new task: Add a new task to the list of existing tasks
 - As technology improves customers will come in with special requirements, so we will need to be able to
 add this functionality, if the company didn't have this then it would result in loss of customers as we
 cannot add in new tasks that they may require.
- Remove tasks: Delete a task from the list of existing tasks
 - o If there are too many tasks or if there are tasks that aren't used as much then this functionality would be necessary. The risks aren't as high for this use case as it is for create new task.
- Update existing task: Update any changes made to an existing task
 - the risks associated with this functionality is that if changes cannot be made to a particular task then it may affect the job overall therefore leading to money loss and time as jobs end up being incomplete and customers will remain unhappy.
- *Update Job Status:* Update the status of an ongoing job and the tasks it has performed or are about to be performed. The commencement and completion of tasks are recorded here
 - The risks associated with this use case is that the technician and shift manager will be unable to detect the status of where the job is within the process therefore making it difficult to finish the job itself if they cannot update it. There will be no track of progress made and this will waste a lot of time.
- Alert incomplete job: Alerts the customer if the job they placed cannot be completed
 - The risk associated with this is that the shift manager and technician will be unable to detect incomplete
 jobs so this may lead to complaints by customer and loss in money as we are unable to keep track of
 which jobs have been processed and which jobs haven't.
- Recording Commencement of Next task: System records the start of the next task
 - The risk associated with this use case is that if we do not show that a job has been completed by recording its completion then the system will never be able to let staff know when and which task it is on. This is an important use case to implement as it is an automatic response that shows the progress of tasks in a job and lets staff know when the next task is starting. When a completion is set then we know which tasks have been completed and not so if any errors occur the system will be able to detect it. It also reduces human error as staff cannot keep up with many jobs and tasks.
- Recording of current task: System records completion of the current task
 - Similar to the commencement of next task, it gives a recording of where a task it at and reduces human errors. These use cases are important as we may have urgent jobs that must be taken therefore we must record every single job and task that takes place and its completion and if it not completed then it will be placed in a shelf slot ready to be processed again the following day.

7.5 REPORTS

- Generate Report: Generate a report according to the type according to the user (Office Manager) chosen.
 - This use case is important as it generates specific reports that are required by the office manager. Without this use case the office manager would not have any reports thus would not be able to monitor his/her employees and customers progress and work and would not be able to make specific plans when required. Moreover, he would be less aware of his employees, customers and the jobs that are being given and taken by BILP and how they are progressing. If this was not to be implemented correctly there would be no reports generated and then the office manager would not be able to monitor the progress thus would not be able to take any decisive actions when required as he would not have the information required. Moreover, it would cost more if the reports would have to be made manually and would be more time consuming, thus it is important that this use case is implemented as the reports are made automatically.
- Individual Report: Generate the report about individual with the data's stores in the database.
 - This use case is directly linked to the Generate Report use case as this is a type of report that would be generated thus would call for the implementation of this use case to create the report. This report provides the jobs brought in by a particular customer and presents it in the report and without it the manager would have no easy and compact means of checking and having a hard copy of this information. Not having implemented this use case the manager would have to search on the system which would be less time efficient. Moreover, this would also be a waste of memory/space as it is a use case that would not be able to complete its functionality. Thus, it is important that this is implemented correctly.
- **Summary Performance Report:** Generate the report about summary performance with the data's stores in the database.
- *Individual Performance Report:* Generate the report about individual performance with the data's stores in the database.

These two use cases are directly linked to the Generate Report use case as these are the different types of reports that can be generated by the office manager and call for their implementation. If these are not implemented correctly it would make the Generate Report use case useless as there would be no report available. Moreover, this would also be a waste of memory/space as it is a use case that would not be able to complete its functionality. Consequently, if they had to make these reports manually it would be more cost and time consuming. Therefore, to avoid this risk it is important that these use cases are created and implemented correctly

7.6 PAYMENT

- **Print late payment reminder:** when a late payment is made, a late payment reminder is created which can then be printed by the office managers discretion.
 - o without a reminder, payments will be missed by customers therefore the company will be unaware of who has paid therefore the risk is that they are losing out on money.
- **Print reminder query:** this use case gives the option/functionality to the office manager to print whichever late payment reminder they want.
 - the risk associated with this use case isn't as high but the use case functionality is required as they will
 need access to any letters that they need to be able to check if they need to downgrade a customer's
 value.

- **Print all reminders:** Prints all the late reminders that have been stored.
 - the risks associated with this use case is that when the office manager will like to access all reminders,
 he will be unable to if they are lost in the database
- Acknowledge late payment warning: the office manager gets alerts of late payments to his/her computer, and the office manager acknowledges these late payment warnings.
 - risks associated with this use case is that if no warning is implemented the office manager will be unable
 to track which customers haven't paid for their jobs therefore resulting in loss of money but also time as
 they will have to search through the whole database to lookup customer details.
- Record payment details: once the customer pays for the completion of the job payment method and details are recorded.
 - the risks associated with this use case is that we will not have any record of customer details therefore if there are customers he wants to pay by card, we will not have that functionality thus resulting in loss of customers.
- **Revoke suspension:** when a customer account is suspended, and a payment is made from that account. The suspension on that account is revoked and the account is reactivated automatically.
 - the risks associated with this functionality is that if we do not have an automated revoke suspension then some customers account will not be reactivated once they have made a payment which may lead to customers unhappy with the service and also there will be more jobs for the BAPERS staff to keep up with as it's a functionality they must keep track of.
- Add Card Details: if the customer is paying with card, card details are recorded such as expiry date, type and last 4 digits.
 - It is important to have the required payment details when conducting a payment. If this use case was not to be implemented correctly then the payment process would not be conducted correctly as certain details are required to conduct a card payment. Moreover, it would be less efficient for future card payments from that customer as the same details would be required, whereas if they were stored the first time they already have the necessary details. This use case is required as there are necessary details required for card payment and without them cannot be conducted, thus it is important that this use case is implemented correctly.
- **Associate Job:** each payment needs to be associated with a job. This checks the payment with the job ensuring the payment is for the right job.
 - This is a necessity because it is imperative that the payment that is being conducted is for the right job. Without this use case it risks that payments are being for made for different jobs and there would be no coordination of payments, jobs and can cause confusion within the team. It also risks that a lot of time could be wasted due to incorrect payments and having to retract and locate the correct jobs. Moreover, this can push customers away and if the wrong payment is done customer would want and need refunds which is bad for the company.
- **Generate Payment Reminder Letter:** triggered automatically, when valued customers are unable to clear the outstanding balance, a late payment reminder letter is generated.
 - This use case it important to ensure that the company can pursue late payments/missed payments so that they receive their money but is also good proof in case of if lawful actions need to be taken. This is an

automatic use case that will be used to notify customers of their late payments and inform them of the necessity of their payments. Without this use case the company would not be able to purse them, and the customers would not feel as obligated to pay on time as they would think that the company is lenient and would not take any actions against it. Therefore, it is important to implement this use case to ensure that all payments are being made and overdue payments are being tackled appropriately.

- Create First Letter: generates the first late payment letter.
 - This use case is directly linked to the Generate Payment Reminder Letter use case as the letter that would be sent needs to be created and this is what this use case does. Without this use case the letter would not be created consequently, the situation cannot be tackled correctly, presenting the same risks as the Generate Payment Letter use case. Moreover, this use case would be useless without the Generate Payment Reminder Letter as that would trigger this use case, so if not implemented correctly it would also be a waste of space in our server/database.
- Create Second Letter: generates the second late payment letter.
 - This use case is directly linked to the Generate Payment Reminder Letter and Create First Letter use case as the second letter that would be sent needs to be created and this is what this use case does. Without this use case the second letter that needs to be sent would not be created thus the customer wouldn't not be notified and the following required action to this situation would not be carried out/not with the customers awareness. Moreover, this use case if not implemented correctly would waste space in the database/server as the letter would not be created and if the Generate Payment Reminder Letter and Create First Letter use case are not implemented correctly this would still be a waste of space as this use case is directly linked with those use cases. Thus, it is important that this use case and the other related to this are implemented correctly.
- Account Suspension: after the second letter is created the account associated with it is suspended automatically.
 - This is directly linked with the Create Second Letter use case as this use case is only implemented after that one. This is an important use case that must be implemented as this is the action that is taken after giving the customer their final warning on their late payments. Without this use case the customer would be informed about their late payment, but no action would be taken against it which can risk the company status and could possibly make customers think that late payments are okay. Moreover, this would have a negative impact on the revenue of the company and would cost them more to follow the situation and resolve it. Furthermore, both the Create Second Letter and this use case must be implemented correctly otherwise it would also be a waste of space in the database as they wouldn't be called.
- Mark Account "in default": a month after the second letter has been sent and the outstanding balance has not been cleared the system marks that account as "in default" automatically.
 - O This is an important use case needed in the system so that the company knows which customers/accounts they need to consider taking legal actions against. This use case is directly linked to the Account Suspension use case as after a period this use case is activated. Moreover, if this was not to be implemented no account would be put into the "in default" state thus when the function to show all the "in default" accounts is called it would provide no results rendering that use case and this one useless to and a waste of space in the database. Thus, it is important that this use case is implemented correctly.
- Alert of Late Payment: automatic alerts of late payments are shown to the office manager as pop-up windows in 15 minutes intervals.

The risk of this use case not being implemented correctly means that the office manager would not be notified of any overdue payments that have been made by the customers. Consequently, he would not know when and who to take legal actions against if/when required. Therefore, it is important that this is implemented correctly to ensure that the office manager is up to date with payment information and can act upon it.

7.7 GUI

- Login: The user logins to BAPERS
 - The risk of not implementing this use case correctly means users such as office manager and receptionist will be unable to login therefore leading to no access to any functions.
- Logout: The user logouts of BAPERS
 - It is necessary to implement this as users need to be able to logout of the system so other users who do
 not have user access privileges will not be able to get in. This is for the purpose of security and may be
 harmful to the company.

8 Use Case Specifications

This section includes the 10 key use case specifications that were made for BAPERS

8.1 Record Payment

Use Case ID: 4	Use Case: Record Payment Details
Brief Description: Once a customer makes a payer	ment with BAPERS, a record of the payment is
then stored in the local memory of the machine r	unning the system and then the record is stored
in the database.	

Primary Actors: Office Manager, Receptionist

Secondary Actors: Database Server

Preconditions:

- 1) The system is operational
- 2) Either the Office Manager, or the Receptionist is logged into the system and had chosen the GUI option to record a payment from a client.

Main Flow:

- 1) The use case starts when the Office Manager, or receptionist selects Record Payment functionality.
- 2) The GUI prompts the user to then enter the payment details including: amount paid, whether the payment is card or cash.
- 3) The GUI then sends the input information to the system, and the system creates a payment object.
- 4) The system then finds the outstanding (unpaid) jobs for the customer, and adds them to the payment object.
- 5) The system contacts the Database Server, and sends the payment object to be stored on disk.
- 6) The system deletes the local payment object.

The system alerts the user that payment has been added.

Postconditions:

The database contains a new payment record

Alternative Flows:

CardPayment

NoConnectionToServer

UnSuspendAccount

Use Case ID: N/A	Use Case: Record PaymentDetails:
,	CardPayment
Brief Description: The customer has made	a payment with a card, so the card details will be
added to the system.	
Primary Actors: N/A	
Secondary Actors: N/A	
Preconditions:	
	Either the Office Manager, or the Receptionist is logged in the GUI option to record a payment from a client.

Alternate Flow:

- 1) The flow may start at step 2 of the main flow.
- 2) The GUI prompts the user to enter card details.
- 3) While (more cards)
 - a. The user enters card details.

4) The GUI sends the information to the system, and the system then creates a card object, and a payment object. Giving the payment object a reference to the card object. The flow should resume at step 2 of the main flow.

Postconditions:

Local storage contains a Card Details Object, which is referenced by a Payment object.

Use Case ID: N/A
Use Case:
RecordPayment:NoConnectionToServer

Brief Description: A connection cannot be established with the database server, so the operation

is aborted.

Primary Actors: N/A
Secondary Actors: N/A

Preconditions:

1) The system is operational and either the Office Manager, or the Receptionist is logged into the system and had chosen the GUI option to record a payment from a client.

Alternate Flow:

- 1) The flow may start at step 5 of the main flow.
- 2) The system informs the user that no communication channel can be established to the database.

Postconditions:

The contents of the database are unchanged

8.2 Generate Letter

Use Case ID: 10		Use Case: Create 2 nd Letter
Brief Description: BAP	ERS automatically generate	e the second letter to the Office Manager which
going to be send to the customers.		
Primary Actors: Time		
Secondary Actors:	Office Manager	
occonduity / terests.	Office Manager	

Preconditions:

- 1) First letter has been generated and sent to customer.
- 2) One month after the first letter is sent and payment yet to be received.
- 3) Office Manager logs into his/her account.

Main Flow:

- 1) The Use case starts when it is a month after the first letter sent out.
- 2) BAPERS suspend the corresponding customer's account.
- 3) BAPERS awaits User with user type Office Manager to Log-in.
- 4) BAPERS alert the Office Manager and second letter is prepare for him/her to print.
- 5) BAPERS connects to a printer with existing communication channel.
- 6) BAPERS inform the Office Manager the print has been completed.

Postconditions:

The letter successfully printed out by the Office Manager with no error occur.

Alternative Flows:

NoPrinterConnection

Use Case ID: N/A		Use Case: Create 2 nd
		Letter:NoPrinterConnection
Brief Description: Printing error due to lack of communication with the har		lack of communication with the hardware printer.
Primary Actors: N/A		
Secondary Actors:	N/A	

Preconditions:

- 1) BAPERS is operational.
- 2) Office Manager logs into BAPERS.
- 3) Office Manager receive the alert of the second letter.
- 4) Office Manager chosen to print the second letter.

Alternative Flows:

- 1) The flow may start at step 5 of the main flow.
- 2) BAPERS informs the Office Manager that no communication between the printer and the computer can be located.

Postconditions:

The letter is not print on demand by the Office Manager.

8.3 Add User

Use Case ID: 8		Use Case: Add User
Brief Description: Office Manager creates an use		r account for BAPERS.
Primary Actors:	Office Manager	
Secondary Actors:	N/A	
D		

Preconditions:

- 1) BAPERS is operational.
- 2) A user with user type Office Manager has logged into BAPERS.

Main Flow:

- 1) The use case starts when the Office Manager selects "Create User" functionality.
- 2) Office Manager input details for the user account.
- 3) Office Manager setting up privileges for the account.
- 4) BAPERS connect with the database with existing communication channel and send details of the new creation account to it.
- 5) BAPERS informs Office Manager that a user account has been successfully created.

Postconditions:

The database contains the new account details.

Alternative Flows:

NoCommunicationChannel

Use Case ID: N/A	Use Case: Create			
	User:NoCommunicationChannel			
Brief Description: Creation error d	ue to lack of communication channel between BAPERS and the			
database.				
Primary Actors: N/A				
Secondary Actors: N/A				
Preconditions:				
1) BAPERS is operational.				
2) User with user type Office Manager logged into BAPERS.				
3) Office Manager chosen to	create user.			

Alternative Flows:

- 1) The flow may start at step 4 of the main flow.
- 2) BAPERS informs the Office Manager that no communication channel can be located.

Postconditions:

User account details in the database remain unchanged.

8.4 Automatic Backup

0.47	Automatic backup				
Use Cas	se ID: 9	Use Case: Automatic backup			
Brief D	escription: BAPERS backs up the database	server each time period specified.			
Primar	y Actors: Time				
Second	ary Actors:				
Precon	ditions:				
1)	BAPERS is operational.				
2) Automatic backup period is specified.					
Main Flow:					
1)	Use case starts when specified time occu	rs.			
2)	BAPERS backs up the Database server.				
Postcoi	Postconditions:				
The dat	abase server is backed up/replaces the ol	d backup.			

Use Case ID: N/A
Use Case: Automatic
backup:NoCommunicationChannel
Brief Description: Automatic backup unavailable due to lack of communication channel.

Primary Actors: N/A

Preconditions:

Secondary Actors:

Alternative Flows:

NoCommunicationChannel

- 1) BAPERS is operational.
- 2) Automatic backup period is specified.

N/A

Alternative Flows:

- 1) The flow may start at step 2 of the main flow.
- 2) BAPERS informs the User that no communication channel can be located

Postconditions: The database server is not backed up.

8.5 Update Existing Task

8.5 Update Exist	ting lask		
Use Case ID: 11		Use Case: Update existing task	
Brief Description: Ed	it existing tasks from the ta	sk list.	
Primary Actors:	Office manager		
Secondary Actors:	Database server		
Preconditions:			
1) BAPERS is op	erational.		
2) Primary acto	r is logged in to BAPERS.		

Main Flow:

- 1) Use case starts when the User selects "Update existing task" functionality.
- 2) Tasks are retrieved from the database server
- 3) User selects a task.
- 4) User updates the details of the task
- 5) BAPERS updates the task.
- 6) BAPERS informs user that the task has been updated.

Postconditions:

The database server contains updated task; all previously stored tasks are unchanged.

Alternative Flows:

NoCommunicationChannel

Use Case ID: N/A

Use Case: Update existing task:NoCommunicationChannel

Brief Description: Task updating unavailable due to lack of communication channel.

Primary Actors: N/A
Secondary Actors: N/A

Preconditions:

- 1) BAPERS is operational.
- 2) Primary actor is logged in to BAPERS

Alternative Flows:

- 1) The flow may start at step 2 of the main flow.
- 2) BAPERS informs the User that no communication channel can be located

Postconditions:

The content of tasks in database server remains unchanged.

8.6 Upgrade Customer Account

Use Case ID: 13		Use Case: UpgradeCustomerValue	
Brief Description: Upgrade important customers to the "Valued" status, enabling them to benefit			
from different discounts.			
Primary Actors:	Office Manager		
Secondary Actors:	Database		
Preconditions:			

1) The system is functional and the Office Manager logs in to the system

- Main Flow:

 1) The Use Case starts when the Office Manager logs into the system
 - 2) The Office Manager accesses the customer list
 - 3) The Office Manager selects the customer
 - 4) The Office Manager clicks the GUI button for upgrading the customer to the "Valued" status
 - 5) When the button is clicked, the system fetches the value from the database
 - 6) The system creates an object into the system where it stores the value
 - 7) The system changes the old value with the new value
 - 8) The data is sent back by the system to the database
 - 9) The database overwrites the old status with the new status.

Postconditions:

The database is updated with the new customer status and the customer is eligible for discounts

Alternative Flows:

InvalidAccountUpgraded

Use Case ID: N/A		Use Case: UpgradeCustomer		
		Value:InvalidAccountUpgraded		
Brief Description: The system informs the Office Manager that the account he is trying to upgrade				
is already upgraded				
Primary Actors:	N/A			
Secondary Actors:	N/A			
Preconditions:				
 The Office Manager has tried upgrading an account that is already upgraded 				
Alternative Flows:				

- 1) Alternative flow begins at step 4
- 2) The Office Manager clicks the GUI button for updating the user status
- 3) The system fetches the data from the database
- 4) The system compares detects that the change already took place
- 5) The system displays the error message
- 6) The system does not send any information back to the database and deletes the object created

Postconditions:

The database is not modified

8.7 Print Late Reminder

Use Case ID: 7		Use Case: PrintLatePaymentReminder
Brief Description: Print the late payment reminder for the customer who did not pay in time for		
the service.		
Primary Actors:	Office Manager	
Secondary Actors:	N/A	
Preconditions:		

1) The system is functional; the Office Manager logs in to the system and the customer exceeded the payment deadline

Main Flow:

- 1) The screen displays the notification that a customer has exceeded the payment deadline
- 2) The Office Manager Clicks the GUI button for printing the letter
- 3) The letter is printed

Postconditions:

The Database is updated with the information of a user having a letter printed for

Alternative Flows:

PrinterError

Use Case ID: N/A	Use Case: PrintLatePaymentReminder:			
	PrintLatePaymentReminder			
Brief Description: Office manager is unable to print the letters required as a print error occurs				
Primary Actors: N/A				
Secondary Actors: N/A				
Preconditions:				
1) The system is functional; the Office Manager logs in to the system and the customer				
exceeded the payment deadline				
Alternative Flows:				
1) Flow may start at step 2 of the main flow	1) Flow may start at step 2 of the main flow			
2) There is a printer error when trying to print the letter				
Postconditions:				

The late reminder message is not printed

8.8 Login

Use Case ID: 5		Use Case: Login
Brief Description: The procedure where the users/staff can login to the BAPERS system so that		
they can use the system and its functions.		
Primary Actors:	Receptionist, Shift Manager, Office Manager, Technician	
Secondary Actors:	Database server	

Preconditions:

- 1) System is operational, the system has a secure connection to the database server.
- 2) The primary actors must be authorised.

Main Flow:

- 1) The use case starts when the user selects the "Login" button.
- 2) The system opens another page where the user is told to enter their login details in the space provided.
- 3) The user then presses the login button.
- 4) The system then searches the database for corresponding login details.
 - 4.1 Corresponding login details are not found. While not found:
 - 4.1.1 System tells user: invalid username or password.
 - 4.1.2 System tells user to check and re-enter their username and password.
 - 4.2 The user then clicks the login button again.
- 5) User then login
- 6) Use case completed.

Postconditions:

The user login and the software and its functions are accessible to the user.

Alternative Flows:

LoginFailed

Use Case ID: N/A Use Case: Login: LoginFailed

Brief Description: The system informs the user that login failed due to an incorrect username or password or both.

Primary Actors: N/A **Secondary Actors:** N/A

Preconditions:

1) The user entered an incorrect username and/or password, which was not found in the database.

Alternative Flows:

- 1) The alternative flow begins at step 4 of the main step.
- 2) The system informs the user that invalid details have been provided.

Postconditions:

The user is denied access to the system

Generate Reports

Use Case ID: 12		Use Case: Generate Report	
Brief Description: Various reports are generated automatically by BAPERS			
Primary Actors:	Time		
Secondary Actors:	Database server		
Preconditions:			

- 1) BAPERS is operational
- 2) There is an established connection to the database server.

Main Flow:

- 1) The use case starts when the time triggers the functionality of generating reports.
- 2) Individual report for the jobs brought in by a particular customer for an arbitrary period is taken.
- 3) Individual performance report on work undertaken by a member of BIPL staff is generated
- 4) Summary Performance report for work undertaken by BIPL during day and night shifts is generated.

Postconditions:

The generated reports get stored in the database

Alternative Flows:

None

8.9 Update Job Status

Use Case: Update Job Status

Brief Description: primary actor updates the status of an ongoing job

Primary Actors: Office Manager, Shift Manager, Technician

Secondary Actors: N/A

Preconditions:

- 1) The system is operational.
- 2) The primary actor is already logged in.

Main Flow:

- 1) The use case starts when the Manager or Technician chooses to update the status of the job
- 2) They can record the completion of the current task which is shown as an include
- 3) They can also update the system with the commencement of the next task
- 4) Once updated, the status is recorded and sent back to the database.

Postconditions:

Completion of tasks are recorded

Alternative Flows: None.

9. Systems Evolution

The system was developed so that it can further expanded in the future. It allows the implementation of new equipment, having the option to introduce new tasks in the future. The system can be extended to have more option for the user type if needed and for the priorities to be customized.

The database can also be further expanded to accept more types of data and more fields such as customer, user or task details. Also, it can be replaced with a cloud base database, allowing the system to be scalable. If more shops are opened, the system can be implemented in them as well and a communication between the subsystems will be possible. This will allow one shop to look up the number of orders pending in all of the shops and send a urgent task to the place where it can be completed the fastest.

More functionalities can also be added to the system in the future. The option to send reminder letters digitally or send reminders to the customers regarding the payment, close to the deadline, not only after.

BAPERS is a flexible system that is available for future expansions and easy customization.

10. Appendices

Initial statement of requirements set by client

After an interview with Mr Lancaster, the knowledge about the system is summarized as follows:

- BAPERS-ACCT: accept jobs, identify existing customers and create new customers and also assigning job number, printing labels and recording deadlines for completion for jobs.
- BAPERS-PROC: processing and updating jobs and tasks and recording their completion
- BAPERS-REPT: producing various reports through a database
- BAPERS-PAYM: recording payment details, alert office manager about late payments
- BAPERS-CUST: upgrading customer accounts for a discount plan
- BAP-ADMIN: creating user accounts and setting up privileges, operating database backups.

11. Hardware and Software configuration

11.1 Hardware minimal requirements

Desktop PC with dual core Intel processor, at 3GHz, or quad core AMD processor at 3.5GHz, 2GB ddr3 RAM, 7200 RPM HDD with 2GB of free space, Video card capable of 1024x768 output, 1024x768 monitor resolution.

11.2 Operating Systems:

All operating systems must support 64-bit operations.

Windows:

Windows 10 (version 8u51 and above) Windows 8.x (Desktop version)

Мас:

Mac OS X 10.8.3+, 10.9+

Linux:

Linux kernel release 4.14.0 or above.

Support for open jdk 8 jre, and a MySQL implementation (recommended is MariaDB).

11.3 Additional Software


BAPERS requires the java 8/9 runtime to be installed.

MySQL Community Server 5.7.0 or above.

12. Database

12.1 ER Diagram

The ER diagram was created with MySQL workbench, and is presented using crows foot notation.



12.2 SQL schema

Below is the schema, including all stored procedures with dummy data necessary for executing reports.

```
-- MySQL Workbench Forward Engineering
SET @OLD UNIQUE CHECKS=@@UNIQUE CHECKS, UNIQUE CHECKS=0;
SET @OLD FOREIGN KEY CHECKS=@@FOREIGN KEY CHECKS, FOREIGN KEY CHECKS=0;
SET @OLD SQL MODE=@@SQL MODE, SQL MODE='TRADITIONAL, ALLOW INVALID DATES';
 - Schema BAPERS
DROP SCHEMA IF EXISTS `BAPERS`
-- Schema BAPERS
CREATE SCHEMA IF NOT EXISTS `BAPERS` DEFAULT CHARACTER SET utf8 ;
USE `BAPERS`;
-- Table `BAPERS`.`User Type`
  -----
DROP TABLE IF EXISTS `BAPERS`.`User_Type` ;
CREATE TABLE IF NOT EXISTS `BAPERS`. `User Type` (
  `type` VARCHAR(20) NOT NULL,
 PRIMARY KEY ('type'))
ENGINE = InnoDB;
  Table `BAPERS`.`Staff
DROP TABLE IF EXISTS `BAPERS`.`Staff` ;
```

```
CREATE TABLE IF NOT EXISTS `BAPERS`. `Staff` (
  `staff id` VARCHAR(15) NOT NULL,
  `first name` VARCHAR(45) NOT NULL,
  `surname` VARCHAR (45) NOT NULL,
  `passphrase` VARCHAR (128) NOT NULL,
  `fk type` VARCHAR(20) NOT NULL,
  PRIMARY KEY (`staff id`),
  INDEX `fk_User_User_Type1_idx` (`fk_type` ASC),
 UNIQUE INDEX `username UNIQUE` (`staff id` ASC),
 CONSTRAINT `fk User_User_Type1`
    FOREIGN KEY (`fk type`)
    REFERENCES `BAPERS`.`User_Type` (`type`)
    ON DELETE NO ACTION
    ON UPDATE NO ACTION)
ENGINE = InnoDB;
-- Table `BAPERS`.`Customer Account`
DROP TABLE IF EXISTS `BAPERS`.`Customer Account` ;
CREATE TABLE IF NOT EXISTS `BAPERS`. `Customer Account` (
  `account number` VARCHAR(45) NOT NULL,
  `email` VARCHAR (45) NULL,
  `account holder name` VARCHAR (45) NOT NULL,
  `title` VARCHAR(10) NOT NULL,
  `first name` VARCHAR(45) NOT NULL,
  `surname` VARCHAR(45) NOT NULL,
  `house phone` VARCHAR(11) NOT NULL,
  `mobile phone` VARCHAR (11) NULL,
  PRIMARY KEY (`account number`))
ENGINE = InnoDB;
-- Table `BAPERS`.`Job`
__ ______
DROP TABLE IF EXISTS `BAPERS`. `Job` ;
CREATE TABLE IF NOT EXISTS `BAPERS`.`Job` (
  `job id` VARCHAR(6) NOT NULL,
  `description` VARCHAR(45) NOT NULL,
  `amount due` INT NOT NULL,
  `deadline` DATETIME NULL,
  `urgent` TINYINT(1) NOT NULL,
  `fk account number` VARCHAR(45) NOT NULL,
  PRIMARY KEY ('job id'),
  INDEX `fk_Job_Customer_Account1_idx` (`fk_account_number` ASC),
 CONSTRAINT `fk Job Customer Account1`
    FOREIGN KEY (`fk account number`)
    REFERENCES `BAPERS`.`Customer Account` (`account number`)
    ON DELETE NO ACTION
    ON UPDATE NO ACTION)
ENGINE = InnoDB;
-- Table `BAPERS`.`Payment_Info`
DROP TABLE IF EXISTS `BAPERS`. `Payment Info`;
```

```
CREATE TABLE IF NOT EXISTS `BAPERS`. `Payment Info` (
  `transaction id` VARCHAR(20) NOT NULL,
  `date paid` DATE NOT NULL,
  `amount paid` INT NOT NULL,
  `payment_type` VARCHAR(10) NOT NULL,
 PRIMARY KEY (`transaction id`))
ENGINE = InnoDB;
-- Table `BAPERS`.`Card Details`
__ ______
DROP TABLE IF EXISTS `BAPERS`.`Card_Details` ;
CREATE TABLE IF NOT EXISTS `BAPERS`.`Card_Details` (
  `last digits` VARCHAR(4) NOT NULL,
  `expiry date` DATE NOT NULL,
  `fk payment id` INT NOT NULL,
  `card type` VARCHAR(15) NOT NULL,
  `fk transaction id` VARCHAR(20) NOT NULL,
 PRIMARY KEY (`last_digits`, `expiry_date`, `fk_payment_id`, `fk_transaction_id`),
INDEX `fk_Card_Details_Payment_Infol_idx` (`fk_transaction_id` ASC),
 CONSTRAINT `fk Card Details Payment Infol`
   FOREIGN KEY (`fk transaction id`)
   REFERENCES `BAPERS`.`Payment Info` (`transaction_id`)
   ON DELETE NO ACTION
   ON UPDATE NO ACTION)
ENGINE = InnoDB;
-- Table `BAPERS`.`Address`
DROP TABLE IF EXISTS `BAPERS`.`Address` ;
CREATE TABLE IF NOT EXISTS `BAPERS`. `Address` (
  address line1 ` VARCHAR (45) NOT NULL,
  `address line2` VARCHAR(45) NULL,
  `postcode` VARCHAR(10) NOT NULL,
  `city` VARCHAR (45) NOT NULL,
  `country` VARCHAR (25) NOT NULL,
  `fk account_number` VARCHAR(45) NOT NULL,
 PRIMARY KEY (`address linel`, `city`, `postcode`, `fk account number`),
 INDEX `fk Address Customer Account1 idx` (`fk account number` ASC),
 CONSTRAINT `fk Address Customer Account1`
   FOREIGN KEY (`fk account number`)
   REFERENCES `BAPERS`.`Customer Account` (`account_number`)
   ON DELETE NO ACTION
   ON UPDATE NO ACTION)
ENGINE = InnoDB;
__ ______
-- Table `BAPERS`.`Task`
__ ______
DROP TABLE IF EXISTS `BAPERS`. `Task` ;
CREATE TABLE IF NOT EXISTS `BAPERS`. `Task` (
  `task id` INT NOT NULL,
  `description` VARCHAR(45) NOT NULL,
  `location` VARCHAR (45) NOT NULL,
```

```
`shelf slot` VARCHAR(45) NOT NULL,
  `price \ INT NOT NULL,
  `duration` TIME NOT NULL,
 PRIMARY KEY (`task_id`))
ENGINE = InnoDB;
-- Table `BAPERS`.`Discount Plan`
__ ______
DROP TABLE IF EXISTS `BAPERS`. `Discount Plan` ;
CREATE TABLE IF NOT EXISTS `BAPERS`. `Discount Plan` (
  `type` VARCHAR(10) NOT NULL,
 PRIMARY KEY (`type`))
ENGINE = InnoDB;
-- Table `BAPERS`.`Job Task`
DROP TABLE IF EXISTS `BAPERS`.`Job_Task` ;
CREATE TABLE IF NOT EXISTS `BAPERS`. `Job Task` (
  `fk job id` VARCHAR(6) NOT NULL,
  `fk task id` INT NOT NULL,
  `start time` DATETIME NOT NULL,
  `end time` DATETIME NULL,
 `fk_staff_id` VARCHAR(15) NOT NULL,
PRIMARY KEY (`fk_job_id`, `fk_task_id`),
 INDEX `fk Job has Task Task1 idx` (`fk task id` ASC),
 INDEX `fk Tasks Staff1 idx` (`fk staff id` ASC),
 INDEX `fk Job Task Job1 idx` (`fk_job_id` ASC),
 CONSTRAINT `fk Job has Task Task1
   FOREIGN KEY (`fk task id`)
   REFERENCES `BAPERS`.`Task` (`task_id`)
   ON DELETE NO ACTION
   ON UPDATE NO ACTION,
 CONSTRAINT `fk Tasks Staff1`
   FOREIGN KEY (`fk staff id`)
   REFERENCES `BAPERS`.`Staff` (`staff id`)
   ON DELETE NO ACTION
   ON UPDATE NO ACTION,
 CONSTRAINT `fk Job Task Job1`
   FOREIGN KEY (`fk job id`)
   REFERENCES `BAPERS`.`Job` (`job id`)
   ON DELETE NO ACTION
   ON UPDATE NO ACTION)
ENGINE = InnoDB;
-- Table `BAPERS`.`Discount`
__ ______
DROP TABLE IF EXISTS `BAPERS`. `Discount` ;
CREATE TABLE IF NOT EXISTS `BAPERS`. `Discount` (
  `fk type` VARCHAR(10) NOT NULL,
  `fk account number` VARCHAR(45) NOT NULL,
 INDEX `fk Discount Discount Plan1 idx` (`fk type` ASC),
 PRIMARY KEY (`fk account number`),
 CONSTRAINT `fk Discount Discount Plan1`
```

```
FOREIGN KEY (`fk type`)
   REFERENCES `BAPERS`.`Discount Plan` (`type`)
   ON DELETE NO ACTION
   ON UPDATE NO ACTION,
 CONSTRAINT `fk Discount Customer_Account1`
   FOREIGN KEY (`fk account number`)
   REFERENCES `BAPERS`.`Customer Account` (`account number`)
   ON DELETE NO ACTION
   ON UPDATE NO ACTION)
ENGINE = InnoDB;
-- Table `BAPERS`.`Task Discount`
__ ______
DROP TABLE IF EXISTS `BAPERS`.`Task_Discount` ;
CREATE TABLE IF NOT EXISTS `BAPERS`. `Task Discount` (
  `fk account number` VARCHAR(45) NOT NULL,
  `fk task id` INT NOT NULL,
  `percentage` FLOAT NOT NULL,
 PRIMARY KEY (`fk_account_number`, `fk_task_id`),
  INDEX `fk_Customer_Account_has_Task_Task1_idx` (`fk_task_id` ASC),
 INDEX `fk_Discounts_Discount1_idx` (`fk_account_number` ASC),
 CONSTRAINT `fk Customer_Account_has_Task_Task1`
   FOREIGN KEY (`fk task id`)
   REFERENCES `BAPERS`. Task` (`task id`)
   ON DELETE NO ACTION
   ON UPDATE NO ACTION,
 CONSTRAINT `fk Discounts Discount1`
   FOREIGN KEY (`fk account number`)
   REFERENCES `BAPERS`. `Discount` (`fk account number`)
   ON DELETE NO ACTION
   ON UPDATE NO ACTION)
ENGINE = InnoDB;
__ ______
-- Table `BAPERS`.`Discount Band`
__ ______
DROP TABLE IF EXISTS `BAPERS`.`Discount_Band` ;
CREATE TABLE IF NOT EXISTS `BAPERS`. `Discount Band` (
  `fk account number` VARCHAR(45) NOT NULL,
  `price` INT NOT NULL,
  `percentage` FLOAT NOT NULL,
 PRIMARY KEY (`fk account number`, `price`),
 CONSTRAINT `fk table1 Discount1`
   FOREIGN KEY ('fk account number')
   REFERENCES `BAPERS`. `Discount` (`fk account number`)
   ON DELETE NO ACTION
   ON UPDATE NO ACTION)
ENGINE = InnoDB;
-- Table `BAPERS`.`Payment`
DROP TABLE IF EXISTS `BAPERS`.`Payment` ;
CREATE TABLE IF NOT EXISTS `BAPERS`. `Payment` (
  `fk transaction id` VARCHAR(20) NOT NULL,
```

```
`fk job id` VARCHAR(6) NOT NULL,
  PRIMARY KEY (`fk transaction id`, `fk job id`),
  INDEX `fk Payment Info has Job Job1 idx` (`fk job id` ASC),
  INDEX `fk Payment Info has Job Payment Infol idx` (`fk transaction id` ASC),
  CONSTRAINT `fk Payment Info has Job Payment Info1`
    FOREIGN KEY (`fk transaction id`)
    REFERENCES `BAPERS`.`Payment_Info` (`transaction_id`)
    ON DELETE NO ACTION
    ON UPDATE NO ACTION,
  CONSTRAINT `fk Payment Info has Job Job1`
    FOREIGN KEY (`fk job id`)
    REFERENCES `BAPERS`.`Job` (`job id`)
    ON DELETE NO ACTION
    ON UPDATE NO ACTION)
ENGINE = InnoDB;
USE `BAPERS` ;
__ ______
-- procedure night shift
USE `BAPERS`;
DROP procedure IF EXISTS `BAPERS`. `night shift`;
DELIMITER $$
USE `BAPERS`$$
CREATE PROCEDURE night shift
(IN date start date, IN date end date)
call shift(date start,date end,'22:00:00','05:00:00');
END$$
DELIMITER :
-- procedure shift
USE `BAPERS`;
DROP procedure IF EXISTS `BAPERS`.`shift`;
DELIMITER $$
USE `BAPERS`$$
CREATE PROCEDURE shift
(in date start char(20), in date end char(20), in shift start char(20), in shift end
char (20))
BEGIN
drop temporary table if exists tmp;
BEGIN
create temporary table tmp
Select date(job_task.start_time)as 'Date',
(select SEC TO TIME ( SUM ( TIME TO SEC ( TIMEDIFF (Job Task.end time, Job task.start time) )
) )
from Job Task
inner join Task
on Job Task.fk task id = task.task id
where task.location = 'Copy Room' and job task.start time>=concat(date,' ',shift start)
and job task.start time < (IF(shift end = '05:00:00', (SELECT concat(DATE_ADD(date,</pre>
INTERVAL 1 DAY),' ', shift end)), concat(date,' ', shift end))) and if(shift end
='05:00:00', if (date (job task.start time) > date, date (job task.start time) = DATE ADD (date,
INTERVAL 1 DAY), date(job task.start time) = date), date(job task.start time) = date)
```

```
as 'Copy Room',
(select SEC TO TIME ( SUM ( TIME TO SEC ( TIMEDIFF (Job Task.end time, Job task.start time) )
from Job Task
inner join Task
on Job Task.fk task id = task.task id
where task.location = 'Development Area' and job task.start time>=concat(date,'
',shift start) and job task.start time < (IF(shift end = '05:00:00',(SELECT
concat(DATE_ADD(date, INTERVAL 1 DAY),' ',shift_end)),concat(date,' ',shift_end))) and
if(shift end ='05:00:00',if(date(job task.start time)>date,date(job task.start time)=
DATE ADD(date, INTERVAL 1 DAY),date(job task.start time) =
date),date(job task.start time) = date)
as 'Development',
(select SEC TO TIME ( SUM ( TIME TO SEC ( TIMEDIFF (Job Task.end_time, Job_task.start_time) )
from Job Task
inner join Task
on Job Task.fk task id = task.task id
where task.location = 'Finishing Room' and job_task.start_time>=concat(date,'
',shift start) and job task.start time < (IF(shift end = '05:00:00',(SELECT
concat(DATE_ADD(date, INTERVAL 1 DAY),' ',shift_end)),concat(date,' ',shift_end))) and
if(shift_end = '05:00:00',if(date(job_task.start_time)>date,date(job_task.start_time) =
DATE ADD(date, INTERVAL 1 DAY),date(job task.start time) =
date),date(job task.start time) = date)
as 'Finishing',
(select SEC TO TIME ( SUM ( TIME TO SEC ( TIMEDIFF (Job Task.end time, Job task.start time) )
from Job Task
inner join Task
on Job Task.fk task id = task.task id
where task.location = 'Packing Departments' and job task.start time>=concat(date,'
',shift start) and job task.start time < (IF(shift end = '05:00:00',(SELECT
concat(DATE_ADD(date, INTERVAL 1 DAY),' ',shift_end)),concat(date,' ',shift_end))) and
if(shift end ='05:00:00',if(date(job task.start time)>date,date(job task.start time)=
DATE ADD(date, INTERVAL 1 DAY), date(job task.start time) =
date),date(job task.start time) = date)
)
as 'Packing'
from Job Task
inner join task
on Job task.fk task id = task.task id
where date (job task.start time) between date start and date end
group by date(job task.start time);
select * from tmp;
select sec to time(sum(time to sec(Copy room))) as Copy room,
sec to time(sum(time to sec(Development))) as Development,
sec to time(sum(time to sec(Finishing))) as Finishing,
sec to time (sum (time to sec (Packing))) as Packing
from tmp;
drop temporary table if exists tmp;
END$$
DELIMITER ;
__ ______
-- procedure day shift1
```

```
USE `BAPERS`;
DROP procedure IF EXISTS `BAPERS`.`day shift1`;
DELIMITER $$
USE `BAPERS`$$
CREATE PROCEDURE day shift1
(IN date start date, IN date end date)
call shift(date start, date end, '05:00:00', '14:30:00');
END$$
DELIMITER ;
__ ______
-- procedure day shift2
-- ------
USE `BAPERS`;
DROP procedure IF EXISTS `BAPERS`. `day shift2`;
DELIMITER $$
USE `BAPERS`$$
CREATE PROCEDURE day_shift2
(IN date start date, IN date end date)
call shift(date start, date end, '14:30:00', '22:00:00');
END$$
DELIMITER ;
-- procedure summary shift
__ ______
USE `BAPERS`;
DROP procedure IF EXISTS `BAPERS`.`summary shift`;
DELIMITER $$
USE `BAPERS`$$
CREATE PROCEDURE summary shift
(in date start char(20), in date end char(20), in shift start char(20), in shift end
char(20),in shift char(20))
BEGIN
drop temporary table if exists tmp;
drop table if exists Sum shift;
BEGIN
create temporary table tmp
Select date (job task.start time) as 'Date',
(select SEC TO TIME ( SUM ( TIME TO_SEC ( TIMEDIFF (Job_Task.end_time, Job_task.start_time) )
) )
from Job Task
inner join Task
on Job Task.fk task id = task.task id
where task.location = 'Copy Room' and job_task.start_time>=concat(date,' ',shift_start)
and job task.start time < (IF(shift end = '05:00:00', (SELECT concat(DATE_ADD(date,</pre>
INTERVAL 1 DAY),' ', shift end)), concat(date,' ', shift end))) and if(shift end
= '05:00:00', if (date (job_task.start_time) > date, date (job_task.start_time) = DATE_ADD (date,
INTERVAL 1 DAY), date(job task.start time) = date), date(job task.start time) = date)
as 'Copy Room',
(select SEC TO TIME ( SUM ( TIME TO SEC ( TIMEDIFF (Job Task.end time, Job task.start time) )
) )
```

```
from Job Task
inner join Task
on Job Task.fk task id = task.task id
where task.location = 'Development Area' and job task.start time>=concat(date,'
',shift start) and job task.start time < (IF(shift end = '05:00:00',(SELECT
concat(DATE ADD(date, INTERVAL 1 DAY),' ', shift_end)), concat(date,' ', shift_end))) and
if(shift end = '05:00:00', if(date(job task.start time) > date, date(job task.start time) =
DATE ADD(date, INTERVAL 1 DAY), date(job task.start time) =
date),date(job task.start time) = date)
as 'Development',
(select SEC TO TIME ( SUM ( TIME TO SEC ( TIMEDIFF (Job Task.end time, Job task.start time) )
) )
from Job Task
inner join Task
on Job Task.fk task id = task.task id
where task.location = 'Finishing Room' and job task.start time>=concat(date,'
',shift start) and job task.start time < (IF(shift end = '05:00:00',(SELECT
concat(DATE ADD(date, INTERVAL 1 DAY),' ', shift end)), concat(date,' ', shift end))) and
if(shift end ='05:00:00',if(date(job task.start time)>date,date(job task.start time)=
DATE ADD (date, INTERVAL 1 DAY), date(job task.start time) =
date),date(job task.start time) = date)
as 'Finishing',
(select SEC TO TIME ( SUM ( TIME TO SEC ( TIMEDIFF (Job Task.end time, Job task.start time) )
from Job Task
inner join Task
on Job Task.fk task id = task.task id
where task.location = 'Packing Departments' and job task.start time>=concat(date,'
', shift start) and job task.start time < (IF(shift end = '05:00:00', (SELECT
concat(DATE ADD(date, INTERVAL 1 DAY),' ', shift end)), concat(date,' ', shift end))) and
if(shift end ='05:00:00',if(date(job task.start time)>date,date(job_task.start_time)=
DATE ADD(date, INTERVAL 1 DAY),date(job task.start time) =
date),date(job task.start time) = date)
)
as 'Packing'
from Job Task
inner join task
on Job task.fk task id = task.task_id
where date (job task.start time) between date start and date end
group by date(job task.start time);
END;
create table Sum shift as(
select shift as Title,
sec to time (sum (time to sec (Copy room))) as Copy room,
sec to time(sum(time to sec(Development))) as Development,
sec to time (sum (time to sec (Finishing))) as Finishing,
sec to time(sum(time to sec(Packing))) as Packing
from tmp);
drop temporary table if exists tmp;
END$$
DELIMITER ;
-- procedure sum night shift
USE `BAPERS`;
DROP procedure IF EXISTS `BAPERS`.`sum night shift`;
```

```
DELIMITER $$
USE `BAPERS`$$
CREATE PROCEDURE sum_night_shift
(IN date start date, IN date end date)
call Summary Shift(date start,date end,'22:00:00','05:00:00','Night Shift');
END$$
DELIMITER ;
-- procedure sum day shift2
USE `BAPERS`;
DROP procedure IF EXISTS `BAPERS`. `sum day shift2`;
DELIMITER $$
USE `BAPERS`$$
CREATE PROCEDURE sum day shift2
(IN date start date, IN date end date)
BEGIN
call Summary shift(date start,date end,'14:30:00','22:00:00','Day Shift2');
END$$
DELIMITER ;
__ _____
-- procedure sum day shift1
USE `BAPERS`;
DROP procedure IF EXISTS `BAPERS`. `sum day shift1`;
DELIMITER $$
USE `BAPERS`$$
CREATE PROCEDURE sum day shift1
(IN date start date, IN date end date)
BEGIN
call Summary Shift(date start,date end,'05:00:00','14:30:00','Day Shift1');
END$$
DELIMITER ;
__ ______
-- procedure summary
USE `BAPERS`;
DROP procedure IF EXISTS `BAPERS`.`summary`;
DELIMITER $$
USE `BAPERS`$$
CREATE PROCEDURE summary
(IN date start date, IN date end date)
DROP temporary table IF EXISTS Sum table;
create temporary table Sum table (Title char (20), Copy Room time, Development time, Finishing
time, Packing time);
call Sum Day shift1(date start, date end);
INSERT INTO Sum table SELECT * FROM Sum shift order by Sum shift.Title;
DROP table IF EXISTS Sum shift;
```

```
call Sum Day shift2(date start, date end);
INSERT INTO Sum table SELECT * FROM Sum shift order by Sum shift. Title;
DROP table IF EXISTS Sum shift;
call Sum night shift(date start, date end);
INSERT INTO Sum table SELECT * FROM Sum shift order by Sum shift. Title;
select * from Sum table;
select
sec to time(sum(time to sec(Copy room))) as Copy room,
sec to time(sum(time to sec(Development))) as Development,
sec to time(sum(time to sec(Finishing))) as Finishing,
sec to time (sum (time to sec (Packing))) as Packing
from Sum table;
DROP table IF EXISTS Sum shift;
DROP temporary table IF EXISTS Sum table;
END$$
DELIMITER ;
__ ______
-- procedure ipr
__ ______
USE `BAPERS`;
DROP procedure IF EXISTS `BAPERS`.`ipr`;
DELIMITER $$
USE `BAPERS`$$
CREATE PROCEDURE ipr
(IN ID char (20))
BEGIN
DROP TEMPORARY TABLE IF exists IPR1;
Create temporary table IPR1 as
select concat(first name, ' ', surname) as Name,
Job.job id as 'Code',
Job_Task.fk_task id as 'Task IDs',
Task.location as 'Department',
DATE(Job Task.start time) as 'Date',
TIME (Job_Task.start_time) as 'Start Time',
TIMEDIFF (Job Task.end time, Job task.start time) as 'Time Taken'
from staff
inner join job task
on staff.staff id = job task.fk staff id
inner join job
on job task.fk job id = job.job id
inner join task
on job task.fk task id = task.task id
where if (ID = 'all', staff.fk type = 'technician', staff id = ID)
order by Name, SUBSTRING INDEX ('Start time', " ", -1), SUBSTRING INDEX ('Start time', " ",
1);
select * from IPR1;
select Name, sec to time (sum (time to sec (`Time Taken`))) as 'Individual Effort' from IPR1
group by Name;
select sec to time(sum(time to sec(`Time Taken`))) as 'Total Effort' from IPR1;
DROP TEMPORARY TABLE IF exists IPR1;
END$$
DELIMITER ;
SET SQL MODE=@OLD SQL MODE;
SET FOREIGN KEY CHECKS=@OLD FOREIGN KEY CHECKS;
SET UNIQUE CHECKS=@OLD UNIQUE CHECKS;
```

```
-- Data for table `BAPERS`.`User Type`
START TRANSACTION;
USE `BAPERS`;
INSERT INTO `BAPERS`.`User_Type` (`type`) VALUES ('office manager');
INSERT INTO `BAPERS`.`User_Type` (`type`) VALUES ('shift manager');
INSERT INTO `BAPERS`.`User_Type` (`type`) VALUES ('receptionist');
INSERT INTO `BAPERS`.`User_Type` (`type`) VALUES ('technician');
COMMIT;
-- Data for table `BAPERS`.`Staff`
START TRANSACTION;
USE `BAPERS`;
INSERT INTO `BAPERS`.`Staff` (`staff id`, `first name`, `surname`, `passphrase`,
`fk_type`) VALUES ('0000', 'chris', 'stokes',
b109f3bbbc244eb82441917ed06d618b9008dd09b3befd1b5e07394c706a8bb980b1d7785e5976ec049b46df
5f1326af5a2ea6d103fd07c95385ffab0cacbc86', 'office manager');
INSERT INTO `BAPERS`.`Staff` (`staff_id`, `first name`, `surname`, `passphrase`,
b109f3bbbc244eb82441917ed06d618b9008dd09b3befd1b5e07394c706a8bb980b1d7785e5976ec049b46df
5f1326af5a2ea6d103fd07c95385ffab0cacbc86', 'technician');
INSERT INTO `BAPERS`.`Staff` (`staff id`, `first name`, `surname`, `passphrase`,
`fk type`) VALUES ('0002', 'lee', 'hong',
b109f3bbbc244eb82441917ed06d618b9008dd09b3befd1b5e07394c706a8bb980b1d7785e5976ec049b46df
5f1326af5a2ea6d103fd07c95385ffab0cacbc86', 'technician');
INSERT INTO `BAPERS`.`Staff` (`staff id`, `first name`, `surname`, `passphrase`,
`fk type`) VALUES ('0003', 'julie', 'abbot',
b109f3bbbc244eb82441917ed06d618b9008dd09b3befd1b5e07394c706a8bb980b1d7785e5976ec049b46df
5f1326af5a2ea6d103fd07c95385ffab0cacbc86', 'technician');
INSERT INTO `BAPERS`.`Staff` (`staff_id`, `first_name`, `surname`, `passphrase`,
`fk type`) VALUES ('0004', 'marina', 'scott',
b109f3bbbc244eb82441917ed06d618b9008dd09b3befd1b5e07394c706a8bb980b1d7785e5976ec049b46df
5f1326af5a2ea6d103fd07c95385ffab0cacbc86', 'technician');
INSERT INTO `BAPERS`.`Staff` (`staff_id`, `first_name`, `surname`, `passphrase`,
`fk_type`) VALUES ('0005', 'stewart', 'pask',
b109f3bbbc244eb82441917ed06d618b9008dd09b3befd1b5e07394c706a8bb980b1d7785e5976ec049b46df
5f1326af5a2ea6d103fd07c95385ffab0cacbc86', 'technician');
INSERT INTO `BAPERS`.`Staff` (`staff_id`, `first_name`, `surname`, `passphrase`,
`fk type`) VALUES ('0006', 'rich', 'evans',
b109f3bbbc244eb82441917ed06d618b9008dd09b3befd1b5e07394c706a8bb980b1d7785e5976ec049b46df
5f1326af5a2ea6d103fd07c95385ffab0cacbc86', 'office manager');
COMMIT;
__ _____
-- Data for table `BAPERS`.`Customer Account`
START TRANSACTION;
USE `BAPERS`;
INSERT INTO `BAPERS`.`Customer_Account` (`account_number`, `email`,
`account_holder_name`, `title`, `first_name`, `surname`, `house_phone`, `mobile_phone`)
VALUES ('acc0001', NULL, 'City University', 'prof', 'david', 'rhind', '02070408000',
NULL);
INSERT INTO `BAPERS`.`Customer Account` (`account number`, `email`,
`account holder_name`, `title`, `first_name`, `surname`, `house_phone`, `mobile_phone`)
VALUES ('acc0002', NULL, 'AirVia Ltd', 'mr', 'boris', 'berezovsky', '02073218523', NULL);
```

```
INSERT INTO `BAPERS`.`Customer_Account` (`account_number`, `email`,
`account_holder_name`, `title`, `first_name`, `surname`, `house_phone`, `mobile_phone`)
VALUES ('acc0003', NULL, 'InfoPharma Ltd', 'mr', 'alex', 'wright', '02073218001', NULL);
COMMIT;
 - Data for table `BAPERS`.`Job`
START TRANSACTION;
INSERT INTO `BAPERS`.`Job` (`job id`, `description`, `amount due`, `deadline`, `urgent`,
`fk_account_number`) VALUES ('abn54', '5 x 4 B& W copy negatives', 1900, NULL, false,
'acc0001');
INSERT INTO `BAPERS`.`Job` (`job_id`, `description`, `amount_due`, `deadline`, `urgent`,
`fk_account_number`) VALUES ('acn54', '5 x 4 Colour copy negatives ', 1900, NULL, false,
'acc0001');
INSERT INTO `BAPERS`.`Job` (`job id`, `description`, `amount due`, `deadline`, `urgent`,
`fk account number`) VALUES ('act108', '10 x 8 Colour copy transparency', 9600, NULL,
false, 'acc0001');
INSERT INTO `BAPERS`.`Job` (`job_id`, `description`, `amount_due`, `deadline`, `urgent`,
`fk account number`) VALUES ('act35', '35 mm Colour copy transparency', 2000, NULL,
false, 'acc0001');
`fk account number`) VALUES ('c108', '10 x 8 C41 processing', 830, NULL, false,
'acc0001');
INSERT INTO `BAPERS`.`Job` (`job_id`, `description`, `amount_due`, `deadline`, `urgent`,
`fk_account_number`) VALUES ('abc123', 'Test1', 1010, NULL, false, 'acc0002');
INSERT INTO `BAPERS`.`Job` (`job_id`, `description`, `amount_due`, `deadline`, `urgent`,
`fk_account_number`) VALUES ('def123', 'Test2', 2020, NULL, false, 'acc0002');
COMMIT;
__ ______
-- Data for table `BAPERS`.`Address`
START TRANSACTION;
USE `BAPERS`;
INSERT INTO `BAPERS`.`Address` (`address_line1`, `address_line2`, `postcode`, `city`,
`country`, `fk account number`) VALUES ( northhampton square', NULL, 'eclv Ohb',
'london', 'england', 'acc0001');
INSERT INTO `BAPERS`.`Address` (`address line1`, `address_line2`, `postcode`, `city`,
`country`, `fk_account_number`) VALUES ('12 bond street', NULL, 'wclv 8hu', 'london',
'england', 'acc0002');
INSERT INTO `BAPERS`.`Address` (`address line1`, `address line2`, `postcode`, `city`,
`country`, `fk_account number`) VALUES ('25 bond street', '', 'wclv 81s', 'london',
'england', 'acc0003');
COMMIT;
-- Data for table `BAPERS`.`Task`
START TRANSACTION;
INSERT INTO `BAPERS`.`Task` (`task id`, `description`, `location`, `shelf slot`, `price`,
'duration') VALUES (1, 'use of large copy camera', 'copy room', 'cr25', 1900,
```

```
'02:00:00');
INSERT INTO `BAPERS`.`Task` (`task id`, `description`, `location`, `shelf slot`, `price`,
`duration`) VALUES (2, 'black and white film processing', 'development area', 'dr12',
4950, '01:00:00');
INSERT INTO `BAPERS`.`Task` (`task_id`, `description`, `location`, `shelf_slot`, `price`,
`duration`) VALUES (3, 'bag up', 'packing departments', 'pr10', 600, '30:00');
INSERT INTO `BAPERS`.`Task` (`task_id`, `description`, `location`, `shelf_slot`, `price`,
`duration`) VALUES (4, 'colour film processing', 'development area', 'dr25', 8000,
'01:30:00');
INSERT INTO `BAPERS`.`Task` (`task id`, `description`, `location`, `shelf slot`, `price`,
'duration') VALUES (5, 'colour transparency processing', 'development area', 'dr100',
11030, '03:00:00');
INSERT INTO `BAPERS`.`Task` (`task id`, `description`, `location`, `shelf slot`, `price`,
'duration') VALUES (6, 'use of small copy camera', 'copy room', 'cr16', 830, '01:15:00');
INSERT INTO `BAPERS`. `Task` (`task_id`, `description`, `location`, `shelf_slot`, `price`,
`duration`) VALUES (7, 'mount transparencies', 'finishing room', 'fr5', 5550, '45:00');
COMMIT;
-- Data for table `BAPERS`.`Discount_Plan`
__ ______
START TRANSACTION;
USE `BAPERS`;
INSERT INTO `BAPERS`.`Discount Plan` ('type') VALUES ('fixed');
INSERT INTO `BAPERS`.`Discount Plan` (`type`) VALUES ('variable');
INSERT INTO `BAPERS`.`Discount Plan` (`type`) VALUES ('flexible');
COMMIT;
__ ______
-- Data for table `BAPERS`.`Job Task`
START TRANSACTION;
USE `BAPERS`;
INSERT INTO `BAPERS`.`Job Task` (`fk job id`, `fk task id`, `start time`, `end time`,
`fk staff id`) VALUES ('abn54', 1, '2018-01-13 12:00:00', '2018-01-13 12:20:00', '0001');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk_staff_id`) VALUES ('abn54', 2, '2018-01-13 12:30:00', '2018-01-13 13:10:00', '0002');
`fk staff id`) VALUES ('acn54', 1, '2018-01-13 12:20:00', '2018-01-13 12:55:00', '0001');
INSERT INTO `BAPERS`.`Job Task` (`fk job id`, `fk task id`, `start time`, `end time`,
`fk staff id`) VALUES ('acn54', 4, '2018-01-13 13:10:00', '2018-01-13 13:50:00', '0002');
INSERT INTO `BAPERS`.`Job Task` (`fk job id`, `fk task id`, `start time`, `end time`,
`fk_staff_id`) VALUES ('acn54', 3, '2018-01-13 14:00:00', '2018-01-13 14:10:00', '0003');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk staff id`) VALUES ('act108', 1, '2018-01-13 12:55:00', '2018-01-13 14:35:00',
'0001');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk_staff_id`) VALUES ('act108', 5, '2018-01-13 14:40:00', '2018-01-13 15:10:00',
'0002');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk staff id`) VALUES ('act108', 3, '2018-01-13 15:20:00', '2018-01-13 15:30:00',
'0003');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task id`, `start time`, `end time`,
`fk staff id`) VALUES ('act35', 1, '2018-01-13 14:40:00', '2018-01-13 15:00:00', '00001');
INSERT INTO `BAPERS`.`Job Task` (`fk job id`, `fk task id`, `start time`, `end time`,
`fk_staff_id`) VALUES ('act35', 5, '2018-01-13 15:10:00', '2018-01-13 15:30:00', '0002');
```

```
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
   `fk_staff_id`) VALUES ('act35', 7, '2018-01-13 15:35:00', '2018-01-13 16:00:00', '0003');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk staff id`) VALUES ('b108', 2, '2018-01-13 12:20:00', '2018-01-13 12:50:00', '0005');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk_staff_id`) VALUES ('b108', 3, '2018-01-13 12:50:00', '2018-01-13 13:00:00', '0003');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk_staff_id`) VALUES ('c108', 4, '2018-01-13 13:10:00', '2018-01-13 13:30:00', '0005');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
'fk staff id') VALUES ('abc123', 1, \overline{2018}-01-14 \overline{13}:35:\overline{00}', '2018-0\overline{1}-14 13:45:0\overline{0}',
'0001');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk_staff_id`) VALUES ('abc123', 2, '2018-01-14 15:35:00', '2018-01-14 16:35:00',
'0001');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
'fk staff id') VALUES ('abc123', 3, '2018-01-14 17:35:00', '2018-01-14 18:35:00',
INSERT INTO `BAPERS`.`Job Task` (`fk job id`, `fk task id`, `start time`, `end time`,
`fk staff id`) VALUES ('abc123', 4, "2018-01-14 19:35:00', '2018-01-14 20:35:00',
'0003');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk_staff_id`) VALUES ('abc123', 5, \( \bar{2}018-01-14 \) 2\( 21:35:00', \bar{2}018-01-14 \) 22:35:00',
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
'fk staff id') VALUES ('abc123', 6, '2018-01-14 23:35:00', '2018-01-15 00:35:00',
'0002');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk staff id`) VALUES ('a\overline{b}c123', 7, \overline{\phantom{a}}2018-01-15 0\overline{0}:45:\overline{0}0', '2018-0\overline{1}-15 02:00:00',
'0004');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk staff id`) VALUES ('def123', 1, '2018-01-15 05:45:00', '2018-01-15 06:45:00',
INSERT INTO `BAPERS`.`Job Task` (`fk job id`, `fk task id`, `start time`, `end time`,
`fk staff id`) VALUES ('def123', 2, '2018-01-15 07:45:00', '2018-01-15 08:45:00',
'0001');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk_staff_id`) VALUES ('def123', 3, \( \bar{2}018-01-15 \) 14:45:\( \bar{0}0' \), \( \bar{2}018-01-15 \) 16:45:\( \bar{0}0' \),
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk staff id`) VALUES ('def123', 4, '2018-01-15 16:45:00', '2018-01-15 18:45:00',
'0002');
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk staff id`) VALUES ('def123', 5, '2018-01-15 22:45:00', '2018-01-15 23:00:00',
'0003');
INSERT INTO `BAPERS`.`Job Task` (`fk job id`, `fk task id`, `start time`, `end time`,
`fk staff id`) VALUES ('def123', 6, \overline{2018}-01-15 2\overline{3}:45:\overline{00}', '2018-0\overline{1}-16 00:30:0\overline{0}',
INSERT INTO `BAPERS`.`Job_Task` (`fk_job_id`, `fk_task_id`, `start_time`, `end_time`,
`fk staff id`) VALUES ('def123', 7, '2018-01-16 00:45:00', '2018-01-16 02:45:00',
'0004');
COMMIT;
-- Data for table `BAPERS`.`Discount`
START TRANSACTION;
USE `BAPERS`;
INSERT INTO `BAPERS`.`Discount` (`fk type`, `fk account number`) VALUES ('fixed',
```

```
'acc0001');
INSERT INTO `BAPERS`.`Discount` (`fk type`, `fk account number`) VALUES ('flexible',
'acc0002');
INSERT INTO `BAPERS`.`Discount` (`fk type`, `fk account number`) VALUES ('variable',
'acc0003');
COMMIT;
-- Data for table `BAPERS`.`Task Discount`
__ _____
START TRANSACTION;
USE `BAPERS`;
INSERT INTO `BAPERS`.`Task Discount` (`fk account number`, `fk task id`, `percentage`)
VALUES ('acc0002', 1, 0.01);
INSERT INTO `BAPERS`.`Task Discount` (`fk account number`, `fk task id`, `percentage`)
VALUES ('acc0002', 2, 0.01);
INSERT INTO `BAPERS`.`Task Discount` (`fk account number`, `fk task id`, `percentage`)
VALUES ('acc0002', 3, 0);
INSERT INTO `BAPERS`.`Task Discount` (`fk account number`, `fk task id`, `percentage`)
VALUES ('acc0002', 4, 0.02);
INSERT INTO `BAPERS`.`Task Discount` (`fk_account_number`, `fk_task_id`, `percentage`)
VALUES ('acc0002', 5, 0);
INSERT INTO `BAPERS`.`Task Discount` (`fk account number`, `fk task id`, `percentage`)
VALUES ('acc0002', 6, 0.02);
COMMIT;
-- Data for table `BAPERS`.`Discount Band`
__ ______
START TRANSACTION;
USE `BAPERS`;
INSERT INTO `BAPERS`.`Discount Band` (`fk account number`, `price`, `percentage`) VALUES
('acc0003', 0, 0);
INSERT INTO `BAPERS`.`Discount Band` (`fk account number`, `price`, `percentage`) VALUES
('acc0003', 100000, 0.01);
INSERT INTO `BAPERS`.`Discount Band` (`fk account number`, `price`, `percentage`) VALUES
('acc0003', 200000, 0.02);
INSERT INTO `BAPERS`.`Discount Band` (`fk_account_number`, `price`, `percentage`) VALUES
('acc0001', 0, 0.03);
COMMIT;
```

12.3 Reports

The reports will utilise the stored procedures that have been detailed above.

12.3.1 Summary Performance Report

This report requires the 'night_shift()', 'day_shift1()', 'day_shift2()' and 'summary()' procedures. Below details how to obtain the correct output.

```
call night shift('2018-01-13','2018-01-17');
```

Create the Night Shift report according to input value with parameter(Start_date,End_date), if End_date values is later than the latest date in the database, it will return dates between Start_date till the last date in the database date inclusively.

Outcome: Hours on each location according to date and Total hours on each location on period specify by the user in the parameter.

		Date	Copy_Room	Development	Finishing	Packing
	•	2018-01-13	NULL	NULL	NULL	NULL
		2018-01-14	01:00:00	NULL	01:15:00	NULL
		2018-01-15	00:45:00	00:15:00	02:00:00	NULL
		2018-01-16	NULL	NULL	NULL	NULL
- 1						

```
call day shift1('2018-01-13','2018-01-17');
```

Create the Day Shift1 report according to input value with parameter(Start_date,End_date), if End_date values is later than the latest date in the database, it will return dates between Start_date till the last date in the database date inclusively.

Outcome: Hours on each location according to date and Total hours on each location on period specify by the user in the parameter.

	Date	Copy_Room	Development	Finishing	Packing
>	2018-01-13	02:35:00	02:10:00	NULL	00:40:00
	2018-01-14	00:10:00	NULL	NULL	NULL
	2018-01-15	01:00:00	01:00:00	NULL	NULL
	2018-01-16	NULL	NULL	NULL	NULL

```
call day shift2('2018-01-13','2018-01-17');
```

Create the Day Shift2 report according to input value with parameter(Start_date,End_date), if End_date values is later than the latest date in the database, it will return dates between Start_date till the last date in the database date inclusively.

Outcome: Hours on each location according to date and Total hours on each location on period specify by the user in the parameter.

	Date	Copy_Room	Development	Finishing	Packing
•	2018-01-13	00:20:00	00:50:00	00:25:00	00:10:00
	2018-01-14	NULL	03:00:00	NULL	01:00:00
	2018-01-15	NULL	02:00:00	NULL	02:00:00
	2018-01-16	NULL	NULL	NULL	NULL

```
call summary('2018-01-13','2018-01-17');
```

Create Summary Report according to input value with parameter(Start_date,End_date), if End_date values is later than the latest date in the database, it will return dates between Start_date till the last date in the database date inclusively.

Outcome: Total Hours from each Shift from the period specify by the parameter and total hours for each location neglect from which shift.

	Title	Copy_Room	Development	Finishing	Packing
>	Day Shift1	03:45:00	03:10:00	NULL	00:40:00
	Day Shift2	00:20:00	05:50:00	00:25:00	03:10:00
	Night Shift	01:45:00	00:15:00	03:15:00	NULL

12.3.2 Individual performance report

call ipr('all');

Create Individual Performance Report with parameter(ID), which ID represents the staff_id in the database. User can also input 'all' inside the parameter to get every technician performance report with the total effort for each individual and overall effort which com-bine all individual's hours.

Outcome: Details of the selected individual's job_task, time spend on each task and total time spend on task by selected individual, and total effort(Total time spend on task) from the report generate.)

Name	Code	Task IDs	Department	Date	Start Time	Time Taken
john nash	abn54	1	copy room	2018-01-13	12:00:00	00:20:00
john nash	acn54	1	copy room	2018-01-13	12:20:00	00:35:00
john nash	act108	1	copy room	2018-01-13	12:55:00	01:40:00
john nash	act35	1	copy room	2018-01-13	14:40:00	00:20:00
john nash	abc123	1	copy room	2018-01-14	13:35:00	00:10:00
john nash	abc123	2	development area	2018-01-14	15:35:00	01:00:00
john nash	def123	1	copy room	2018-01-15	05:45:00	01:00:00
John nash	def123	2	development area	2018-01-15	07:45:00	01:00:00
julie abbot	acn54	3	packing departments	2018-01-13	14:00:00	00:10:00
julie abbot	act108	3	packing departments	2018-01-13	15:20:00	00:10:00
julie abbot	act35	7	finishing room	2018-01-13	15:35:00	00:25:00
julie abbot	b108	3	packing departments	2018-01-13	12:50:00	00:10:00
julie abbot	c108	3	packing departments	2018-01-13	13:35:00	00:10:00
julie abbot	abc123	3	packing departments	2018-01-14	17:35:00	01:00:00
julie abbot	abc123	4	development area	2018-01-14	19:35:00	01:00:00
julie abbot	def123	5	development area	2018-01-15	22:45:00	00:15:00
julie abbot	def123	6	copy room	2018-01-15	23:45:00	00:45:00
lee hong	abn54	2	development area	2018-01-13	12:30:00	00:40:00
lee hong	acn54	4	development area	2018-01-13	13:10:00	00:40:00
lee hong	act108	5	development area	2018-01-13	14:40:00	00:30:00
lee hong	act35	5	development area	2018-01-13	15:10:00	00:20:00
lee hong	abc123	5	development area	2018-01-14	21:35:00	01:00:00
lee hong	abc123	6	copy room	2018-01-14	23:35:00	01:00:00
lee hong	def123	3	packing departments	2018-01-15	14:45:00	02:00:00
lee hong	def123	4	development area	2018-01-15	16:45:00	02:00:00
marina scott	abn54	3	packing departments	2018-01-13	13:20:00	00:10:00
marina scott	abc123	7	finishing room	2018-01-15	00:45:00	01:15:00


13. Graphical User Interface Models

In this section are visual representations of the GUI the users will expect to interact with when they using the BAPERS system. Here are 4 user interfaces one for each user specified (Office Manager, Shift Manager, Receptionist and Technician) and their tasks which are placed on top of each user interface that they interact with.


13.1 Login Screen




Footnote	Description	Risk
1	Main login screen	Low
2	Text that appears if the login details introduced are wrong	
3	When pressed, depending on the user and the details introduced, it either gives access to the system or not.	




Foot- note	Description
1	Home screen panel for the Office Manager
2	Buttons that when clicked, take the user to the screen described in the tab. Buttons change depending on the users and their permissions
3	Displays the system path, for easier understanding where in the system the user is located. Can be clicked to go to a previous screen in that path,
4	Button that, when clicked, logs the user out of the system.



Footnote	Description
1	Home screen panel for the Receptionist
2	Quick access to "Place Order Tab" since it is one of the main tasks.




Footnote	Description
1	Home screen panel for the Shift Manager




Footnote	Description
1	Home screen panel for the Technician

13.3 Customer Accounts




Foot- note	Description
1	Panel where the existing customer accounts are managed
2	Search box, to look-up existing customer accounts, once chosen, upgrading/downgrading options are available as well as updating the discount plans associated with the account
3	List box where all the existing customer accounts are displayed. -The ones in Bold Display Valued Customers -The normal ones display normal customers -The ones in red display Suspended Customer Accounts
4	Upgrades the customer to the "Valued" status, only available if the customer is not already in this status
5	Downgrades the customer from the "Valued" status to the "Normal" one.
6	Reactivates a "Suspended" account
7	Panel displaying the available discount plans
8	Tab that allows to choose tasks and apply discounts to each one. Appears only if "Flexible Discount" is selected
9	If a discount for a task need to be deleted, unticking the box will do this. Selecting an existing task from the list and adding a different percentage will overwrite the previous one
10	The percentage of the discount will be introduced here
11	Button that, when clicked, confirms the discount options selected
12	Button that allows the user to go back to the previous screen
13	Button that takes the user to the home tab

13.4 Intervals




Footnote	Description	
1	Premade options to choose the time intervals at which reports are created. Similar for Database Backup	
2	Panel to introduce a custom time period for generating the repots. Same can be done to the Database Backup	
3	Button that, when clicked, sets the time intervals at which reports are created.	
4	Drop list allowing to set minutes, hours or days for the custom time intervals	


13.5 Backup




Footnote	Description	
1	Information about the last backup created	
2	Button that, when clicked, creates a system backup	
3	Button that, when clicked, restores data from the last backup created	



Footnote	Description	
1	Button that, when clicked, creates the user account with the details introduced	
2	Tab where new users are added to the system	
3	Window that pops up when an account has been successfully created	




Footnote	Description	
1	Box where user ID is introduced. This refers to the system users. Once a user is selected, more options are available	
2	Button that, when clicked, generates an individual report for the user selected	
3	Button that, when clicked, generates an individual performance report for the user selected	
4	Button that, when clicked, generates a summary performance report	
5	Summary and details about it	




Footnote	Description	
1	Panel where customer accounts can be searched, if created, to allow for placing an order	
2	Button that, when clicked, takes the user to the "Create Account" window. Used in case the customer does not have an account yet	
3	Option to select if job placed is urgent.	
4	Panel to introduce deadline if job is urgent	
5	Option to select if special requests exist about the job	
6	Panel to introduce details about the request	
7	List of all tasks available. Checked only the ones which are needed for the job	
8	Button that, when clicked, generates the job number and final price	
9	Button that, when clicked, Assigns the job and prints the label and the reciept.	


13.9 Create Account




Footnote	Description	
1	Tab where new customer accounts are created	
2	Button that, when clicked, creates the customer account with the details introduced in each field	



Footnote	Description	
1	Tab where the ongoing jobs can be managed	
2	Panel where the job number is introduced to get details about a job	
3	List with the tasks available. Those ticked indicate that the particular task is completed	
4	Button that, when clicked, updates the status of the jobs, A task must be ticked or unticked to be able to update	
5	Button that, when clicked, refreshes the list to see if changes have been made	
6	Button that is click to alert that the job is not going to be completed on time	



Footnote	Description	
1	Panel where a customer is searched to get details about the job placed	
2	Details about the customer account,	
3	List of all the jobs placed, only one will be displayed if the customer is not "Valued"	
	If the job is ticked, it means it will be paid for in the next payment.	
4	Pop-up window alerting the Office Manager that a customer has missed payment	
5	Button that, when clicked will print the reminder letter for the user	
6	Panels where information about card or cash payment is introduced	
7	Button that, when clicked, completes payment and revokes suspension of an account if account is suspended.	



Footnote	Description		
1	Tab where tasks can be managed		
2	ist of all the tasks available in the system		
3	Description of the task selected		
4	Button that. when clicked, updates any details changed about the selected task		
5	Price of the selected task		
6	Time it takes for the task to be completed		
7	Button that. when clicked, removes the selected task		
8	Button that. when clicked, displays the "Create Task" options		
9	Panel to introduce the name of the new task		
10	Panel to introduce the price of the new task		
11	Panel to introduce the time taken for the new task to be completed		
12	Description of the new task		
13	Button that, when clicked, creates and adds the task to the list of existing tasks.		
14	Window that pops up when a task has been successfully created or updated		

14. Version Control

Version	Date	Rationale
0.1	27.02.2018	First draft created, use case specifications, use case indexing and system requirements introduced
0.2	01.03.2018	Use Case Diagram Introduced, GUI introduced, table of contents created
0.3	02.03.2018	ER Diagram and SQL schema introduced, Indexing updated, GUI updated
0.4	03.03.2018	Design class diagram introduced in the document, System evolution, Preface and Glossary introduced, Use case diagram updated, GUI updated
1.0	04.03.2018	Final document created with updated table of contents, updated design class diagram and updated GUI