Topalian Game Engine

Data Navigator

by

Christopher Topalian

Copyright 2020

All Rights Reserved

Table of Contents

Introduction

.

The **Topalian Game Engine Data Navigator** is a **JS**, **HTML**, **CSS** Application designed to organize and display <u>hundreds of thousands</u> of pieces of information, including **video**, **audio**, **images**, **text**, **links**, and **web pages**.

The Topalian Game Engine Data Navigator is a **100% PURE JAVASCRIPT** Application. There are NO other libraries used.

<u>This JAVASCRIPT APPLICATION is useful for:</u>

➔ Professional Investigators (police, fbi, M.I. etc)

➔ Teachers/Students (All levels)

➔ Musicians, Artists, Scientists in all fields

Features

Moving Character that Explores the Data

Abilities:

- ✔ ☼ Player Moves in All Directions Smoothly
- ✔ 🎥 Camera Follows Player Around the World
- ✔ 🏃 Speeds - Very Slow to Extremely Fast
- ✔ ○ ● Transparent or Solid Player Body
- ✔ 📌 Mouse Position of where Player clicks on the screen

Play Video and Audio

From:

- ✔ Internet URL address as a LINK you visit
- ✔ Internet URL address as an Embeded video on the page
- ✔ File on your computer
- ✔ File on a Server

Video and Audio Playback Features: 🎥 🎵 📺 📷

- ✔ 🏃 Speed Buttons of 100%, 75%, 50%, 25%, 10%
- ✔ > || Play/Pause, **Spacebar**, or **K**
- ✔ ⏱ Set the Start and End Time
- ✔ ⏱ Set Only the Start Time
- ✔ ⏱ Set Only the End Time
- ✔ ↻ Continuous Play or ⏰ Isolation Mode

- ✔ ↕ Resize Player to Any Size you Want
- ✔ → Forward One Frame, **period** when video is paused
- ✔ ← Backward One Frame, **comma** when video is paused
- ✔ ⏱ Slow Video Down by 25% with **Shift + Comma**
- ✔ ⏱ Speed the Video Up by 25% with **Shift + Period**
- ✔ 🔇 Mute the Video with **M**
- ✔ 🔉 Decrease Video Volume with **Down Arrow**
- ✔ 🔊 Increase Video Volume with **Up Arrow**
- ✔ ← Backwards 5 Seconds with **Left Arrow**
- ✔ → Forwards 5 Seconds with **Right Arrow**
- ✔ ← Backwards 10 Seconds with **J**
- ✔ → Forwards 10 Seconds with **L**
- ✔ ☞ Position the Video and/or Audio File Any Where on the Page
- ✔ Go to the Source of the Youtube Video by clicking the Youtube Logo
- ✔ Full Screen Video for Youtube, after you click the Youtube Logo
- ✔ Full Screen for Videos in Folder or Server, Click bottom right square
- ✔ Close Captions by clicking on the **CC** button

Organizing/Sorting/Filtering

Sort the Data: ASCENDING AND DESCENDING (Low to High, High to Low)

- ✔ Alphabetically
- ✔ Alphanumerically
- ✔ Date
- ✔ Month
- ✔ Day
- ✔ Year
- ✔ Month and Day
- ✔ Month and Year
- ✔ Multiple Years
- ✔ Multiple Months
- ✔ Multiple Years and Months
- ✔ Time of Day

Interface

Abilities

✔ Zoom IN/OUT to any setting that your web browser allows

✔ Print Any Div on the Screen

✔ Video, Audio, Images, Text, Links, Style Sheets may be used, since we are using Javascript, HTML and CSS.

✔ Data is Laid out in Rows - You Decide where to place the Row

✔ Load Data On Page Load, Crossing Specific Points and Push Button

✔ Deleting Divs

✔ Use the Web Browser Console to Debug Any Additions Made

✔ Window Abilities, Minimize, Maximize, Resize

✔ Advanced Video and Audio Controls - See Video/Audio Features

Websites onto the Page

Entire Websites can be loaded onto your web page, but those website MUST ALLOW IFRAME!

If the website allows iframe, then you can use an iframe to place that website onto your web page.

Keep in mind that some websites will effect loading time if you load them at the start of the application. If a website takes much time to load, then it is a good idea to allow the user the choice of loading it or not, by using a push button option to load the content.

The functionality of the website will be the same on your webpage.

News Articles

Displaying a Row of News Articles is easy.

```
let videoEvidence =
[
    { headline:"Bill Gates Met With JeffreyEps
    tein Many Times, Despite His Past",
    date:"10/12/2019 12:00 AM", url :"https://
    www.nytimes.com/2019/10/12/business/
    jeffrey-epstein-bill-gates.html", tag
    :"news", description:"epstein"},
    {
    headline:"Twitter cracks down on QAnon,
    will ban thousands of accounts", date
    :"07/21/2020 12:00 AM", url:"https://
    fortune.com/2020/07/21/twitter-qanon-
    accounts-banned-crackdown/", tag:"news",
    description:"qanon"}
];
```

As you can see above, we have an object, made of keys and values.

The keys are **headline**, **date**, **url**, **tag** and **description**.

The values of those keys are written <u>after</u> the colon symbol **:**

Do NOT use double quotes in a headline or other key value. The double quote is used to end the string value, so if you use the double quote in the value itself, it would end the string, before we wanted it to be ended. Entries are sorted by the DATE

```
date:"10/12/2019 12:00 AM"
```

Timeline Generation

All Items are Sorted by Date other criteria, such as name or number.

This makes INVESTIGATIONS much easier!

Now, every clue can be placed on a timeline automatically!

You can include the text, date, time, location, images, videos, map links, news links, etc.

Making Custom Row Functions is very easy too.

All Investigations are unique and that is one of the many reasons why Javascript is chosen for this task.

Javascript allows investigators the flexibility in designing their own functions to organize and display the data in any way that they decide is useful for their purposes.

Video Instruction on Using the App

Watch detailed video instruction on how to turn your spreadsheet data into Javascript format and learn the many features available to you.

https://www.youtube.com/ScriptingCollege

Data Navigator is also known as:

- ➢ Evidence Explorer
- ➢ Data Explorer
- ➢ Evidence Navigator

GITHUB: Topalian Game Engine Data Navigator

Download the Newest Version of the Code here:

https://github.com/ChristopherTopalian/ TopalianGameEngineDataNavigator

There is an _audio and _video folder included, for if you decide to add your own local files.

CODE Topalian Game Engine Data Navigator 015L

<!-- Dedicated to God the Father -->
<!-- All Rights Reserved Christopher Topalian Copyright 2020 -->

<!-- **Topalian Game Engine Data Navigator** --><!--Camera Follows Player -->

<!-- W is Up, S is Down, A is Left, D is Right.
    Click mouse to get X and Y coordinates of any place on the screen
    press numbers 1 to 9 to adjust Speed
    press 0 - + BackSpace Home End for Super Speeds
    press N for the player to be see-through, press M for solid -->

<!-- tested and works in chrome, firefox, brave -->
<!-- loads the FASTEST in the Chrome Browser(MUCH FASTER)! -->

<!-- See the code in Action
    https://collegeofscripting.weebly.com/ -->

<!-- See the DataNavigator Code here

https://github.com/ChristopherTopalian/TopalianGameEngineDataNavigator
-->

```
<html><head>
<style>
 #thePlayer{
   position: absolute;
   width: 70px;
   height: 70px;
   background: rgb(73, 100, 150);
   z-index:1000;
```

```css
    word-wrap: break-word;
    font-family: Tahoma;
    line-height: 18px;
    font-size: 14px;
    font-weight:bold;
    padding: 4px;
    text-align: center;
    border-radius: 7px;
}

#theBackground{
    position: absolute;
    width: 200000px;
    height: 200000px;
    background: black;
    left: 0px;
    top: 0px;
    opacity: 0.3;
    z-index:-100;
}

#stars{
    position: absolute;
    width: 200000px;
    height: 200000px;
    background: black;
    left: 0px;
    top: 0px;
    opacity: 1.0;
    z-index:-99;
    background-image:
url("https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/stars-
nice_orig.png");
    background-repeat: repeat;
}
```

```css
body
{
   color:white;
}

#gameEngineName
{
   position:absolute;
   left: 673px;
   top: 7140px;
   font-family: exo black;
   font-size: 30px;
   color: white;
   z-index:5;
}

#instructions
{
   position:absolute;
   left: 100px;
   top: 7393px;
   font-family: exo black;
   font-size: 24px;
   color: white;
}

#dedication
{
   position:absolute;
   left: 109px;
   top: 7165px;
   font-family: exo black;
   font-size: 30px;
   color: white;
   text-align: center;
   line-height: 1.1;
```

```css
}

.theImage
{
    height:75%;
    vertical-align: middle;
    z-index: 10;
}

.ourButton
{
    width: 55px;
    background-color: rgb(0, 77, 129);
    border: solid 1px rgb(100, 100, 255);
    color: white;
    font-weight: normal;
    padding: 1px 1px;
    text-align: center;
    text-decoration-style: double;
    font-size: 15px;
    border-radius: 7px;
    opacity:1.0;
}
.ourButton:hover
{
    background-color: rgb(6, 31, 47);
}

.videoButtons
{
    width: 45px;
    background-color: rgb(0, 77, 129);
    border: solid 1px rgb(100, 100, 255);
    color: white;
    font-weight: normal;
    padding: 1px 1px;
```

```css
      text-align: center;
      text-decoration-style: double;
      font-size: 15px;
      border-radius: 7px;
      opacity:1.0;
}
.videoButtons:hover
{
      background-color: rgb(6, 31, 47);
}

.evidenceWithImage
{
      background-color: black;
      word-wrap: break-word;
}

.socialMediaEvidence
{
      background-color: black;
      word-wrap: break-word;
}

.defaultDiv
{
      color:black;
      z-index:15;
      font-family:exo;
      font-weight:bold;
      font-size:19px;
      background:rgb(210, 210, 210);
      text-align:center;
}

.triggerPointsClass
{
```

```
    background-color: rgb(0, 77, 129);
    border: solid 1px rgb(100, 100, 255);
    color: white;
    font-weight: bold;
    padding: 1px 1px;
    text-align: center;
    text-decoration-style: double;
    font-size: 20px;
    border-radius: 7px;
    opacity:1.0;
}

</style>

<!-- VERY IMPORTANT -->
<!-- Make sure you have this js file in your folder. It is the data. -->
<script src="TopalianData.js"></script>

</head>

    <body onload="whenLoaded();">

        <div id="thePlayer" class="box">WASD<br> to Move</div>

        <div id="theBackground"></div>

        <div id="stars"></div>

        <div id="gameEngineName">
          TOPALIAN<br> GAME<br> ENGINE
        </div>

        <div id="instructions">
          W is Up, S is Down, <br>
          A is Left, D is Right <br>
          Numbers 1 to 9 Changes Speed<br>
```

```
        0 - + BackSpace Home End for FASTER SPEEDS <br>
        N for transparent, M for solid  <br>
        Chrome Browser Loads the FASTEST <br>
        <a
href="https://github.com/ChristopherTopalian/TopalianGameEngineDataNavi
gator"
target="_blank">https://github.com/ChristopherTopalian/TopalianGameEngin
eDataNavigator</a>

      </div>

      <div id="dedication">
        College of Scripting Music & Science<br>
        Dedicated to God the Father
      </div>

  <script>

    /*triggerPointsArray is an array of trigger lines and push buttons,
    that are used to load content into the world.
    */
    let triggerPointsArray =
    [
      {
        //trigger line
        //This is entry 0
        xPos: "100",
        yPos: "7730",
        width: "420",
        text: "Travel Past this LINE to Load more content."
      },
      {
        //trigger push button
        //This is entry 1
        xPos: "100",
        yPos: "14540",
```

```
        width: "800",
        text: "Press Button to Load YOUR mp3 or mp4 Files,<br> which
MUST BE Located in your _video or _audio Folder, OR<br>alternatively, if
you define url2 with an internet address, then the source of the audio and/or
video will be that address, instead of your computer folder!"
    }
  ];


  /*shown below is the loadTriggers function
  that accepts one parameter, whichArray.
  We use this function later in the script, in the whenLoaded function.
  */
  function loadTriggers(whichArray)
  {
    ////Line 7730 Trigger////
    let triggerPoint = document.createElement("div");
    triggerPoint.style.position="absolute";
    triggerPoint.style.left= whichArray[0].xPos +'px';
    triggerPoint.style.top= whichArray[0].yPos + 'px';
    triggerPoint.style.width= whichArray[0].width + 'px';
    //triggerPoint.setAttribute("class", "+criteria+");
    triggerPoint.setAttribute("class", "triggerPointsClass");
    triggerPoint.innerHTML= whichArray[0].text;
    document.body.append(triggerPoint);

    ////Button 14540 Trigger////
    let triggerPoint2 = document.createElement("div");
    triggerPoint2.style.position="absolute";
    triggerPoint2.style.left= whichArray[1].xPos +'px';
    triggerPoint2.style.top= whichArray[1].yPos + 'px';
    triggerPoint2.style.width= whichArray[1].width + 'px';
    //triggerPoint2.setAttribute("class", "+criteria+");
    triggerPoint2.innerHTML += '<button onclick="loadOurVideoFiles();"
class="triggerPointsClass">\"+triggerPointsArray[1].text+'\'</button><br>';
    document.body.append(triggerPoint2);
  }
```

```
function notesRow(theX, theY, sizeX, sizeY, whichArray, criteria1)
{
   theX -= sizeX;

   for(let i = 0; i < whichArray.length; i++)
     {
     theX = theX + sizeX;  //columns across

     if(whichArray[i].tag == criteria1)
     {
        //filter for a MONTH, meaning, SHOW ONLY 1 month
        //if(whichArray[i].date.substring(0,2) == 3)

        //filter for Multiple MONTHS
        //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

        //filter for a DATE
        //if(whichArray[i].date.substring(0,10) == "02/29/2018")

        //filter for a Multiple DATES
        //if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")

        //filter for a DAY, of any month, of any year
        //if(whichArray[i].date.substring(3,5) == 2)

        //filter for a YEAR
        //if(whichArray[i].date.substring(6,10) == 2019)

        //filter for MULTIPLE YEARS
        //if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)

        //filter for MONTH and YEAR
```

```
            //if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)

            //You can replace the if statement below,
            //with one of the options above.
            if(whichArray) //shows all items
            {
              let notesCategoryTitle = document.createElement("div");
              notesCategoryTitle.style.position="absolute";
              notesCategoryTitle.style.left= theX +'px';
              notesCategoryTitle.style.top= theY -25 + 'px';

              notesCategoryTitle.style.color="white";
              notesCategoryTitle.style.zIndex="10";
              notesCategoryTitle.style.fontFamily="exo";
              notesCategoryTitle.style.fontWeight="bold";
              notesCategoryTitle.style.fontSize="medium";
              notesCategoryTitle.style.background="black";

              notesCategoryTitle.style.textAlign="center";
              notesCategoryTitle.style.width= sizeX +'px';
              notesCategoryTitle.style.border = "solid 2px
rgba(100,100,255,1.0)";
              notesCategoryTitle.innerHTML="Notes Row";

              let notesDiv = document.createElement("div");
              notesDiv.style.position="absolute";
              notesDiv.style.left= theX + 'px';
              notesDiv.style.top= theY +'px';
              notesDiv.style.color="black";
              notesDiv.style.zIndex="1";
              notesDiv.style.border = "solid 2px rgba(0,0,100,1.0)";
              notesDiv.style.fontFamily="exo";
              notesDiv.style.fontWeight="normal";
              notesDiv.style.fontSize="medium";
              notesDiv.style.width= sizeX +'px';
```

```
                notesDiv.style.height= sizeY +'px';
                notesDiv.style.background="white";
                notesDiv.style.textAlign="center";

                //notesRow.id = whichArray[i].id;
                notesDiv.id = Math.floor(350000 + Math.random() *
9750000);

                notesDiv.innerHTML += '<button
onclick="printOnlyDiv(\"+notesDiv.id+'\');"
class="ourButton">print</button><br>';

                notesDiv.innerHTML+= whichArray[i].date + "<br>";
                notesDiv.innerHTML+= whichArray[i].number + "<br>";
                notesDiv.innerHTML += whichArray[i].note + "<br>";

                document.body.append(notesDiv);
                document.body.append(notesCategoryTitle);
            }
        }
    }
}


    /*  Adds videos to the page
        the videos must allow embed
        on youtube, you copy the url in the Address Bar
        for example https://www.youtube.com/watch?v=Q4tPG-cwiWE
        now you just replace watch?v= with embed/
        for example  https://www.youtube.com/embed/Q4tPG-cwiWE
    */
    function makeVideos(theX, theY, sizeX, sizeY, whichArray, criteria)
    {
        theX -= sizeX;

        for(let i = 0; i < whichArray.length; i++)
            {
```

```
if(whichArray[i].description == criteria)
{
    theX = theX + sizeX;  //columns across

    //filter for a MONTH, meaning, SHOW ONLY 1 month
    //if(whichArray[i].date.substring(0,2) == 3)

    //filter for Multiple MONTHS
    //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

    //filter for a DATE
    //if(whichArray[i].date.substring(0,10) == "02/29/2018")

    //filter for a Multiple DATES
    //if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")

    //filter for a DAY, of any month, of any year
    //if(whichArray[i].date.substring(3,5) == 2)

    //filter for a YEAR
    //if(whichArray[i].date.substring(6,10) == 2019)

    //filter for MULTIPLE YEARS
    //if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)

    //filter for MONTH and YEAR
    //if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)

        //You can replace the if statement below,
        //with one of the options above.
        if(whichArray) //shows all items
        {
```

```
let createCategoryTitle = document.createElement("div");

createCategoryTitle.style.position="absolute";
createCategoryTitle.style.left= theX +'px';
createCategoryTitle.style.top= theY -150 + 'px';

createCategoryTitle.style.color="white";
createCategoryTitle.style.zIndex="10";
createCategoryTitle.style.fontFamily="exo";
createCategoryTitle.style.fontWeight="bold";
createCategoryTitle.style.fontSize="medium";
createCategoryTitle.style.background="black";
createCategoryTitle.style.textAlign="center";
createCategoryTitle.style.width= sizeX +'px';
createCategoryTitle.style.border = "solid 2px
rgba(100,100,255,1.0)";

createCategoryTitle.innerHTML="+criteria+";

let videoTitle = document.createElement("div");

videoTitle.style.position="absolute";
videoTitle.style.left= theX +'px';
videoTitle.style.top= theY -100 + 'px';

videoTitle.style.color="yellow";
videoTitle.style.zIndex="10";
videoTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
videoTitle.style.fontFamily="exo";
videoTitle.style.fontWeight="bold";
videoTitle.style.fontSize="medium";
videoTitle.style.background="black";
videoTitle.style.textAlign="center";
videoTitle.style.width= sizeX +'px';
```

```
                videoTitle.innerHTML= whichArray[i].title + "<br>" +
"upload date " + "+whichArray[i].date+" + "<br>" + "+whichArray[i].url+" +
"<br>";

                videoTitle.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br>';

                videoTitle.id = Math.floor(300000 + Math.random() *
9700000);

                let printButton = document.createElement("div");
                printButton.style.position="absolute";
                printButton.style.left= theX +'px';
                printButton.style.top= theY -125 + 'px';

                printButton.style.color="white";
                printButton.style.zIndex="10";

                printButton.innerHTML += '<button
onclick="printOnlyDiv(\"+videoTitle.id+'\');"
class="ourButton">print</button><br>';

                let makeVideo = document.createElement("iframe");

                makeVideo.src = whichArray[i].url;

                makeVideo.style.position="absolute";
                makeVideo.style.left= theX +'px';
                makeVideo.style.top= theY + 'px';
                makeVideo.style.color="aqua";
                makeVideo.style.zIndex="1";
                makeVideo.style.fontFamily="exo";
                makeVideo.style.fontWeight="bold";
                makeVideo.style.fontSize="xx-large";
                makeVideo.style.width= sizeX +'px';
                makeVideo.style.height= sizeY +'px';
```

```javascript
                makeVideo.style.background="black";
                makeVideo.style.textAlign="center";
                makeVideo.style.border = "solid 2px rgba(100,100,255,1.0)";

                //makeVideo.setAttribute("class", "+criteria+");

                document.body.append(videoTitle);
                document.body.append(createCategoryTitle);
                document.body.append(makeVideo);
                document.body.append(printButton);
            }
          }
        }
    }


    function makeVideosMultiFilters(theX, theY, sizeX, sizeY, whichArray,
criteria1, criteria2)
    {
        theX -= sizeX;

        for(let i = 0; i < whichArray.length; i++)
          {
          if(whichArray[i].tag == criteria1 && whichArray[i].description ==
criteria2)
            {
              //filter for a MONTH, meaning, SHOW ONLY 1 month
              //if(whichArray[i].date.substring(0,2) == 3)

              //filter for Multiple MONTHS
              //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

              //filter for a DATE
              //if(whichArray[i].date.substring(0,10) == "02/29/2018")

              //filter for a Multiple DATES
```

```
//if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")


        //filter for a DAY, of any month, of any year
        //if(whichArray[i].date.substring(3,5) == 2)


        //filter for a YEAR
        //if(whichArray[i].date.substring(6,10) == 2019)


        //filter for MULTIPLE YEARS
        //if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)


        //filter for MONTH and YEAR
        //if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)


        //You can replace the if statement below,
        //with one of the options above.
        if(whichArray) //shows all items
        {
            theX = theX + sizeX;  //columns across

            let createCategoriesTitle = document.createElement("div");

            createCategoriesTitle.style.position="absolute";
            createCategoriesTitle.style.left= theX +'px';
            createCategoriesTitle.style.top= theY -150 + 'px';

            createCategoriesTitle.style.color="white";
            createCategoriesTitle.style.zIndex="10";
            createCategoriesTitle.style.fontFamily="exo";
            createCategoriesTitle.style.fontWeight="bold";
            createCategoriesTitle.style.fontSize="medium";
            createCategoriesTitle.style.background="black";
            createCategoriesTitle.style.textAlign="center";
```

```
createCategoriesTitle.style.width= sizeX +'px';
createCategoriesTitle.style.border = "solid 2px
rgba(100,100,255,1.0)";

createCategoriesTitle.innerHTML="+criteria1+" + "  -   " +
"+criteria2+";

let videoTitleHere = document.createElement("div");

videoTitleHere.style.position="absolute";
videoTitleHere.style.left= theX +'px';
videoTitleHere.style.top= theY -100 + 'px';

videoTitleHere.style.color="yellow";
videoTitleHere.style.zIndex="10";
videoTitleHere.style.border = "solid 2px
rgba(100,100,255,1.0)";
videoTitleHere.style.fontFamily="exo";
videoTitleHere.style.fontWeight="bold";
videoTitleHere.style.fontSize="medium";
videoTitleHere.style.background="black";
videoTitleHere.style.textAlign="center";
videoTitleHere.style.width= sizeX +'px';

videoTitleHere.innerHTML= whichArray[i].title + "<br>" +
"upload date " + "+whichArray[i].date+" + "<br>" + "+whichArray[i].url+" +
"<br>";

videoTitleHere.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br>';

videoTitleHere.id = Math.floor(300000 + Math.random() *
9700000);

let printButtonHere = document.createElement("div");
printButtonHere.style.position="absolute";
```

```
            printButtonHere.style.left= theX +'px';
            printButtonHere.style.top= theY -125 + 'px';

            printButtonHere.style.color="white";
            printButtonHere.style.zIndex="10";

            printButtonHere.innerHTML += '<button
onclick="printOnlyDiv(\"+videoTitleHere.id+'\');" class="ourButton">print</
button><br>';

            let makeVideoHere = document.createElement("iframe");

            makeVideoHere.src = whichArray[i].url;

            makeVideoHere.style.position="absolute";
            makeVideoHere.style.left= theX +'px';
            makeVideoHere.style.top= theY + 'px';
            makeVideoHere.style.color="aqua";
            makeVideoHere.style.zIndex="1";
            makeVideoHere.style.fontFamily="exo";
            makeVideoHere.style.fontWeight="bold";
            makeVideoHere.style.fontSize="xx-large";
            makeVideoHere.style.width= sizeX +'px';
            makeVideoHere.style.height= sizeY +'px';
            makeVideoHere.style.background="black";
            makeVideoHere.style.textAlign="center";
            makeVideoHere.style.border = "solid 2px
rgba(100,100,255,1.0)";

            //makeVideo.setAttribute("class", "+criteria+");

            document.body.append(videoTitleHere);
            document.body.append(createCategoriesTitle);
            document.body.append(makeVideoHere);
            document.body.append(printButtonHere);
        }
```

```
            }
          }
        }


      /*Makes iframes in a row to add content to our level
        can be used to display Websites or Videos
        the websites must allow iframe
        the videos must allow embed
      */
      function makeWebsitesOrVideos(theX, theY, sizeX, sizeY, whichArray,
criteria1)
        {
          theX -= sizeX;

          for(let i = 0; i < whichArray.length; i++)
            {
            theX = theX + sizeX;  //columns across

            if(whichArray[i].tag == criteria1)
            {
              //filter for a MONTH, meaning, SHOW ONLY 1 month
              //if(whichArray[i].date.substring(0,2) == 3)

              //filter for Multiple MONTHS
              //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

              //filter for a DATE
              //if(whichArray[i].date.substring(0,10) == "02/29/2018")

              //filter for a Multiple DATES
              //if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")

              //filter for a DAY, of any month, of any year
              //if(whichArray[i].date.substring(3,5) == 2)
```

```
//filter for a YEAR
//if(whichArray[i].date.substring(6,10) == 2019)

//filter for MULTIPLE YEARS
//if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)

//filter for MONTH and YEAR
//if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)

//You can replace the if statement below,
//with one of the options above.
if(whichArray) //shows all items
{
    let videoCategoryTitle = document.createElement("div");
    videoCategoryTitle.style.position="absolute";
    videoCategoryTitle.style.left= theX +'px';
    videoCategoryTitle.style.top= theY -150 + 'px';

    videoCategoryTitle.style.color="white";
    videoCategoryTitle.style.zIndex="10";
    videoCategoryTitle.style.fontFamily="exo";
    videoCategoryTitle.style.fontWeight="bold";
    videoCategoryTitle.style.fontSize="medium";
    videoCategoryTitle.style.background="black";
    videoCategoryTitle.style.textAlign="center";
    videoCategoryTitle.style.width= sizeX +'px';
    videoCategoryTitle.style.border = "solid 2px
rgba(100,100,255,1.0)";
    videoCategoryTitle.innerHTML="Video Evidence";

    let makeFrame = document.createElement("iframe");
    makeFrame.src = whichArray[i].url;
```

```javascript
makeFrame.style.position="absolute";
makeFrame.style.left= theX +'px';
makeFrame.style.top= theY + 'px';
makeFrame.style.color="white";
makeFrame.style.zIndex="1";
makeFrame.style.fontFamily="exo";
makeFrame.style.fontWeight="bold";
makeFrame.style.fontSize="xx-large";
makeFrame.style.width= sizeX +'px';
makeFrame.style.height= sizeY +'px';
makeFrame.style.border = "solid 2px rgba(100,100,255,1.0)";
makeFrame.style.background="black";
makeFrame.style.textAlign="center";

//makeFrame.id = whichArray[i].id;

let ourVideoTitle = document.createElement("div");
ourVideoTitle.style.position="absolute";
ourVideoTitle.style.left= theX +'px';
ourVideoTitle.style.top= theY -100 + 'px';

ourVideoTitle.style.color="yellow";
ourVideoTitle.style.zIndex="10";
ourVideoTitle.style.border = "solid 2px
rgba(100,100,255,1.0)";
ourVideoTitle.style.fontFamily="exo";
ourVideoTitle.style.fontWeight="bold";
ourVideoTitle.style.fontSize="medium";
ourVideoTitle.style.background="black";
ourVideoTitle.style.textAlign="center";
ourVideoTitle.style.width= sizeX +'px';

ourVideoTitle.innerHTML=whichArray[i].title+ "  " + "<br> "
+ "upload date " + "+whichArray[i].date+" + "<br>" + "+whichArray[i].url+"
+ "<br>";
```

```
            ourVideoTitle.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br>';

            ourVideoTitle.id = Math.floor(200000 + Math.random() *
998000);

            let thePrintButton = document.createElement("div");
            thePrintButton.style.position="absolute";
            thePrintButton.style.left= theX +'px';
            thePrintButton.style.top= theY -125 + 'px';

            thePrintButton.style.color="white";
            thePrintButton.style.zIndex="10";

            thePrintButton.innerHTML += '<button
onclick="printOnlyDiv(\"+ourVideoTitle.id+'\');"
class="ourButton">print</button><br>';

            document.body.append(ourVideoTitle);
            document.body.append(makeFrame);
            document.body.append(videoCategoryTitle);
            document.body.append(thePrintButton);
        }
      }
    }
  }


    ////makes a row of videos, using internet url embed enabled videos, with
a reload button, so that the video and/or audio can be played again from the
start point.////
    function makeVideosOnlineStartEnd(theX, theY, sizeX, sizeY,
whichArray, criteria1, criteria2)
    {
      theX -= sizeX;

      for(let i = 0; i < whichArray.length; i++)
```

```
        {
      if(whichArray[i].tag == criteria1 && whichArray[i].description ==
criteria2)
        {
          //filter for a MONTH, meaning, SHOW ONLY 1 month
          //if(whichArray[i].date.substring(0,2) == 3)

          //filter for Multiple MONTHS
          //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

          //filter for a DATE
          //if(whichArray[i].date.substring(0,10) == "02/29/2018")

          //filter for a Multiple DATES
          //if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")

          //filter for a DAY, of any month, of any year
          //if(whichArray[i].date.substring(3,5) == 2)

          //filter for a YEAR
          //if(whichArray[i].date.substring(6,10) == 2019)

          //filter for MULTIPLE YEARS
          //if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)

          //filter for MONTH and YEAR
          //if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)

          //You can replace the if statement below,
          //with one of the options above.
          if(whichArray) //shows all items
          {
```

```
theX = theX + sizeX;  //columns across

let createCategoriesTitle = document.createElement("div");

createCategoriesTitle.style.position="absolute";
createCategoriesTitle.style.left= theX +'px';
createCategoriesTitle.style.top= theY -150 + 'px';

createCategoriesTitle.style.color="white";
createCategoriesTitle.style.zIndex="10";
createCategoriesTitle.style.fontFamily="exo";
createCategoriesTitle.style.fontWeight="bold";
createCategoriesTitle.style.fontSize="medium";
createCategoriesTitle.style.background="black";
createCategoriesTitle.style.textAlign="center";
createCategoriesTitle.style.width= sizeX +'px';
createCategoriesTitle.style.border = "solid 2px
rgba(100,100,255,1.0)";

createCategoriesTitle.innerHTML="+criteria1+" + "  -   " +
"+criteria2+";

let videoTitleHere = document.createElement("div");

videoTitleHere.style.position="absolute";
videoTitleHere.style.left= theX +'px';
videoTitleHere.style.top= theY -100 + 'px';

videoTitleHere.style.color="yellow";
videoTitleHere.style.zIndex="10";
videoTitleHere.style.border = "solid 2px
rgba(100,100,255,1.0)";
videoTitleHere.style.fontFamily="exo";
videoTitleHere.style.fontWeight="bold";
videoTitleHere.style.fontSize="medium";
videoTitleHere.style.background="black";
```

```
            videoTitleHere.style.textAlign="center";
            videoTitleHere.style.width= sizeX +'px';

            videoTitleHere.innerHTML= whichArray[i].title + "<br>" +
"upload date " + "+whichArray[i].date+" + "<br>" + "+whichArray[i].url+" +
"<br>";

            videoTitleHere.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br>';

            videoTitleHere.id = Math.floor(300000 + Math.random() *
9700000);

            let printButtonHere = document.createElement("div");
            printButtonHere.style.position="absolute";
            printButtonHere.style.left= theX +'px';
            printButtonHere.style.top= theY -125 + 'px';

            printButtonHere.style.color="white";
            printButtonHere.style.zIndex="10";

            printButtonHere.innerHTML += '<button
onclick="printOnlyDiv(\"+videoTitleHere.id+'\');" class="ourButton">print</
button><br>';

            let makeVideoHere = document.createElement("iframe");

            makeVideoHere.id = Math.floor(350000 + Math.random() *
9750000);

            makeVideoHere.src = whichArray[i].url;

            makeVideoHere.style.position="absolute";
            makeVideoHere.style.left= theX +'px';
            makeVideoHere.style.top= theY + 'px';
            makeVideoHere.style.color="aqua";
```

```
                makeVideoHere.style.zIndex="1";
                makeVideoHere.style.fontFamily="exo";
                makeVideoHere.style.fontWeight="bold";
                makeVideoHere.style.fontSize="xx-large";
                makeVideoHere.style.width= sizeX +'px';
                makeVideoHere.style.height= sizeY +'px';
                makeVideoHere.style.background="black";
                makeVideoHere.style.textAlign="center";
                makeVideoHere.style.border = "solid 2px
rgba(100,100,255,1.0)";

                let reloadVideoButton = document.createElement("div");
                reloadVideoButton.style.position="absolute";
                reloadVideoButton.style.left= theX +'px';
                reloadVideoButton.style.top= theY +75 + 'px';
                reloadVideoButton.style.zIndex="15";

                reloadVideoButton.innerHTML += '<button
class="videoButtons"
onclick=reloadOurVideo(\'"+makeVideoHere.id+'\")>reload</button>';

                document.body.append(videoTitleHere);
                document.body.append(createCategoriesTitle);
                document.body.append(makeVideoHere);
                document.body.append(printButtonHere);
                document.body.append(reloadVideoButton);
            }
        }
      }
    }

    function reloadOurVideo(theFrameId)
    {
      document.getElementById(theFrameId).src =
document.getElementById(theFrameId).src;
    }
```

//Makes a Row of Video or Audio files, of mp3 or mp4 format
//video and/or audio files MUST BE placed in the _audio, _video folders,
//or, alternatively, you can define url2 as an internet address. If you are using the folder option, define url2 as null in your data. That way it will use the title as the src for the file.

```
function makeVideosUsingVideoFile(theX, theY, sizeX, sizeY,
whichArray, criteria1, criteria2)
    {
      theX -= sizeX;

      for(let i = 0; i < whichArray.length; i++)
        {
        if(whichArray[i].tag == criteria1 && whichArray[i].description ==
criteria2)
          {
            //filter for a MONTH, meaning, SHOW ONLY 1 month
            //if(whichArray[i].date.substring(0,2) == 3)

            //filter for Multiple MONTHS
            //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

            //filter for a DATE
            //if(whichArray[i].date.substring(0,10) == "02/29/2018")

            //filter for a Multiple DATES
            //if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")

            //filter for a DAY, of any month, of any year
            //if(whichArray[i].date.substring(3,5) == 2)

            //filter for a YEAR
            //if(whichArray[i].date.substring(6,10) == 2019)
```

```javascript
//filter for MULTIPLE YEARS
//if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)

//filter for MONTH and YEAR
//if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)

//You can replace the if statement below,
//with one of the options above.
if(whichArray) //shows all items
{
   theX = theX + sizeX;  //columns across

   let theCategoriesTitle = document.createElement("div");

   theCategoriesTitle.style.position="absolute";
   theCategoriesTitle.style.left= theX +'px';
   theCategoriesTitle.style.top= theY -150 + 'px';

   theCategoriesTitle.style.color="white";
   theCategoriesTitle.style.zIndex="10";
   theCategoriesTitle.style.fontFamily="exo";
   theCategoriesTitle.style.fontWeight="bold";
   theCategoriesTitle.style.fontSize="medium";
   theCategoriesTitle.style.background="black";
   theCategoriesTitle.style.textAlign="center";
   theCategoriesTitle.style.width= sizeX +'px';
   theCategoriesTitle.style.border = "solid 2px
rgba(100,100,255,1.0)";

   theCategoriesTitle.innerHTML="+criteria1+" + "  -   " +
"+criteria2+";

   let theVideoTitle = document.createElement("div");
```

```
theVideoTitle.style.position="absolute";
theVideoTitle.style.left= theX +'px';
theVideoTitle.style.top= theY -100 + 'px';

theVideoTitle.style.color="yellow";
theVideoTitle.style.zIndex="10";
theVideoTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
theVideoTitle.style.fontFamily="exo";
theVideoTitle.style.fontWeight="bold";
theVideoTitle.style.fontSize="medium";
theVideoTitle.style.background="black";
theVideoTitle.style.textAlign="center";
theVideoTitle.style.width= sizeX +'px';

theVideoTitle.innerHTML= whichArray[i].title + "<br>" +
"upload date " + "+whichArray[i].date+" + "<br>" + "+whichArray[i].url+" +
"<br>";

theVideoTitle.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br>';

theVideoTitle.innerHTML+= "Start Time " +
whichArray[i].starttime + "&nbsp &nbsp" + " End Time " +
whichArray[i].endtime + "<br>";

theVideoTitle.id = Math.floor(300000 + Math.random() *
9700000);

let thePrintButtonHere = document.createElement("div");
thePrintButtonHere.style.position="absolute";
thePrintButtonHere.style.left= theX +'px';
thePrintButtonHere.style.top= theY -125 + 'px';

thePrintButtonHere.style.color="white";
thePrintButtonHere.style.zIndex="10";
```

```
                thePrintButtonHere.innerHTML += '<button
onclick="printOnlyDiv(\"+theVideoTitle.id+'\');"
class="ourButton">print</button><br>';

                let theVideoHere = document.createElement("video");

                //theVideoHere.setAttribute("class", "+criteria+");
                theVideoHere.setAttribute("controls", ");

                /*If url2 is the word "null",
                //then it will use the movies folder as the source
                //else, if the url2 is defined, then it will use url2
                */
                if(whichArray[i].url2 == "null")
                {
                   if(whichArray[i].kind=="video")
                   {
                      //referencing the video folder
                      theVideoHere.src = "_video/" + whichArray[i].title + "." +
whichArray[i].type;
                   }
                   if(whichArray[i].kind=="audio")
                   {
                      //referencing the audio folder
                      theVideoHere.src = "_audio/" + whichArray[i].title + "." +
whichArray[i].type;
                   }
                }
                else  //else if url2 is defined, then use url2 as source
                {
                   if(whichArray[i].kind=="video")
                   {
                      //referencing the url of the video online
                      theVideoHere.src = whichArray[i].url2;
                   }
                   if(whichArray[i].kind=="audio")
```

```
                {
                    //referencing the url of the audio online
                    theVideoHere.src = whichArray[i].url2;
                }
            }


theVideoHere.currentTime=secondsFromTimeCode(whichArray[i].starttime);

            theVideoHere.style.position="absolute";
            theVideoHere.style.left= theX +'px';
            theVideoHere.style.top= theY + 'px';
            theVideoHere.style.color="aqua";
            theVideoHere.style.zIndex="1";
            theVideoHere.style.fontFamily="exo";
            theVideoHere.style.fontWeight="bold";
            theVideoHere.style.fontSize="xx-large";
            theVideoHere.style.width= sizeX +'px';
            theVideoHere.style.height= sizeY +'px';
            theVideoHere.style.background="black";
            theVideoHere.style.textAlign="center";
            theVideoHere.style.border = "solid 2px
rgba(100,100,255,1.0)";

            theVideoHere.id = Math.floor(300000 + Math.random() *
9700000);

            let continuePlay100 = document.createElement("div");
            continuePlay100.style.position="absolute";
            continuePlay100.style.left= theX +'px';
            continuePlay100.style.top= theY +75 + 'px';
            continuePlay100.style.zIndex="15";

            continuePlay100.innerHTML += '<button
onclick="playVideo(\"+theVideoHere.id+'\', \"+ourVideoFiles[i].starttime+'\',\"
```

```
+ourVideoFiles[i].endtime+'\',1.0,1)"
class="videoButtons">&#11208;100</button><br>';

                let continuePlay50 = document.createElement("div");
                continuePlay50.style.position="absolute";
                continuePlay50.style.left= theX +'px';
                continuePlay50.style.top= theY +100 + 'px';
                continuePlay50.style.zIndex="15";

                continuePlay50.innerHTML += '<button
onclick="playVideo(\"+theVideoHere.id+'\', \"+ourVideoFiles[i].starttime+'\',\"
+ourVideoFiles[i].endtime+'\',0.5,1)"
class="videoButtons">&#11208;50</button><br>';

                let continuePlay25 = document.createElement("div");
                continuePlay25.style.position="absolute";
                continuePlay25.style.left= theX +'px';
                continuePlay25.style.top= theY +125 + 'px';
                continuePlay25.style.zIndex="15";

                continuePlay25.innerHTML += '<button
onclick="playVideo(\"+theVideoHere.id+'\', \"+ourVideoFiles[i].starttime+'\',\"
+ourVideoFiles[i].endtime+'\',0.25,1)"
class="videoButtons">&#11208;25</button><br>';

                let continuePlay10 = document.createElement("div");
                continuePlay10.style.position="absolute";
                continuePlay10.style.left= theX +'px';
                continuePlay10.style.top= theY +150 + 'px';
                continuePlay10.style.zIndex="15";

                continuePlay10.innerHTML += '<button
onclick="playVideo(\"+theVideoHere.id+'\', \"+ourVideoFiles[i].starttime+'\',\"
+ourVideoFiles[i].endtime+'\',0.10,1)"
class="videoButtons">&#11208;10</button><br>';
```

```
let playButton100 = document.createElement("div");
playButton100.style.position="absolute";
playButton100.style.left= theX +'px';
playButton100.style.top= theY +200 + 'px';
playButton100.style.zIndex="15";

playButton100.innerHTML += '<button
onclick="playVideo(\"+theVideoHere.id+'\', \"+ourVideoFiles[i].starttime+'\',\"
+ourVideoFiles[i].endtime+'\',1.0, 0)"
class="videoButtons">&#9684;100</button><br>';

let playButton50 = document.createElement("div");
playButton50.style.position="absolute";
playButton50.style.left= theX +'px';
playButton50.style.top= theY +225 + 'px';

playButton50.style.zIndex="15";

playButton50.innerHTML += '<button
onclick="playVideo(\"+theVideoHere.id+'\', \"+ourVideoFiles[i].starttime+'\',\"
+ourVideoFiles[i].endtime+'\',0.5, 0)"
class="videoButtons">&#9684;50</button><br>';

let playButton25 = document.createElement("div");
playButton25.style.position="absolute";
playButton25.style.left= theX +'px';
playButton25.style.top= theY +250 + 'px';
playButton25.style.zIndex="15";

playButton25.innerHTML += '<button
onclick="playVideo(\"+theVideoHere.id+'\', \"+ourVideoFiles[i].starttime+'\',\"
+ourVideoFiles[i].endtime+'\',0.25, 0)"
class="videoButtons">&#9684;25</button><br>';

let playButton10 = document.createElement("div");
playButton10.style.position="absolute";
```

```
            playButton10.style.left= theX +'px';
            playButton10.style.top= theY +275 + 'px';

            playButton10.style.zIndex="15";

            playButton10.innerHTML += '<button
onclick="playVideo(\"+theVideoHere.id+'\', \"+ourVideoFiles[i].starttime+'\',\"
+ourVideoFiles[i].endtime+'\',0.10, 0)"
class="videoButtons">&#9684;10</button><br>';

            document.body.append(theVideoTitle);
            document.body.append(theCategoriesTitle);
            document.body.append(theVideoHere);
            document.body.append(thePrintButtonHere);
            document.body.append(continuePlay100);
            document.body.append(continuePlay50);
            document.body.append(continuePlay25);
            document.body.append(continuePlay10);
            document.body.append(playButton100);
            document.body.append(playButton50);
            document.body.append(playButton25);
            document.body.append(playButton10);
          }
        }
      }
    }

    function secondsFromTimeCode(fullTimeCode)
    {
        if(!fullTimeCode) fullTimeCode = '00:00:00';
        let theStringSeconds = fullTimeCode;
        let splitValue = theStringSeconds.split(":");

        let secondsOnly = parseInt(splitValue[2]);
        let secondsFromMinutes = parseInt(splitValue[1]) * 60;
        let secondsFromHours = parseInt(splitValue[0]) * 3600;
```

```
        let calculatedSeconds = secondsFromHours + secondsFromMinutes
+ secondsOnly;
        //now seconds variable is an array, 1:2:3

        return calculatedSeconds;
    }

    let endTimeEntered;
    let ourVideoHere;

    function playVideo(elementid, starttime, endtime, videoSpeed,
continueOption)
    {
        starttime = secondsFromTimeCode(starttime);
        endtime = secondsFromTimeCode(endtime);

        ourVideoHere = document.getElementById(elementid);

        ourVideoHere.playbackRate = videoSpeed;

        ourVideoHere.addEventListener("timeupdate",pauseVideo);

        if(continueOption == 1)
        {
            ourVideoHere.removeEventListener("timeupdate",pauseVideo);
        }
        ourVideoHere.currentTime = starttime;
        ourVideoHere.play();
        endTimeEntered = endtime;
    }

    function pauseVideo()
    {
        if (ourVideoHere.currentTime >= endTimeEntered)
        {
```

```
      ourVideoHere.pause();
    }
  }


  /*Makes divs in a row - custom for news Data*/
  function newsRow(theX, theY, sizeX, sizeY, whichArray, criteria1)
  {
    theX -= sizeX;

    for(let i = 0; i < whichArray.length; i++)
      {
      theX = theX + sizeX;  //columns across

      if(whichArray[i].tag == criteria1)
      {
        //filter for a MONTH, meaning, SHOW ONLY 1 month
        //if(whichArray[i].date.substring(0,2) == 3)

        //filter for Multiple MONTHS
        //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

        //filter for a DATE
        //if(whichArray[i].date.substring(0,10) == "02/29/2018")

        //filter for a Multiple DATES
        //if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")

        //filter for a DAY, of any month, of any year
        //if(whichArray[i].date.substring(3,5) == 2)

        //filter for a YEAR
        //if(whichArray[i].date.substring(6,10) == 2019)

        //filter for MULTIPLE YEARS
```

```
        //if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)

        //filter for MONTH and YEAR
        //if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)

        //You can replace the if statement below,
        //with one of the options above.
        if(whichArray) //shows all items
        {
           let newsTitle = document.createElement("div");
           newsTitle.style.position="absolute";
           newsTitle.style.left= theX +'px';
           newsTitle.style.top= theY -22 + 'px';

           newsTitle.style.color="white";
           newsTitle.style.zIndex="10";
           newsTitle.style.fontFamily="exo";
           newsTitle.style.fontWeight="bold";
           newsTitle.style.fontSize="medium";
           newsTitle.style.background="black";
           newsTitle.style.textAlign="center";
           newsTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
           newsTitle.style.width= sizeX +'px';
           newsTitle.innerHTML="NEWS";

           let newsSpace = document.createElement("div");
           newsSpace.style.position="absolute";
           newsSpace.style.left= theX +'px';
           newsSpace.style.top= theY + 'px';
           newsSpace.style.color="black";
           newsSpace.style.zIndex="100";
           newsSpace.style.border = "solid 2px rgba(100,100,255,1.0)";
           newsSpace.style.fontFamily="exo";
           newsSpace.style.fontWeight="bold";
```

```javascript
            newsSpace.style.fontSize="normal";
            newsSpace.style.width= sizeX +'px';
            newsSpace.style.height= sizeY +'px';
            newsSpace.style.background="white";
            newsSpace.style.textAlign="center";

            //newsSpace.id = whichArray[i].id;
            newsSpace.id = Math.floor(352000 + Math.random() *
9740000);

            newsSpace.innerHTML += '<button
onclick="printOnlyDiv(\"+newsSpace.id+'\');"
class="ourButton">print</button><br>';

            newsSpace.innerHTML += whichArray[i].headline + "<br>";

            newsSpace.innerHTML+= whichArray[i].date + "<br>";

            newsSpace.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a>';

            document.body.append(newsSpace);
            document.body.append(newsTitle);
          }
        }
      }
    }

    function evidenceRow(theX, theY, sizeX, sizeY, whichArray, criteria1)
    {
      theX -= sizeX;

      for(let i = 0; i < whichArray.length; i++)
        {
        theX = theX + sizeX;  //columns across
```

```
if(whichArray[i].tag == criteria1)
{
    //filter for a MONTH, meaning, SHOW ONLY 1 month
    //if(whichArray[i].date.substring(0,2) == 3)

    //filter for Multiple MONTHS
    //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

    //filter for a DATE
    //if(whichArray[i].date.substring(0,10) == "02/29/2018")

    //filter for a Multiple DATES
    //if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")

    //filter for a DAY, of any month, of any year
    //if(whichArray[i].date.substring(3,5) == 2)

    //filter for a YEAR
    //if(whichArray[i].date.substring(6,10) == 2019)

    //filter for MULTIPLE YEARS
    //if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)

    //filter for MONTH and YEAR
    //if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)

    //You can replace the if statement below,
    //with one of the options above.
    if(whichArray) //shows all items
    {
        let evidenceTitle = document.createElement("div");
        evidenceTitle.style.position="absolute";
```

```
evidenceTitle.style.left= theX +'px';
evidenceTitle.style.top= theY -22 + 'px';

evidenceTitle.style.color="white";
evidenceTitle.style.zIndex="10";
evidenceTitle.style.fontFamily="exo";
evidenceTitle.style.fontWeight="bold";
evidenceTitle.style.fontSize="medium";
evidenceTitle.style.background="black";
evidenceTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
//evidenceTitle.style.padding="0px 5px 0px 5px";

evidenceTitle.style.paddingLeft="20px";
evidenceTitle.style.paddingRight="20px";

evidenceTitle.style.textAlign="center";
evidenceTitle.style.width= sizeX +'px';
evidenceTitle.innerHTML="EvidenceRow";

let evidenceRow = document.createElement("p");
evidenceRow.style.position="absolute";
evidenceRow.style.left= theX + 'px';
evidenceRow.style.top= theY +'px';
evidenceRow.style.color="black";
evidenceRow.style.zIndex="1";
evidenceRow.style.border = "solid 2px rgba(100,100,255,1.0)";
evidenceRow.style.fontFamily="exo";
evidenceRow.style.fontWeight="normal";
evidenceRow.style.fontSize="medium";

//evidenceRow.style.padding="0px 5px 0px 5px";
evidenceRow.style.paddingLeft="20px";
evidenceRow.style.paddingRight="20px";

evidenceRow.style.background="white";
evidenceRow.style.textAlign="center";
```

```javascript
            evidenceRow.style.width= sizeX +'px';
            evidenceRow.style.height= sizeY +'px';

            //evidenceRow.id = whichArray[i].id;
            evidenceRow.id = Math.floor(356000 + Math.random() *
9760000);

            evidenceRow.innerHTML += '<button
onclick="printOnlyDiv(\"+evidenceRow.id+'\');"
class="ourButton">print</button><br>';

            evidenceRow.innerHTML += whichArray[i].title + "<br>";

            evidenceRow.innerHTML += whichArray[i].date + "<br>";

            evidenceRow.innerHTML += whichArray[i].info +  "<br>";

            evidenceRow.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a>';

            document.body.append(evidenceRow);
            document.body.append(evidenceTitle);
          }
        }
      }
    }

    function evidenceWithImageRow(theX, theY, sizeX, sizeY, whichArray,
criteria1)
      {
        theX -= sizeX;

        for(let i = 0; i < whichArray.length; i++)
          {
          theX = theX + sizeX;  //columns across
```

```
if(whichArray[i].tag == criteria1)
{
    //filter for a MONTH, meaning, SHOW ONLY 1 month
    //if(whichArray[i].date.substring(0,2) == 3)

    //filter for Multiple MONTHS
    //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

    //filter for a DATE
    //if(whichArray[i].date.substring(0,10) == "02/29/2018")

    //filter for a Multiple DATES
    //if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")

    //filter for a DAY, of any month, of any year
    //if(whichArray[i].date.substring(3,5) == 2)

    //filter for a YEAR
    //if(whichArray[i].date.substring(6,10) == 2019)

    //filter for MULTIPLE YEARS
    //if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)

    //filter for MONTH and YEAR
    //if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)

    //You can replace the if statement below,
    //with one of the options above.
    if(whichArray) //shows all items
    {
        let theTitle = document.createElement("div");
        theTitle.style.position="absolute";
```

```
theTitle.style.left= theX +'px';
theTitle.style.top= theY -22 + 'px';

theTitle.style.color="white";
theTitle.style.zIndex="10";
theTitle.style.fontFamily="exo";
theTitle.style.fontWeight="bold";
theTitle.style.fontSize="medium";
theTitle.style.background="black";
theTitle.style.textAlign="center";
theTitle.style.padding="0px 20px 0px 20px";
     //top //right //bottom //left
theTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
theTitle.style.width= sizeX +'px';
theTitle.innerHTML="EvidenceRowWithImage";

let theDiv = document.createElement("div");

//theDiv.id = whichArray[i].id;
theDiv.id = Math.floor(357000 + Math.random() * 9770000);

theDiv.innerHTML += '<button
onclick="printOnlyDiv(\"+theDiv.id+'\');"
class="ourButton">print</button><br>';

theDiv.style.position="absolute";
theDiv.style.left= theX +'px';
theDiv.style.top= theY +'px';
theDiv.style.color="black";
theDiv.style.zIndex="1";
theDiv.style.padding="0px 20px 0px 20px";
          //top //right //bottom //left
theDiv.style.border = "solid 2px rgba(100,100,255,1.0)";
theDiv.style.fontFamily="exo";
theDiv.style.fontWeight="normal";
theDiv.style.fontSize="medium";
```

```javascript
            theDiv.style.width= sizeX +'px';
            theDiv.style.height= sizeY + 'px';
            theDiv.style.background="white";
            theDiv.style.textAlign="center";

            theDiv.setAttribute("class", "evidenceWithImage");
            //theDiv.style.whiteSpace="pre-wrap";
            //theDiv.style.wordWrap="break-word";

            theDiv.innerHTML += whichArray[i].title + "<br>";

            theDiv.innerHTML += whichArray[i].date + "<br>";

            theDiv.innerHTML += whichArray[i].info + "<br>";

            theDiv.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br>';

            theDiv.innerHTML += '<img src= \"+whichArray[i].image+'\'
class="theImage">';

            document.body.append(theDiv);
            document.body.append(theTitle);
        }
      }
    }
  }

  function socialMediaEvidenceRow(theX, theY, sizeX, sizeY,
whichArray, criteria1)
    {
      theX -= sizeX;

      for(let i = 0; i < whichArray.length; i++)
        {
        //alert(whichArray[i].date.substring(6,10));
```

```
        if(whichArray[i].tag == criteria1)
        {
            //filter for a MONTH, meaning, SHOW ONLY 1 month
            //if(whichArray[i].date.substring(0,2) == 3)

            //filter for Multiple MONTHS
            //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

            //filter for a DATE
            //if(whichArray[i].date.substring(0,10) == "02/29/2018")

            //filter for a Multiple DATES
            //if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")

            //filter for a DAY, of any month, of any year
            //if(whichArray[i].date.substring(3,5) == 2)

            //filter for a YEAR
            if(whichArray[i].date.substring(6,10) == 2020)

            //filter for MULTIPLE YEARS
            //if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)

            //filter for MONTH and YEAR
            //if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)

            //You can replace the if statement below,
            //with one of the options above.
            //if(whichArray) //shows all items
            {
                if(whichArray[i].probability >= 50)
                {
```

```
theX = theX + sizeX;  //columns across

let divTitle = document.createElement("div");
divTitle.style.position="absolute";
divTitle.style.left= theX +'px';
divTitle.style.top= theY -22 + 'px';

divTitle.style.color="white";
divTitle.style.zIndex="10";
divTitle.style.fontFamily="exo";
divTitle.style.fontWeight="bold";
divTitle.style.fontSize="medium";
divTitle.style.background="black";
divTitle.style.textAlign="center";
//divTitle.style.padding="0px 5px 0px 5px";
divTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
divTitle.style.width= sizeX +'px';
divTitle.innerHTML="Social Media Evidence Rating";

let divHere = document.createElement("div");

//theDiv.id = whichArray[i].id;
divHere.id = Math.floor(357000 + Math.random() *
9770000);

divHere.innerHTML += '<button
onclick="printOnlyDiv(\"+divHere.id+'\');"
class="ourButton">print</button><br>';

divHere.style.position="absolute";
divHere.style.left= theX +'px';
divHere.style.top= theY +'px';
divHere.style.color="black";
divHere.style.zIndex="1";
//divHere.style.padding="0px 5px 0px 5px";
divHere.style.border = "solid 2px rgba(100,100,255,1.0)";
```

```
                divHere.style.fontFamily="exo";
                divHere.style.fontWeight="normal";
                divHere.style.fontSize="medium";
                divHere.style.width= sizeX +'px';
                divHere.style.height= sizeY + 'px';
                divHere.style.background="white";
                divHere.style.textAlign="center";

                //you can also set the class of the div,
                //to style it easier in the css section
                //divHere.setAttribute("class", "socialMediaEvidence");

                divHere.innerHTML += whichArray[i].title + "<br>";

                divHere.innerHTML += whichArray[i].date + "<br>";

                divHere.innerHTML += whichArray[i].info + "<br>";

                divHere.innerHTML += "Probability Rating: " +
whichArray[i].probability + "%" + "<br>";

                divHere.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br>';

                divHere.innerHTML += '<img
src= \"+whichArray[i].image+'\' class="theImage">';

                document.body.append(divHere);
                document.body.append(divTitle);
            }
          }
        }
      }
    }

    function detailsRow(theX, theY, sizeX, sizeY, whichArray, criteria1)
```

```
{
    theX -= sizeX;

    for(let i = 0; i < whichArray.length; i++)
      {
       if(whichArray[i].tag == criteria1)
       {
          //filter for a MONTH, meaning, SHOW ONLY 1 month
          //if(whichArray[i].date.substring(0,2) == 3)

          //filter for Multiple MONTHS
          //if(whichArray[i].date.substring(0,2) == 8 ||
whichArray[i].date.substring(0,2) == 9)

          //filter for a DATE
          //if(whichArray[i].date.substring(0,10) == "02/29/2018")

          //filter for a Multiple DATES
          //if(whichArray[i].date.substring(0,10) == "02/29/2018" ||
whichArray[i].date.substring(0,10) == "02/29/2020")

          //filter for a DAY, of any month, of any year
          //if(whichArray[i].date.substring(3,5) == 2)

          //filter for a YEAR
          //if(whichArray[i].date.substring(6,10) == 2019)

          //filter for MULTIPLE YEARS
          //if(whichArray[i].date.substring(6,10) == 2019 ||
whichArray[i].date.substring(6,10) == 2020)

          //filter for MONTH and YEAR
          //if(whichArray[i].date.substring(0,2) == 2 &&
whichArray[i].date.substring(6,10) == 2020)

          //You can replace the if statement below,
```

```
            //with one of the options above.
            if(whichArray) //shows all items
            {
              if(whichArray[i].probability >= 50)
              {
                theX = theX + sizeX;  //columns across

                let divTitle = document.createElement("div");
                divTitle.style.position="absolute";
                divTitle.style.left= theX +'px';
                divTitle.style.top= theY -55 + 'px';

                divTitle.style.color="white";
                divTitle.style.zIndex="10";
                divTitle.style.fontFamily="exo";
                divTitle.style.fontWeight="bold";
                divTitle.style.fontSize="medium";
                divTitle.style.background="black";
                divTitle.style.textAlign="center";
                //divTitle.style.padding="0px 5px 0px 5px";
                divTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
                divTitle.style.width= sizeX +'px';
                divTitle.innerHTML="Content Sensitive - Open at Your
Discretion";

                let theVidTitle = document.createElement("div");

                theVidTitle.setAttribute("class", "defaultDiv");
                theVidTitle.style.position="absolute";
                theVidTitle.style.left= theX +'px';
                theVidTitle.style.top= theY -30 + 'px';
                theVidTitle.style.zIndex="15";
                theVidTitle.style.width= sizeX +'px';
                theVidTitle.style.height= "22px";
                theVidTitle.style.border = "solid 2px
rgba(100,100,255,1.0)";
```

```javascript
theVidTitle.innerHTML += whichArray[i].title + "<br>";

let divHere = document.createElement("details");

//theDiv.id = whichArray[i].id;
divHere.id = Math.floor(357000 + Math.random() *
9770000);

divHere.innerHTML += '<button
onclick="printOnlyDiv(\"+divHere.id+'\');"
class="ourButton">print</button><br>';

divHere.style.position="absolute";
divHere.style.left= theX +'px';
divHere.style.top= theY +'px';
divHere.style.color="black";
divHere.style.zIndex="1";
//divHere.style.padding="0px 5px 0px 5px";
divHere.style.border = "solid 2px rgba(100,100,255,1.0)";
divHere.style.fontFamily="exo";
divHere.style.fontWeight="bold";
divHere.style.fontSize="large";
divHere.style.width= sizeX +'px';
divHere.style.height= sizeY + 'px';
divHere.style.background="rgb(200,200,200)";
divHere.style.textAlign="center";

//you can also set the class of the div,
//to style it easier in the css section
//divHere.setAttribute("class", "socialMediaEvidence");

divHere.innerHTML += whichArray[i].title + "<br>";

divHere.innerHTML += whichArray[i].date + "<br>";
```

```javascript
                divHere.innerHTML += whichArray[i].info + "<br>";

                divHere.innerHTML += "Probability Rating: " +
whichArray[i].probability + "%" + "<br>";

                divHere.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br>';

                divHere.innerHTML += '<img
src= \"+whichArray[i].image+'\' class="theImage">';

                document.body.append(theVidTitle);
                document.body.append(divHere);
                document.body.append(divTitle);
            }
          }
        }
      }
    }

    function collegeBooksRow(theX, theY, sizeX, sizeY, whichArray)
    {
       theX -= sizeX;

       for(let i = 0; i < whichArray.length; i++)
         {
         theX = theX + sizeX;  //columns across

         let ourTitle = document.createElement("div");
         ourTitle.style.position="absolute";
         ourTitle.style.left= theX +'px';
         ourTitle.style.top= theY -28 + 'px';

         ourTitle.style.color="white";
         ourTitle.style.zIndex="10";
         ourTitle.style.fontFamily="exo";
```

```
ourTitle.style.fontWeight="bold";
ourTitle.style.fontSize="medium";
ourTitle.style.background="black";
ourTitle.style.textAlign="center";
ourTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
ourTitle.style.width= sizeX +'px';
ourTitle.innerHTML="College Books";

let ourDiv = document.createElement("p");

//theDiv.id = whichArray[i].id;
ourDiv.id = Math.floor(457000 + Math.random() * 9870000);

ourDiv.innerHTML += '<button
onclick="printOnlyDiv(\"+ourDiv.id+'\');"
class="ourButton">print</button><br>';

ourDiv.style.position="absolute";
ourDiv.style.left= theX +'px';
ourDiv.style.top= theY +'px';
ourDiv.style.color="black";
ourDiv.style.zIndex="1";
ourDiv.style.border = "solid 2px rgba(100,100,255,1.0)";
ourDiv.style.fontFamily="exo";
ourDiv.style.fontWeight="normal";
ourDiv.style.fontSize="medium";
ourDiv.style.width= sizeX +'px';
ourDiv.style.height= sizeY + 'px';
ourDiv.style.background="white";
ourDiv.style.textAlign="center";

ourDiv.innerHTML += whichArray[i].name + "<br>";

ourDiv.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br>';
```

```
            ourDiv.innerHTML += '<img src= \"+whichArray[i].image+'\'
class="theImage">';

            document.body.append(ourDiv);
            document.body.append(ourTitle);
        }
    }

    function collegeLinksRow(theX, theY, sizeX, sizeY, whichArray)
    {
        theX -= sizeX;

        for(let i = 0; i < whichArray.length; i++)
            {
            theX = theX + sizeX;  //columns across

            let thisTitle = document.createElement("div");
            thisTitle.style.position="absolute";
            thisTitle.style.left= theX +'px';
            thisTitle.style.top= theY -28 + 'px';

            thisTitle.style.color="white";
            thisTitle.style.zIndex="10";
            thisTitle.style.fontFamily="exo";
            thisTitle.style.fontWeight="bold";
            thisTitle.style.fontSize="medium";
            thisTitle.style.background="black";
            thisTitle.style.textAlign="center";
            thisTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
            thisTitle.style.width= sizeX +'px';
            thisTitle.innerHTML="College Links";

            let thisDiv = document.createElement("p");

            //theDiv.id = whichArray[i].id;
            thisDiv.id = Math.floor(456000 + Math.random() * 9770000);
```

```javascript
        //Print Feature
        //thisDiv.innerHTML += '<button
onclick="printOnlyDiv(\"+thisDiv.id+'\');">print</button><br>';

        thisDiv.style.position="absolute";
        thisDiv.style.left= theX +'px';
        thisDiv.style.top= theY +'px';
        thisDiv.style.color="black";
        thisDiv.style.zIndex="1";
        thisDiv.style.border = "solid 2px rgba(100,100,255,1.0)";
        thisDiv.style.fontFamily="exo";
        thisDiv.style.fontWeight="bold";
        thisDiv.style.fontSize="medium";
        thisDiv.style.width= sizeX +'px';
        thisDiv.style.height= sizeY + 'px';
        thisDiv.style.background="white";
        thisDiv.style.textAlign="center";

        thisDiv.innerHTML += whichArray[i].name + "<br>";

        thisDiv.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br>';

        document.body.append(thisDiv);
        document.body.append(thisTitle);
      }
    }

    function languageRow(theX, theY, sizeX, sizeY, whichArray, criteria)
    {
      theX -= sizeX;

      for(let i = 0; i < whichArray.length; i++)
        {
        if(whichArray[i].tag == criteria)
```

```
{
  theX = theX + sizeX + 20;  //columns across + the padding!

  let languageTitle = document.createElement("div");
  languageTitle.style.position="absolute";
  languageTitle.style.left= theX +'px';
  languageTitle.style.top= theY -55 + 'px';

  languageTitle.style.color="white";
  languageTitle.style.zIndex="10";
  languageTitle.style.fontFamily="exo";
  languageTitle.style.fontWeight="bold";
  languageTitle.style.fontSize="medium";
  languageTitle.style.background="black";
  languageTitle.style.textAlign="center";
  languageTitle.style.paddingLeft="20px";
  languageTitle.style.paddingRight="20px";
  languageTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
  languageTitle.style.width= sizeX +'px';
  languageTitle.innerHTML=whichArray[i].language;

  let languageSpace = document.createElement("p");
  languageSpace.style.position="absolute";
  languageSpace.style.left= theX +'px';
  languageSpace.style.top= theY +25 + 'px';
  languageSpace.style.color="black";
  languageSpace.style.zIndex="100";
  languageSpace.style.border = "solid 2px rgba(100,100,255,1.0)";
  languageSpace.style.fontFamily="exo";
  languageSpace.style.fontWeight="bold";
  languageSpace.style.fontSize="normal";
  languageSpace.style.width= sizeX +'px';
  languageSpace.style.height= sizeY +'px';
  languageSpace.style.background="white";
  languageSpace.style.textAlign="left";
  languageSpace.style.paddingLeft="20px";
```

```
languageSpace.style.paddingRight="20px";

let nameTitle = document.createElement("div");
nameTitle.style.position="absolute";
nameTitle.style.left= theX +'px';
nameTitle.style.top= theY +5 + "px";
nameTitle.style.color="yellow";
nameTitle.style.zIndex="10";
nameTitle.style.fontFamily="exo";
nameTitle.style.fontWeight="bold";
nameTitle.style.fontSize="large";
nameTitle.style.background="black";
nameTitle.style.textAlign="center";
nameTitle.style.border = "solid 2px rgba(100,100,255,1.0)";
nameTitle.style.width= sizeX +'px';
nameTitle.style.paddingLeft="20px";
nameTitle.style.paddingRight="20px";
nameTitle.innerHTML=whichArray[i].name;

let functionCategory = document.createElement("div");
functionCategory.style.position="absolute";
functionCategory.style.left= theX +'px';
functionCategory.style.top= theY -25 + 'px';
functionCategory.style.color="aqua";
functionCategory.style.zIndex="10";
functionCategory.style.fontFamily="exo";
functionCategory.style.fontWeight="bold";
functionCategory.style.fontSize="large";
functionCategory.style.background="black";
functionCategory.style.textAlign="center";
functionCategory.style.border = "solid 2px
rgba(100,100,255,1.0)";
functionCategory.style.width= sizeX +'px';
functionCategory.style.paddingLeft="20px";
functionCategory.style.paddingRight="20px";
functionCategory.innerHTML=whichArray[i].category;
```

```
        //languageSpace.id = whichArray[i].id;
        languageSpace.id = Math.floor(351000 + Math.random() *
9710000);

        languageSpace.innerHTML += '<hr><button
onclick="printOnlyDiv(\"+languageSpace.id+'\');" class="ourButton">Print</
button><br><hr>';

        languageSpace.innerHTML+= "Name of Function:<br>";
        languageSpace.innerHTML += whichArray[i].name +
"<br><hr>";

        languageSpace.innerHTML+= "Description:<br>";
        languageSpace.innerHTML+= whichArray[i].description +
"<br><hr>";

        languageSpace.innerHTML+= "Syntax:<br>";
        languageSpace.innerHTML += whichArray[i].syntax +
"<br><hr>";

        languageSpace.innerHTML+= "Useage:<br>";
        languageSpace.innerHTML+= whichArray[i].useage +
"<br><hr>";

        languageSpace.innerHTML+= "URL:<br>";
        languageSpace.innerHTML+='<a href=\"+whichArray[i].url+'\'
target="_blank">Link</a><br><hr>';

        languageSpace.innerHTML+= "Return Value Type:<br>";
        languageSpace.innerHTML+= whichArray[i].type + "<br><hr>";

        languageSpace.innerHTML += '<hr><button
onclick="deleteThisRecord(\"+languageSpace.id+'\');"
class="ourButton">Delete</button><br><hr>';
```

```javascript
            document.body.append(languageSpace);
            document.body.append(languageTitle);
            document.body.append(nameTitle);
            document.body.append(functionCategory);
        }
    }
}

function deleteThisRecord(whichDiv)
{
    let warningDelete = confirm("DELETE ONLY This Record?");

    if (warningDelete == true)
    {
    document.getElementById(whichDiv).outerHTML = "";
    }
    else if(warningDelete == false)
    {
        alert("Canceled");
        return;
    }
    //For the moment, we are using an empty outerHTML to experiment
```

with the function, but soon we will utilize an array method instead, so that the array item is deleted from the array and the row is re-created on the screen minus the item we deleted.

```javascript
        //whichArray.splice(whichArray,1);
}

function printOnlyDiv(whichDiv)
{
    let mywindow = window.open('', 'PRINT', 'height=800,width=1000
top=50, left=100');
```

```javascript
mywindow.document.write('<style>img{width:75%;</style></head><body>')
;
```

```
        mywindow.document.write('<h4>' + document.title  + '</h4>');


mywindow.document.write(document.getElementById(whichDiv).innerHTM
L);

        mywindow.print();
        //mywindow.close();
    }


    //We are using this SORT FUNCTION BELOW to sort many of the
arrays!
    //But, you can also use the spreadsheet tools to sort. Either is fine.
    //Just keep in mind, that you are SORTING arrays in the function below
    function sortIt()
    {
      //the sort function default in ascending order
      //change sort to reverse for descending order
      //meaning if you want the Newest Date shown first, then use the
reverse function, instead of the sort function, as shown here:
        //theNews.reverse(function(a,b){return new Date(a.date) - new
Date(b.date);});

        ////Sort By Date////
        theNews.sort(function(a,b){return new Date(a.date) - new
Date(b.date);});

        evidence.sort(function(a,b){return new Date(a.date) - new
Date(b.date);});

        videoEvidence.sort(function(a,b){return new Date(a.date) - new
Date(b.date);});

        //socialMediaEvidence.sort(function(a,b){return new Date(a.date) -
new Date(b.date);});
```

```
        boxingVideos.sort(function(a,b){return new Date(a.date) - new
Date(b.date);});

        collegeVideos.sort(function(a,b){return new Date(a.date) - new
Date(b.date);});

        ourVideoFiles.sort(function(a,b){return new Date(a.date) - new
Date(b.date);});

        ////Sort by Multiple Criteria, category and name////
        javascriptLanguage.sort(function(a, b)
        {
           return a.category.localeCompare(b.category) || b.name - a.name;
        });

        ////Sort by Multiple Criteria, category and name////
        lindenLanguage.sort(function(a, b)
        {
           return a.category.localeCompare(b.category) || b.name - a.name;
        });

        ////Sort by one number only, number////
        theNotes.sort(function(a, b)
        {
           return a.number.localeCompare(b.number, 'en-US',
{numeric:"true"}); //|| b.note - a.note;
        });

        ////Sort by one number only, probability////
        socialMediaEvidence.sort(function(a, b)
        {
           return a.probability.localeCompare(b.probability, 'en-US',
{numeric:"true"}); //|| b.title - a.title;
        });
```

```javascript
    //To sort by additional criteria, just use another ||
}

/* The Keyboard Letter Codes that are Being Pressed */
let keyboard = {};
   keyboard.UP = 87;    //87 is w, 38 is up arrow
   keyboard.DOWN = 83;  //83 is s, 40 is down arrow
   keyboard.LEFT = 65;  //65 is a, 37 is left arrow
   keyboard.RIGHT = 68; //68 is d, 39 is right arrow

/* Player's start position and id */
let ourPlayer = {
   x: 365,
   y: 7354,   //7354  //14508
   speedMultiplier: 3,
   playerId: document.getElementById("thePlayer")
};

//Key Press Detection
//document.body.onkeyup =
//document.body.onkeydown = function(e){

function theControls(e)
{
   if(e.keyCode == 77) //Letter m
   {
      ourPlayer.playerId.style.opacity="1.0";
   }
   if(e.keyCode == 78) //Letter n
   {
      ourPlayer.playerId.style.opacity="0.2";
      ourPlayer.playerId.innerHTML= "";
   }
   if(e.keyCode == 192) //tilda
   {
      ourPlayer.speedMultiplier=1;
```

```
        ourPlayer.playerId.innerHTML="Speed 1";
    }
    if(e.keyCode == 49 || e.keyCode == 97) //number 1, or numpad 1
    {
        ourPlayer.speedMultiplier=2;
        ourPlayer.playerId.innerHTML="Speed 2";
    }
    if(e.keyCode == 50 || e.keyCode == 98) //number 2
    {
        ourPlayer.speedMultiplier=3;
        ourPlayer.playerId.innerHTML="Speed 3";
    }
    if(e.keyCode == 51 || e.keyCode == 99) //number 3
    {
        ourPlayer.speedMultiplier=4;
        ourPlayer.playerId.innerHTML="Speed 4";
    }
    if(e.keyCode == 52 || e.keyCode == 100) //number 4
    {
        ourPlayer.speedMultiplier=5;
        ourPlayer.playerId.innerHTML="Speed 5";
    }
    if(e.keyCode == 53 || e.keyCode == 101) //number 5
    {
        ourPlayer.speedMultiplier=10;
        ourPlayer.playerId.innerHTML="Speed 10";
    }
    if(e.keyCode == 54  || e.keyCode == 102) //number 6
    {
        ourPlayer.speedMultiplier=15;
        ourPlayer.playerId.innerHTML="Speed 15";
    }
    if(e.keyCode == 55 || e.keyCode == 103) //number 7
    {
        ourPlayer.speedMultiplier=20;
        ourPlayer.playerId.innerHTML="Speed 20";
```

```
}
if(e.keyCode == 56 || e.keyCode == 104) //number 8
{
   ourPlayer.speedMultiplier=25;
   ourPlayer.playerId.innerHTML="Speed 25";
}
if(e.keyCode == 57 || e.keyCode == 105) //number 9
{
   ourPlayer.speedMultiplier=30;
   ourPlayer.playerId.innerHTML="Speed 30";
}
if(e.keyCode == 48 || e.keyCode == 96) //number 0
{
   ourPlayer.speedMultiplier=50;
   ourPlayer.playerId.innerHTML="Speed 50";
}
if(e.keyCode == 189) //dash
{
   ourPlayer.speedMultiplier=100;
   ourPlayer.playerId.innerHTML="Speed 100";
}
if(e.keyCode == 187) //+
{
   ourPlayer.speedMultiplier=200;
   ourPlayer.playerId.innerHTML="Speed 200";
}
if(e.keyCode == 8) //back space button
{
   ourPlayer.speedMultiplier=400;
   ourPlayer.playerId.innerHTML="Speed 400";
}
if(e.keyCode == 36) //Home Button
{
   ourPlayer.speedMultiplier=800;
   ourPlayer.playerId.innerHTML="Speed 800";
}
```

```javascript
    if(e.keyCode == 35) //End Button
    {
       ourPlayer.speedMultiplier=1600;
       ourPlayer.playerId.innerHTML="Speed 1600";
    }


    //Find out which key was pressed
    let theKeyCode = e.keyCode || e.which;
    keyboard[theKeyCode] = e.type == 'keydown';
};

/* Character Movement Updating */
let movePlayer = function(theX, theY){
   ourPlayer.x += (theX||0) * ourPlayer.speedMultiplier;
   ourPlayer.y += (theY||0) * ourPlayer.speedMultiplier;


   ourPlayer.playerId.style.left = ourPlayer.x + 'px';
   ourPlayer.playerId.style.top = ourPlayer.y + 'px';
};

/* Player Controls */
let sensePlayerMotion = function(){
   if(keyboard[keyboard.LEFT]){
       movePlayer(-1,0);
      // ourPlayer.playerId.style.backgroundPosition=-2;
       //Note: need to simplify for logical backgroundPosition coordinates.
    }
   if(keyboard[keyboard.RIGHT]){
       movePlayer(1,0);
      // ourPlayer.playerId.style.backgroundPosition=302;
    }
   if(keyboard[keyboard.UP]){
       movePlayer(0,-1);
      // ourPlayer.playerId.style.backgroundPosition=97;
    }
   if(keyboard[keyboard.DOWN]){
```

```
      movePlayer(0,1);
      //ourPlayer.playerId.style.backgroundPosition=625;
   }
};

function getAllInfo(theId)
{
   theId = document.getElementById(theId);
   let theRect = theId.getBoundingClientRect();
   return theRect;
}
//console.log(JSON.stringify(getAllInfo('boxOne')));

function getPos(theId)
{
   theId = document.getElementById(theId);
   let theRect = theId.getBoundingClientRect();
   let theRectY = theId.getBoundingClientRect().top + window.scrollY;

   let posXY = {
      x:parseInt(theRect.x) + parseInt(theRect.width)/2 + window.scrollX,
      y:parseInt(theRectY) + parseInt(theRect.height)/2
   };
   return posXY;
}

//Camera Follows the Player
function scrollIt()
{
  ourPlayer.playerId.scrollIntoView({block: "center", inline: "center"});
}

//Get Size of the id
function getSize(theId)
{
   theId = document.getElementById(theId);
```

```javascript
        let theRect = theId.getBoundingClientRect();

        let sizeXY = {
           x: parseInt(theRect.width),
           y: parseInt(theRect.height)
        };
        return sizeXY;
     }


     // Position and Size Objects according to if condition
     // not used in this tutorial
     function posSizeObject(whichArray)
     {
        for(var i = 0; i < whichArray.length; i++)
        {
           if(whichArray[i].kind == "box" || whichArray[i].kind =="tile")
           {
               var d = document.getElementById(whichArray[i].id);
               d.style.position = "absolute";
               d.style.left = whichArray[i].xPos +'px';
               d.style.top = whichArray[i].yPos +'px';
               d.style.width = whichArray[i].width +'px';
               d.style.height = whichArray[i].height +'px';
           }
        }
     }


     ////Get the Position of the mouse arrow////
     function mousePos(theEvent)
     {
        let mouseX = theEvent.pageX;
        let mouseY = theEvent.pageY;
        let mousePos = "Mouse" + "<br>" + "X " + mouseX + "<br>"+ "Y " +
mouseY;
        console.log(mousePos);
        ourPlayer.playerId.innerHTML= mousePos;
```

```
    }

//// When the Page Loads ////
function whenLoaded()
{
    loadTriggers(triggerPointsArray);

    sortIt();

    newsRow(100, 6200, 800, 250, theNews, "news");
        //theX,theY,sizeX,sizeY, whichArray, criteria1

    evidenceRow(100,5070,700,300, evidence, "fact");
        //theX, theY, sizeX, sizeY, whichArray, criteria1

    makeWebsitesOrVideos(100,400,700,500, videoEvidence,
"youtubeVideo");
            //theX,theY,sizeX,sizeY, whichArray, criteria1

    evidenceWithImageRow(100,5500,1250,600, evidence, "fact");
        //theX, theY, sizeX, sizeY, whichArray, criteria1

    makeVideos(100, 1100, 800, 600, videoEvidence, "exercise");
        //theX, theY, sizeX, sizeY, whichArray, criteria1

    makeVideos(100, 1900, 800, 600, videoEvidence, "mask");
        //theX, theY, sizeX, sizeY, whichArray, criteria1

    notesRow(100, 2600, 400, 400, theNotes, "note");
        //theX, theY, sizeX, sizeY, whichArray, criteria1

    languageRow(100, 3150, 400, 500, lindenLanguage, "function");
            //whichArray, theX, theY, sizeX, sizeY, criteria

    languageRow(100, 4000, 400, 500, javascriptLanguage, "function");
            //whichArray, theX, theY, sizeX, sizeY, criteria
```

```
        collegeBooksRow(100, 6700, 400, 400, collegeBooks);
            //theX, theY, sizeX, sizeY, whichArray

        collegeLinksRow(100, 7300, 300, 50, collegeLinks);
            //theX, theY, sizeX, sizeY, whichArray

        window.addEventListener("click", mousePos, false);
        window.addEventListener("keydown", theControls, false);
        window.addEventListener("keyup", theControls, false);
    }


    let lineY7730 = 0;
    function wasLineCrossed()
    {
        //due to the player speed being possibly Extremely fast, we have to
allow multiple Y positions to be able to trigger the event
        if(Math.floor(getPos("thePlayer").y) > 7730 &&
Math.floor(getPos("thePlayer").y) < 7765)
        {
            ourPlayer.playerId.innerHTML = "lineY7730 Crossed";

            if(lineY7730 == 0)
            {
                makeVideosMultiFilters(100, 7875, 800, 600,
boxingVideos,"boxing", "furyWilder1");
                //theX, theY, sizeX, sizeY, whichArray, criteria1, criteria2

                makeVideosMultiFilters(100, 8670, 800, 600, boxingVideos,
"boxing", "furyWilder2");
                //theX, theY, sizeX, sizeY, whichArray, criteria1, criteria2

                makeVideosMultiFilters(100, 9500, 800, 600,
collegeVideos,"youtubeVideo", "javascript");
                //theX, theY, sizeX, sizeY, whichArray, criteria1, criteria2
```

```
            makeVideosMultiFilters(100, 10320, 800, 600,
collegeVideos,"youtubeVideo", "papercliptronics");
            //theX, theY, sizeX, sizeY, whichArray, criteria1, criteria2

            makeVideosMultiFilters(100, 11200, 800, 600,
collegeVideos,"youtubeVideo", "breadboard");
            //theX, theY, sizeX, sizeY, whichArray, criteria1, criteria2

            socialMediaEvidenceRow(100, 12500, 1250, 700,
socialMediaEvidence, "twitter");
                //theX, theY, sizeX, sizeY,whichArray, criteria1

            detailsRow(100, 13500, 1250, 900, socialMediaEvidence,
"twitter");
              //theX, theY, sizeX, sizeY, whichArray, criteria1




        }
        lineY7730 = 1; //makes it so the row is only created one time
      }
    }


    /* Load Content When User PRESSES the Button */
    let lineY14583 = 0;
    function loadOurVideoFiles()
    {
      if(lineY14583 == 0)
      {
        makeVideosUsingVideoFile(100, 14800, 790, 445,
ourVideoFiles,"personal", "personal")
        //theX, theY, sizeX, sizeY, whichArray, criteria1, criteria2)

        makeVideosOnlineStartEnd(100, 16000, 800, 600, videoEvidence,
"youtubeVideo", "exercise");
        //theX, theY, sizeX, sizeY, whichArray, criteria1, criteria2
```

```
        }
        lineY14583 =1; //allows the row to be created only one time
    }

    function doThisLoop()
    {
        sensePlayerMotion();
        scrollIt();
        wasLineCrossed();
        requestAnimationFrame(doThisLoop);
    }
    doThisLoop();

    //Update the Position of the player
    movePlayer();

</script>
</body>
</html>
```

CODE TopalianData.js

//Dedicated to God the Father
//All Rights Reserved Christopher Topalian Copyright 2020
//THIS IS THE DATA (CONTENT) that we are using for the Topalian Game Engine Data Navigator

//This File is Saved as **TopalianData.js**

//Make sure that you only use Straight Single Quotes in the titles, names, headlines, etc!
//Make sure there are NO Double Quotes in titles,names,headlines, etc.
//Also make sure there are NO Curly Quotes, neither single or double

//Remember, it is the Straight Double Quotes that contain the strings, so we cannot use double quotes in the titles, or else they would end the strings before we wanted the strings to be ended!

```
let theNews =
[
    { headline:"Bill Gates Met With Jeffrey Epstein Many Times, Despite His
Past", date:"10/12/2019 12:00 AM",
url:"https://www.nytimes.com/2019/10/12/business/jeffrey-epstein-bill-
gates.html", tag:"news", description:"epstein"},

    { headline:"CDC Finds Another 5,000+ NYC Deaths in March and April
With Potential COVID-19 Links", date:"05/11/2020 12:00 AM",
url:"https://www.nbcnewyork.com/news/local/cdc-finds-another-5000-nyc-
deaths-in-march-and-april-with-potential-covid-19-links/2411670/",
tag:"news", description:"pandemic"},

    { headline:"Twitter cracks down on QAnon, will ban thousands of
accounts", date:"07/21/2020 12:00 AM",
```

```
url:"https://fortune.com/2020/07/21/twitter-qanon-accounts-banned-
crackdown/", tag:"news", description:"qanon"}
];

    //To play an embedded video with a Start and End Time
    //add this to the end of the url  ?start=5&end=125
    //for example
    //https://www.youtube.com/embed/YOVpxpQhJB4?start=5&end=268
    //or
    //you can choose to set only the start time   ?start=5
    //for example
    //https://www.youtube.com/embed/YOVpxpQhJB4?start=5
    //or
    //you can choose to set only the end time   ?end=5
    //for example
    //https://www.youtube.com/embed/YOVpxpQhJB4?end=5
let videoEvidence =
[
    { title:"Video footage shows massive explosion in Tianjin, China",
date:"08/12/2015 12:00 AM",
url:"https://www.youtube.com/embed/qARRLogg38k", tag:"youtubeVideo",
description:"important"},

    { title:"Najaf , Iraq explosion video", date:"08/06/2020 12:00 AM",
url:"https://www.youtube.com/embed/YARLD34YiAY", tag:"youtubeVideo",
description:"important"},

    { title:"HD footage shows new angle of blast that rocked Beirut, Lebanon",
date:"08/09/2020 12:00 AM", url:"https://www.youtube.com/embed/F-
vGkIKxGAg", tag:"youtubeVideo", description:"important"},
];

let evidence =
[
    { title:"Wuhan China manufactured Adrenochrome", date:"07/17/2018
12:00 AM", url:"https://www.ncbi.nlm.nih.gov/pcsubstance/?term=
```

```
%223B+Scientific+(Wuhan)+Corp%22%5BSourceName%5D+AND+
%22Adrenochrome%22", info:"They have made Adrenochrome in Wuhan
China for a long time.",
image:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/
wuhan-adrenochrome-002_orig.png", tag:"fact",
description:"medicalArticle"},

    { title:"Digital Immunity Proof", date:"03/25/2020 12:00 AM", url:"https://
youtu.be/QFlNPE-H3u8", info:"Mass vaccination followed by Digital
Immunity Proof",
image:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/bill-
gates-digital-immunity-proof_orig.png", tag:"fact", description:"vaccines"},

    { title:"Bill Clinton visited Jeffrey Epstein's private island, unsealed court
documents suggest", date:"07/31/2020 12:00 AM",
url:"https://www.foxnews.com/us/bill-clinton-visited-jeffrey-epsteins-private-
island-unsealed-court-documents-suggest", info:"Witness stated that Bill
Clinton Visited Jeffrey Epsteins island", image:"https://pbs.twimg.com/media/
EeN7Qo5X0AAhLyJ?format=png&name=900x900", tag:"fact",
description:"epstein"},
];

let socialMediaEvidence =
[
    { title:"Bill Clinton reported by witness to be present with Epstein on
Epstein island.", date:"07/31/2020 02:05 AM",
url:"https://twitter.com/ISCResearch/status/1289079824439554048",
info:"Witness Testimony",
image:"https://pbs.twimg.com/media/EeO7QzFXoAA8Jlo?
format=jpg&name=900x900", tag:"twitter", description:"epstein",
probability:"98"},

    { title:"When did Donald Trump flirt with you? He didnt.",
date:"07/31/2020 02:12 AM",
url:"https://twitter.com/ISCResearch/status/1289081444686614528",
info:"testimony",
```

image:"https://pbs.twimg.com/media/EeO8vRRWoAAI9MO?
format=jpg&name=small", tag:"twitter", description:"epstein",
probability:"97"},

    { title:"MIT Technology Review @techreview", date:"07/31/2020 02:55
PM", url:"https://twitter.com/techreview/status/1289273594761994241",
info:"The pandemic has rapidly grown the presence of QAnon and the spread
of its conspiracy theories. If we stand any hope of stopping it, online
platforms must do much more than fact checks and account bans.",
image:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/
mit_orig.jpg", tag:"twitter", description:"censorship", probability:"99"},
];

let theNotes =
[
    { note:"Here is a simple Note.", date:"08/22/1998 12:00 AM", number:"1",
tag:"note"},

    { note:"Here is the second note.", date:"02/29/2018 12:00 AM",
number:"2", tag:"note"},

    { note:"Here is the third note.", date:"02/29/2020 12:00 AM", number:"3",
tag:"note"},
];

let javascriptLanguage =
[
    { category:"array", name:"concat()", description:"Join two or more Arrays",
syntax:"array1.concat(array2, array3);", useage:"var combinedArray =
theNotes.concat(theNews, evidence);", url:"https://www.w3schools.com/jsref/
jsref_concat_array.asp", type:"returns an array object", tag:"function",
language:"JavaScript"},

    { category:"array", name:"copyWithin()", description:"Copies array entries
to another position in array and replaces the existing",
syntax:"array.copyWithin(target, start, end);", useage:"theNotes.copyWithin(2,

```
0, 2);", url:"https://www.w3schools.com/jsref/jsref_copywithin.asp",
type:"returns an array", tag:"function", language:"JavaScript"},

    { category:"array", name:"entries()", description:"In Progress", syntax:"In
Progress", useage:"In Progress",
url:"https://www.w3schools.com/jsref/jsref_entries.asp", type:"In Progress",
tag:"function", language:"JavaScript"}
];

let lindenLanguage =
[
    { name:"llAbs", description:"Tells you the absolute value of any integer
number", syntax:"llAbs(integer number);", useage:"llAbs(-3);",
url:"https://wiki.secondlife.com/wiki/LlAbs", type:"returns an integer",
tag:"function", category:"math", language:"Linden"},

    { name:"llAcos", description:"Tells you the ArcCosine of a number",
syntax:"llAcos(float number);", useage:"llAcos(0.7);",
url:"https://wiki.secondlife.com/wiki/LlAcos", type:"returns a float, in
radians", tag:"function", category:"math", language:"Linden"},

    { name:"llAddToLandBanList", description:"Adds person to the land ban
list for a time. Forever is zero.", syntax:"in progress", useage:"in progress",
url:"https://wiki.secondlife.com/wiki/LlAddToLandBanList", type:"in
progress", tag:"function", category:"in progress", language:"Linden"}
];

let boxingVideos =
[
    { title:"Tyson Fury Cheating Glove Conspiracy or Confirmation?",
date:"02/29/2020 12:00 AM",
url:"https://www.youtube.com/embed/6CZqV2uLrrA", tag:"boxing",
description:"furyWilder1"},
```

```
    { title:"Tyson Fury Cheated Glove Conspiracy Evidence", date:"03/01/2020
12:00 AM", url:"https://www.youtube.com/embed/xfyaMlAdMa0",
tag:"boxing", description:"furyWilder1"},

    { title:"Tyson Fury Cheating Glove Conspiracy or Fact?", date:"03/03/2020
12:00 AM", url:"https://www.youtube.com/embed/tFaYgBhYvMg",
tag:"boxing", description:"furyWilder1"},

    { title:"Deontay Wilder EYE STRAIN INJURY from LED Light",
date:"03/04/2020 12:00 AM",
url:"https://www.youtube.com/embed/sxO5qtf4WTo", tag:"boxing",
description:"furyWilder2"},

    { title:"Proof that Fury Cheated #1 - 2nd FIGHT - BEHIND THE HEAD",
date:"03/10/2020 12:00 AM",
url:"https://www.youtube.com/embed/n_9y36vcKeU", tag:"boxing",
description:"furyWilder2"},

    { title:"Tyson Fury Cheated with 40+ Behind the Head Hits on Wilder",
date:"03/14/2020 12:00 AM",
url:"https://www.youtube.com/embed/W2kQHmK9BMc", tag:"boxing",
description:"furyWilder2"}
];

let collegeVideos =
[
    { title:"Make Video Games from Spreadsheet Data!", date:"08/16/2020
12:00 AM", url:"https://www.youtube.com/embed/Q4tPG-cwiWE",
tag:"youtubeVideo", description:"javascript"},

    { title:"Turn Spreadsheets INTO Video Game Websites using Javascript and
HTML", date:"08/14/2020 12:00 AM", url:"https://www.youtube.com/embed/
NY5cLxEx1gY", tag:"youtubeVideo", description:"javascript"},
```

```
  { title:"Evidence Explorer for Professional Investigators", date:"08/08/2020
12:00 AM", url:"https://www.youtube.com/embed/TBG9nsk5CMY",
tag:"youtubeVideo", description:"javascript"}
];

let collegeLinks =
[
  { name:"Javascript",
url:"https://collegeofscripting.weebly.com/javascript.html", },

  { name:"JavaScript Bookmarklets",
url:"https://collegeofscripting.weebly.com/bookmarklets.html", },

  { name:"LSL Scripting Book",
url:"https://collegeofscripting.weebly.com/lsl-scripting-book.html", }
];

let collegeBooks =
[
  { name:"JavaScript Bookmarklet Advanced Programming",
image:"https://images-na.ssl-images-amazon.com/images/I/51lot64KYcL._SX
384_BO1,204,203,200_.jpg", url:"https://www.amazon.com/JavaScript-
Bookmarklet-Advanced-Programming-Interfaces/dp/B088JFN2BL"},

  { name:"JavaScript Video Investigator", image:"https://m.media-
amazon.com/images/I/51EeQ4sNVnL._SY346_.jpg",
url:"https://www.amazon.com/CREATING-JAVASCRIPT-APPLICATIONS-
Video-Investigator/dp/B088N5G5GV"},

  { name:"JavaScript Missing Persons Database", image:"https://m.media-
amazon.com/images/I/519eyD-37lL.jpg",
url:"https://www.amazon.com/CREATING-JAVASCRIPT-APPLICATIONS-
Missing-Database/dp/B088N4XYDY"},
```

```
    { name:"True Artificial Intelligence", image:"https://m.media-amazon.com/
images/I/414nBuW6oaL._SY346_.jpg",
url:"https://www.amazon.com/dp/B08975HFJK"},

    { name:"LSL Book",
image:"https://images-na.ssl-images-amazon.com/images/I/41YE35agtNL._S
Y498_BO1,204,203,200_.jpg", url:"https://www.amazon.com/LSL-Scripting-
Book-Computer-Programming/dp/B084DG7ZFD/ref=sr_1_fkmr0_1?
keywords=lsl+scripting&qid=1582049598&sr=8-1-fkmr0"},

    { name:"Papercliptronics",
image:"https://m.media-amazon.com/images/I/51cdZyRYXVL._SX260_.jpg",
url:"https://www.amazon.com/Papercliptronics-Homemade-Electronic-
Circuits-Paperclips/dp/1658209303/ref=sr_1_2?
keywords=papercliptronics&qid=1582048776&sr=8-2"}
];

let ourVideoFiles =
[
    { title:"Central Records Complex Opens to House FBI Files", type:"mp4",
date:"08/14/2020 12:00 AM", url:"https://www.youtube.com/watch?
v=WsOFxqB3U3A",
url2:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/
central_records_complex_opens_to_house_fbi_files.mp4", tag:"personal",
description:"personal", starttime:"00:00:05", endtime:"00:00:10",
kind:"video"},

    { title:"FBI Special Agents Your Expertise Fits", type:"mp4",
date:"03/10/2020 12:00 AM", url:"https://www.youtube.com/watch?
v=8C973Mi8caQ",
url2:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/
fbi_special_agents_your_expertise_fits.mp4", tag:"personal",
description:"personal", starttime:"00:00:11", endtime:"00:00:17",
kind:"video"},
```

```
    { title:"Video Simulation Team", type:"mp4", date:"04/26/2011 12:00 AM",
url:"https://www.youtube.com/watch?v=84bIBZFFVYk",
url2:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/
video_simulation_team.mp4", tag:"personal", description:"personal",
starttime:"00:00:00", endtime:"00:00:20", kind:"video"},

    { title:"Jokull", type:"mp3", date:"01/26/2018 12:00 AM",
url:"https://www.google.com/search?client=firefox-b-1-
d&q=public+domain+music",
url2:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/
jokull.mp3", tag:"personal", description:"personal", starttime:"00:00:52",
endtime:"00:01:15", kind:"audio"}
];

/*  NOTES ABOUT the array named  ourVideoFiles
If url2 is "null"
then the _audio and _video folders will be used as source
and the title will be used as the source.
```

But, if you define url2 as an internet address, then url2 will be used,
instead of the _audio and _video folders.

For example
url2:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/
video_simulation_team.mp4"

Since we defined the url2, url2 will be used as the source for the video.

Alternatively, if you want the source to be from your comoputer folder
instead,
then make url2 a value of "null"

For example
url2: "null"

As you can see, we simply write the word "null",

surrounded by double straight quotes.

This allows the flexibility to use our own audio and movie files from our own computer storage, or alternatively to use an internet url for the source of the audio or video.

Below is a List of addresses for the video and audio files.

url2:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/central_records_complex_opens_to_house_fbi_files.mp4"

url2:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/fbi_special_agents_your_expertise_fits.mp4"

url2:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/video_simulation_team.mp4"

url2:"https://collegeofscripting.weebly.com/uploads/6/4/4/8/64482293/jokull.mp3"

Alternatively, if we write the word null
url2:"null"

then the source name for the audio or video file
will be the title of the audio or video.

Remember, if you want the source to be from your own computer storage,
then write the word null as the value for url2, such as url2:"null"
*/

//extra notes:
//if(typeof whichArray[i].url2 === 'undefined')

CODE TopalianSpreadsheetToJavascript015L.js

<!-- Dedicated to God the Father -->
<!-- All Rights Reserved Christopher Topalian Copyright 2020 -->

<!-- **Topalian Spreadsheet To Javascript** -->

<!-- Open this page in your web browser -->
<!-- Paste your spreadsheet data into the text area -->

<!-- Copy the converted text that appears on the screen -->
<!-- Paste the converted text into TopalianData.js -->

<!-- The spreadsheet data we paste is ONE Array of Objects at a time
    which means one spreadsheet at time -->

<!-- For example, we can paste the spreadsheet named theNews into theNews
array of TopalianData.js. Then we would paste the videoEvidence spreadsheet
into the videoEvidence array of TopalianData.js. We update data one
spreadsheet at a time. We do this because each array is different and has
different requirements -->

<!-- This script makes it very easy to add data to our game/website.
    We add the data to our spreadsheet, which we can sort anyway we want
using the spreadsheet tools. Then we just convert that spreadsheet data to
javascript format using this script here, and we paste the converted data into
our TopalianData.js file, one spreadsheet at a time into one array at a time -->

<!-- If your title or name has a double quote " change the double quote to a
single quote instead, because we are already using double quotes to contain
each string -->

<!--   CORRECT: "Earth 'seems' nice"
    NOT CORRECT: "Earth "seems" nice"

as you can see, the double quote useage in the title, would have ended the string before the end of the actual title. -->

```
<html>
<head>
<style>

.textAreaDataPaste
{
   position:absolute;
   left: 50px;
   top: 75px;
       height:100px;
       width:80%;
       box-sizing: border-box;
       background-color: rgb(240,240,240);
       border-radius:6px;
       border:3px solid rgb(0,0,0);
       border-color: black;
       cursor:pointer;
       color:black;
       font-size:14px;
       padding:9px 9px;
       text-decoration:none;
}

#displayData
{
   position:absolute;
   left: 100px;
   top: 210px;
   font-family: exo black;
   font-size: 22px;
   color: black;
}
```

```
body
{
    background: rgb(216, 213, 213);
}
</style>
</head>

<body onload="whenLoaded();">

<script>
    function whenLoaded()
    {
        document.getElementById("pasteDataHere").addEventListener("input",
processSpreadsheetData, false);
    }

    function processSpreadsheetData()
    {
        let ourData = document.getElementById("pasteDataHere").value;
        ourData.trim();

        for (let j = 0; j < ourData.length; j++)
        {
            //ourData = ourData.replace("**", "\"");//replace ** with "
            ourData = ourData.replace(/\"\s/g,'\"'); //trim white space
            ourData = ourData.replace(/\s\"/g,'\"'); //trim white space
        }

        var test =
document.getElementById("displayData").innerHTML=ourData.split(/},/
g).join('},'+ '<br><br>');
    }

</script>
```

```
    <textarea id="pasteDataHere" placeholder="Paste Here" rows="4"
cols="50" class="textAreaDataPaste" type="text">
    </textarea>

    <div id="displayData"></div>
</body>
</html>
```

Dedicated to God the Father

This book is created by the
College of Scripting Music & Science.

We have taught over 2 million people how to program
computers for free in a virtual world named Second Life for
over a decade.

Feel free to visit the college and learn scripting in a 3d
Virtual World.

Remember to check the GitHub for the App's latest Version:
https://github.com/ChristopherTopalian/
TopalianGameEngineDataNavigator

and also check the ScriptingCollege Youtube channel for
more instruction on how to use the application:
www.youtube.com/ScriptingCollege

HAPPY SCRIPTING!

Always Remember that the more Code that you Write with a
Pencil and Paper and Type with your Keyboard, the deeper
you will learn computer programming!