

Topalian JavaScript Robot Al


by Christopher Andrew Topalian


All Rights Reserved Copyright 2000-2023


Dedicated to God the Father























Send














```
<!-- Dedicated to God the Father -->
```

- <!-- All Rights Reserved Christopher Andrew Topalian Copyright 2000-2023 -->
- <!-- https://github.com/ChristopherTopalian -->
- <!-https://github.com/ChristopherAndrewTopalia
 n -->
- <!-- Topalian_JavaScript_Robot_Al.html-->
- <!-- Version 001 -->
- <html>
- <head>

```
<title> Topalian JavaScript Robot AI </title>
k rel = 'stylesheet' href =
'css/style001.css'>
<script src = 'js/utility.js'></script>
<script src = 'data/responses.js'></script>
<script src =
'data/randomResponses.js'></script>
<script>
function calculate(input)
  try
```

```
return eval(input);
  catch(error)
    return null;
function createRobot()
  let context = null;
  let mainDiv = ce('div');
  mainDiv.id = 'mainDiv';
  mainDiv.className = 'mainDiv';
  document.body.append(mainDiv);
  //-//
```

```
let chatBox = ce('div');
chatBox.id = 'chatBox';
chatBox.innerHTML = ";
chatBox.className = 'chatBox';
mainDiv.append(chatBox);
//-//
let lineBreakUnderOutput = ce('hr');
mainDiv.append(lineBreakUnderOutput);
||-||
let userInput = ce('input');
userInput.id = 'userInput';
userInput.className = 'userInput';
userInput.style.type = 'text';
```

```
userInput.style.placeholder = 'Type Words
Here';
  mainDiv.append(userInput);
  //-//
  let sendButton = ce('button');
  sendButton.innerHTML = 'Send';
  sendButton.id = 'sendButton';
  sendButton.className = 'sendButton';
  mainDiv.append(sendButton);
  ||-||
  // Enter button activates a click on send
button
  userInput.onkeydown = function(event)
```

```
if (event.key === 'Enter')
       // prevent default Enter key behavior
       event.preventDefault();
       // trigger a click on the send button
       sendButton.click();
       // color send button border aqua
       ge('sendButton').style.borderColor =
'rgb(0, 255, 255)';
       // color send button font color aqua
       ge('sendButton').style.color = 'rgb(0,
255, 255)';
       // after 275 milliseconds
       setTimeout(function()
```

```
// default border color of send
button
         ge('sendButton').style.borderColor =
'rgb(255, 255, 255)';
         // default font color of send button
         ge('sendButton').style.color =
'rgb(255, 255, 255)';
      }, 275);
  sendButton.onclick = function()
    // display what the person typed in
chatBox
```

```
ge('chatBox').innerHTML += `<span style
= 'color: rgb(255, 255, 255);'>$
{ge('userInput').value}</span><br>`;
    let userQuestion = userInput.value.trim();
    if (userQuestion)
       let responseObj =
responses.find(function(obj)
         return
obj.keywords.some(function(keyword)
           // lowercase and remove
punctuation
```

```
let cleanInput =
userQuestion.toLowerCase().replace(/[^\w\
s]/g, ");
           let cleanKeyword =
keyword.toLowerCase();
           // check for exact match of
cleaned input and cleaned keyword
           return cleanInput ===
cleanKeyword;
        });
       });
       if (responseObj)
```

```
let randomIndex =
Math.floor(Math.random() *
responseObj.responses.length);
         ge('chatBox').innerHTML += `<span
style = 'color: aqua;'>$
{responseObj.responses[randomIndex]}</spa
n><br>`;
(responseObj.keywords.indexOf('bye') !== -1)
           context = null:
           ge('chatBox').scrollTop =
ge('chatBox').scrollHeight;
         else
```

```
context = responseObj.keywords;
            ge('chatBox').scrollTop =
ge('chatBox').scrollHeight;
       else
         let result = calculate(userQuestion);
         if (result !== null)
            ge('chatBox').innerHTML +=
`<span style = 'color: aqua;'>$
{result}</span><br>`;
```

```
ge('chatBox').scrollTop =
ge('chatBox').scrollHeight;
        else
          let randomIndex =
Math.floor(Math.random() *
randomResponses.length);
          ge('chatBox').innerHTML +=
{randomResponses[randomIndex]}</span><b
r>`;
          ge('chatBox').scrollTop =
ge('chatBox').scrollHeight;
```

```
userInput.value = ";
</script>
</head>
<body onload = 'createRobot();'>
</body>
</html>
```

```
// Dedicated to God the Father
// All Rights Reserved Christopher Andrew
Topalian Copyright 2000-2023
// https://github.com/ChristopherTopalian
II
https://github.com/ChristopherAndrewTopalia
n
// utility.js
function ge(whichId)
  return document.getElementByld(whichId);
```

```
function ce(whichType)
{
    return
document.createElement(whichType);
}
```

```
/* Dedicated to God the Father */
/* All Rights Reserved Christopher Andrew
Topalian Copyright 2000-2023 */
/* https://github.com/ChristopherTopalian */
/*
https://github.com/ChristopherAndrewTopalia
n */
/* style001.css */
body
  background-color: rgb(40, 40, 40);
  color: rgb(255, 255, 255);
```

```
.mainDiv
  position: fixed;
  top: 0px;
  left: 0px;
  width: 400px;
  padding: 5px;
  margin: 20px;
  border-radius: 8px;
  z-index: 10000;
  background-color : rgb(0, 0, 0);
  color: rgb(255, 255, 255);
.userInput
  width: 340px;
```

```
padding-left: 10px;
  padding-right: 10px;
  padding-top: 4px;
  padding-bottom: 4px;
  border-radius: 8px;
  background-color: rgb(0,0,0);
  color: rgb(255, 255, 255);
.robotTextStyle
  color: rgb(255, 135, 255);
.sendButton
  margin-left: 5px;
  border-radius: 8px;
```

```
background-color: rgb(0, 0, 0);
  color: rgb(255, 255, 255);
.sendButton:hover
  border-color: aqua;
.sendButton:active
  color: rgb(0, 255, 255);
.chatBox
  height: 200px;
  padding-left: 10px;
```

```
padding-right: 10px;
padding-top: 5px;
padding-bottom: 5px;
background-color: black;
overflow-y: scroll;
```

```
// Dedicated to God the Father
// All Rights Reserved Christopher Andrew
Topalian Copyright 2000-2023
// https://github.com/ChristopherTopalian
II
https://github.com/ChristopherAndrewTopalia
n
// responses.js
// if keyword is found, use these responses
let responses =
    keywords: [
```

```
`hi`,
  `howdy`,
  `hey`,
  `holla`,
  'good evening',
  'good morning',
  `greetings`,
  `yo`,
],
responses: [
  'Howdy Buddy',
  'Hi Friend',
  'Hi there',
  `Greetings Friend`,
  'Good day',
  `Bonjour`
```

```
keywords: [
  `what is the weather like`,
  `what is the forecast`,
  'is it going to be sunny',
],
responses: [
  `It's a beautiful day.`,
  `The weather is very nice.`,
  'It's sunny and warm.'
keywords: [
  'how are you',
```

```
'what's up',
  `what are you up to?`
],
responses: [
  `I'm doing good, you?`,
  `Having fun and you?`,
  'I'm good, how about you?'
keywords: [
  `excellent`,
  'very good',
  'doing good'
responses:
```

```
`Nice`,
  `That's nice`,
  'Very good',
  'Very Excellent'
keywords:
  `bye`,
  `goodbye`,
  'take care'
responses:
  'Bye. Talk to you soon.',
  'Goodbye',
```

```
'Have fun'
keywords:
  'what are your interests',
  'what do you want to do as a career',
  `what is your current job goal`
responses:
  `Computer Science is fun.`,
  `Programming is lots of fun.`,
  'I like programming a lot.'
```


];

```
// Dedicated to God the Father
// All Rights Reserved Christopher Andrew
Topalian Copyright 2000-2023
// https://github.com/ChristopherTopalian
II
https://github.com/ChristopherAndrewTopalia
n
// randomResponses.js
// if no keywords are found, use these
responses
let randomResponses =
  `That's interesting.`,
```

```
`Would you tell me more?`,
`Hmm, tell me more about that.`,
`Would you elaborate?`,
`Interesting, please go on.`,
`What else can you tell me about it?`,
`Do you have anymore information on it?`,
`Say again?`,
`Fascinating! Tell me more.`,
```

];

True Artificial Intelligence System



For More Tutorials:

CollegeOfScripting.weebly.com

CollegeOfScripting.wordpress.com

Youtube.com/ScriptingCollege

Twitter.com/CollegeOfScript

GitHub.com/ChristopherTopalian

GitHub.com/ChristopherAndrewTopalian

Sites.google.com/view/CollegeOfScripting

Dedicated to God the Father

This book is created by the College of Scripting Music & Science.

Always remember, that each time you write a script with a pencil and paper, it becomes imprinted so deeply in memory that the material and methods are learned extremely well.

When you Type the scripts, the same is true. The more you type and write out the scripts by keyboard or pencil and paper, the more you will learn programming!

Write and Type every example that you find.

Keep all of your scripts organized.

Every script that you create increases your programming abilities.

SEEING CODE, is one thing,

but WRITING CODE is another.

Write it, Type it, Speak It, See It, Dream It.

CollegeOfScripting.weebly.com