



ZIMBABWE SCHOOL EXAMINATIONS COUNCIL
General Certificate of Education Ordinary Level

METAL TECHNOLOGY AND DESIGN

PAPER 2 Practical Test

4055/2

3 hours 10 minutes

SPECIMEN PAPER

Additional materials:

As listed in the Instructions to Supervisors.

INSTRUCTIONS TO CANDIDATES

PLEASE SEE PAGE 2.

INFORMATION FOR CANDIDATES

All dimensions are in millimetres.

Drawings are **not** to scale.

This specimen paper consists of 4 printed pages.

Copyright: Zimbabwe School Examinations Council, Specimen Paper.

Instructions to candidates

1. Write your name, centre number and candidate number on all two labels. Write in capital letters.
2. After the examination attach one label to work and put all worked and unworked materials into the plastic bag and tie. The other label should be attached to the plastic bag.
3. Reconditioning of the tools to be done by the Supervisor.
4. All dimensions are in **millimetres**.
5. Drawings are not to scale.

Information for candidates

1. Attempt to complete all the work but remember that a partly completed piece of good quality work may gain more marks than a piece of work that is complete but poorly finished and inaccurate.
2. Any dimensions **not** given are left to your own discretion.
3. Clean all pieces by draw filing except for machined edges and surfaces.

The following materials are required:

Part 1

One piece **100 mm × 30 mm × 3 mm** BDMS/cleaned MS both ends squared.

Part 2

One piece **40 mm × 30 mm × 3 mm** BDMS/cleaned MS both ends squared.

Part 3

One piece **35 mm × 30 mm × 10 mm** BDMS/cleaned MS both ends squared.

Part 4

One piece **50 mm × 20 mm × 3 mm** BDMS/cleaned MS both ends squared.

Part 5

One piece **30 mm × Ø6 mm** BDMS/cleaned MS both ends squared (prepared before the examination).

Part 6

One piece 68 mm × Ø8 mm BDMS/cleaned BMS (prepared before the examination).

One strong plastic bag in which to enclose work.

Two-tie-on-labels and a string.

Working Procedure

(a) Make all the parts as shown in the working diagrams.

NOTE : Material for **part 4** should be used to design and make a decorative shape of choice.

(b) Join **Part 4** to **part 5** by silver soldering or brazing.

Assembly procedure

(a) Silver solder or blaze **Part 5** to **Part 4**, cut extra length of spigot and file flush

Rivet flush **Part 6** to **Part 2**

(b) Slide fit **Part 1** to **Part 2**

(c) Force fit **Part 3** to **Part 1**