```sql
create database artgallery;
use artgallery;

create table art_pieces(pieceid varchar(16), name varchar(64), primary
key(pieceid));

insert into art_pieces values ('00000000', 'Wedding at Cana');
insert into art_pieces values ('00000001', 'The School of Athens');
insert into art_pieces values ('00000002', 'Madonna del Prato');
insert into art_pieces values ('00000003', 'Salome with the Head of Saint');
insert into art_pieces values ('00000004', 'The Last Judgment');
insert into art_pieces values ('00000005', 'The Tower of Babel');
insert into art_pieces values ('00000006', 'The Garden of Earthly Delights');
insert into art_pieces values ('00000007', 'Europe After the Rain II');
insert into art_pieces values ('00000008', 'Persistence of Memory');
insert into art_pieces values ('00000009', 'Allegoria della Primavera');
insert into art_pieces values ('00000010', 'Fall of the Damned');
insert into art_pieces values ('00000011', 'Battaglia di San Romano');
insert into art_pieces values ('00000012', 'Triumph of Death');
insert into art_pieces values ('00000013', 'Belshazzars Feast');
insert into art_pieces values ('00000014', 'The Virgin of Ivers');
insert into art_pieces values ('00000015', 'The Astronomer');
insert into art_pieces values ('00000016', 'Ambassadors');


create table customers(name varchar(32), address varchar(64), primary
key(name));

insert into customers values('Berg', '1314 S. Lerg st.');
insert into customers values('Longstalking', '409 E. Mesa ave.');
insert into customers values('Johnson', '326 S. Storm st.');
insert into customers values('Stoick', '457 W.  Bern  ave.');
insert into customers values('Coinstan', '12  N. Walker st.');
insert into customers values('Jenkins', '17898 W. Ragnar ct.');
insert into customers values('Stronson', '43785 S. Journey wy.');
insert into customers values('Boik', '89 N. Curtain st.');
insert into customers values('Guerraz', '17872 N. Stranded st.');
insert into customers values('Bjorn', '9854 S. Holly st.');
insert into customers values('Fernski', '45363 S. Kitridge st.');
```

```sql
insert into customers values('Blake', '89 N. Bailick ave.');
insert into customers values('Strand', '4212 W. Lorin st.');
insert into customers values('Samming', '9854 E. Korning st.');
insert into customers values('Yergbin', '987 S. York st.');


create table art_data(pieceid varchar(16), artist varchar(32), date varchar(8),
price varchar(8), primary key(pieceid), foreign key(pieceid) references
art_pieces(pieceid));


insert into art_data values('00000000', 'Paolo Veronese', '1563','100000');
insert into art_data values('00000001', 'Raphael', '1511','100500');
insert into art_data values('00000002', 'Raphael', '1505','1005005');
insert into art_data values('00000003', 'John the Baptist', '1500','1542341');
insert into art_data values('00000004', 'Hieronymus Bosch', '1510','1234657');
insert into art_data values('00000005', 'Pieter Bruegel the Elder', '1563','1987654');
insert into art_data values('00000006', 'Hieronymus Bosch', '1504','1100500');
insert into art_data values('00000007', 'Ernst', '1942','1200500');
insert into art_data values('00000008', 'Salvador Dali', '1931','1300500');
insert into art_data values('00000009', 'Botticelli', '1478','1900510');
insert into art_data values('00000010', 'Rubens', 'N/A','1800500');
insert into art_data values('00000011', 'Uccello', '1456','2900500');
insert into art_data values('00000012', 'Bruegel', '1562','300500');
insert into art_data values('00000013', 'Rembrandt', '1635','1400500');
insert into art_data values('00000014', 'Van Eyck', '1435','9100500');
insert into art_data values('00000015', 'Vermeer', '1668','800500');
insert into art_data values('00000016', 'Holbein', '1533','800578');


create table purchases(purchaseid varchar(16), custname varchar(32), pieceid
varchar(16), date varchar(8), primary key(purchaseid), foreign key(pieceid)
references art_pieces(pieceid), foreign key(custname) references
customers(name));


insert into purchases values('0111', 'Berg', '00000000', '12-2008');
```

```
insert into purchases values('0112', 'Longstalking', '00000001', '10-1996');
insert into purchases values('0113', 'Johnson', '00000002', '02-1990');
insert into purchases values('0114', 'Stoick', '00000003', '01-2009');
insert into purchases values('0115', 'Coinstan', '00000004', '03-1976');
insert into purchases values('0116', 'Jenkins', '00000005', '04-1984');
insert into purchases values('0117', 'Stronson', '00000006', '10-1989');
insert into purchases values('0118', 'Boik', '00000007', '11-2001');
insert into purchases values('0119', 'Guerraz', '00000008', '04-1975');



//I didn't put these into the db
insert into purchases values('0120', 'Bjorn', '00000009', '06-1997');
insert into purchases values('0121', 'Fernski', '00000010', '05-1993');
insert into purchases values('0122', 'Blake', '00000011', '09-2007');
insert into purchases values('0123', 'Strand', '00000012', '12-2008');
insert into purchases values('0124', 'Samming', '00000013', '05-1969');
insert into purchases values('0125', 'Yergbin', '00000014', '08-2011');
```