Python For Data Science *Cheat Sheet*

NumPy Basics

Learn Python for Data Science **Interactively** at www.DataCamp.com

NumPy

The **NumPy** library is the core library for scientific computing in Python. It provides a high-performance multidimensional array object, and tools for working with these arrays.

Use the following import convention:

```
>>> import numpy as np
```

NumPy Arrays

1D array

1	2	3

2D array

axis 1
axis 0

1.5	2	3
4	5	6

3D array

axis 2
axis 1
axis 0

Creating Arrays

```
>>> a = np.array([1,2,3])
>>> b = np.array([(1.5,2,3), (4,5,6)], dtype = float)
>>> c = np.array([[(1.5,2,3), (4,5,6)], [(3,2,1), (4,5,6)]],
                 dtype = float)
```

Initial Placeholders

`>>> np.zeros((3,4))`	Create an array of zeros
`>>> np.ones((2,3,4),dtype=np.int16)`	Create an array of ones
`>>> d = np.arange(10,25,5)`	Create an array of evenly spaced values (step value)
`>>> np.linspace(0,2,9)`	Create an array of evenly spaced values (number of samples)
`>>> e = np.full((2,2),7)`	Create a constant array
`>>> f = np.eye(2)`	Create a 2X2 identity matrix
`>>> np.random.random((2,2))`	Create an array with random values
`>>> np.empty((3,2))`	Create an empty array

I/O

Saving & Loading On Disk

```
>>> np.save('my_array', a)
>>> np.savez('array.npz', a, b)
>>> np.load('my_array.npy')
```

Saving & Loading Text Files

```
>>> np.loadtxt("myfile.txt")
>>> np.genfromtxt("my_file.csv", delimiter=',')
>>> np.savetxt("myarray.txt", a, delimiter=" ")
```

Data Types

`>>> np.int64`	Signed 64-bit integer types
`>>> np.float32`	Standard double-precision floating point
`>>> np.complex`	Complex numbers represented by 128 floats
`>>> np.bool`	Boolean type storing `TRUE` and `FALSE` values
`>>> np.object`	Python object type
`>>> np.string_`	Fixed-length string type
`>>> np.unicode_`	Fixed-length unicode type

Inspecting Your Array

`>>> a.shape`	Array dimensions
`>>> len(a)`	Length of array
`>>> b.ndim`	Number of array dimensions
`>>> e.size`	Number of array elements
`>>> b.dtype`	Data type of array elements
`>>> b.dtype.name`	Name of data type
`>>> b.astype(int)`	Convert an array to a different type

Asking For Help

```
>>> np.info(np.ndarray.dtype)
```

Array Mathematics

Arithmetic Operations

`>>> g = a - b`
`array([[-0.5, 0. , 0. ],`
`       [-3. , -3., -3. ]])`
	Subtraction

`>>> np.subtract(a,b)`	Subtraction

`>>> b + a`
`array([[ 2.5, 4. , 6. ],`
`       [ 5. , 7. , 9. ]])`
	Addition

`>>> np.add(b,a)`	Addition

`>>> a / b`
`array([[ 0.66666667, 1.      , 1.      ],`
`       [ 0.25    , 0.4     , 0.5     ]])`
	Division

`>>> np.divide(a,b)`	Division

`>>> a * b`
`array([[ 1.5, 4. , 9. ],`
`       [ 4. , 10. , 18. ]])`
	Multiplication

`>>> np.multiply(a,b)`	Multiplication
`>>> np.exp(b)`	Exponentiation
`>>> np.sqrt(b)`	Square root
`>>> np.sin(a)`	Print sines of an array
`>>> np.cos(b)`	Element-wise cosine
`>>> np.log(a)`	Element-wise natural logarithm

`>>> e.dot(f)`
`array([[ 7., 7.],`
`       [ 7., 7.]])`
	Dot product

Comparison

`>>> a == b`
`array([[False, True, True],`
`       [False, False, False]], dtype=bool)`
	Element-wise comparison

`>>> a < 2` `array([True, False, False], dtype=bool)`	Element-wise comparison
`>>> np.array_equal(a, b)`	Array-wise comparison

Aggregate Functions

`>>> a.sum()`	Array-wise sum
`>>> a.min()`	Array-wise minimum value
`>>> b.max(axis=0)`	Maximum value of an array row
`>>> b.cumsum(axis=1)`	Cumulative sum of the elements
`>>> a.mean()`	Mean
`>>> b.median()`	Median
`>>> a.corrcoef()`	Correlation coefficient
`>>> np.std(b)`	Standard deviation

Copying Arrays

`>>> h = a.view()`	Create a view of the array with the same data
`>>> np.copy(a)`	Create a copy of the array
`>>> h = a.copy()`	Create a deep copy of the array

Sorting Arrays

`>>> a.sort()`	Sort an array
`>>> c.sort(axis=0)`	Sort the elements of an array's axis

Subsetting, Slicing, Indexing

Subsetting

`>>> a[2]` `3`		Select the element at the 2nd index
`>>> b[1,2]` `6.0`		Select the element at row 1 column 2 (equivalent to `b[1][2]`)

Slicing

`>>> a[0:2]` `array([1, 2])`		Select items at index 0 and 1
`>>> b[0:2,1]` `array([ 2., 5.])`		Select items at rows 0 and 1 in column 1
`>>> b[:1]` `array([[1.5, 2., 3.]])`		Select all items at row 0 (equivalent to `b[0:1, :]`)

`>>> c[1,...]`
`array([[[ 3., 2., 1.],`
`        [ 4., 5., 6.]]])`
		Same as `[1, :, :]`

`>>> a[ : :-1]` `array([3, 2, 1])`		Reversed array `a`

Boolean Indexing

`>>> a[a<2]` `array([1])`		Select elements from `a` less than 2

Fancy Indexing

`>>> b[[1, 0, 1, 0],[0, 1, 2, 0]]` `array([ 4., 2., 6., 1.5])`	Select elements (1,0),(0,1),(1,2) and (0,0)

`>>> b[[1, 0, 1, 0]][:,[0,1,2,0]]`
`array([[ 4.,5., 6., 4.],`
`       [ 1.5, 2. , 3. , 1.5],`
`       [ 4., 5., 6., 4.],`
`       [ 1.5, 2. , 3. , 1.5]])`
	Select a subset of the matrix's rows and columns

Array Manipulation

Transposing Array

`>>> i = np.transpose(b)`	Permute array dimensions
`>>> i.T`	Permute array dimensions

Changing Array Shape

`>>> b.ravel()`	Flatten the array
`>>> g.reshape(3,-2)`	Reshape, but don't change data

Adding/Removing Elements

`>>> h.resize((2,6))`	Return a new array with shape (2,6)
`>>> np.append(h,g)`	Append items to an array
`>>> np.insert(a, 1, 5)`	Insert items in an array
`>>> np.delete(a,[1])`	Delete items from an array

Combining Arrays

`>>> np.concatenate((a,d),axis=0)` `array([ 1, 2, 3, 10, 15, 20])`	Concatenate arrays

`>>> np.vstack((a,b))`
`array([[ 1. , 2. , 3. ],`
`       [ 1.5, 2. , 3. ],`
`       [ 4. , 5. , 6. ]])`
	Stack arrays vertically (row-wise)

`>>> np.r_[e,f]`	Stack arrays vertically (row-wise)

`>>> np.hstack((e,f))`
`array([[ 7., 7., 1., 0.],`
`       [ 7., 7., 0., 1.]])`
	Stack arrays horizontally (column-wise)

`>>> np.column_stack((a,d))`
`array([[ 1, 10],`
`       [ 2, 15],`
`       [ 3, 20]])`
	Create stacked column-wise arrays

`>>> np.c_[a,d]`	Create stacked column-wise arrays

Splitting Arrays

`>>> np.hsplit(a,3)` `[array([1]),array([2]),array([3])]`	Split the array horizontally at the 3rd index

`>>> np.vsplit(c,2)`
`[array([[[ 1.5, 2., 1. ],`
`        [ 4., 5., 6. ]]]),`
`array([[[ 3., 2., 3.],`
`        [ 4., 5., 6.]]])]`
	Split the array vertically at the 2nd index