

T03 — Threat Profile

Used in **Phase 2**. Produced by the Threat Intelligence Analyst. Peer-reviewed by someone who will not execute it. Becomes Appendix 8 of the ROE.

Field	Value
Engagement reference	
Profile version	
Author	
Peer reviewer	
Date	
Intelligence cut-off date	
ATT&CK release and date	
Source-handling classification	
Scenario ID(s)	SC-01

1. Adversary selection

1.1 What does this organisation have that someone would want?

Response / notes

1.2 Who has attacked organisations like this in the last 24 months?

Actor	Sector / geography targeted	Source

1.3 Which adversaries have acted against the assessed organisation?

From incident history, escalations by the defensive element, and phishing telemetry.

Response / notes

1.4 Selected adversary and justification *(one paragraph, evidence-based)*

Response / notes

1.5 Source assessment

Use stable source IDs throughout this profile. Reliability concerns the source; confidence concerns the information. Record uncertainty and disagreement rather than resolving them by omission.

Source ID	Title / origin and link or repository reference	Published / observed	Reliability	Information confidence	Corroboration, disagreement and limitations
S-01			High / Medium / Low	High / Medium / Low	
S-02			High / Medium / Low	High / Medium / Low	
S-03			High / Medium / Low	High / Medium / Low	
S-04			High / Medium / Low	High / Medium / Low	
Analytic limitation or alternative explanation			Effect on adversary selection or scenario		

Analytic limitation or alternative explanation	Effect on adversary selection or scenario
--	---

2. Adversary identity

Field	Value
-------	-------

Name

Aliases

ATT&CK Group ID

Profile basis

☐ Named group ☐ **Composite** — built from a threat category

If composite: category emulated

Attribution source IDs

3. Motivation and goals

Field	Value
-------	-------

Primary motivation

☐ Espionage ☐ Financial ☐ Disruption ☐
Hacktivism ☐ Pre-positioning

Secondary motivation

What would this actor want from THIS organisation?

Likely end objectives

Tolerance for detection

☐ Low — will withdraw ☐ Medium ☐ High — will persist noisily

Tolerance for destruction

☐ None ☐ Opportunistic ☐ Deliberate

4. Capability assessment

Field	Value
Capability level	☐ 1 Opportunistic ☐ 2 Targeted criminal ☐ 3 Advanced persistent ☐ 4 Insider-enabled
Justification	
Resourcing	
Patience / typical dwell time	
Custom capability	☐ None ☐ Modified public tooling ☐ Bespoke
Zero-day use	☐ Not observed ☐ Occasional ☐ Routine

5. Initial access

Ranked by observed frequency in reporting.

Rank	Vector	ATT&CK ID	Observed detail	Emulating?
1				☐
2				☐
3				☐

6. Tooling

Category	Known tooling	Emulating with
Initial access		
Execution		
C2		
Credential access		
Lateral movement		
Exfiltration		
Living-off-the-land binaries		

7. Infrastructure pattern

Attribute	Adversary pattern	Emulation
Hosting providers		
Domain naming convention		
Domain age / categorisation		
TLS certificate habits		
C2 protocol		
Beacon interval and jitter		
Redirector use		

8. TTP set — the execution backbone

This table forms the structure of the engagement plan, the execution record and the coverage matrix in the report. The procedure column is the operative one: a defensive element detects procedures and not technique identifiers.

Action ID	Tactic	Technique ID and name	Procedure: the exact method to be used	Source IDs	Approval level	Planned
A-01	Reconnaissance					☐
A-02	Resource Development					☐
A-03	Initial Access					☐
A-04	Execution					☐
A-05	Persistence					☐
A-06	Privilege Escalation					☐
A-07	Stealth					☐
A-08	Defense Impairment					☐
A-09	Credential Access					☐

Action ID	Tactic	Technique ID and name	Procedure: the exact method to be used	Source IDs	Approval level	Planned
A-10	Discovery					☐
A-11	Lateral Movement					☐
A-12	Collection					☐
A-13	Command and Control					☐
A-14	Exfiltration					☐
A-15	Impact					☐

9. Known indicators

Held by the Control Team for deconfliction and released to the defensive element at the agreed stage. In a covert engagement they are not used to seed advance detections unless the ROE explicitly makes that part of the design.

Type	Indicator	Source ID	Using in emulation?
			☐
			☐
			☐

10. Techniques not emulated

Mandatory. Emulation is always partial. Recording the omission prevents the report being read as assurance against the adversary as a whole.

Adversary behaviour	Basis for exclusion	Residual risk left unassessed
	☐ Safety ☐ Legal ☐ Capability ☐ ROE	
	☐ Safety ☐ Legal ☐ Capability ☐ ROE	

11. Attack path hypotheses

Recorded before execution. The predictions constitute a finding in themselves. The difference between what the organisation believes its controls achieve and what they achieve is among the more useful outputs of an engagement.

Hypothesis 1

Field	Value
Hypothesis ID / objective ID	H-01 / O-__
Route	Start to ... to Objective
Planned action IDs	A-__ → A-__ → A-__
Controls expected to be encountered	
Prediction: prevented / detected / missed at each step	
Confidence	☐ Low ☐ Medium ☐ High
Source IDs and key assumptions	

Hypothesis 2

Field	Value
Hypothesis ID / objective ID	H-02 / O-__
Route	
Planned action IDs	
Controls expected	
Prediction	
Confidence	
Source IDs and key assumptions	

Hypothesis 3

Field	Value
Hypothesis ID / objective ID	H-03 / O-__
Route	

Field	Value
Planned action IDs	
Controls expected	
Prediction	
Confidence	
Source IDs and key assumptions	
Attack-path representation	
Item	Value
Attack Flow or diagram reference	
Version / date	
Flow or node identifiers used in T04 and T08	

12. Target reconnaissance summary

Area	Findings	Immediate risk?
External attack surface		☐
Exposed services		☐
Identity providers and federation		☐
Technology stack		☐
Public personnel footprint		☐
Credential exposure in breach corpora		☐
Supply chain / third-party access		☐

Any item marked as an immediate risk shall be reported to the Trusted Agent at once. It shall not be held for the report.

Reported to Trusted Agent on: _____ by: _____

13. Sign-off

Name	Signature	Date
Author		
Peer reviewer		
Red Team Lead		