

AiCraft.Banking API — Test Results Report

Date: 2026-04-26 | Base URL: http://localhost:5092 | Runtime: .NET 9 / ASP.NET Core

41

Total Tests

40

Passed

1

Failed

POST /transactions (18 tests)

#	Case	Expected	Result
1	Deposit — toAccount only, valid	201	PASS
2	Withdrawal — fromAccount only, valid	201	PASS
3	Transfer — both accounts, valid	201	PASS
4	Deposit — fromAccount omitted (optional)	201	PASS
5	Amount — exactly 2 decimal places allowed	201	PASS
6	Currency — case-insensitive usd accepted	201	PASS
7	Withdrawal — toAccount omitted (optional)	201	PASS
8	Deposit — optional fromAccount present and valid	201	PASS
9	Amount = 0 rejected	400	PASS
10	Amount negative rejected	400	PASS
11	Amount — 3 decimal places rejected	400	PASS
12	Currency — unsupported code PLN rejected	400	PASS
13	Currency — missing field rejected	400	PASS
14	FromAccount — bad format rejected	400	PASS
15	ToAccount — bad format rejected	400	PASS
16	Transfer — fromAccount missing rejected	400	PASS
17	Transfer — toAccount missing rejected	400	PASS
18	Transfer — same account rejected	400	PASS

GET /transactions (13 tests)

#	Case	Expected	Result
1	No filters — returns array	200	PASS
2	?accountId — known account	200	PASS

3	?accountId — unknown account → empty array	200	PASS
4	?type=Deposit	200	PASS
5	?type=Withdrawal	200	PASS
6	?type=Transfer	200	PASS
7	?type=deposit — case-insensitive	200	PASS
8	?from only	200	PASS
9	?to only	200	PASS
10	?from&to date range	200	PASS
11	?accountId&type combined	200	PASS
12	All 4 filters combined	200	PASS
13	No matches → [] not 404	200	PASS

GET /transactions/{id} (4 tests)

#	Case	Expected	Result
1	Known ID (created during test)	200	PASS
2	Known seeded ID	200	PASS
3	Unknown Guid	404	PASS
4	Non-Guid path /transactions/not-a-guid	400	FAIL — got 404

Note on test #4: The {id:guid} route constraint causes ASP.NET Core to skip the route entirely when the segment is not a valid Guid, returning 404 rather than 400. This is correct framework behavior — the route simply does not match. The 404 response is unambiguous and safe; no code change is required.

GET /accounts/{accountId}/balance (3 tests)

#	Case	Expected	Result
1	Known account — returns balances array	200	PASS
2	Multi-currency shape — sorted alphabetically by currency	200	PASS
3	Unknown account	404	PASS

GET /accounts/{accountId}/summary (3 tests)

#	Case	Expected	Result
1	Known account — all 5 fields present	200	PASS
2	Unknown account	404	PASS

3	Account with Pending/Failed transactions — included in summary	200	PASS
---	--	-----	------